

## DAFTAR PUSTAKA

- Ares, J.J., Outt, P.E., Kakodkar, S.V., Buss, R.C., Geiger, and Jeffrey C., A Convenient Large-Scale Synthesis of 5-methoxyflavone and Its Application To Analog Preparation, *J. Org. Chem.*, 58, 7903.
- Bano, S., Javed, K., Ahmad, S, Rathish, I.G., Singh, S., Chaitanya, M., Arunasree, K.M. and Alam, M.S., 2013, Synthesis of Some Novel Chalcones, Flavanones and Flavones and Evaluation of Their Anti-inflamamatory Activity, *Eur. J. Med. Chem.*, 65, 51-59.
- Cardenas, M., Marder, M., Blank, V.C., and Roguin, L.P., 2006, Antitumor Activity of Some Natural Flavonoids and Synthetic Derivatives on Various Human and Murine Cancer Cell Line, *Bioorg. Med. Chem.*, 14, 2966-2971.
- Carrey, F.A. and Sundberg, R.J., 2008, *Advanced Organic Chemistry Part A: Structure and Mechanism*, Fifth edition, Springer, New York.
- Carvalho, J.C.T., Ferreira, L.P., Santos, L.D.S., Corre, M.J.C., Campos, L.M.D.O., Bastos, J.K., and Sarti, S.J., 1999, Anti-inflammatory Activity of Flavone and Some of Its Derivates From *Virola michelli* Heckel, *J. Ethnopharmacol.*, 64, 173-177.
- Chen T.R., Drabkowski D., Hay R.J., Macy M., and Peterson W. Jr., 1987, WiDr Is A Derivative of Another Colon Adenocarcinoma Cell Line, HT-29, *Cancer Genet. Cytogenet.*, 27(1), 125-34.
- Cooper, S.R., 1955, Resacetophenone (acetophenon,2,2-dihydroxyl-), *JOS*, 3, 76.
- Crozier A., Lean M.E.J, McDonald M.S., and Black C., 2009, Quantitative Analysis of The Flavonoid Content of Commercial Tomatoes, Onions, Lettuce, and Celery. *J. Agric. Food Chem.*, 45, 590-595.
- Dauzonne, D., Folleas, B., Martinez, L., and Chabot., G.G., 1997, Synthesis And In Vitro Cytotoxicity of a Series of 3-aminoflavones, *Eur. J. Chem.*, 32, 71-82.
- DeFilippis, R.A., Goodwin, E.C., Wu, L. And Maio, D., 2003, Endogenous Human Papillomavirus E6 and E7 Protein Differentially Regulate Proliferation, Senescence, and Apoptosis in Hela Cervical Carcinoma Cells, *J. Virol.*, 77, 1551-1563.
- Doyle, A. and Grifith, S.J.B., 2000, *Cell and Tissue Culture for Medical Research*, John Willey and Sons, Ltd, New York.
- Fessenden, R.J. and Fessenden, J.F., 1992, *Kimia Organik diterjemahkan oleh A.H. Pudjaatmaka*, Edisi ketiga, Jilid I, Erlangga, Jakarta.

- Futwenbun, A., Sabirin, M., dan Jumina, 2001, *Sintesis 2-Metoksi Flavon o-Hidroksiasetofenon dengan Metilsalisilat*, dimuat pada Tekno-sains, Berkala Penelitian Ilmu-ilmu Teknik dan Sains UGM, 14(1), 1411-6162.
- Handoko, F.F., Maruti, A.A., Rivanti, E., Putri, D., dan Meiyanto, E., 2011, Aktivitas Sitotoksik Ekstrak Etanolik Rimpang Temu Kunci (*Boesenbergia pandurata*) Terhadap Sel Kanker Serviks Hela dan Sel Kanker Kolon WiDr, *Pharmamedika*, 3(1), 222-226.
- Hardjono, S., 2004, *Kimia Minyak Atsiri*, Gadjah Mada University Press, Yogyakarta, 203-226.
- Hirata, T., Fujii., Akita, K., Yanaka, N., Ogawa. K., Kuroyanagi, and M., Hongo, D., 2009, Identification and Physiological Evaluation of The Components From Citrus Fruits As Potential Drugs For Anti-Corpulence and Anticancer, *Bioorg. Med. Chem.*, 17, 25–28.
- Horner, S.M., DeFilippis, R.A., Manuelidis, L. and DiMaio, D., 2004, Repression of The Human Papillomavirus E6 Gene Initiates p53-Dependent, Telomerase-Independent Senescence and Apoptosis in HeLa Cervical Carcinoma Cells, *J. Virol.*, 78(8), 4063-4073.
- Jemal, A., Siegel, R., Ward, E., Murray, T., Xu, J., Smigal, C., and Thun, M.J., 2008, Cancer Statistics, *Cancer J.Cli.*, 56 (2), 106-130
- Kshatriya, R.B., Macchi, J.K., and Nazerrudin, G.M., 2014, Novel Methodology and Process Optimization for the Synthesis of Flavones, *Int. J. Curr. Res. Rev.*, 3(2), 47-57.
- Kumar, S., Lamba M.S., and Makrandi J.K., 2008, An Efficient Green Procedure For The Synthesis of Chalcones Using C-200 As Solid Support Under Grinding Conditions, *Green Chem. Lett. Rev.*, 1(2), 123-125.
- Kusumaningsih, triana. 1999, Derivatisasi Anetol Hasil Isolasi Minyak Adas., *Tesis*, FMIPA UGM, Yogyakarta.
- Lee, J.L., and Kim, S.Y., 2013, An Efficient Synthesis of Ring A Hydroxylated Flavones from 2'-Hydroxyacetophenones. *J. Korean Chem. Soc.*, 53(3), 382-386.
- Li,S., Pan, M.S., Wang, Z., Lambros, T., and Ho, C.T., 2008, Biological Activity, Metabolism and Separation of Polymethoxyflavonoids from Citrus Peels, *Tree For. Sci. Biotech.*, 2(1), 36-51.

- Markham, K.R., *Technique of Flavanoid Identification*, diterjemahkan oleh Kosasih Padmawinata, 1988, *Cara Mengidentifikasi Flavanoid*, ITB, Bandung.
- Meiyanto, E, 1999, Kurkumin Sebagai Obat Antikanker: Menelusuri Mekanisme Aksi, *Maj. Farm. Indones.*, 10(4), 224-236.
- Middleton, E., Kandaswami, C., and Theoharides. T.C., 2000, The Effects of Plant Flavonoids on Mammalian Cells: Implications for Inflammation, Heart Disease, and Cancer, *Pharmacol. Rev.*, 52, 673-751.
- Moghaddam, G., Ebrahimi, S.A., Rhoshandel, N.R., and Fooumadi, A., 2012, Antiproliferative Activity of Flavonoids: Influenced of Sequential Methoxylation State of The Flavonoid Structure, *Phytother. Res.*, 26, 1023-1028.
- Mori, A., Nishino, Ch., Enoki, N., and Tawata, S., 1988, Cytotoxicity of Plant Flavonoids Against HeLa Cells, *Phytochem.*, 27, 1017-1020.
- Mosmann, T., 1983, Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxicity Assay, *J. Immunol. Methods.*, 65, 55-63.
- Nazreen, S., Kaur, G., Alam, M.M., Shafi, S., Hamid, H., Ali, M., and Alam, M.S., 2012, New Flavones with Antidiabetic Activity from *Callistemon lanceolatus* DC, *Fitoterapia.*, 83,1623–1627.
- Parvatkar, P.T., Parameswan, and P.S., Tilve. S.G., 2012, Recent Developments in the Synthesis of Five- and Six Membered Heterocycles Using Molecular Iodine, *Chem. Eur. J.*, 18, 5460 -548.
- Prasad, Y.R., Rao, A.L. and Rambabu, R., 2008, Synthesis and Antimicrobial Activity of Some Chalcone Derivatives, *Eur. J. Chem.*, 5(3), 461-466.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., Vyvyan, J.R., 2001, *Introduction to Spectroscopy*, Fourth Edition, Thomson Learning Inc., USA.
- Sarda, S.R., Jadhav, W.N., and Pawar, R.P., 2009, I<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>: A Suitable Heterogeneous Catalyst for The Synthesis of Flavones Under Microwave Irradiation, *Int. J. Chem. Tech. Res.*, 1(3), 539-543.
- Susanti, E., Matsjeh, S., Mustofa, Redjeki., and Wahyuningsih, T.D., 2014, Syntheses and Antioxidant Activities of Some Hydroxy Dimethoxy Chalcone Derivatives, *Indones. J. Pharm.*, 25(1), 17-24.

- Topcu, G., Ay, M., Bilici, A., Sarikurucu, C., Ozturk, M., and Ulubelen, A., 2007, A New Flavone From Antioxidant Extracts of *Pistacia terebinthus*, *Food Chem.*, 103, 816–822.
- Verkatesan, P., and Maruthavanan, T., 2011, Synthesis of Substituted Flavone Derivatives as Potent Antimicrobial Agents, *Bull. Chem. Soc. Ethiop.*, 25(3), 419-425.
- Violante, R., Zerrouk, N., Richard, I., Provot, G., Chaumeil, J.C., Amaud, P., 2002, Evaluation of The Cytotoxicity Effect of Dimethyl Sulfoxide (DMSO) on Caco2/TC7 Colon Tumor Cell Cultures, *Biol. Pharm. Bull.*, 25, 1600-1603.
- Park, Y., Moon, B.H., Yang, H., Lee, Y., Lee, E., and Lim, Y., 2007, Spectral Assignments and Reference Data, *Magn. Reson. Chem.*, 45, 1072–1075.
- Zheng, P.W., Chiang, L.C., and Lin, C.C., 2005, Apigenin Induced Apoptosis Through p53-Dependent Pathway In Human Cervical Carcinom Cells, *Life Science*, 76, 1367–1379.