

## DAFTAR PUSTAKA

- Abuali AI, Abdelmulla AA, Khalafalla M, Idris A, Osman AM. 2012. Combining ability and heterosis for yield and yield component in maize (*Zea mays* L.). *Aust J Basic&Appl Sci.* 6:36-41.
- Acquaah G. 2007. Principles of Plant Genetics and Breeding. Malden (US) : Blackwell Publishing.
- Ahmad A, Saleem M. 2003. Combining ability analysis in *Zea mays* L. *Int J Agric Biol.* 5: 239-244.
- Akbar M, Saleem M, Azhar FM, Ashraf MY, Ahmad R. 2008. Combining ability analysis in maize under normal and high temperature conditions. *J Agric Res.* 46: 261-277.
- Alam AKMM. 2008. Heterosis and combining ability for grain yield and its contributing character in maize. *Banglades J Agril Res.* 33(3):375-379.
- Alan O, Kinaci G, Kinaci E, Kutlu I, Bascifti ZB, Sonmez K, Evrenosoglu Y. 2013. Genetic variability and association analysis of some quantitative characters in sweet corn. *Not Bio Agrobi* 14(12):404-413.
- Ali F and Yan JB. 2012. The Phenomenon of disease resistance in maize and the role of molecular breeding in defending against global threat. *J. Integrated Plant Biol.* doi: 1111/j.17447909. 01105.
- Ali F, Shah IA, Hidayat ur Rahman, Noor M, Durrishahwar, Khan MY, Ihteram Ullah and Yan J. 2012. Heterosis for yield and agronomic attributes in diverse maize germplasm. *AJCS* 6(3):455-462
- Ali G, Rather AC, Ishfaq A, Dar SA, Wani S, and Khan MN. 2007. Gene action for grain yield and its attributes in maize (*Zea mays* L.). *Int. J. Agric. Sci.* 3(2): 278.
- Amanullah SJ, Mansoor M and Khan MA. 2011. Heterosis studies in diallel crosses of maize. *Sarhad J. Agric.* 27(2): 207-211
- Amer EA and Mosa HE. 2004. Gene effects of some plant and yield traits in four maize crosses. *Minofiya J. Agric. Res.* 1(29): 181-192.
- Andrés-Meza P, López-Collado CJ, Sierra-Macías M, López-Romero G, Leyva-Ovalle OR, Palafox-Caballero A and Rodríguez-Montalvo FA. 2011. Combining Ability in Maize Lines Using a Diallel Cross. *Tropical and Subtropical Agroecosystems*, 13: 525 – 532.
- Arbelbide M, Bernardo R. 2004. Random mating before selfing in maize BC1 populations. *Crop Sci.* 44:401-401.
- Badan Pusat Statistik [BPS]. 2015. Luas Panen Jagung 2014. Tersedia pada: <http://www.bps.go.id/site/resultTab>. [Diakses: 13 April 2015].
- Bahar H, Zen S. 1993. Parameter genetik pertumbuhan tanaman, hasil dan komponen hasil jagung. *Zuriat* 4:4-7.
- Baker RJ. 1978. Issues in diallel analysis. *Crop Sci.* 18: 535-536.

- Balestre M, Von Pinho RG and Souza JC. 2010. Prediction of maize single-cross performance by mixed linear models with microsatellite marker information. *Genet. Mol. Res.*, 9 (2): 1054-1068
- Barznji MOH. 2013. Estimation of Some Genetic Parameters Using Full Diallel Cross in Maize. M.Sc. Thesis. University of Sulaimani. Pakistan
- Betran FJ, Ribaut JM, Beck D and Gonzalez de leon D. 2003. Genetic diversity, specific combining ability, and heterosis in tropical maize under stress and non-stress environments. *Crop Sci.*, 43: 797-806.
- Beyene Y, Mugo S, Gakunga J, Karaya H, Mutinda C, Tefera T, Njoka S, Chepkesis D, Shuma JM, Tende R *et al.* 2011. Combining ability of maize (*Zea mays* L.) inbred lines resistant to stem borers. *Afr J Biotechnol.* 10: 4759-4766.
- Bidhendi MZ, Choukan R, Darvish F, Mostafavi K, Hervan EM. 2011. Determination of combining abilities and heterotic patterns of fourteen medium to late maturing Iranian maize inbred lines using diallel mating design. *African Journal of biotechnology* 10(14):16854-16865.
- Bocanski J, Sreckov Z, Nastasic A, Ivanovic M, Dalovic I, Vukosavljev M. 2010. Mode of inheritance and combining abilities for kernel row number, kernel number per row and grain yield in maize. *Genetika* 42, 169-176.
- Bočanski J, Nastasić A, Stanisavljević D, Srećkov Z, Mitrović B, Treskić S and Vukosavljev M. 2011. Biplot analysis of diallel crosses of NS maize inbred lines- *Genetica*, 43(2): 277 – 284.
- Bordallo PDN, Pereira MG, Junior ATDA. 2005. Diallel analysis of sweet and regular corn genotypes for agronomic characters and total protein content. *Hortic. Bras.* 23, 123-127.
- Bozokalfa, MK, Esiyok D, Ugur A. 2004. Determination of yield quality and plant characteristic of some sweet corn (*Zea mays* L. var. *saccharata*) varieties as main and second crop in ege region. (in turkish with english abstract). *Ege Üniv. Ziraat Fak. Derg.* 41(1):11-19.
- Brewbaker JL. 2006. Development of supersweet maize adapted to the tropics. In: Mercer CF (Ed) *Breeding for Success: Diversity in Action*. Australiasian Plant Breeding Conference Chrischurch, New Zealand.
- Butron A, Malvar RA, Velasco P, Cartca ME, Ordas A. 1998. Combining abilities and reciprocal effects for maize ear resistance to pink stem borer. *Maydica* 43: 117-122.
- Dudley JW, Lambert RJ. 1992. Ninety generations of selection for oil and protein in maize. *Maydica* 37:1-7.
- Dutta A, Prodhhan HS, Chaundhury BK. 2004. Combining ability for yield along with some other qualitative and quantitative characters in sweet corn. *Environment and Ecology* 22, 543-546.
- Duvick DN, Coors JG, Pandey S. 1999. In the genetics and exploitation of heterosis in crops, *Heterosis: Feeding people an dprotecting natural resources*. Crop Science Society of America, Madison, WI: 19-30.
- El-Badawy MM. 2013. Heterosis and combining ability in maize using diallel crosses among seven new inbred lines. *Asian J Crop Sci.* 5: 1-13.

- Eleweanya NP, Uguru MI, Eneobong EE, Okocha PI. 2005. Correlation and path coefficient analyses of grain yield related characters in maize (*Zea mays L.*) under umudike conditions of south eastern Nigeria. *Journal of Agriculture, Food, Environment and Extension*. 4(1): 24-28.
- Eltahir SA, Ghizan BS, 2003. Response of two cycles of phenotypic mass selection and heritability on two tropical sweet corn (*Zea mays L. saccharata*) populations. *Asian Journal of Plant Science*, 2(1): 65-70.
- Erdal Ş, Pamukçu M, Savur O, Tezel M. 2011. Evaluation of developed standard sweet corn (*Zea mays sacharata L.*) hybrids for fresh yield, yield components and quality parameters. *Turk J Field Crops* 16(2):153-156.
- Esiyok D, Bozokalfa K, Ugur A. 2004. Determination of yield quality and some plant characteristic of some sweet corn (*Zea mays L. var. saccharata*) varieties in different locations (in turkish with english abstract). *Ege Üniv. Ziraat Fak. Derg.* 41(1):1-9.
- Falconer DS and TFC. Mackay. 1996. *Introduction to quantitative genetics*. 4. ed. England: Longman, 464.
- Fehr WR. 1987. *Principles of Cultivar Development*. Vol 1. Theory and Technique. Iowa (US): Iowa State University Pr.
- Gallais A. 2009. Full-Sib reciprocal recurrent selection with the use of doubled haploids. *Crop Sci.*, 49: 150-152.
- Gomez KA, Gomez AA. 2007. *Prosedur Statistika Untuk Penelitian Pertanian*. E. Sjamsudin, Baharsjah JS, penerjemah. Jakarta (ID): UI Pr. Terjemahan dari *Statistical Procedures for Agriculture Research*
- Greenleaf WH. 1986. *Pepper Breeding*, p 67-127. Editor: Basset MJ. *Breeding Vegetable Crops*. Westport (IR): AVI Publishing.
- Griffing B. 1956. Concept of General and Specific Combining Ability in Relation to Diallel Crossing System: *Aust J Biol Sci.* 9:463-493.
- Has V , Has I. 2009. Genetic inheritance of some important character of sweet corn. *Not. Bot. Hort. Agrobot. Cluj* 37 (1): 244-248.
- Ha V. 1999. Genetic analysis of some yield components and kernel quality in sweet corn. *Rom Agric Res* 11(12):9-20.
- Hallauer AR, JB Miranda. 1988. *Quantitative Genetics in Maize Breeding*. 2<sup>nd</sup> Ed. Iowa State University Press, Ames.
- Hallauer AR. 1990. Methods used in developing maize inbreds. *Maydica*, 35: 1-16.
- Hallauer AR, Carena MJ, Miranda FJB. 2010. *Quantitative Genetics in Maize Breeding*. Iowa (US) : Iowa State University Press
- Hasan AA. 2005. Improvement of quantitative traits, biological statistics and its applications in plant breeding programs. *Cairo University*. 123-131
- Hayman BI. 1954. The Theory and Analysis of Diallel Cross. *Genetics* 39:789–809.

- Hefny M. 2011. Genetic paramaters and path analysis of yield and its components in corn inbred lines (*Zea mays* L.) at different sowing dates. *Asian J Crop Sci* 3(3):106-117.
- Henderson CR (1984) Applications of Linear Models in Animal Breeding. University of Guelph, Ontario, 462 pp.
- Hill WG, Barton NH, Turelli M. 2006. Prediction of effects of genetic drift on variance components under a general model of Epistasis. *Theoretical Populat. Biol.*, 70: 52-62.
- Ilker E. 2011. Correlation and path coefficient analysis in sweet corn. *Turkish Journal of Field Crops* 16(2):105-107.
- Iriany RNM, Makkulawu AT, Isnaini M, Dahlan MM, Subandi. 2003. Evaluasi daya gabung karakter ketahanan tanaman jagung terhadap penyakit bulai melalui persilangan dialel. *J Penel Pert.* 22:14-25.
- Iriany, R.N., S. Sujiprihati, M. Syukur, J. Koswara, M. Yunus. 2011. Evaluasi daya gabung dan heterosis lima galur jagung manis (*Zea mays* var. *saccharata*) hasil persilangan dialel. *J. Agron. Indonesia* 39:103- 111.
- Irshad-ul-Haq M, Ajmal S, Munir M and Gulfaraz M. 2010. Gene action studies of different quantitative traits in Maize. *Pak. J. Bot.*, 42(2): 1021-1030.
- Jebaraj S, Selvakumar A and Shanthi P. 2010. Study of gene action in maize hybrids. *Indian J. Agric. Res.*, 44 (2): 136 – 140
- Jensen NF. 1988. Plant Breeding Methodology. Synthetic Line Population. A Preamble. A Wiley Interscience Publication. New York (US): John Wiley & Sons Pr.
- Jinks JL. 1954. The analysis of continuous variation in diallel crosses of *Nicotiana rustica* varieties. *Genetics* 39:767–788.
- Kallo 1988. *Vegetable breeding*. Vol II. Florida (US): CRC Press, Inc. 2122p.
- Kar UC. 2002. *Madras Agric. J.*, 89: 9-13.
- Karaya H, Njoroge K, Mugo S, and Nderitu H. 2009. Combining ability among twenty insect resistant maize inbred lines resistant to chilo partellus and busseola fusca stem borers. *International Journal of Plant Production* 3 (1): 115-127
- Kashiani P, Saleh G, Abdullah SN, Abdulah NAP. 2008. Performance, heritability and correlation studies on nine advanced sweet corn inbred lines. *Proceeding of the 10<sup>th</sup> Symposium of Malaysian Society of Applied Biology*, Nov. 6-8, Malaysia.
- Kashiani P, Saleh G, Abdullah NAP, Abdullah SN. 2010. Variation and genetic studies in selected sweet corn inbred lines. *Asian Journal of Crop Science* 2(2):78-84.
- Kashiani P, Saleh G. 2010. Estimation of genetic correlations on sweet corn inbred lines using SAS mixed model. *American Journal of Agricultural and Biological Sciences* 5 (3): 309-314
- Kashif M, Khan MI, Arif M, Anwer M, Ijaz M. 2011. Efficiency of Alpha Lattice Design in Rice Field Trials in Pakistan. *Journal of Scientific Research* 3(1): 91-95

- Kementerian Pertanian [Kementan]. 2015. Data Produksi Jagung Manis 2014. Tersedia pada: [http://aplikasi.pertanian.go.id/bdsp/hasil\\_kom.asp](http://aplikasi.pertanian.go.id/bdsp/hasil_kom.asp). [Diakses: 13 April 2014].
- Khan SA, Khan N, Mohammad F, Ahmad M, Khan IA and Khan ZBI. 2011. Combining ability analysis in intraspecific F1 diallel cross of upland cotton. *Pak. J. Bot.*, 43(3): 1719-1723
- Kleinhenz MD. 2003. Sweet corn variety trials in Ohio: recent top performers and suggestions for future evaluations. *HortTechnology* 13(4):711-718.
- Kleinhenz MD. 2008. Sweet corn quality-What is it?. Available at: <http://www.oardc.ohio-state.edu/kleinhenz> [Accessed: December 30, 2014].
- Konak C, Unay A, Serter E and Basal H. 1999. Estimation of combining ability effects, heresies and heterobeltiosis by line x tester method in maize. *Turkish Journal of Field Crops*, 4: 1-9.
- Kumar P, and Gupta SC. 2003. Genetic analysis in maize (*Zea mays* L.). *J. Res. Birsa Agric. University*, 15(1): 107-110.
- Kumari J, Gadag RN, Jha GK. 2006. Heritability and correlation studies in sweet corn for quality traits, field emergence and grain yield. *MNL* 80:18-19.
- Larièpe A, Mangin B, Jasson S, Combes V, Dumas F, Jamin P, Lariagon C, Jolivot D, Madur D, Fiévet J, Gallais A, Dubreuil P, Charcosset A and Moreau L. 2012. the genetic basis of heterosis: multiparental quantitative trait loci mapping reveals contrasted levels of apparent over dominance among traits of agronomical interest in maize (*Zea mays* L.). *Genetics*, Vol. 190: 795–811
- Larson DB. 2003. Supersweet sweet corn: 50 years in the making. University of Illinois at Urbana-Champaign news bureau. *Inside Illinois* 23.
- Legesse BW, Myburg AA, Pixley KV, Botha AM (2007) Genetic diversity of African maize inbred lines revealed by SSR markers. *Hereditas* 144:10–17.
- Letrat K, Pulam T. 2007. Breeding for increase sweetness in sweet corn. *International Journal of Plant Breeding* 1(1):27-30
- Mahdy EE, Ali MA and Mahmoud AM. 2011. the effect of environment on combining ability and heterosis in grain sorghum (*Sorghum bicolor* L. Moench). *Asian Journal of Crop Science*, 3: 1-15.
- Malik SI, Malik HN, Minhas NH, Munir M. 2004. General and specific combining ability studies in maize diallel crosses. *Int J Agric&Biol.* 6:856-859.
- Marquez-Sanchez F. 1998. Expected inbreeding with recurrent selection in maize: I. Mass selection and modified ear to row selection. *Crop Sci.*, 38: 1432-1436.
- Mattjik AA, Sumertajaya IM. 2011. *Sidik Peubah Ganda dengan Menggunakan SAS*. Bogor (ID): Institut Pertanian Bogor. Mayo O. 1987. *The Theory of Plant Breeding*. 2<sup>nd</sup> Edn. Oxford University Press, New York (US).
- Melchinger AE, Lee M, Lamkey KR, Woodman WL. 1990. Genetic diversity for restriction fragment length polymorphisms: relation to estimated genetic effects in maize inbreds. *Crop Sci* 30:1033–1040.

- Meseka SK, Menkir A, Ibrahim AES and Ajala SO. 2006. Genetic analysis of performance of maize inbred lines selected for tolerance to drought under low nitrogen. *Maydica*.51 (3-4):487-495.
- Mohammadia SA, Prasanna BM and Singh NN.2003. Sequential path model for determining interrelationship among grain yield and related characters in maize. *Crop Sci.*, 43: 1690-1697.
- Muraya MM, Ndirangu CM, and Omolo EO. 2006. Heterosis and combining ability in diallel crosses involving maize (*Zea mays* L.) S1lines. *Aust. J. Expt. Agric.* 46(3): 387-394.
- Murray LW, Ray IM, Dong H and Segovia-Lerma A. 2003. Clarification and reevaluation of population-based diallel analyses. *Crop Sci.*, 43: 1930-1937.
- Muthoni J, Hussein S, Rob M and Jackson K. 2012. Reproductive biology and early generation's selection in conventional potato breeding. *AJCS*, 6(3):488-497.
- Nanjeeb S, Sheikh FA, Ahangar MA, Teli NA. 2011. Popularization of sweet corn (*Zea mays* L. *Saccharata*) under temperate conditions to boost the socioeconomic conditions.
- Nass LL, Lima M, Vencovsky R and Gallo PB. 2000. Combining ability of maize inbred lines evaluated in three environments in Brazil. *Sci. Agric. Vol. 57, No.1 Piracicaba Jan.*
- Nigussie M and Zelleke H. 2001. Heterosis and combining ability in a diallel among eight elite maize populations. *African Crop Science Journal*, Vol. 9. No. 3: 471-479
- Nigussie M, Saleh G. 2007. Genetic variability and heritability within sweet corn (*Zea mays* L. *saccharata*) breeding population. *Malays. Appl. Biol.*, 36: 15-20.
- Nisya FN. 2010. Analisis keragaman genetik jarak pagar (*Jatropha curcas* L.) berdasarkan karakter morfologi, agronomi dan marka RAPD [tesis]. Bogor (ID): Institut Pertanian Bogor.
- Novoselovic D, Baric M, Drezner G, Gunjaca J and Lalic A. 2004. Quantitative inheritance of some wheat plant traits. *Gen. Mol. Bio.*, 27(1): 92-98
- Nyquist WE, 1991. Estimation of heritability and prediction of selection response in plant populations. *Critical Reviews in Plant Sciences*, No. 3: 235-322
- Ojo GOS, Adedzwa DK, Bello LL. 2007. Combining ability estimates and heterosis for grain yield and yield components in maize (*Zea mays* L.). *J. Sustain. Develop. Agri. Env.*, 3: 49-57.
- Öktem A. 2008. Determination of selection criterions for sweet corn using path coefficients analyses. *Cereal Res Commun* 36(4):561-570.
- Olakojo SA, Olaoye G. 2005. Combining ability for grain yield, agronomic traits and *Striga lutea* tolerance of maize hybrid under artificial striga infestation. *Af. J Biotechnol.* 4:984-988.
- Olakojo SA and Olaoye G. 2011. Correlation and heritability estimates of maize agronomic traits for yield improvement and *Striga asiatica* (L.) Kuntze tolerance. *African Journal of Plant Science* Vol. 5 (6): 365-369

- Pabendon M, Mejaya MJ, Koswara J, Aswidinnoor H. 2007. Analisis keragaman genetik inbrida jagung berdasarkan marka SSR dan korelasinya dengan data fenotipik F1 hasil silang uji. *Penelitian Pertanian Tanaman Pangan*. 26: 69-77.
- Pavan R. 2009. Gene action and combining ability studies in single cross hybrids of maize (*Zea mays L.*). Thesis submitted to the University of Agricultural Sciences, Dharwad in partial fulfillment of the requirements for the Degree of Master of Science (Agriculture) in Genetics and Plant Breeding.
- Piepho H and Möhring J. 2007. Computing Heritability and Selection Response from Unbalanced Plant Breeding Trials. *Genetics*; 177(3): 1881–1888.
- Pinaria A, Baihaki A, Setiamiharja R, Daradjat AA. 1995. Variabilitas genetik dan heritabilitas karakter-karakter biomassa 53 genotipe kedelai. *Zuriat* 6(2):88-92.
- Pshdary DAA. 2011. Analyses of full diallel cross in maize (*Zea mays L.*). A dissertation submitted to the Faculty of the Agricultural Sciences, University of Sulaimani in partial fulfillment of the requirements for the degree of Doctor of Philosophy in agricultural Sciences /Field crops (Plant breeding and Genetics).
- Putra RY, Anggia EP, D Ruswandi. 2008. Daya gabung umum galur-galur jagung manis berdasarkan metode testcross di Jawa Barat. *Zuriat*. 19: 210-218.
- Qadir A, Saleem A. 1991. Correlation and path coefficient analysis in maize (*Zea mays L.*) Pak. J. Agri. Sci., 28(4): 395-398.
- Rangarajan A, Ingall B, Orfanedes M, Wolfe D. 2002. In-row spacing and cultivar effects ear yield and quality of early-planted sweet corn. *HortTechnology* 12:410-415.
- Rather AG, Najeeb S, Sheikh FA, Shikari AB and Dar ZA. 2007. Combining ability analysis for maize (*Zea mays L.*) lines under the high altitude temperate conditions of Kashmir. *Maize Genetics Cooperation Newsletter* Vol. 81
- Reis AJS, Chaves LJ, Duarte JB, Madureira E. 2005. Prediction of hybrid means from a particular circulant diallel table using ordinary least square and mixed model methods. *Genetics and Molecular Biology* 28 (2): 314-320.
- Revilla P, Rodriguez VM, Malvar RA, Butron A and Ordas A. 2006. Comparison among sweet corn heterotic patterns. *Amer. Soc. Hort. Sci. J.* 131(3):388-392.
- Reyes CP. 1985. *Fitogenotecnia Básica y Aplicada*. A. G. T. D. F., Mexico.
- Rifianto A, Syukur M, Trikoesoemaningtyas, Widodo. 2013. Daya gabung hasil dan komponen hasil tujuh galur jagung manis di dua lokasi. *J.agron. Indonesia* 41(3):235-241.
- Roy D. 2000. *Plant Breeding: Analysis and Exploitation of Variation*. Narosa Publishing. India.
- Ruswandi D, Basuki MM, Annissa, Ruswandi S, Rostini N. 2006. Daya gabung galur-galur *downy mildew resistance* (DMR) dan *quality protein maize* (QPM) berdasarkan analisis *line x tester*. *Zuriat*. 17: 25-34.

- Sadaiah K, Reddy VN, Kumar SS. 2013. Heterosis and combining ability studies for sugar content in sweet corn (*Zea mays saccharata* L.). *Int J Sci&Res.* 3: 1-5.
- Saeed MT, Saleem M and Afzal M. 2000. Genetic analysis of yield and its components in maize diallel crosses (*Zea mays* L.). *Int. J. Agri. Biol.* 2(4): 376-378.
- Saleem M, Shahzad K, Javid M and Ahmed A. 2002. Genetic Analysis for Various Quantitative Traits in Maize (*Zea mays* L.) Inbred Lines. *Int. J. Agri. Biol.*, Vol. 4, No. 3
- Saleh G, Yusop MR, Yap TC. 1993. Inbreeding depression and heterosis in sweet corn varieties Manis Madu and Bakti-1. *Pertanika J. Trop. Agric. Sci.*, 16: 209-214.
- Saleh G, Panjaitan K, Anuar AR, Mihdzar AK. 2001. Heterosis, combining ability and heritability studies in grain maize hybrids. UPM Reserch Report 2001. Faculty of Agriculture, pp: 19-21.
- Saleh G, Abdullah D, Anuar AR. 2002a. Effects of location on performance of selected tropical maize hybrids development in Malaysia. *Pertanika J. Trop. Agric. Sci.*, 25: 75-86.
- Saleh GB, Abdullah D, Anuar AR. 2002b. Performance, heterosis and heritability in selected tropical maize single, double, and three-way cross hybrids. *J. Agric. Sci.*, 138: 21-28.
- Saleh G. 2003. Grain maize and sweet corn production guidelines. University Putra Malaysia. Serdang.
- Secanski M, Živanovic T, Todorovic G. 2005. Components of genetic variability and heritability of the number of row per ear in silage maize. *Biotechnology in Animal Husbandry* 21, 109-121.
- Selvaraj CI, Nagarajan P. 2011. Interrelationship and path-coefficient studies for qualitative traits, grain yield and other yield attributes among maize (*Zea mays* L.). *Int. J. Plant Breed. Genet.* 5(3): 209-223.
- Setiastono FW. 2008. Penampilan hibrida, pendugaan nilai heterosis dan daya gabung galur-galur jagung (*Zea mays* L.) [Tesis]. Bogor (ID): Institut Pertanian Bogor.
- Shams M, Choukan R, Majidi E and Darvish F. 2010. Estimation of combining ability and gene action in maize using line x tester method under three irrigation regimes. *Journal of Research in Agricultural Science* Vol. 6, pages: 19-28
- Sharief AE, El-Kalla SE, Gado HE and Abo-Yousef HA. 2009. Heterosis in yellow maize. *Aust. J. Crop Sci.*, 3: 146-154
- Sharma MK, and Fanta S. 2010. Variance balanced designs for complete diallel cross. *Journal of Agricultural Biotechnology and Sustainable Development* Vol. 2(4): 56-60
- Shashidhara CK. 2008. Early generation testing for combining ability in maize (*Zea mays* L.). Thesis submitted to the University of Agricultural Sciences, Dharwad in partial fulfillment of the requirements for the Degree of Master of Science (Agriculture) in genetics and plant breeding.

- Shurtleff MC. 1980. *Compendium of Corn Disease*. 2th. The American Phytopathological Society.
- Singh RK, Chaudhary BD. 1985. *Biometrical Methods in Quantitative Genetic Analysis*. New Delhi (IN): Kalyani.
- Singh DN and Singh IS. 1998. Line x tester analysis in maize (*Zea mays* L.). *Journal of Research Birsra Agriculture University*, 10: 177-182
- Singh H, Chawla JS and Grewal MS. 2006. Correlation and path coefficient analysis on some elite maize genotypes. *Crop Improv.*, 33 (1): 31-33.
- Singh PK, and Roy AK. 2007. Diallel analysis of inbred lines in maize (*Zea mays* L.). *Int. J. Agric. Sci.*, 3(1): 213-216.
- Sleper DA, Poehlman JM. 2006. *Breeding Field Crops*. 5<sup>th</sup> Edn., Wilwy-Blackwel Publ. (US).
- Sprague GF and Tatum LA. 1942. General and specific combining ability in single crosses of corn. *J. Am. Soc. Agron.*, 34: 923-932.
- Springer NM and Stupar RM. 2007. Allelic variation and heterosis in maize: How do two halves make more than a whole?. *Genome Res*. 17: 264-275
- Srdic J, Pajic Z, Drinic SM. 2007. Inheritance of maize grain yield componenets. *Maydica* 52, 261-264.
- Srdic J, Pajic Z, Filipovic M, Babic M, Secanski M. 2011. Inheritance of ear yield and its components in sweet corn (*Zea mays* L.saccharata). - *Genetika*, Vol 43, No. 2, 341-348.
- Srdic J, Pajic Z, Šeremešić ZM, Radosavljevic M, Babic M. 2011. Inheritance of ear yield and technological traits in sweet corn. 46th Croatian and 6th International Symposium on Agriculture, Proceedings, 391-394.
- Stoskopf NS, Tomes DT, Christie BR. 1993. *Plant Breeding Theory and Practice*. Westview Press Inc., San Fransisco (US).
- Sujiprihati S, Saleh G, Ali ES. 2003. Heritability, performance and correlation studies in single cross hybrid on tropical maize. *Asian J. Plant Sci.*, 2 : 51-57.
- Sujiprihati S, Syukur M, Makkulawu AT, Iriany PN. 2014. Perakitan kultivar hibrida jagung manis berdaya hasil tinggi dan tahan terhadap penyakit bulai. *J. Ilmu Pertanian Indonesia* 17(3):159-165.
- Suwarno WB, Pixley KV, Palacios-Rojas N, Kaeppler SM, and Babu R. 2014. Formation of heterotic groups and understanding genetic effects in a provitamin A biofortied maize breeding program. *Crop Science* 54: 14-24.
- Tessema A. 2009. *Contruction and Analysis of Complete Diallel Cross through Partialy Balanced Incomplete Block Designs*. A Thesis Submitted to the School of Graduate Studies Addis Ababa University in Partial fulfillment of the Requirements for the Degree of Masters of Science in Statistics.
- Thiemann A, Meyer S and Scholten S. 2009. Heterosis in plants: Manifestation in early seed development and prediction approaches to assist hybrid breeding. *Chinese Sci., Bull*, 54: 2363—2375.

- Tollenaar M, Ahmadzadeh A, Lee EA. 2004. Physiological basis of heterosis for grain yield in maize. *Crop Sci.*, 44: 2086-2094.
- Tracy WF. 2001. Sweet Corn. Di dalam: Hallauer AR, editor. *Specialty Corn*. Ed ke-2. America (US): CRC Pr.
- USDA, United States Development of Agriculture, Foreign Agricultural Service. 2011. Corn area, yield and production. <http://www.fas.usda.gov> [diakses 20 November 2014].
- Vacaro E, Fernandes J, Neto B, Pegoraro DG, Nuss CN and Conceicao LH. 2002. Combining ability of twelve maize populations. *Pesq. Agropec. Bras.*, Brasília, 37: 67–72
- Vasal SK. and Córdova OH. 1996. Heterosis en maíz: acelerando la tecnología de híbridos de dos progenitores para el mundo en desarrollo. In: *Memorias Curso Internacional de Actualización en Fitomejoramiento y Agricultura sustentable*. Buenavista, Saltillo, Mexico: 32-54.
- Viana JMS. 2002. Heritability at family mean level. *Revista Árvore*, 26: 271-278.
- Vidal MVA, Clegg M, Johnson B, Valdivia BR. 2001. Phenotypic and genotypic relationships between pollen and grain yield components in maize. *Agrociencia*. 35: 503-511.
- Viochita H. 2001. Heritability of some traits in sweet corn. *Buletinul Universitatii de Stiinte Agricole si Medicina Veterinara Cluj-Napoca, Seria Horticultura* 55, 56.
- Wannows AA, Hasan KA and Samir AA. 2010. Genetic variances, heritability, correlation and path coefficient analysis in yellow maize crosses (*Zea mays* L.). *Agric. Biol. J. N. Am.*, 1(4): 630-637
- Wattoo FM, Saleem M, Ahsan M, Sajjad M and Ali W. 2009. Genetic analysis for yield potential and quality traits in maize (*Zea mays* L.). *American-Eurasian J. Agric. & Environ. Sci.*, 6 (6): 723-729
- Wricke G, Weber WE. 1986. *Quantitative genetics and selection in plant breeding*. Walter de Gruyter & Co. Berlin, Germany.
- Wright S. 1921. System of mating. II. The effects of inbreeding on the genetic composition of a population. *Genetics*, 6: 124-143.
- Yasin MHG, Rahman A, Subekti NA. 2008. Daya gabung umum dan daya gabung spesifik 5 galur harapan jagung berprotein tinggi. *J Penel Pert Tan Pangan*. 27: 76-80.
- Yadgi K and Sozen E. 2009. Heritability, variance components and correlations of yield and quality traits in durum wheat (*Triticum durum* desf.) *Pak. J. Bot.*, 41(2):753-759
- Yan W and Hunt LA. 2002. Biplot analysis of diallel data. *Crop Sci.*, 42: 21–30
- Yingzhong Z. 1999. Combining ability analysis of agronomic characters in sesame. The Institute of Sustainable Agriculture (IAS), CSIC, Apartado 4084, Córdoba, Spain

- Yoseph B, Botha AM, Myburg AA (2006) Genetic diversity in traditional Ethiopian highland maize accessions assessed by AFLP markers and morphological traits. *Biodivers Conserv* 15:2655–2671.
- Zare M, Choukan R, Bihamta MR, Heravan EM and Kamelmanesh MM. 2011. Gene action for some agronomic traits in maize (*Zea mays* L.). *Crop Breeding Journal*, 1(2): 133-141.
- Zare M, Choukan R, Heravan EM, Bihamta MR, Ordoorkhani K. 2011. Gene action of some agronomic traits in corn (*Zea mays* L.) using diallel cross analysis. *Afr J Agric Res*. 6: 693-703.
- Zhang Y, Kang MS, Lamkey KR. 2005. Diallel-sas05: a comprehensive program for Griffing's and Gardner–Eberhart analyses. *Agron J*. 97:1097-1106.
- Zhu S, Mount JR, Collins JL. 1992. Sugar and soluble solids changes in refrigerated sweet corn (*Zea mays* L.). *J Food Sci* 57:454-457.
- Živanovic T, Secanski M, Filipovic M. 2007. Combining abilities for the number of kernel rows per ear in silage maize. *Plant breeding and seed production* 13, 13-19.
- Znidarcic D. 2012. Performance and characterization of five sweet corn cultivars as influenced by soil properties. *J Food Agric Environ* 10(1):495-500.
- Zorana S, Boćanski J, Nastasić A, Dalović I and Vukosavljev M. 2010. Correlation and path coefficient analysis of morphological traits of maize (*Zea mays* L.). *res. J. of Agr. Sc.*, Vol. 42, No 2.