

VI. DAFTAR PUSTAKA

- Anonim. 2014a. Kopi Berkelanjutan. <http://ditjenbun.pertanian.go.id/pascapanen/berita-203-kopi-berkelanjutan-.html> (diakses 11 November 2014).
- Anonim. 2014b. Ekspor kopi menurut negara tujuan. Badan Pusat Statistik. http://www.bps.go.id/tab_sub/view.php?kat=2&tabel=1&daftar=1&id_subyek=08¬ab=13 (diakses 8 November 2014).
- Anonim. 2014c. A review of the markets, challenges and opportunities facing the sector. *In* : International Coffee Council 112th Session 3 – 7 March 2014. International Coffee Organization, London. 25 p.
- Anonim. 2014d. International Coffee Organization (ICO) Annual Review 2012/13. http://www.ico.org/annual_review.asp (diakses 11 November 2014).
- Anonim. 2014e. Exporting Countries: Total Production. <http://www.ico.org/prices/po.htm> (diakses 7 November 2014).
- Antunes Filho, H., & A. Carvalho. 1955. Melioramento do cafeeiro: VII—ocorrência de lojas vazias em frutos de café “Mundo Novo”. *Bragantia* 13(14): 165–179.
- Ashihara, H. 2006. Metabolism of alkaloids in coffee plants. *Brazilian J. Plant Physiol.* 18(1): 1–8.
- Avelino, J., B. Barboza, J.C. Araya, C. Fonseca, F. Davrieux, B. Guyot, & C. Cilas. 2005. Effects of slope exposure, altitude and yield on coffee quality in two altitude terroirs of Costa Rica, Orosi and Santa Maria de Dota. *J. Sci. Food Agric.* 85(11): 1869–1876.
- Bade-Wagner, H., W. Holscher, & O.G. Vitzhum. 1993. Quantification of 2-Methylisoborneol in roasted coffee by GC–MS. *Proceeding ASIC 15th Colloquium. Montpellier.* p. 537–544.
- Banks, M., C. Mc Fadden, & C. Atkinson. 1999. *The World Encyclopedia of coffee.* Anness Publishing Limited, London.
- Barel, M., & M. Jacquet. 1994. Coffee quality: its causes, appreciation and improvement. *Plant Rech Dev.* 1: 5–10.
- Belay, A. 2011. Some biochemical compounds in coffee beans and methods developed for their analysis. *Int. J. Phys. Sci.* 6(28): 6373–6378
- Belete, Y., B. Belachew, & C. Fininsa. 2014. Performance evaluation of indigenous arabica coffee genotypes across different environments. *J. Plant Breed. Crop Sci.* 6(11): 171–178
- Bertrand, B., P. Vaast, E. Alpizar, H. Etienne, F. Davrieux, & P. Charmetant. 2006. Comparison of bean biochemical composition and beverage quality of arabica hybrids involving Sudanese-Ethiopian origins with traditional varieties at various elevations in Central America. *Tree Physiol.* 26:1239 – 1248.
- Blank, I., A. Sen, & W. Grosch. 1991. Composition of green coffee watersoluble fractions and identification of volatiles formed during roasting. *Proceeding ASIC 14th Colloquium. San Francisco.* p. 117–129

- Bradbury, A.G.W. 2001. Carbohydrates. *In* : J., C.R., Vitzthum, O.G. (eds.), *Coffee: Recent Developments*. Blackwell Science, Oxford. p. 246.
- Cantergiani, E., H. Brevard, R. Amado, Y. Krebs, A. Ferial-Morales, & C. Yeretziyan. 1999. Characterisation of mouldy/earthy defect in green Mexican coffee. *COLLOQUE Scientifique International sur le Café*, 18. Helsinki (Finlandia), Agosto 2-6, 1999.
- Carvalho, A. 1988. Principles and practice of coffee plant breeding for productivity and quality factors: *coffea Arabica*. *In* : Clarke, R.J., Macrae, R. (eds.), *Coffee*. Vol. 4: Agronomy. London and New York : Elsevier Applied Science. p. 60–129.
- Charrier, A., & J. Berthaud. 1985. Botanical classification of coffee. *In* : Clifford, M.N., Willson, K.C. (eds.), *Coffee: Botany, Biochemistry And Production Of Beans And Beverage*. The AVI Publishing Company, Inc. p. 457.
- Charrier, A., & A.B. Eskes. 2004. Botany and genetics of coffee. *In* : Wintgens, J.N. (ed.), *Coffee: Growing, Processing, Sustainable Production*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. p. 976.
- Clarke, R.J. 1987. Grading, storage, pre-treatments and blending. *In* : Clarke, R.J., Macrae, R. (eds.), *Coffee Volume 2: Technology*. Elsevier Science Publishers LTD. p. 321
- Clifford, M.N. 1979. Chlorogenic acids-their complex nature and routine determination in coffee beans. *Food Chem.* 4(1): 63–71.
- Clifford, M.N. 1985. Chemical and physical aspects of green coffee and coffee products. *In* : Clifford, M.N. & K.C.W. (ed.), *Coffee: botany, biochemistry and production of beans and beverage*. The AVI Publishing Company. p. 457.
- Clifford, M.N. 2003. The analysis and characterization of chlorogenic acids and other cinnamates. *In* : Santos-Buelga, C., Williamson, G. (eds.), *Methods in Polyphenol Analysis*. Royal Society of Chemistry, Cambridge, U.K. p. 314–337.
- Clifford, M.N., S. Knight, B. Surucu, & N. Kuhnert. 2006. Characterization by LC-MS of four new classes of chlorogenic acids in green coffee beans: dimethoxycinnamoylquinic acids, diferuloylquinic acids, caffeoyl-dimethoxycinnamoylquinic acids, and feruloyl-dimethoxycinnamoylquinic acids. *J. Agric. Food Chem.* 54(6): 1957–1969.
- Cramer, P.J.S. 1918. Coffee of the Dutch East Indies : *Coffea arabica* and allied species. *Tea coffee Trade J. Int.*: 320–321.
- Cramer, P.J.S. 1957. A review of literature of coffee research in Indonesia. Inter-American Institute of Agriculture Sciences, Turrialba-Costarica.
- Dart, S.K., & H.E. Nursten. 1985. Volatile components. *In* : Clarke, R.J., Macrae, R. (eds.), *Coffee : Vol. 1. Chemistry*. Elsevier Applied Science, London. p. 223–265.
- Decazy, F., J. Avelino, B. Guyot, J.J. Perriot, C. Pineda, & C. Cilas. 2003. Quality of different Honduran coffees in relation to several environments. *J. Food Sci.* 68(7): 2356–2361.

- Demissie, M., G. Taye, & M. Kebede. 2011. Additive main effects and multiplicative interaction analysis of coffee germplasms from southern ethiopia. *SINET Ethiop. J. Sci.* 34(1): 63–70.
- Descroix, F., & J.N. Wintgens. 2004. Establishing a coffee plantation. *In* : Wintgens, J.N. (ed.), *Coffee: Growing, Processing, Sustainable Production*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. p. 976.
- Eberhart, S.A. t, & W.A. Russell. 1966. Stability parameters for comparing varieties. *Crop Sci.* 6(1): 36–40.
- Eggers, R., & A. Pietsch. 2001. Technology I: Roasting. *In* : Clarke, R.J., Vitzthum, O.G. (eds.), *Coffee Recent Development*. Blackwell Science LTD. p. 246.
- Eskes, A.B., & T. Leroy. 2004. Cofee selection and breeding. *In* : Wintgens, J.N. (ed.), *Coffee: Growing, Processing, Sustainable Production*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. p. 976.
- Farah, A., & C.M. Donangelo. 2006. Phenolic compounds in coffee. *Brazilian J. Plant Physiol.* 18(1): 23–36.
- Farah, A., M.C. Monteiro, V. Calado, A.S. Franca, & L.C. Trugo. 2006. Correlation between cup quality and chemical attributes of Brazilian coffee. *Food Chem.* 98(2): 373–380.
- Flamen, I. 1989. Coffee, cocoa, and tea. *Food Rev. Int.* 5(3): 317–414.
- Franca, A.S., J.C.F. Mendonça, & S.D. Oliveira. 2005a. Composition of green and roasted coffees of different cup qualities. *LWT-Food Sci. Technol.* 38(7): 709–715.
- Franca, A.S., L.S. Oliveira, J.C.F. Mendonça, & X. a. Silva. 2005b. Physical and chemical attributes of defective crude and roasted coffee beans. *Food Chem.* 90(1-2): 89–94.
- Franck, N., P. Vaast, M. Génard, & J. Dauzat. 2006. Soluble sugars mediate sink feedback down regulation of leaf photosynthesis in field grown *Coffea arabica*. *Tree Physiol.* 26(4): 517–525.
- Gaspari-Pezzopane, C. De, H.P. Medina Filho, R. Bordignon, W.J. Siqueira, L.A. Ambrósio, & P. Mazzafera. 2005. Influências ambientais no rendimento intrínseco do café. *Bragantia* 64(1): 39–50.
- Getu, B., B. Bayetta, Z. Habtamu, J.P. Labouisse, F. Davrieux, & B. Bertrand. 2009. Stability of sensorial and biochemical traits of different geographical origin Ethiopian arabica coffee (*Coffea arabica* L.) accessions under three contrasting environmental conditions. *In* : 22nd International Conference on Coffee Science, ASIC 2008, Campinas, SP, Brazil, 14-19 September, 2008. Association Scientifique Internationale du Café (ASIC). p. 604–607.
- Gichimu, B.M., E.K. Gichuru, G.E. Mamati, & A.B. Nyende. 2012. Selection within *Coffea arabica* cv. Ruiru 11 for high cup quality. *African J. Food Sci.* 6(18): 456–464.
- Ginz, M., & U.H. Engelhardt. 2001. Analysis of bitter fractions of roasted coffee by LC-ESI-MS-new chlorogenic acid derivatives. *In* : 19ème Colloque Scientifique International sur le Café, Trieste, Italy, 14-18 mai 2001. Association Scientifique Internationale du Café (ASIC). p. 1–5.

- Gomez, K.A., & A.A. Gomez. 1984. Statistical procedures for agricultural research. John Wiley & Sons.
- Grosch, W. 2001. Volatile compounds. *In* : Clarke, R.J., Vitzthum., O.G. (eds.), Coffee Recent Development. Blackwell Science LTD. p. 246.
- Guyot, B., D. Gueule, J.C. Manez, J.J. Perriot, J. Giron, & L. Villain. 1996. Influence de l'altitude et de l'ombrage sur la qualité des cafés Arabica. *Plant Rech. Dévelop* 3: 272–283.
- Homma, S. 2001. Non-volatile compounds. *In* : Clarke, R.J., Vitzthum, O.G. (eds.), Coffee: Recent Developments. Blackwell Science, Oxford. p. 246.
- Huber, S.C. 1989. Biochemical mechanism for regulation of sucrose accumulation in leaves during photosynthesis. *Plant Physiol* 80: 545–551.
- Hulupi, R. 2006. Kajian Genetika Ketahanan Kopi arabika terhadap Nematoda Penggali Akar (*Radopholus similis* Cobb). Disertasi. Universitas Gadjah Mada
- Knopp, S., G. Bytof, & D. Selmar. 2006. Influence of processing on the content of sugars in green Arabica coffee beans. *Eur. Food Res. Technol.* 223(2): 195–201.
- Ky, C.-L., S. Doubeau, B. Guyot, S. Akaffou, A. Charrier, S. Hamono, J. Louarn, & M. Noirot. 2000. Inheritance of coffee bean sucrose content in the interspecific cross *Coffea pseudozanguebariae* × *Coffea liberica* “dewevrei.” *Plant Breed.* 119: 165–168.
- Ky, C.-L., J. Louarn, S. Dussert, B. Guyot, S. Hamon, & M. Noirot. 2001. *Caffeine, trigonelline, chlorogenic acids* and sucrose diversity in wild *Coffea arabica* L. and *C. canephora* P. accessions. *Food Chem.* 75(2): 223–230.
- Lara-Estrada, L., & P. Vaast. 2006. Effects of altitude, shade, yield and fertilization on coffee quality (*Coffea arabica* L. var. Caturra) produced in agroforestry systems of the Northern Central Zones of Nicaragua. *J. Food Sci.* 68(7): 2356–2361.
- Lashermes, P., M.C. Combes, J. Robert, P. Trouslot, A. D’hont, F. Anthony, & A. Charrier. 1999. Molecular characterisation and origin of the *Coffea arabica* L. genome. *Mol. Gen. Genet.* MGG 261(2): 259–266.
- Lee, S., J. Josse, & F. Husson. 2008. FactoMineR : An R Package for Multivariate Analysis. *J. Stat. Softw.* 25(1): 1–18.
- Lee, T.A., R. Kempthorne, & J.K. Hardy. 1992. Compositional changes in brewed coffee as a function of brewing time. *J. Food Sci.* 57(6): 1417–1419.
- Leloup, V., A. Louvrier, & R. Liardon. 1995. Degradation mechanisms of *chlorogenic acids* during roasting. *In* : 16th International Conference on Coffee Science (ASIC). Kyoto, Japan.
- Leroy, T., F. Ribeyre, B. Bertrand, P. Charmetant, M. Dufour, C. Montagnon, P. Marraccini, & D. Pot. 2006. Genetics of coffee quality. *Brazilian J. Plant Physiol.* 18(1): 229–242.

- Lingle, T.R. 1986a. The Coffee cupper's Handbook : A Systematic Guide to the Sensory Evaluation of Coffee's Flavor. Coffee Development Group, Washington D.C.
- Lingle, T.R. 1986b. The Basic of Cupping Coffee. Coffee Development Group, Washington D. C.
- Macrae, R. 1985. Nitrogenous compounds. *In* : Clarke, R.J., Macrae, R. (eds.), Coffee volume 1: Chemistry. Elsevier Applied Science, Amsterdam. p. 115– 152.
- De Maria, C. a. B., L.C. Trugo, R.F. a. Moreira, & C.C. Werneck. 1994. Composition of green coffee fractions and their contribution to the volatile profile formed during roasting. *Food Chem.* 50: 141–145.
- De Maria, C.A.B., L.C. Trugo, F.R.A. Neto, R.F.A. Moreira, & C.S. Alviano. 1996. Composition of green coffee water-soluble fractions and identification of volatiles formed during roasting. *Food Chem.* 55(3): 203–207.
- Mattjik, A.A., & I.M. Sumertajaya. 2011. Sidik Peubah Ganda dengan Menggunakan SAS. IPB Press . 423 p.
- Mawardi, S., & R. Hulupi. 1995. Genotype by environment interaction of bean characteristics in Arabica coffee. *In* : Proceedings, 16th ASIC International Conference on Coffee Science, Kyoto, Japan. p. 416.
- Mazzafera, P. 1999. Chemical composition of defective coffee beans. *Food Chem.* 64(4): 547–554.
- Mazzafera, P., & A. Carvalho. 1991. Breeding for low seed caffeine content of coffee (*Coffea L.*) by interspecific hybridization. *Euphytica* 59(1): 55–60.
- Mitchell, H.W. 1988. Cultivation and harvesting of the Arabica coffee tree. *In* : Clarke, R.J., Macrae, R. (eds.), Coffee. Vol. 4: Agronomy. London and New York: Elsevier Applied Science. p. 9–43.
- Montavon, P., E. Duruz, G. Rumo, & G. Pratz. 2003. Evolution of green coffee protein profiles with maturation and relationship to coffee cup quality. *J. Agric. Food Chem.* 51(8): 2328–2334.
- Mumin, A., K.F. Akhter, Z. Abedin, & Z. Hossain. 2006. Determination and Characterization of Caffeine in Tea , Coffee and Soft Drinks by Solid Phase Extraction and High Performance Liquid. *Chem. Eng.* 8(1): 45–51.
- Nascimento, E.A., S.A.L. Morais, R. Chang, F.J.T. Aquino, B.H.P. Alves, & R.J.C.F. Afonso. 2015. Looking for unknown molecules in arabica and robusta coffee brews by high performance liquid chromatography coupled to high resolution mass spectrometry and differentiating both coffee species by this technique. *Int. J. Appl.* 5(1): 26–37.
- Nasrullah. 1981. A modified procedure for identifying varietal stability. *Agric. Sci.* 3(4): 153–159.
- Nestle S.A. 2004. Faces of coffee: the Nestle coffee report. Nestle S.A., Public Affairs, Vevey (Switzerland).
- Neter, J., M.H. Kutner, C.J. Nachtsheim, & W. Wasserman. 1996. Applied linear statistical models. Regression. Analysis of Variance and Experimental Designs. Irwin Chicago.

- Ohiokpehai, O., G. Brumen, & M.N. Clifford. 1982. The chlorogenic acids content of some peculiar green coffee beans and the implications for beverage quality. *In* : Colloque Scientifique International sur le Café, 10. Salvador (Brasil), Octobre 11-14, 1982..
- Pearl, H.M., C. Nagai, P.H. Moore, D.L. Steiger, R. Ming, & R. V. Osgood. 2004. Construction of a genetic map for arabica coffee. *TAG Theor. Appl. Genet.* 108(5): 829–835.
- Pinto-Maglio, C. a F. 2006. Cytogenetics of coffee. *Brazilian J. Plant Physiol.* 18(1): 37–44.
- R Development Core Team. 2007. R: a language and environment for statistical computing. R foundation for statistical computing, Vienna, Austria.
- Raina, S.N., Y. Mukai, & M. Yamamoto. 1998. In situ hybridization identifies the diploid progenitor species of *Coffea arabica* (Rubiaceae). *Theor. Appl. Genet.* 97(8): 1204–1209.
- Ricketts, T.H., G.C. Daily, P.R. Ehrlich, & C.D. Michener. 2004. Economic value of tropical forest to coffee production. *Proc. Natl. Acad. Sci.* 101(34): 12579–12582.
- Rodrigues, J.C.J., A.J. Bettencourt, & L. Rijo. 1975. Races of the pathogen and resistance to coffee rust. *Annu. Rev. Phytopathol.* 13(1): 49–70.
- Rodrigues, M. a. a., M.L. a. Borges, A.S. Franca, L.S. Oliveira, & P.C. Corrêa. 2003. Evaluation of physical properties of coffee during roasting. *E-journal - CIGR V(03004)*: 1–12.
- Schmidt, F.H., & J.H.A. Ferguson. 1951. Rainfall types based on wet and dry period ratios for Indonesia with Western New Guinea. *Verhandeli. Kementerian Perhubungan Djawatan Meteorologi dan Geofisika, Jakarta.*
- Schweizer, J. 1929. The selection of *Coffea arabica*. *In* : Rep. Proc. 4 th. Pacific Asian Congress. Java. p. 1–6.
- Shibamoto, T. 1991. An overview of coffee aroma and flavor chemistry. *In* : Quatorzieme colloque scientifique international sur le cafe, San Francisco, 14-19 juillet 1991. p. 107–116.
- Sivetz, M., & N.W. Desrosier. 1979. *Coffee technology*. Westport CO: Avi Publishing Co.
- Snoeck, J., & C. Lambot. 2004. Crop Maintenance. *In* : Wintgens, J.N. (ed.), *Coffee: Growing, Processing, Sustainable Production*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. p. 976.
- Sobreira, F.M., A.C.B. De Oliveira, A.A. Pereira, & N. Sussumu. 2015. Potential of Híbrido de Timor germplasm and its derived progenies for coffee quality improvement. *Australian J. Crop Sci.* 9(4): 289–295.
- Sridevi, V., & G. Parvatam. 2013. Influence of altitude variation on trigonelline content during ontogeny of *Coffea canephora* fruit. *J. Food Stud.* 2(1): 62–74.
- Steiger, D., C. Nagai, P. Moore, C. Morden, R. Osgood, & R. Ming. 2002. AFLP analysis of genetic diversity within and among *Coffea arabica* cultivars. *TAG Theor. Appl. Genet.* 105(2-3): 209–215.

- Steinhart, H., & W. Holscher. 1991. Storage-related changes of low-boiling volatiles in whole coffee beans. *In* : Quatorzieme colloque scientifique international sur le cafe, San Francisco, 14-19 juillet 1991. p. 156–164.
- Sybenga, J. 1961. Genetics and cytology of coffee. The Hauge, Martinus Nijhoff.
- Tirta, I.M. 2005. Panduan Program Statistika R. UPT Penerbitan Universitas Jember.
- Trugo, L.C. 1984. HPLC in coffee analysis. Doctoral Dissertation. University of Reading. England
- Trugo, L.C., & R. Macrae. 1984. A study of the effect of roasting on the chlorogenic acid composition of coffee using HPLC. *Food Chem.* 15(3): 219–227.
- Vaast, P., B. Bertrand, J.-J. Perriot, B. Guyot, & M. Génard. 2006. Fruit thinning and shade improve bean characteristics and beverage quality of coffee (*Coffea arabica* L.) under optimal conditions. *J. Sci. Food Agric.* 86(2): 197–204.
- Vaast, P., R. van Kanten, P. Siles, B. Dzib, N. Franck, J.M. Harmand, & M. Genard. 2005. Shade: a key factor for coffee sustainability and quality. *In* : ASIC 2004. 20th International Conference on Coffee Science, Bangalore, India, 11-15 October 2004. Association Scientifique Internationale du Café (ASIC). p. 887–896.
- Variyar, P.S., R. Ahmad, R. Bhat, Z. Niyas, & A. Sharma. 2003. Flavoring components of raw monsooned arabica coffee and their changes during radiation processing. *J. Agric. Food Chem.* 51(27): 7945–50.
- van der Vossen, H.A.M. 2001. Agronomy I: Coffee Breeding practices.. *In* : Clarke, R.J., Vitzthum, O.G. (eds.), *Coffee: Recent Developments*. Blackwell Science, Oxford, Great Britain. p. 184–201
- van der Vossen, H.A.M. 2009. The cup quality of disease-resistant cultivars of Arabica coffee (*Coffea arabica*). *Exp. Agric.* 45(03): 323–332.
- Wamatu, J.N., E. Thomas, & H.P. Piepho. 2003. Responses of different arabica coffee (*Coffea arabica* L.) clones to varied environmental conditions. *Euphytica* 129(2): 175–182.
- Wintgens, J.N. 2004a. Coffee bean quality assessment. *In* : Wintgens, J.N. (ed.), *Coffee: Growing, Processing, Sustainable Production*. WILEY-VCH Verlag GmbH & Co. KGaA. p. 976.
- Wintgens, J.N. 2004b. Factors influencing the Quality of Green Coffee. *In* : Wintgens, J.C. (ed.), *Coffee: Growing, Processing, Sustainable Production*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. p. 976.
- Wintgens, J.N. 2004c. The coffee plant. *In* : Wintgens, J.N. (ed.), *Coffee: Growing, Processing, Sustainable Production*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. p. 976.
- Wormer, T.M. 1964. Normal and abnormal development of coffee berries. *Kenya Coffee* 29: 91–106.
- Yahmadi, M. 1973. Pengaruh kemarau panjang terhadap tanaman kopi. *Menara Perkeb.* 41: 235–240.

- Yusianto. 2003. Karakter fisik dan cita rasa kopi hasil penyangraian sistem pemanasan langsung. *Pelita Perkeb.* 19: 152–170.
- Yusianto, R. Hulupi, S. Mawardi, & C. Ismayadi. 2005. Sifat fisiko-kimia dan citarasa beberapa kultivar kopi arabika. *Pelita Perkeb.* 1(3): 200–222.