

DAFTAR PUSTAKA

- Aisyah, S., 2013, Optimasi Formula Tablet *Floating* Nifedipin menggunakan HPMC K15M, PVP K-30 dan Avicel PH 102 dengan Metode *Simplex Lattice Design*, Tesis, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Ahire B. R., Rane, B. R., Bakliwal, S. R., Pawa S. P., 2010, Solubility enhancement of poorly water soluble drug by solid dispersion techniques, *Int. J. PharmTech. Res.*, 2(3), 2007-2015.
- Ali, N., 2005, The Effect of Type and Concentration of Vehicles on Dissolution Rate of Poorly Soluble Drugs (Indomethacin) from Liquisolid Compacts, *J. Pharm. Sci.*, 8 (1), 18-25
- Ali, S. L., 1989, Nifedipine, dalam Florey, K. (Ed.), *Analytical Profile of Drug Substances*, 221-288, Academic Press Inc., New York.
- Anonim, 1995, Farmakope Indonesia, Edisi IV, Departemen Kesehatan Republik Indonesia, Jakarta.
- Anonim, 2009, *The United States Pharmacopeia*, 32nd edition, The United States Pharmacopeial Convention, Inc., Rockville.
- Benita, S., Barkai, A., dan Pathak, Y. V., 1990, Effect of Drug Loading Extent on the in vitro Release Kinetic Behavior of Nifedipine from Polyacrylate Microspheres, *J. Control. Rel.*, 12, 213.
- Buhler, V., 2008, *Kollidon[®] : Polyvinylpyrrolidone for the Pharmaceutical Industry*, 9th Ed., BASF, Germany.
- Carstensen, J. T., 1974, Theories of Dissolution – Single Particulate System, in Leeson, L. J., and Carstensen, J. T., (Ed.), *Dissolution Technology*, 1st Ed., 1-24, The Industrial Pharmaceutical Technology Section of Pharmaceutical Science, Washington D. C.
- Chiou W. L., dan Riegelman, S., 1971, Pharmaceuticals Applications of Solid Dispersion System, *J. Pharm. Sci.*, 60 (9), 1281-1301.
- Finholt, P., 1974, Influence of Formulation on Disolution Rate, dalam Leeson, L. J., dan Carstensen, J. T., (Eds.), *Dissolution Technology*, 1st Ed., The Industrial Pharmaceutical Technology Section of Academy of Pharmaceutical Science, Washington D. C.

- Fredy, S. dan Lannie, H., 2011, Optimasi Formula Tablet Lepas Lambat Ibuprofen, *Jurnal Farmasi Indonesia*, 5(4), 195-204.
- Friesen D. T. , Shanker R., Crew M., Smithey D. T., Curatolo W. J., dan Nightingale J. A., 2008, Hydroxypropyl Methylcellulose Acetate Succinate-Based Spray-Dried Dispersions: an Overview, *Mol. Pharm.*, 5 (19), 1003.
- Fudholi, A., 2013, *Disolusi dan Pelepasan Obat in Vitro*, Pustaka Pelajar, Yogyakarta.
- Gandjar, I. G., dan Rohman, A., 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta. Gibaldi, M., dan Feldman, S., 1970, Mechanism of Surfactant Effect on Drug Absorption, *J. Pharm. Sci.*, 59 (5), 579-589.
- Goldberg A., Gibaldi M., dan Kanig L. J., 1965, Increasing Dissolution Rates and Gastrointestinal Absorption of Drug Via Solid Solution and Eutectic Mixtures I, *J. Pharm. Sci.*, 54 (8), 1146-1148.
- Hadžiabdić, J., Elezović, A., Hadžović, S., Vehabović, M., 2013, The solubility – intrinsic dissolution rate of diazepam and inclusion complexes diazepam with 2-hydroxypropyl- β -cyclodextrin, *Int. J. Sci.*, 1(1), 24-35.
- Huang, J., Wigent, R. J., Bentzley, C. M., dan Schwartz, J. B., 2006, Nifedipine Solid Dispersion in Microparticles of Ammonio Methacrylate Copolymer and Ethylcellulose Binary Blend for Controlled Drug Delivery, *Int. J. Pharm.*, 319, 44-54.
- Huang, Y., dan Dai, W.G., 2014, Fundamental Aspects of Solid Dispersion Technology for Poorly Soluble Drugs, *A. Pharm. S. B*, 4 (1), 18-25.
- Ilevbare G. A., Liu H., Edgar K. J., dan Taylor L. S., 2012, Understanding Polymer Properties Important for Crystal Growth Inhibition: Impact of Chemically Diverse Polymers on Solution Crystal Growth of Ritonavir. *Cryst. Growth.*, 12 (43), 3133.
- Issa, M. G., dan Ferraz, H. G, 2011, Intrinsic Dissolution as a Tool for Evaluating Drug Solubility in Accordance with the Biopharmaceutics Classification System, *Dissolut. Tech.*, 18 (3), 6-11.
- Kaplan, S.A., 1973, Biopharmaceutics in the Formulation Stages of Drug Development, dalam Swarbrick, J., (Ed.), *Current Concepts in the Pharmaceutical Science: Dosage Form Design and Bioavailability*, 1st Ed., Lea and Febiger, Philadelphia.

- Kavitha, K., Kotha, N. S., Lova, R., Ganesh, N. S., dan Ramesh, B., 2011, Effect of Dissolution Rate by Liquisolid Compact Approach: an Overview, *Pharm. Lett.*, 3 (1), 71-83.
- Kealey, D., dan Haines, P. J., 2002, *Instant Notes Analytical Chemistry*, BIOS Scientific Publishers Limited, New York.
- Kitazawa, S., Johno, I., Ito, Y., Teramura, S., dan Okada, J., 1975, Effects of hardness on the disintegration time and the dissolution rate of uncoated caffeine tablets, *J. Pharm. Pharmac.*, 27, 765-770.
- Kornblum, S. S., dan Hirschorn, J. O., 1970, Dissolution of Poorly Water Soluble Drugs, Some Physical Parameter Related to Method of Micronization And Tablet Manufacture of a Quinazolinone Compound, *J. Pharm. Sci.*, 59, 606-609.
- Kumar, S., Kumar, P., Chanderparkash, A., dan Singh, S. K., 2010, Evaluation of some novel techniques for dissolution enhancement of poorly water soluble drug nimodipine. *International Journal of PharmTech Research*, 2, 950-959.
- Miller, J. N., dan Miller, J. C., 2005, *Statistics and Chemometrics for Analytical Chemistry*, 5th Ed., Pearson Education Limited, Essex.
- Moechtar, 1992, Upaya Peningkatan Kecepatan Disolusi Trimetoprim melalui Pembentukan Dispersi Padat dengan Bahan PVP, PEG 4000, dan PEG 6000, Laporan Penelitian, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Moffat, A. C., Osselton, M. D., dan Widdop, B., 2011, *Clarke's Analysis of Drugs and Poisons in Pharmaceutical, Body Fluids, and Postmortem Material*, 4th Ed., Pharmaceutical Press, London.
- Parikh, D. P., 2005, *Handbook of Pharmaceutical Granulation Technology*, Taylor and Francis, Boca Raton.
- Patil, R. M., Ajim H. M., Mangesh T. K., Anup M. A., dan Dheeraj T. B., 2011, Solid dispersion: Strategy to enhance solubility, *Int. J. Pharm. Sci. Rev.*, 8 (2), 66-73.
- Paudel, A., Worku, Z. A., Meeus, J., Guns, S., dan Van den Mooter, G., 2013, Manufacturing of solid dispersions of poorly water soluble drugs by spray drying: Formulation and process considerations, *Int. J. Pharm. Rev.*, 453 (1), 253-284.

- Raith, K., Kuhn, A.V., Rosche, F., Wolf, R., dan Neubert, R. H. H., 2002, Characterization of povidone products by means of ¹³C-NMR, MALDI-TOF, and electrospray mass spectrometry, *Pharm. Res.*, 19, 556-560.
- Ritschel, W. A., 1976, *Handbook of Basic Pharmacokinetics*, 1st Ed., Drug Intelligence Publication Inc., Hamilton.
- Rowe, R. C., Sheskey, P. J., dan Quinn, M. E. (Eds.), 2009, *Handbook of Pharmaceutical Excipients*, 6th Ed., Pharmaceutical Press, London.
- Savita, D., 2014, Evaluasi Sifat Fisika Kimia dan Pelepasan Eugenol dari Patch Bukal Ekstrak Daun Sirih dengan Variasi Komponen *Release Enhancer* Menggunakan Matriks Kitosan, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Sekiguchi, K., dan Obi, N., 1961, Studies on absorption of eutectic mixtures, I, A comparison of the behavior of eutectic mixture of sulfathiazole and that of ordinary sulfathiazole in man, *Chem. Pharm. Bull.*, 9 (11), 866-872.
- Shargel, L., Wu-Pong, S. dan Yu, A. B. C., 2007, *Applied Biopharmaceutics & Pharmacokinetics*, 5th Ed., McGraw-Hill, New-York.
- Shim, S. C., Pae, A. N., dan Lee, Y. J., 1988, Mechanistic Study on The Photochemical Degradation of Nifedipine, *Bulletin of The Korean Society*, 9 (5). 1-4.
- Simonelli, A. P., Mehta, S. C., dan Higuchi, W. I., 1969, Dissolution Rates of High Energy PVP-Sulfathiazole Copresipitates, *J. Pharm. Sci.*, 58, 538-548.
- Soemardi, E., 1999, Peningkatan Kecepatan Disolusi Intrinsik Fenilbutason melalui Pembentukan Dispersi Padat dengan Polietilenglikol-4000, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Stupak, E. I., dan Bates, T. R., 1972, Enhanced Absorption and Dissolution of Reserpine from Reserpine-PVP Copresipitates, *J. Pharm. Sci.*, 61, 400-403.
- Sweetman, S. C., 2009, *Martindale The Complete Drug Reference*, Vol. I, 36th Ed., Pharmaceutical Press, London.
- Wagner, J. G., 1971, *Biopharmaceutics and Relevant Pharmacokinetics*, 1st Ed., 66, 89-103, Drug Intelligence Publication Hamilton, Illinois.
- Wicaksono, Y., 2006, Pengembangan Sediaan Lepas Lambat Na Diklofenak Berbasis Matrik Etilselulosa – PVP K-30, *Jurnal Ilmu Dasar*, 7 (2), 170-176.



Viegas, T. X., Curatella, R. U., Winkle, L. L. V., Brinker, G., 2001, Measurement of Intrinsic Drug Dissolution Rates Using Two Types of Apparatus, *Pharm. Technol.*, 25 (6), 44-53.

Yuwono, T., 1987, Pengaruh Kofeina terhadap Kelarutan dan Ketersediaan Hayati o-etoksibenzamida pada Tikus Jantan, *Disertasi*, Institut Teknologi Bandung, Bandung.