

Daftar Pustaka

- Alcázar, D., C. Egea, A. Espín & M.E. Candela. 1995. Peroxide isoenzymes in the defense response of *Capsicum annuum* to *Phytophthora capsici*. *Physiol. Plant.* 94: 736–742.
- Almagro, L., L.V. Gómez-Ros, S. Belchi-Navarro, R. Bru, A. Ros-Barceló & M.A. Pedreño. 2009. Class III peroxidases in plant defence reactions. *J. Exp. Bot.* 60: 377–390.
- An, S.H., H.W. Choi, J.K. Hong & B.K. Hwang. 2009. Regulation and function of the pepper pectin methyltransferase inhibitor (*CaPMEI1*) gene promoter in defense and ethylene and methyl jasmonate signaling in plants. *Planta* 230: 1223–1237.
- Anderson, J.P., E. Badruzaufari, P.M. Schenk, J.M. Manners, O.J. Desmond, C. Ehlert, D.J. Maclean, P.R. Ebert & K. Kazan. 2004. Antagonistic interaction between abscisic acid and jasmonate-ethylene signaling pathways modulates defense gene expression and disease resistance in *Arabidopsis*. *Plant Cell* 16: 3460–3479.
- Apel, K. & H. Hirt. 2004. Reactive oxygen species: metabolism, oxidative stress, and signal transduction. *Ann. Rev. Plant Biol.* 55: 373–399.
- Asada, K. (1997). The role of ascorbate peroxidase and monodehydroascorbate reductase in H₂O₂ scavenging in plants. *In: J.G. Scandalios (Ed.). Oxidative Stress and the Molecular Biology of Antioxidant Defenses.* Cold Spring Harbor Laboratory Press. New York. 715–735.
- Asselbergh, B., D. De Vleeschauwer & M. Höfte. 2008. Global switches and fine-tuning—ABA modulates plant pathogen defense. *Mol. Plant Microbe Interact.* 21: 709–719.
- AVRDC. 1994. AVRDC 1993 Progress Report. Asian Vegetable Research Center. AVRDC. Tainan.
- Babadoost, M. & C. Pavón. 2009. Survival of *Phytophthora capsici* in soil. Page 2. *In: Proceedings of the 2nd International Phytophthora capsici conference.* Duck Key. 1–2 Desember 2009.
- Babadoost, M. & T.A. Zitter. 2009. Fruit rots of pumpkin: A serious threat to the pumpkin industry. *Plant Dis.* 93: 772–782.
- Back, K.W., S.L. He, K.U. Kim & D.H. Shin. 1998. Cloning and bacterial expression of sesquiterpene cyclase, a key branch point enzyme for the synthesis of sesquiterpenoid phytoalexin capsidiol in UV-challenged leaves of *Capsicum annuum*. *Plant Cell Physiol.* 39: 899–904.
- Barksdale, T.H., G.C. Papavizas & S.A. Johnston. 1984. Resistance to foliar blight and crown rot of pepper caused by *Phytophthora capsici*. *Plant Dis.* 68: 506–509.
- Bartual, R., E.A. Carbonell, J.I. Marsal, J.C. Tello & I.L. Campos. 1991. Gene action in the resistance of peppers (*Capsicum annuum*) to *Phytophthora* stem blight (*Phytophthora capsici* Leon.). *Euphytica* 54: 195–200.
- Biles, C.L., B.D. Bruton, M.M. Wall & M. Rivas. 1995. *Phytophthora capsici* zoospore infection of pepper fruit in various physical and environments. *Proc. Okla. Acad. Sci.* 75: 1–5.
- Bolwell, G.P., V.S. Butt, D.R. Davies & A. Zimmerlin. 1995. The origin of the oxidative burst in plants. *Free Radic. Res.* 23: 517–532.
- Bonnet, J., S. Danan, C. Boudet, L. Barchi, A-M. Sage-Palloix, B. Caromel, A. Palloix & V. Lefebvre. 2007. Are the polygenic architectures of resistance to *Phytophthora capsici* and *P. parasitica* independent in pepper?. *Theor. Appl. Genet.* 115: 253–264.
- Bosland, P.W. & D.L. Lindsay. 1991. A seedling screen for *Phytophthora* root rot of pepper, *Capsicum annuum*. *Plant Dis.* 75: 1048–1050.

- Bosland, P.W. & E.J. Votava. 1999. Peppers: Vegetable and Spice Capsicums. CABI Publishing. New York. 216 p.
- Bostock, R.M. 2005. Signal crosstalk and induced resistance: straddling the line between cost and benefit. *Annu. Rev. Phytopathol.* 43: 545–580.
- Bowers, J.H., F.N. Martin, P.W. Tooley & E.D.M.N. Luz. 2007. Genetic and morphological diversity of temperate and tropical isolates of *Phytophthora capsici*. *Phytopathology* 97: 492–503.
- Caverzan, A., G. Passaia, S.B. Rosa, C.W. Ribeiro, F. Lazzarotto & M. Margis-Pinheiro. 2012. Plant responses to stresses: Role of ascorbate peroxidase in the antioxidant protection. *Genet. Mol. Biol.* 35: 1011–1019.
- Chittoor, J.M., J.E. Leach & E.F. White. 1999. Induction of peroxidase during defense against pathogens. *In: S.K. Datta, S.K. Muthukrishnan (Eds.). Pathogenesis-Related Proteins in Plants.* CRC Press, New York. pp. 171–193.
- Choi, D.S., J.K. Hong & B.K. Hwang. 2013. Pepper osmotin-like protein 1 (CaOSM1) is an essential component for defense response, cell death, and oxidative burst in plants. *Planta* 238: 1113–1124.
- Choi, H.W. & B.K. Hwang. 2012. The pepper extracellular peroxidase CaPO2 is required for salt, drought and oxidative stress tolerance as well as resistance to fungal pathogens. *Planta* 235: 1369–1382.
- Choi, H.W. & B.K. Hwang. 2015. Molecular and cellular control of cell death and defense signaling in pepper. *Planta* 241: 1–27.
- Choi, H.W., Y.J. Kim, S.C. Lee, J.K. Hong & B.K. Hwang. 2007. Hydrogen peroxide generation by the pepper extracellular peroxidase CaPO2 activates local and systemic cell death and defense response to bacterial pathogens. *Plant Physiol.* 145: 890–904.
- Daudi, A., Z. Cheng, J.A. O'Brien, N. Mammarella, S. Khan, F.M. Ausubel & G.P. Bolwell. 2012. The apoplastic oxidative burst peroxidase in *Arabidopsis* is a major component of pattern-triggered immunity. *Plant Cell* 24: 275–287.
- Debona, D., F.Á. Rodrigues, J.A. Rios & K.J.T. Nascimento. 2011. Biochemical changes in the leaves of wheat plants infected by *Pyricularia oryzae*. *Phytopathology* 102: 1121–1129.
- De Vos, M., V.R. Van Oosten, R.M.P. Van Poecke, J.A. Van Pelt, M.J. Pozo, M.J. Mueller, A.J. Buchala, J.P. Métraux, L.C. Van Loon, M. Dicke & M.J. Pieterse. 2005. Signal signature and transcriptome changes of *Arabidopsis* during pathogen and insect attack. *Mol. Plant Microbe Interact.* 18: 923–937.
- De Vos, M., W. Van Zaanen, A. Koornneef, J.P. Korzelius, M. Dicke, L.C. Van Loon & C.M.J. Pieterse. 2006. Herbivore-induced resistance against microbial pathogens in *Arabidopsis*. *Plant Physiol.* 142: 352–363.
- Djarwaningsih, T. 2005. *Capsicum* spp. (Cabai): asal, persebaran dan nilai ekonomi. *Biodiversitas* 6: 292–296.
- Do, H.M., J.K. Hong, H.W. Jung, S.H. Kim, J.H. Ham & B.K. Hwang. 2003. Expression of peroxidase-like genes, H₂O₂ production, and peroxidase activity during the hypersensitive response to *Xanthomonas campestris* pv. *vesicatoria* in *Capsicum annuum*. *Mol. Plant Microbe Interact.* 16: 196–205.
- Doares, S.H., J. Narvez-Vasques, A. Conconi & C.A. Ryan. 1995. Salicylic acid inhibits synthesis of proteinase inhibitors in tomato leaves induced by systemin and jasmonic acid. *Plant Physiol.* 108: 1741–1746.

- Doehlemann, G. & C. Hemetsberger. 2013. Apoplastic immunity and its suppression by filamentous plant pathogens. *New Phytol.* 198: 1001–1016.
- Donahoo, R.S. K.H. Lamour. 2008. Interspecific hybridization and apomixis between *Phytophthora capsici* and *Phytophthora tropicalis*. *Mycologia* 100: 911–920.
- Drenth, A., G. Wagels, B. Smith, B. Sendall, C. O'Dwyer, G. Irvine & J.A.G. Irwin. 2001. Development of a DNA-based method for detection and identification of *Phytophthora* species. *Australas. Plant Pathol.* 35: 147–159.
- Dunn, A.R. & C.D. Smart. 2015. Interactions of *Phytophthora capsici* with resistant and susceptible pepper roots and stems. *Phytopathology* 105: 1355–1361.
- Egea, C., A.S. Ahmed, M. Candela & M.E. Candela. 2001. Elicitation of peroxidase activity and lignin biosynthesis in pepper suspension cells by *Phytophthora capsici*. *J. Plant Physiol.* 158: 151–158.
- Egea-Gilbert, C., G. Bilotti, M.E. Requena, M. Ezziymani, J.M. Vivo-Molina & M.E. Candela. 2008. Pepper morphological traits related with resistance to *Phytophthora capsici*. *Biol. Plant.* 52: 105–109.
- Erwin, D.C. & O.K.Ribeiro. 1996. *Phytophthora Diseases Worldwide*. The American Phytopathological Society. St. Paul. 592 p.
- Falconer, D.S. & T.F.C. Mackay. 1996. *Introduction to Quantitative Genetics*. 4th Edition. Addison Wesley Longman Limited. Essex. 464 p.
- Feng, B.Z., Li, P.Q., H.M. Wang & X.G. Zhang. 2010. Functional analysis of *Pcpme6* from oomycete plant pathogen *Phytophthora capsici*. *Microb. Pathog.* 49: 23–31.
- Feng, B.Z., X.P. Zhu, L. Fu, R.F. Lv, D. Storey, P. Tooley & X.G. Zhang. 2014. Characterization of necrosis-inducing NLP proteins in *Phytophthora capsici*. *BMC Plant Biol.* 14: 126.
- Fernández-Herrera, E., R.I. Rojas-Martínez, L. Guevara-Olvera, M.E. Rivas-Dávila, E. Valadez-Moctezuma & E. Zavaleta-Mejía. 2012. Defense in chili CM-334 inoculated with *Phytophthora capsici* and infected by *Nacobbus aberrans*. *Nematropica* 42: 96–107.
- Fernández-Pavia, S. 1997. *Host-Pathogen Interactions in the Root Rot *Phytophthora capsici*/*Capsicum annuum* Resistant CM-334 Pathosystem*. Doctoral Dissertation. New Mexico State University. New Mexico.
- Fry, W.E. 1978. Quantification of general resistance of potato cultivars and fungicide effects for integrated control of potato late blight. *Phytopathology* 68: 1650–1655.
- Gayoso, C., F. Pomar, F. Merino & M.A. Bernal. 2004. Oxidative metabolism and phenolic compounds in *Capsicum annuum* L. var. *annuum* infected by *Phytophthora capsici* Leon. *Sci. Hortic.* 102: 1–13.
- Gil-Ortega, R., C. Palazón-Español & J. Cuartero-Zueco. 1991. Genetics of resistance to *Phytophthora capsici* in the pepper line 'SCM-334'. *Plant Breed.* 107:50–55.
- Gil-Ortega, R., C. Palazón-Español & J. Cuartero-Zueco. 1995. Interactions in the pepper-*Phytophthora capsici* system. *Plant Breed.* 114: 74–79.
- Gimenez-Ibanez, S. & R. Solano. 2013. Nuclear jasmonate and salicylate signaling and crosstalk in defense against pathogens. *Front. Plant Sci.* 4: 72.
- Glosier, B.R., E.A. Ogundiwin, G.S. Sidhu, D.R. Sischo & J.P. Prince. 2008. A differential series of pepper (*Capsicum annuum*) lines delineates fourteen physiological races of *Phytophthora capsici*. *Euphytica* 162: 23–30.

- Granke, L.L., L. Quesada-Ocampo & M.K. Hausbeck. 2011. Variation in phenotypic characteristics of *Phytophthora capsici* isolates from a worldwide collection. *Plant Dis.* 95: 1080–1088.
- Granke, L.L., L. Quesada-Ocampo, K. Lamour & M.K. Hausbeck. 2012. Advances in research on *Phytophthora capsici* on vegetable crops in the United States. *Plant Dis.* 95: 1588–1600.
- Granke, L.L., S.T. Windstam, H.C. Hoch, C.D. Smart & M.K. Hausbeck. 2009. Dispersal and movement mechanisms of *Phytophthora capsici* sporangia. *Phytopathology* 99: 1258–1264.
- Gu, Y.H. & W.H. Ko. 2000. Segregation following interspecific transfer of isolated nuclei between *Phytophthora parasitica* and *P. capsici*. *Can. J. Microbiol.* 46: 410–416.
- Gupta, V., M.G. Willits & J. Glazebrook. 2000. *Arabidopsis thaliana* EDS4 contributes to salicylic acid (SA)-dependent defense responses: Evidence for inhibition of jasmonic acid signaling by SA. *Mol. Plant Microbe Interact.* 13: 503–511.
- Guerrero-Moreno, A. & J.A. Laborde. 1980. Current status of pepper breeding for resistance to *Phytophthora capsici* in Mexico. Synopses of the IVth Meeting of the *Capsicum* Working Group of Eucarpia. I.V.T., Wageningen. pp. 52–56.
- Hardham, A.R. & L.M. Blackman. 2010. Molecular cytology of *Phytophthora*–plant interactions. *Australas. Plant Pathol.* 39: 29–35.
- Hausbeck, M. K. & K.H. Lamour. 2004. *Phytophthora capsici* on vegetable crops: Research progress and management challenges. *Plant Dis.* 88: 1292–1303.
- He, S., W. Lin & R. Chen. 2002. Induction of sesquiterpene cyclase gene expression and antioxidant enzymes regulated by exogenous salicylic acid in leaves of *Capsicum annuum*. *Ying Yong Sheng Tai Xue Bao* 13: 569–572.
- Hilaire, E., S.A. Young, L.H. Willard, J.D. McGee, T. Sweat, J.M. Chittoor, J.A. Guikema & J.E. Leach. 2001. Vascular defense responses in rice: Peroxidase accumulation in xylem parenchyma cells and xylem wall thickening. *Mol. Plant Microbe Interact.* 14: 1411–1419.
- Hiraga, S., H. Ito, H. Yamakawa, N. Ohtsubo, S. Seo, I. Mitsuhashi, H. Matsui, M. Honma & Y. Ohashi. 2000. An HR-induced tobacco peroxidase gene is responsive to spermine, but not to salicylate, methyl jasmonate, and ethephon. *Mol. Plant Microbe Interact.* 13: 210–216.
- Hiraga, S., K. Sasaki, H. Ito, Y. Ohashi & H. Matsui. 2001. A large family of class III plant peroxidases. *Plant Cell Physiol.* 42: 462–468.
- Hong, J.K. & B.K. Hwang. 2005. Functional characterization of PR-1 protein, β -1,3-glucanase and chitinase genes during defense response to biotic and abiotic stresses in *Capsicum annuum*. *Plant Pathol. J.* 21: 195–206.
- Hong, J.K., H.W. Jung, B.K. Lee, S.C. Lee, Y.K. Lee & B.K. Hwang. 2004. An osmotin-like protein gene, CaOSM1, from pepper: differential expression and in situ localization of its mRNA during pathogen infection and abiotic stress. *Physiol. Mol. Plant Pathol.* 64: 301–310.
- Hong, J. K., S.C. Lee & B.K. Hwang. 2005. Activation of pepper basic PR-1 gene promoter during defense signaling to pathogen, abiotic and environmental stresses. *Gene* 356: 169–180.
- Hwang, B.K. & C.H. Kim. 2005. *Phytophthora* blight of pepper and its control in Korea. *Plant Dis.* 79: 221–227.
- Hwang, B.K., J.Y. Sunwoo, Y.J. Kim & B.S. Kim. 1997. Accumulation of β -1,3-glucanase and chitinase isoforms, and salicylic acid in the DL- β -amino-n-butyric acid-induced resistance response of pepper stems to *Phytophthora capsici*. *Physiol. Mol. Plant Pathol.* 51: 305–322.
- Hwang, I.S. & B.K. Hwang. 2011. The pepper mannose-binding lectin gene CaMBL1 is required to regulate cell death and defense responses to microbial pathogens. *Plant Physiol.* 155: 447–463.

- Ishii, T. 1997. Structure and functions of feruloylated polysaccharides. *Plant Sci.* 127: 111-127.
- Jones, D.A. & D. Takemoto. 2004. Plant innate immunity—direct and indirect recognition of general and specific pathogen-associated molecules. *Curr. Opin. Immunol.* 16: 48–62.
- Jones, D.R., W.G. Graham & E.W.B. Ward. 1974. Ultrastructural changes in pepper cells in a compatible interaction with *Phytophthora capsici*. *Phytopathology* 64: 1084–1090.
- Jung, H.W., W. Kim & B.K. Hwang. 2003. Three pathogen-inducible genes encoding lipid transfer protein from pepper are differentially activated by pathogens, abiotic, and environmental stresses. *Plant Cell Environ.* 26: 915–928.
- Kamoun, S., H. Lindqvist & F. Govers. 1997. A novel class of elicitor-like genes from *Phytophthora infestans*. *Mol. Plant Microbe Interact.* 10: 1028–1030.
- Keller, H., P. Bonnet, E. Galiana, L. Pruvot, L. Friedrich, J. Ryals & P. Ricci. 1996. Salicylic acid mediates elicitor-induced systemic acquired resistance, but not necrosis in tobacco. *Mol. Plant Microbe Interact.* 9: 676–703.
- Kempthorne, O (1963). *An Introduction to Genetic Statistics*. John Wiley & Sons, Inc. New York. 545 p.
- Kim, D.S. & B.K. Hwang. 2012. The pepper MLO gene, CaMLO2, is required for susceptibility cell death response and bacterial and oomycete proliferation. *Plant J.* 72: 843–855.
- Kim, H.J., S.H. Nahm, H.R. Lee, G.B. Yoon, K.T. Kim, B.C. Kang, D. Choi, O.Y. Kweon, M.C. Cho, J.K. Kwon, J.H. Han, J.H. Kim, M.K. Park, J.H. Ahn, S.H. Choi, N.H. Her, J.H. Sung & B.D. Kim. 2008. BAC-derived markers converted from RFLP linked to *Phytophthora capsici* resistance in pepper (*Capsicum annuum* L.). *Theor. Appl. Genet.* 118: 15–27.
- Kim, S.G. & Y.H. Kim. 2009. Histological and cytological changes associated with susceptible and resistant responses of chili pepper root and stem to *Phytophthora capsici* infection. *Plant Pathol. J.* 25: 113–120.
- Kim, Y.J. & B.K. Hwang. 1997. Isolation of a basic 34 kiloDalton β -1,3-glucanase with inhibitory activity against *Phytophthora capsici* from pepper stems. *Physiol. Mol. Plant Pathol.* 50: 103–115.
- Kimble, K.A. & R.G. Grogan. 1960. Resistance to *Phytophthora* root rot in pepper. *Plant Dis. Rep.* 44: 872–873.
- Koç, E. & A.S. Üstün. 2012. Influence of *Phytophthora capsici* Leon. inoculation on disease severity, necrosis length, peroxidase and catalase activity, and phenolic content of resistant and susceptible pepper (*Capsicum annuum* L.) plants. *Tur. J. Biol.* 36: 357–371.
- Kunkel, B.N. & D.M. Brooks. 2002. Cross talk between signaling pathways in pathogen defense. *Curr. Opin. Plant Biol.* 5: 325–331.
- Lagrimini, L.M., W. Burkhardt, M. Moyer & S. Rothstein. 1987. Molecular cloning of complementary DNA encoding the lignin-forming peroxidase from tobacco: Molecular analysis and tissue-specific expression. *Proc. Natl. Acad. Sci. U.S.A.* 84: 7542–7546.
- Lamb, C. & R.A. Dixon. 1997. The oxidative burst in plant disease resistance. *Ann. Rev. Plant Physiol. Plant Mol. Biol.* 48: 251–275.
- Lamour, K.H. & M.K. Hausbeck. 2001. The dynamics of mefenoxam insensitivity in a recombining population of *Phytophthora capsici* characterized with amplified fragment length polymorphism markers. *Phytopathology* 91: 553–557.
- Lamour, K.H., R. Stam, J. Jupe & E. Huitema. 2012. The oomycete broad-host-range pathogen *Phytophthora capsici*. *Mol. Plant Pathol.* 13: 329–337.
- Lawton, K.A., S.L. Potter, S. Uknes & J. Ryals. 1994. Acquired resistance signal transduction in *Arabidopsis* is ethylene independent. *Plant Cell* 6: 581–588.

- Lee, S.C. & B.K. Hwang. 2003. Identification of the pepper SAR8.2 gene as a molecular marker for pathogen infection, abiotic elicitors and environmental stresses in *Capsicum annuum*. *Planta* 216: 387–396.
- Lee, S.C., I.S. Hwang & B.K. Hwang. 2011. Overexpression of the pepper antimicrobial protein CaAMP1 gene regulates the oxidative stress- and disease-related proteome in *Arabidopsis*. *Planta* 234: 1111–1125.
- Lee, S.C., I.S. Hwang, H.W. Choi & B.K. Hwang. 2008. Involvement of the pepper antimicrobial protein CaAMP1 gene in broad spectrum disease resistance. *Plant Physiol.* 148: 1004–1020.
- Lee, S.C., J.K. Hong, Y.J. Kim & B.K. Hwang. 2000a. Pepper gene encoding thionin is differentially induced by pathogens, ethylene and methyl jasmonate. *Physiol. Mol. Plant Pathol.* 56: 207–216.
- Lee, Y.K., S. Hippe-Sanwald, S.C. Lee, H. Hohenberg & B.K. Hwang. 2000b. *In situ* localization of PR-1 mRNA and PR-1 protein in compatible and incompatible interactions of pepper stems with *Phytophthora capsici*. *Protoplasma* 211: 64–75.
- Lefebvre, V. & A. Palloix. 1996. Both epistatic and additive effects of QTLs are involved in polygenic-induced resistance to disease: a case study, the interaction pepper-*Phytophthora capsici* Leonian. *Theor. Appl. Genet.* 93: 503–511.
- Leonian, L.H. 1922. Stem and fruit blight of pepper caused by *Phytophthora capsici* species nov. *Phytopathology* 12: 401–408.
- Li, P.Q., B.Z. Feng, H.M. Wang, P.W. Tooley & X.G. Zhang. 2011. Isolation of nine *Phytophthora capsici* pectin methylesterase genes which are differentially expressed in various plant species. *J. Basic Microbiol.* 51: 61–70.
- Liu, W.Y., J.H. Kang, H.S. Jeong, H.J. Choi, H. B. Yang, K.T. Kim, D. Choi, G.J. Choi, M. Jahn & B.C. Kang. 2014. Combined use of bulked segregant analysis and microarrays reveals SNP markers pinpointing a major QTL for resistance to *Phytophthora capsici* in pepper. *Theor. Appl. Genet.* 127: 2503–2513.
- Livak, K.J. & T.D. Schmittgen. 2001. Analysis of relative gene expression data using real time quantitative PCR and the $2^{-\Delta\Delta C_T}$ method. *Methods* 25: 402–408.
- Lorenzo, O., R. Piqueras, J.J. Sánchez-Serrano & R. Solano. 2003. ETHYLENE RESPONSE FACTOR1 integrates signals from ethylene and jasmonate pathways in plant defense. *Plant Cell* 15: 165–178.
- Lux, A., S. Morita, J. Abe & K. Ito. 2005. An improved method for clearing and staining free-hand sections and whole-mount samples. *Ann. Bot.* 96: 989–996.
- Lynch, M. & B. Walsh. 1998. *Genetics and Analysis of Quantitative Traits*. Sinauer Associates, Inc. Sunderland. 980 p.
- Madadkhah, E., M. Lotfi, A. Nabipour, S. Rahmanpour, Z. Banihashemi & M. Shooroei. 2012. Enzymatic activities in roots of melon genotypes infected with *Fusarium oxysporum* f. sp. *melonis* race 1. *Sci. Hortic.* 135: 171–176.
- Mallard, S., M. Cantet, A. Massire, A. Bachellez, S. Ewert & V. Lefebvre. 2013. A key QTL cluster is conserved among accessions and exhibits broad-spectrum resistance to *Phytophthora capsici*: a valuable locus for pepper breeding. *Mol. Breed.* 32: 349–364.
- Mandal, S., A. Mitra & N. Mallick. 2008. Biochemical characterization of oxidative burst during interaction between *Solanum lycopersicum* and *Fusarium oxysporum* f. sp. *lycopersici*. *Physiol. Mol. Plant Pathol.* 72: 56–61.

- Mauch-Mani, B. & F. Mauch. 2005. The role of abscisic acid in plant-pathogen interactions. *Curr. Opin. Plant Biol.* 8: 1–6.
- Mchau, G.R.A. & M.D. Coffey. 1995. Evidence for the existence of two subpopulations in *Phytophthora capsici* and a redescription of the species. *Mycol. Res.* 99: 89–102.
- McWhirter, K.S. 1979. Breeding of Cross Pollinated Crops. *In*: R. Knight (Ed.). *Plant Breeding*. Poly-Graphics Pty.Ltd. Brisbane. pp. 79–121.
- Mehdy, M.C. 1994. Active oxygen species in plant defense against pathogens. *Plant Physiol.* 151: 1531–1545.
- Minayama, Y., M. Tsuru, T. Kubo & M. Hirai. 2007. QTL analysis for resistance to *Phytophthora capsici* in pepper using a high density SSR-based map. *Breed. Sci.* 57: 129–134.
- Monroy-Barbosa, A. & P.W. Bosland. 2008. Genetic analysis of *Phytophthora* root rot race-specific resistance in chile pepper. *J. Am. Soc. Hortic. Sci.* 133: 825–829.
- Morgan, W. & S. Kamoun. 2007. RXLR effectors of plant pathogenic oomycetes. *Curr. Opin. Microbiol.* 10: 332–338.
- Munoz, C.I. & A.M. Bailey. 1998. A cutinase-encoding gene from *Phytophthora capsici* isolated by differential-display RT-PCR. *Curr. Genet.* 33: 225–230.
- Nespoulous, C., O. Gaudemer, J.C. Huet & J.C. Pernollet. 1999. Characterization of elicitor-like phospholipases isolated from *Phytophthora capsici* culture filtrate. *FEBS Lett.* 452: 400–406.
- Núñez-Pastrana, R., G.F. Arcos-Ortega, R.A. Souza-Perera, C.A. Sánchez-Borges, Y.E. Nakazawa-Ueji, F.J. García-Villalobos, A.A. Guzmán-Antonio & J.J. Zúñiga-Aguilar. 2011. Ethylene, but not salicylic acid or methyl jasmonate, induces a resistance response against *Phytophthora capsici* in Habanero pepper. *Eur. J. Plant Pathol.* 131: 669–683.
- O'Brien, J.A., A. Daudi, V.S. Butt & G.P. Bolwell. 2012. Reactive oxygen species and their role in plant defence and cell wall metabolism. *Planta* 236: 765–779.
- Oelke, L.M., P.W. Bosland & R. Steiner. 2003. Differentiation of race specific resistance to *Phytophthora* root rot and foliar blight in *Capsicum annuum*. *J. Am. Soc. Hortic. Sci.* 128: 213–218.
- Ogundiwin, E.A., T.F. Berke, M. Massoudi, L.L. Black, G. Huestis, D. Choi, S.H. Lee & J.P. Prince. 2005. Construction of 2 intraspecific linkage maps and identification of resistance QTLs for *Phytophthora capsici* root-rot and foliar-blight diseases of pepper (*Capsicum annuum* L.). *Genome* 48: 698–711.
- Osman, H., S. Vauthrin, V. Mikes, M.L. Milat, F. Panabières, A. Marais, S. Brunie, B. Maume, M. Ponchet & J.P. Blein. 2001. Mediation of elicitor activity on tobacco is assumed by elicitor-sterol complexes. *Mol. Biol. Cell* 12: 2825–2834.
- Oudemans, P. & M.D. Coffey. 1991. A revised systematics of twelve papillate *Phytophthora* species based on isozyme analysis. *Mycol. Res.* 95:1025–1046.
- Palloix, A., A.M. Daubèze, T. Phaly & E. Pochard. 1990. Breeding transgressive lines of pepper for resistance to *Phytophthora capsici* in a recurrent selection system. *Euphytica* 51:141–150.
- Pang, Z.L., J.P. Shao, L. Chen, X.H. Lu, J. Hu, Z.H. Qin & X.L. Liu. 2013. Resistance to the novel fungicide pyrimorph in *Phytophthora capsici*: Risk assessment and detection of point mutations in Cesa3 that confer resistance. *PLoS ONE* 8(2): e56513.
- Parra, G. & J.B. Ristaino. 2001. Resistance to mefenoxam and metalaxyl among field isolates of *Phytophthora capsici* causing *Phytophthora* blight of bell pepper. *Plant Dis.* 85: 1069–1075.

- Passardi, F., C. Cosio, C. Penel & C. Dunand. 2005. Peroxidases have more functions than a swiss army knife. *Plant Cell Rep.* 24: 255–265.
- Passardi, F., C. Penel & C. Dunand. 2004. Performing the paradoxical: how plant peroxidases modify the cell wall. *Trends Plant Sci.* 9: 534–540.
- Patel, S.J., R.B. Subramanian & Y.S. Jha. 2011. Biochemical and molecular studies of early blight disease in tomato. *Phytoparasitica* 39: 269–283.
- Pavón, C.F., M. Babadoost & K.N. Lambert. 2008. Quantification of *Phytophthora capsici* oospores in soil by sieving-centrifugation and real-time polymerase chain reaction. *Plant Dis.* 92: 143–149.
- Pegard, A., G. Brizzard, A. Fazari, O. Soucaze, P. Abad & C. Djian-Caporalino. 2005. Histological characterization of resistance to different root-knot nematode species related to phenolics accumulation in *Capsicum annuum*. *Phytopathology* 95: 158–165.
- Peña-Cortés, H., T. Albrecht, S. Prat, E.W. Weiler & L. Willmitzer. 1993. Aspirin prevents wound-induced gene expression in tomato leaves by blocking jasmonic acid biosynthesis. *Planta* 191: 123–128.
- Penninckx, I.A.M. A., B.P.H.J. Thomma, A. Buchala, J.P. Métraux & W.M. Broekaert. 1998. Concomitant activation of jasmonate and ethylene response pathways is required for induction of a plant defensin gene in *Arabidopsis*. *Plant Cell* 10: 2103–2113.
- Petersen, J., H. Brinkmann & R. Cerf. 2003. Origin, evolution, and metabolic role of a novel glycolytic GAPDH enzyme recruited by land plant plastids. *J. Mol. Evol.* 57: 16–26.
- Pickersgill, B. 1971. Relationships between weedy and cultivated forms in some species of chili peppers (genus *Capsicum*). *Evolution* 25: 683–691
- Pickersgill, B. 1997. Genetic resources and breeding of *Capsicum* spp. *Euphytica* 96: 129–133.
- Pieterse, C.M.J., D. Van der Does, C. Zamioudis, A. Leon-Reyes & S.C.M. Van Wees. 2012. Hormonal modulation of plant immunity. *Annu. Rev. Cell Dev. Biol.* 28: 489–521.
- Pieterse, C.M.J., A. Leon-Reyes, S. Van der Ent & S.C.M. Van Wees. 2009. Networking by small-molecule hormones in plant immunity. *Nat. Chem. Bio.* 5: 308–316.
- Pomar, F., F. Merino & A. Ros Barceló. 2002. O-4-Linked coniferyl and sinapyl aldehydes in lignifying cell walls are the main targets of the Wiesner (phloroglucinol-HCl) reaction. *Protoplasma* 220: 17–28.
- Pré, M., M. Atallah, A. Champion, M. De Vos, C.M.J. Pieterse & J. Memelink. 2008. The AP2/ERF domain transcription factor ORA59 integrates jasmonic acid and ethylene signals in plant defense. *Plant Physiol.* 147: 1347–1357.
- Putranto, W., S. Sayekti & S. Indrayanti. 2011. Cabai dan Dinamika Perkembangannya. In: Suhariyanto (Ed.). *Bunga Rampai Statistika Percobaian*. Badan Pusat Statistik Republik Indonesia. Jakarta. pp. 11–40.
- Putri, N.E. 2010. Keragaan Beberapa Genotipe Cabai (*Capsicum annuum* L.) dan Ketahanannya terhadap Antraknosa, Hawar Phytophthora, dan Layu Bakteri serta Parameter Genetiknya. Tesis. Institut Pertanian Bogor. Bogor.
- Quesada-Ocampo, L.M. & M.K. Hausbeck. 2010. Resistance in tomato and wild relatives to crown and root rot caused by *Phytophthora capsici*. *Phytopathology* 100: 619–627.
- Quesada-Ocampo, L.M., L.L. Granke, M.R. Mercier, J. Olsen & M.K. Hausbeck. 2011. Investigating the genetic structure of *Phytophthora capsici* populations. *Phytopathology* 101: 1061–1073.

- Quirin, E.A., E.A. Ogundiwin, J.P. Prince, M. Mazourek, M.O. Briggs, T.S. Chlanda, K.T. Kim, M. Falise, B.C. Kang & M.M. Jahn. 2005. Development of sequence characterized amplified region (SCAR) primers for the detection of *Phyto.5.2*, a major QTL for resistance to *Phytophthora capsici* Leon. in pepper. *Theor. Appl. Genet.* 110: 605–612.
- Reddy, P.S., D.M. Rao, V.S.B. Reddy & A.A. Kumar. 2010. Inheritance of male-fertility restoration in A_1 , A_2 , A_3 and $A_{4(M)}$ cytoplasmic male-sterility systems of sorghum [*Sorghum bicolor* (L.) Moench]. *Indian J. Genet. Plant Breed.* 70: 240–246.
- Reeves, G., A. Monroy-Barbosa & P.W. Bosland. 2013. A novel *Capsicum* gene inhibits host-specific disease resistance to *Phytophthora capsici*. *Phytopathology* 103: 472–478.
- Rehrig, W.Z., H. Ashrafi, T. Hill, J. Prince & A. Van Deynze. 2014. *CaDMR1* cosegregates with QTL *Pc5.1* for resistance to *Phytophthora capsici* in pepper (*Capsicum annuum*). *Plant Genome* 7: 1–12.
- Reifschneider, F.J.B., L.S. Boiteux, P.T. Della Vecchia, J.M. Poulos & N. Kuroda. 1992. Inheritance of adult-plant resistance to *Phytophthora capsici* in pepper. *Euphytica* 62: 45–49.
- Reuveni, R., M. Shimoni, Z. Karchi & J. Kuć. 1992. Peroxidase activity as a biochemical marker for resistance of muskmelon (*Cucumis melo*) to *Pseudoperonospora cubensis*. *Phytopathology* 82: 749–753.
- Ricci, P., P. Bonnet, J.C. Huet, M. Sallantin, F. Beauvis-Cante, M. Bruneteau, V. Billard, G. Michel & J.C. Pernollet. 1989. Structure and activity of proteins from pathogenic fungi *Phytophthora* eliciting necrosis and acquired resistance in tobacco. *Eur. J. Biochem.* 183: 555–563.
- Richins, R.D., S. Micheletto & M.A. O'Connell. 2010. Gene expression profiles unique to chile (*Capsicum annuum* L.) resistant to *Phytophthora* root rot. *Plant Sci.* 178: 192–201.
- Ristaino, J.B. & S.S. Johnston. 1999. Ecologically based approach to management of *Phytophthora* blight on bell pepper. *Plant Dis.* 83: 1080–1089.
- Roberts, E. & P.E. Kolattukudy. 1989. Molecular cloning, nucleotide sequence, and abscisic acid induction of a suberization-associated highly anionic peroxidase. *Mol. Gen. Genet.* 217: 223–232.
- Saini, S.S. & P.P. Sharma. 1978. Inheritance of resistance to fruit rot (*Phytophthora capsici* Leon.) and induction of resistance in bell pepper (*Capsicum annuum* L.). *Euphytica* 27: 721–723.
- Sarowar, S., E.N. Kim, Y.J. Kim, S.H. Ok, K.D. Kim, B.K. Hwang & J.S. Shin. 2005. Overexpression of a pepper ascorbate peroxidase-like 1 gene in tobacco plants enhances tolerance to oxidative stress and pathogens. *Plant Sci.* 169: 55–63.
- Sarowar, S., Y.J. Kim, K.D. Kim, B.K. Hwang, S.H. Ok & J.S. Shin. 2009. Overexpression of lipid transfer protein (LTP) genes enhances resistance to plant pathogens and LTP functions in long-distance systemic signaling in tobacco. *Plant Cell Rep.* 28: 419–427.
- Sass, J.E. (1958). *Botanical Microtechnique*. 3rd Edition. Iowa State College Press. Ames. 228 p.
- Saunders, D.G.O., S. Breen, J. Win, S. Schornack, I. Hein, T.O. Bozkurt, N. Champouret, V.G.A.A. Vleeshouwers, P.R.J. Birch, E.M. Gilroy & S. Kamoun. 2012. Host Protein BSL1 associates with *Phytophthora infestans* RXLR effector AVR2 and the *Solanum demissum* immune receptor R2 to mediate disease resistance. *Plant Cell* 24: 3420–3434.
- Schmittgen, T.D. & K.J. Livak. 2008. Analyzing real-time PCR data by the comparative C_T method. *Nat. Protoc.* 3: 1101–1108.
- Shaner, G. & R.E. Finney. 1977. The effect of nitrogen fertilization on the expression of slow-mildewing resistance in Knox wheat. *Phytopathology* 67: 1051–1056.

- Shapiro, S.S. & M.B. Wilk. 1965. An analysis of variance test for normality (complete samples). *Biometrika* 52: 591–611.
- Shigeoka, S., T. Ishikawa, M. Tamoi, Y. Miyagawa, T. Takeda, Y. Yabuta & K. Yoshimura. 2002. Regulation and function of ascorbate peroxidase isoenzymes. *J. Exp. Bot.* 53: 1305–1319.
- Siemonsma, J.S. & K. Piluek. 1994. *Plant Resources of South-East Asia 8: Vegetables*. Prosea Foundation. Bogor. 412 p.
- Sietsma, J.H., D.E. Everleigh & R.H. Haskins. 1969. Cell wall composition and protoplast formation of some oomycete species. *Biochim. Biophys. Acta* 184: 306–317.
- Silvar, C., F. Merino & J. Díaz. 2008. Differential activation of defense-related genes in susceptible and resistant pepper cultivars infected with *Phytophthora capsici*. *J. Plant Physiol.* 165: 1120–1124.
- Simon, T.J. & A.F. Ross. 1970. Enhanced peroxidase activity associated with induction of resistant to tobacco mosaic virus in hypersensitive tobacco. *Phytopathology* 60: 383–384.
- Smith, P.G., K.A. Kimble, R.G. Grogan & A.H. Millett. 1967. Inheritance of resistance in peppers to *Phytophthora* root rot. *Phytopathology* 57: 377–379.
- Stam, R., J. Jupe, A.J.M. Howden, J.A. Morris, P.C. Boevink, P.E. Hedley & E. Huitema. 2013. Identification and characterisation CRN effectors in *Phytophthora capsici* shows modularity and functional diversity. *PLoS ONE* 8(3): e59517.
- Steel, R.G.D. & J.H. Torrie. 1981. *Principles and Procedure of Statistics: A Biometrical Approach*. 2nd Edition. McGraw-Hill. London. 633 p.
- Stotz, H.U., J.G. Thomson & Y.J. Wang. 2009. Plant defensins: defense, development and application. *Plant Signal. Behav.* 4: 1010–1012.
- Sugita, T., K. Yamaguchi, T. Kinoshita, K. Yuji, Y. Sugimura, R. Nagata, S. Kawasaki & A. Todoroki. 2006. QTL analysis for resistance to *Phytophthora* blight (*Phytophthora capsici* Leon.) using an intraspecific doubled-haploid population of *Capsicum annuum*. *Breed. Sci.* 56: 137–145.
- Suryaningsih, E.R., Sutarya & A.S. Duriat. 1996. Penyakit tanaman cabai merah dan pengendaliannya. In: A.S. Duriat, A. Widjaja, W. Hadisoeganda, T.A. Soetiarso, L. Prabaningrum (Ed.). *Teknologi Produksi Cabai Merah*. Balai Penelitian Tanaman Sayuran. Bandung. pp. 64–84.
- Sy, O., P.W. Bosland & R. Steiner. 2005. Inheritance of *Phytophthora* stem blight resistance as compared to *Phytophthora* root rot and *Phytophthora* foliar blight resistance in *Capsicum annuum* L. *J. Am. Soc. Hortic. Sci.* 130: 75–78.
- Sy, O., R. Steiner & P.W. Bosland. 2008. Recombinant inbred line differential identifies race-specific resistance to *Phytophthora* root rot in *Capsicum annuum*. *Phytopathology* 98: 867–870.
- Takemoto, D., D.A. Jones & A.R. Hardham. 2003. GFP-tagging of cell components reveals the dynamics of subcellular re-organization in response to infection of *Arabidopsis* by oomycete pathogens. *Plant J.* 33: 775–792.
- Thabuis, A., A. Palloix, B. Servin, A.M. Daubèze, P. Signoret, F. Hospital & V. Lefebvre. 2004a. Marker-assisted introgression of 4 *Phytophthora capsici* resistance QTL alleles into a bell pepper line: validation of additive and epistatic effects. *Mol. Breed.* 14: 9–20.
- Thabuis, A., A. Palloix, S. Pflieger, A.M. Daubèze, C. Caranta & V. Lefebvre. 2003. Comparative mapping of *Phytophthora* resistance loci in pepper germplasm: evidence for conserved resistance loci across solanaceae and for a large genetic diversity. *Theor. Appl. Genet.* 106: 1473–1485.

- Thabuis, A., V. Lefebvre, G. Bernard, A.M. Daubèze, T. Phaly, E. Pochard & A. Palloix. 2004b. Phenotypic and molecular evaluation of a recurrent selection program for a polygenic resistance to *Phytophthora capsici* in pepper. *Theor. Appl. Genet.* 109: 342–351.
- Ton, J. & B. Mauch-Mani. 2004. β -amino-butyric acid-induced resistance against necrotrophic pathogens is based on ABA-dependent priming for callose. *Plant J.* 38: 119–130.
- Ton, J., V. Flors & B. Mauch-Mani. 2009. The multifaceted role of ABA in disease resistance. *Trends Plant Sci.* 14: 310–317.
- Torres, M.A., J.D. Jones & J.L. Dangl. 2006. Reactive oxygen species signaling in response to pathogens. *Plant Physiol.* 141: 373–378.
- Trisnaningrum, N. 2009. Analisis Ekspresi Gen Penyandi Metallothionein Tipe II pada *Melastoma affine* L. yang Mendapat Cekaman pH Rendah dan Aluminium. Tesis. Institut Pertanian Bogor. Bogor.
- Truong, H.T.H., J.H. Kim, M.C. Cho, S.Y. Chae & H.E. Lee. 2013. Identification and development of molecular markers linked to *Phytophthora* root rot resistance in pepper (*Capsicum annuum* L.). *Eur. J. Plant Pathol.* 135: 289–297.
- Truong, H.T.H., K.T. Kim, D.W. Kim, S. Kim, Y. Chae, J.H. Park, D.G. Oh & M.C. Cho. 2012. Identification of isolate-specific resistance QTLs to *Phytophthora* root rot using an intraspecific recombinant inbred line population of pepper (*Capsicum annuum*). *Plant Pathol.* 61: 48–56.
- Ueeda, M., M. Kubota & K. Nishi. 2006. Contribution of jasmonic acid to resistance against *Phytophthora* blight in *Capsicum annuum* cv. SCM334. *Physiol. Mol. Plant Pathol.* 67: 149–154.
- Villar-Luna, E., J.A. García-Espinoza, O. Gómez-Rodríguez, R.I. Rojas-Martínez & E. Zavaleta-Mejía. 2015. Defense gene expression in root galls induced by *Nacobbus aberrans* in CM334 chilli plants. *Helminthologia* 52: 77–82.
- Walker, S.J. & P.W. Bosland. 1999. Inheritance of *Phytophthora* root rot and foliar blight resistance in pepper. *J. Am. Soc. Hortic. Sci.* 124: 14–18.
- Wang, H.Z., L. Fu & X.G. Zhang. 2011. Comparison of expression, purification and characterization of a new pectate lyase from *Phytophthora capsici* using two different methods. *BMC Biotechnol.* 11: 32.
- Wang, J.E., D.W. Li, Y.L. Zhang, Q. Zhao, Y.M. He & Z.H. Gong. 2013. Defence responses of pepper (*Capsicum annuum* L.) infected with incompatible and compatible strains of *Phytophthora capsici*. *Eur. J. Plant Pathol.* 136: 625–638.
- Warner, J.N. 1952. A method for estimating heritability. *Agron. J.* 44: 427–430.
- Yamakawa, K., T. Mochizuki & H. Yasui. 1979. Screening of cultivated and wild peppers for *Phytophthora capsici* resistance and its inheritance. *Bulletin of National Institute of Vegetable and Tea Science* 6: 29–37.
- Yunianti, R., S. Sastrosumarjo, S. Sujiprihati, M. Surahman & S.H. Hidayat. 2007. Ketahanan 22 genotipe cabai (*Capsicum* spp.) terhadap *Phytophthora capsici* Leonian dan keragaman genetiknya. *Buletin Agronomi* 35: 103–111.
- Zamocky, M. & C. Obinger. 2010. Molecular phylogeny of heme peroxidases. In: E. Torres, M. Ayala (Eds.). *Biocatalysis Based on Heme Peroxidases*. Springer-Verlag. Berlin. pp. 7–35.
- Zhang, Y.L., D.W. Li, Z.H. Gong, J.E. Wang, Y.X. Yin & J.J. Ji. 2013. Genetic determinants of the defense response of resistant and susceptible pepper (*Capsicum annuum*) cultivars infected with *Phytophthora capsici* (Oomycetes; Pythiaceae). *Genet. Mol. Res.* 12: 3605–3621.