

## DAFTAR PUSTAKA

- Aguilar, R., Ramírez, J. A., Garrote, G., and Vázquez, M., 2002, “*Kinetic Study of the Acid Hydrolysis of Sugar Cane Bagasse*”, *Journal of Food Engineering*, 55, 309-318.
- Ahmed, I. N., Nguyen, P. L., Huynh, L. H., Ismadji, S., and Ju, Y. H., 2013, “*Bioethanol Production from Pretreated Melaleuca Leucadendron Shedding Bark: Simultaneous Saccharification and Fermentation at Solid High Loading*”, *Bioresour Technol.*
- Ajani, A. O., Agarry, S. E., and Agbede, O. O., 2011, “*A Comparative Kinetic Study of Acidic Hydrolysis of Wastes Cellulose from Agricultural Derived Biomass*”, *J. Appl. Sci. Environ. Manage.*, Vol. 15(4), 531-537.
- Andaka, G., 2011, “*Hidrolisis Ampas Tebu Menjadi Furfural dengan Katalisator Asam Sulfat*”, *Jurnal Teknologi*, Vol. 4, No. 2, 180-188.
- Anindyawati, T., 2009, “*Prospek Enzim dan Limbah Lignoselulosa Untuk Produksi Bioetanol*”, *BS*, Vol. 44, No. 1, 49-56.
- Ari, D. I. A., Helwani, Z., Zulfansyah, dan Rionaldo, 2014, “*Hidrolisis Hemiselulosa Batang Jagung dengan Proses Organosolv Menggunakan Pelarut Asam Formiat*”, *JOMFTEKNIK*, Unri.
- Brazdausks, P., Puke, M., Vedernikovs, N., and Krūma, I., 2013, “*Influence of Biomass Pretreatment Process Time on Furfural Extraction from Birch Wood*”, *Environmental and Climate Technologies*, doi: 10.2478/rtuect-2013-0001.
- Brazdausks, P., Puke, M., Vedernikovs, N., and Krūma, I., 2014, “*The Effect of Catalyst Amount on The Production of Furfural and Acetic Acid from Birch Wood in a Biomass Pretreatment Process*”, *Baltic Forestry*, Vol. 20, No. 1, 106-114, ISSN 2025-9230.
- Badan Standardisasi Nasional, 1989, Standar Nasional Indonesia, *Pulp Rayon Biasa*, SNI 0938.
- Badan Standardisasi Nasional, 2009, Standar Nasional Indonesia, *Pulp – Cara Uji Kadar Selulosa Alfa, Beta, dan Gamma*, SNI 0444.
- Carrasco, F., Rivières, T., and Roy, C., 1992, “*Kinetic Study of Dilute Acid Prehydrolysis of Xylan-Containing Biomass*”, *Wood Sci Technol*, 26, 189-208.
- Dahlan, M. H., 2011, “*Pengolahan Limbah Kertas Menjadi Pulp Sebagai Bahan Pengemas Produk Agroindustri*”, *Prosiding Seminar Nasional AvoER ke-3*, ISBN: 979-587-395-4, Palembang.
- Flickinger, P., Lammi, L., and Emerfeldt, B., 2011, “*Dissolving pulp*”, *Peers, Metso*.
- Grohmann, K., and Torget, R. W., 1992, “*Two-Stage Dilute Acid Prehydrolysis of Biomass*”, US 5125977 A.
- Irawan, D., dan Arifin, Z., 2012, “*Sintesa Gula dari Sampah Organik dengan Proses Hidrolisis Menggunakan Katalis Asam*”, *Reaktor*, Vol. 14, No. 2, 118-122.

- Jahan, M. S., 2009, “*Studies on The Effect of Prehydrolysis and Amine in Cooking Liquor on Producing Dissolving pulp from Jute (Corchorus capsularis)*”, *Wood Sci Technol* 43: 213-224.
- Jeevan, P., Nelson, R., and Rena, A. E., 2011, “*Optimization Studies on Acid Hydrolysis of Corn Cob Hemicellulosic Hydrolysate for Microbial Production of Xylitol*”, *Journal of Microbiology and Biotechnology Research*, 1 (4), 114-123.
- Junaedi, A., Swandayani, T. H., dan W. M., Meilastiti, 2011, “*Data dan Statistika Pulp di Indonesia*”, Balai Penelitian dan Pengembangan Kehutanan, Kementerian Kehutanan.
- Junaidi, A. B., dan Yunus, R., 2009, “*Kajian Potensi Tumbuhan Gelam Untuk Bahan Baku Industri Pulp: Aspek Kandungan Kimia Kayu*”, *Jurnal Hutan Tropis Borneo*, Vol. 10, No. 28.
- Juwita, R., Syarif, L. R., dan Tuhuloula, A., 2012, “*Pengaruh Jenis dan Konsentrasi Katalisator Asam Terhadap Sintesis Furfural dari Sekam Padi*”, *Konversi*, Vol. 1, No.1, 34-38.
- Klemm, D., Schmauder, H. P., and Heinze, T., 2005, “*Cellulose*”, 10, 275-287.
- Kordsachia, O., Roßkopf, S., and Patt, R., 2004, “*Production of Spruce Dissolving pulp With The Prehydrolysis-Alkaline Sulfite Process (PH-ASA)*”, *Lenzinger Berichte*, 83, 24-34.
- Lenihan, P., Orozco, A., O’neill, E., Ahmad, M. N. M., Rooney, D. W., Mangwandi, C., and Walker, G. M., 2011, “*Kinetic Modelling of Dilute Acid Hydrolysis of Lignocellulosic Biomass*”, *Biofuel Production – Recent Developments and Prospects*, [www.intechopen.com](http://www.intechopen.com).
- Li, H., Saeed, A., Jahan, M. S., Ni, Y., and van Heiningen A., 2010, “*Hemicellulose Removal from Hardwood Chips in the Prehydrolysis Step of the Kraft Based Dissolving pulp Production Process*”, *Journal of Wood Chemistry and Technology*, 30, 48-60.
- Liu, X., Lu, M., Ai, N., Yu, F., and Ji, J., 2012, “*Kinetic Model Analysis of Dilute Sulfuric Acid Catalyzed Hemicellulose Hydrolysis in Sweet Sorghum Bagasse for Xylose Production*”, *Industrial Crops and Products*, 38, 81-86.
- Ma, X., Huang, L., Chen Y., Cao, S., and Chen, L., 2011, “*Preparation of Bamboo Dissolving pulp for Textile Production Part I Study on Prehydrolysis of Green Bamboo for Producing Dissolving pulp*”, *Preparation of Dissolving pulp*, *BioResources* 6(2), 1428-1439.
- Megawati, Sediawan W. B., Sulisty, H., dan Hidayat, M., 2009, “*Kinetika Reaksi Hidrolisis Ranting Kering Dengan Asam Encer Pada Kondisi Non Isotermis*”, *Reaktor*, Vol. 12, No. 4, 211-217.
- Mindawati, N., 2010, “*Pengelolaan Hutan Tanaman Penghasil Kayu Pulp*”, Badan Penelitian, Pengembangan dan Inovasi, Kementerian Kehutanan.
- Oswaldo, Z. S., Panca, P. S., dan Faizal, M., 2012, “*Pengaruh Konsentrasi Asam dan Waktu pada Proses Hidrolisis dan Fermentasi Pembuatan Bioetanol dari Alang-Alang*”, *Jurnal Teknik Kimia*, Vol. 18, No.2, 52-62.
- Pessoa JR., A., Mancilha, I. M., and Sato, S., 1997, “*Acid Hydrolysis of Hemicellulose From Sugar Cane Bagasse*”, *Braz. J. Chem. Eng.*, Vol. 14 No. 3, Brazil, Sao Paulo.

- Rong, C., Ding, X., Zhu, Y., Li, Y., Wang, L., Qu, Y., Ma, X., and Wang, Z., 2012, “*Production of Furfural from Xylose at Atmospheric Pressure by Dilute Sulfuric Acid and Inorganic Salts*”, *Carbohydrate Research*, 350, 77-80.
- Saraçoğlu, N. E., Mutlu S. F., Dilmaç, and Çavuşoğlu, H., 1998, “*A Comparative Kinetic Study of Acidic Hemicellulose Hydrolysis in Corn Cob and Sunflower Seed Hull*”, *Bioresource Technology*, 65, 29-33.
- Sixta, H., 2006, “*Multistage Kraft Pulping. Chemical Pulping Processes*”, *Handbook of Pulp*, Vol. 1: 325-366, WILEY-VCH.
- Taherzadeh, M. J., and Karimi, K., 2007, “*Acid Based Hydrolysis Processes for Ethanol From Lignocellulosic Materials: a Review*”, *Bioresources* 2(3), 472-499.
- Tellez-Luis, S. J., Ramirez, J. A., and Vazquez, M., 2002, “*Mathematical Modelling of Hemicellulose Sugar Production From Sorghum Straw*”, *Journal of Food Engineering* 52: 285-291.
- Thomas, A. N. S., 1992, “*Tanaman Obat Tradisional*”, Kanisius, Yogyakarta, hal 56-58.
- Tjitrosoepomo, G., 2002, “*Taksonomi Tumbuhan Spermatophyta*”, Gadjah Mada University Press, Yogyakarta.
- Uçar, G., and Balaban, M., 2003, “*Hydrolysis of Polysaccharides with 77% Sulfuric Acid for Quantitative Saccharification*”, *Turk J Agric For*, 27, 361-365.
- Yuniwati, M., Ismiyati, D., dan Kurniasih, R., 2011, “*Kinetika Reaksi Hidrolisis Pati Pisang Tanduk dengan Katalisator Asam Klorida*”, *Jurnal Teknologi*, Vol. 4, No. 2, 107-112.