

DAFTAR PUSTAKA

- Abdel-Rahman, M.A., Tashiro, Y., Sonomoto, K. (2013). Recent advances in lactic acid production by microbial fermentation processes. *Biotechnology Advances* 31: 877–902.
- Ahmed, M., Qadir, M.A., Shahzad, S., Waasem, R., Tahir, M.S. (2014). Validation of UV-HPLC method for simultaneous quantification of organic acids in disinfectants for haemodialysis machines. *International Journal of Chemistry and Pharmaceutical Sciences Vol 2* (1) : 536-540.
- Amiri, H., Karimi, K., Zilouei, H. (2014). Organosolv pretreatment of rice straw for efficient acetone, butanol, and ethanol production. *Bioresource Technology* 152 : 450–456.
- Araujo, J.D.P. (2008). Production of vanillin from lignin present in the Kraft black liquor of the pulp and paper industry. *Department of Chemical Engineering Faculty of Engineering University of Porto*.
- Bailey, M.J., Biely, P., Poutanen, K. (1992). Interlaboratory testing of methods for assay of xylanase activity. *Journal of Biotechnology* 23: 257-270.
- Chandel, A.K., da Silva, S.S. (2013). Sustainable Degradation of Lignocellulosic Biomass - Techniques, Applications and Commercialization. InTech. Janeza Trdine 9, 51000 Rijeka, Croatia.
- Christensen, C.M., Meronuck, R.A. (1989). Dry matter loss in yellow dent corn resulting from invasion by storage fungi. *Plant Disease* Vol. 73 No. 6: 501-503.
- Datta, R. (1981). Acidogenic fermentation of lignocellulose-acid yield and conversion of components. *Biotechnology and Bioengineering* Vol. XXIII: 2167-2170.
- Dyk, J.S.V., Pletschke, B.I. (2012). A review of lignocellulose bioconversion using enzymatic hydrolysis and synergistic cooperation between enzymes-factors affecting enzymes, conversion and synergy. *Biotechnology Advances* 30: 1458–1480.
- Fatma, H., Abd, E., Fadel, M. (2010). Production of bioethanol via enzymatic saccharification of rice straw by cellulase produced by *Trichoderma reesei* under solid state fermentation. *New York Science Journal*.
- Ghose, T.K. (1987). Measurement of cellulase activities. *International Union of Pure and Applied Chemistry* Vol. 59 No. 2: 257-268.
- Gomori, G. (2004). Preparation of buffers for use in enzyme studies.

- Gu, F., Wang, W., Jing, L., Jin, Y. (2013). Sulfite–formaldehyde pretreatment on rice straw for the improvement of enzymatic saccharification. *Bioresource Technology* 142: 218–224.
- Gusakov, A. V. (2011). Alternatives to *Trichoderma reesei* in biofuel production. *Trends in Biotechnology* Vol. 29, No. 9.
- Harmsen, P.F.H., Huijgen, W.J.J, Bermudez Lopez, L.M., Bakker, R.R.C. (2010). Literature Review of Physical and Chemical Pretreatment Processes for Lignocellulosic Biomass. *Food and Biobased Research*, Wageningenur.
- Howard R.L., Abotsi E., Jansen van Rensburg E.L., Howard S. (2003). Lignocellulose biotechnology: issues of bioconversion and enzyme production. *African Journal of Biotechnology* Vol. 2: 602-619.
- Huang, L.P., Jin, B., Lant, P., Zhou, J. (2005). Simultaneous saccharification and fermentation of potato starch wastewater to lactic acid by *Rhizopus oryzae* and *Rhizopus arrhizus*. *Biochemical Engineering Journal* 23: 265–276.
- Jaisamut, K., Paulova, L., Patakova, P., Rychtera, M., Melzoch, K. (2013). Optimization of alkali pretreatment of wheat straw to be used as substrate for biofuels production. *Plant Soil Environ.* Vol. 59, No. 12: 537–542.
- Kim, S., Dale, B.E. (2004). Global potential bioethanol production from wasted crops and crop residues. *Biomass and Bioenergy* 26: 361 – 375.
- Krzan, Andre (2012). Biodegradable polimers and plastics. Innovative value chain development for sustainable plastics in Central Europe. www.plastice.org.
- Li, Y., Cui, F. (2010). Microbial lactic acid production from renewable resources. *Sustainable Biotechnology*, DOI 10.1007/978-90-481-3295-9_11.
- Lin, Y. Tanaka, S. (2006). Ethanol fermentation from biomass resources: current state and prospects. *Appl Microbiol Biotechnol* 69: 627–642.
- Maas, R.H.M. (2008). Microbial conversion of lignocellulose-derived carbohydrates into bioethanol and lactic acid. *Wageningen University*, the Netherlands.
- Malik, S. K., Mukhtar, H., Farooqi, A.A., Ikram-Ul-Haq. (2010). Optimization of process parameters for the biosynthesis of cellulases by *Trichoderma Viride*. *Pak. J. Bot* 42(6): 4243-4251.
- Maurya, D.P., Singh, D., Pratap, D., Maurya, J.P. (2012). Optimization of solid state fermentation conditions for the production of cellulase by *Trichoderma reesei*. *J. Environ. Biol.* 33,5-8: 0254-8704.
- Mussatto, S. I., Teixeira, J. A. (2010). Lignocellulose as raw material in fermentation processes. *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology A. Mendez-Vilas (Ed.)*.

- Nguyen, T.D., Kim, K., Han, S.J., Cho, H.Y., Kim, J.W., Park, S.M., Park, J.C., Sim, S.J. (2010). Pretreatment of rice straw with ammonia and ionic liquid for lignocellulose conversion to fermentable sugars. *Bioresource Technology* 101: 7432–7438.
- Phrueksawan, P., Kulpreecha, S., Sooksai, S., Thongchul, N. (2012). Direct fermentation of L(+)-lactic acid from cassava pulp by solid state culture of *Rhizopus oryzae*. *Bioprocess Biosyst Eng* 35: 1429-1436.
- Prevot, V., Lopez, M., Copinet, E., Duchiron, F. (2013). Comparative performance of commercial and laboratory enzymatic complexes from submerged or solid-state fermentation in lignocellulosic biomass hydrolysis. *Bioresource Technology* 129: 690–693.
- Reith, J.H., den Uil, H., van Veen, H., de Laat, W.T.A.M., Niessen, J.J., de Jong, E., Elbersen, H.W., Weusthuis, R., van Dijken, J.P., Raamsdonk, L. (2002). Co-production of bioethanol, electricity, and heat from biomass residue. *European Conference and Technology Exhibition of Biomass for Energy, Industry, and Climate Protection*. Amsterdam, the Netherland, June, 17-21, 2002.
- Saito, K., Hasa, Y., Abe, H. (2012). Production of lactic acid from xylose and wheat straw by *Rhizopus oryzae*. *Journal of Bioscience and Bioengineering* VOL. 114 No. 2: 166-169.
- Sakdaronnarong, C., Srimarut, N., Lucknakhul, N., Na-songklab, N., Jonglertjunya, W. (2014). Two-step acid and alkaline ethanolysis/alkaline peroxide fractionation of sugarcane bagasse and rice straw for production of polylactic acid precursor. *Biochemical Engineering Journal* 85: 49-62.
- Shiahmorteza, M., Yazdanparast, R. Zolnorian, M. (2003). Cellulase production by *Trichoderma reesei* (CBS383.73) and an Isolated *Botrytis* strain using several agricultural wastes. *Iranian Int. J. Sci.* 4(1): 13-22.
- Singhania, R.R., Sukumaran, S.K., Patel, A.K., Larroche, C., Pandey, A. (2010). Advancement and comparative profiles in the production technologies using solid-state and submerged fermentation for microbial cellulases. *Enzyme and Microbial Technology* 46: 541–549.
- Soccol, C. R., Marin, B., Raimbault, M., Lebeault, J.-M. (1994). Potential of solid state fermentation for production of L (+) lactic acid by *Rhizopus oryzae*. *Appl Microbiol Biotechnol* 41: 286-290.
- Smits, J. P. (1998). Solid-state fermentation, modeling fungal growth and activity.
- Sun, J., Zhu, J., Li, W. (2012). L-(+) lactic acid production by *Rhizopus oryzae* using pretreated dairy manure as carbon and nitrogen source. *Biomass and Bioenergy* 47: 442-450.
- Sun, Y., Cheng, J. (2002). Hydrolysis of lignocellulosic materials for ethanol production: a review. *Bioresource Technology* 83: 1–11.

- Taherzadeh, M.J., Karimi, K. (2007). Acid-based hydrolysis processes for ethanol from lignocellulosic materials: a review. *BioResources* 2(3): 472-499.
- Terebiznik, M.R., Pilosof, A.M.R. (1999). Biomass estimation in solid state fermentation by modeling dry matter weight loss. *Biotechnology Techniques* 13: 215-219.
- Tokiwa, Y., Calabia, B.P., Ugwu, C.U., Aiba, S. (2009). Biodegradability of Plastics. *International Journal of Molecular Sciences* 10: 3722-3742.
- Viccini, G., Mitchell, D.A., Boit, S.D., Gern, J.C., da Rosa, A.S., Costa, R.M., Dalsenter, F.D.H., von Meien, O.F., Krieger, N. (2001). Analysis of growth kinetic profiles in solid-state fermentation. *Food Technol. Biotechnol.* 39 (4): 271–294.
- Wang, N.S., Glucose assay by dinitrosalicylic colorimetric method. *Department of Chemical Engineering, University of Maryland, College Park, MD 20742-2111 ENCH485.*
- Wang, Z., Ong, H.X., Geng, A. (2012). Cellulase production and oil palm empty fruit bunch saccharification by a new isolate of *Trichoderma koningii* D-64. *Process Biochemistry* 47: 1564–1571.
- Wee, Y., Kim, J., Ryu, H. (2006). Biotechnological production of lactic acid and its recent applications. *Food Technology Biotechnology* 44 (2): 163–172.
- Weng, X., Sun, J. (2006). Kinetics of biodegradation of free gossypol by *Candida tropicalis* in solid-state fermentation. *Biochemical Engineering Journal* 32: 226–232.
- Widyahapsari, D.A.N. (2015) Evaluation of lime pretreatment for bioconversion of rice straw to L-lactic acid by *Rhizopus oryzae* AT3. *Universitas Gadjah Mada, Yogyakarta.*
- Yamane, T., Tanaka, R. (2013). Highly accumulative production of L (+)-lactate from glucose by crystallization fermentation with immobilized *Rhizopus oryzae*. *Journal of Bioscience and Bioengineering* VOL. 115 No. 1: 90-95.
- Yang, C., Fang, T.J. (2014). Combination of ultrasonic irradiation with ionic liquid pretreatment for enzymatic hydrolysis of rice straw. *Bioresource Technology* 164: 198–202.
- Yingyi, D., Lan, W., Hongzhanga, C. (2012). Digital image analysis and fractal-based kinetic modelling for fungal biomass determination in solid-state fermentation. *Biochemical Engineering Journal* 67: 60-67.
- Yoswathana, N., Phuriphapat, P., Treyawutthiwat, P., Eshtiaghi, M.N. (2010). Bioethanol production from rice straw. *Energy Research Journal* 1(1): 26-31.
- Zhang, Q., Cai, W. (2008). Enzymatic hydrolysis of alkali-pretreated rice straw by *Trichoderma reesei* ZM4-F3. *Biomass And Bioenergy* 32: 1130–1135.