



DAFTAR PUSTAKA

- Anonim¹ (2006) Drying under vacuum. <http://valuetowood.ca> diunduh pada tanggal 12 Juli 2014.
- Anonim² (2008) Fluid bed dryers, coolers and moisturizers coolers and moisturizers. <http://kason.com> diunduh pada tanggal 8 Juli 2014.
- Anonim³ (2012) Gembili. <http://arifabiw.blogspot.com> diunduh pada tanggal 8 Juli 2014.
- Anonim⁴ (2010) Umbi gembolo. <http://naturalresources.indonetwork.co.id> diunduh pada tanggal 26 Juni 2014.
- Anonim⁵ (2014) Inulin. <http://commons.wikimedia.org/wiki/File:Inulin.svg> diunduh pada tanggal 9 Agustus 2014.
- Anonim⁶ (2012) Badan Pusat Statistik 2012: Nilai Impor Inulin, 2010 . <http://www.bps.go.id/table.shtml> diunduh pada tanggal 20 April 2014.
- Anonim⁷ (2009) The weight watchers research department in probiotics and prebiotics. http://www.weightwatchers.com/util/art/index_art.aspx?tabnum=1&art_id=35481&sc=805 diunduh pada tanggal 8 Juli 2014.
- Anonim⁸. (2015). Determination of Crude Fibre Value. https://www.icc.or.at/standard_methods/113 diunduh pada tanggal 1 oktober 2015
- Abozed, S. S., Abdelrashid A., El-Kaloyoubi, M., dan Hamad, K. I. (2009) Poduction of Inulin and High-Fructose Syrup From Jerusalem Artichoke Tuber(*Helianthus tuberoses* L.). *Annals of Agricultural Science (Cairo)* 54:417:423.
- Akoy, E. (2014) Effect of Drying Temperature on Some Quality Attributes of Mango Slices. *International Journal of Innovation and scientific research* 4(2): 91-99
- Al Ghazzewi, F. H., Khanna, S., Tester, R. F., dan Piggott, J. (2007) The potential use of hydrolysed konjac glucomannan as aprebiotic. *Journal of the Science of Food and Agriculture*, 87:1758–1766.
- Alsuhendra dan Ridawati (2010) Pengaruh modifikasi secara pregelatinisasi, asam, dan enzimatis terhadap sifat fungsional tepung umbi gembili (*Dioscorea esculenta*). www.pustaka.ut.ac.id/dev25/.../fmipa201019.pdf diunduh pada tanggal 10 Juli 2014.
- Anderson, J. W., Baird, P., Davis Jr, R. H., Ferreri, S., Knudtson, M., Koraym, A., Waters, .., Williams, C. L. (2009) Health benefits of dietary fiber (Lead Article). *Nutrition Reviews*, Vol. 67:188–205.
- AOAC (1995) Official of Analysis of The Association of Official Analytical Chemistry. AOAC Inc, Arlington.
- Apolinário, A. C., de Lima Damasceno, B. P. G., de Macêdo Beltrão, N. E. , Pessoac A., Converti A., da Silvaa, J. A. (2014) Inulin-type fructans: A review on different aspects of biochemical and pharmaceutical technology. *Carbohydrate Polymer* 50:368-378.



- Arrizon, J., Morel, S., Gschaedler, A. dan Monsan, P. (2010) Comparison of the water-soluble carbohydrate composition and fructan structures of *Agave tequilana* plants of different ages. *Food Chemistry*, 122:123-130.
- Austarheim, I., Nergard, C. S., Sanogo, R., Diallo, D., Paulsen, B. S. (2012) Inulin-rich fractions from *Vernonia kotschyana* roots have anti-ulcer activity. *Journal of Ethnopharmacology*, 144:82-85.
- Balasubramanian, N., Srinivasakannan, C. (2007) Drying of granular materials in circulating fluidized beds. *Advanced Powder Technol.*, 18: 135–142.
- Barclay, T., Ginic-Markovic, M., Cooper, P., Petrovsky, N. (2010) Inulin: A versatile polysaccharide with multiple pharmaceutical and food chemical uses. *Journal of Excipients and Food Chemicals*, 1:27–50.
- Barclay, T., Ginic-Markovic, M., Johnston, M. R., Cooper, P. D., Petrovsky, N. (2012). Analysis of the hydrolysis of inulin using real time H-1 NMR spectroscopy. *Carbohydrate Research*, 352:117-125.
- Bekers, M., Grube M., Upite D., Kaminska E., Danilevich A., Viesturs U. 2008. Inulin syrup from dried jerusalem artichoke. *LLU Raksti* 21 (315):116-121.
- Bhuiyan, M. H. R., Alam, M. M. and Islam M. N. (2011) The Construction and Testing of a Combined Solar and Mechanical Cabinet Dryer. *Environ. Sci. & Natural Resources*, 4: 35-40.
- Bouaziz, M. A., Rassaoui, R., Besbes, S. (2014) Chemical composition, functional properties, and effect of inulin from Tunisian (*Agave americana L.*) leaves on textural qualities of pectin gel (Research article). *Journal of chemistry*, ID 758697, 11 pages.
- Braz de Oliveira, A. J., Correia Goncalves, R. A., Cantuaria Chierrito, T. P., dos Santos, M. M., de Souza, L. M., James Gorin, P. A., et al. (2011). Structure and degree of polymerisation of fructooligosaccharides present in roots and leaves of Stevia rebaudiana (Bert.) Bertoni. *Food Chemistry*, 129:305–311.
- Brennan, J. G. (1981) Food freezing operation. Applied Science Publishers. Ltd. London.
- Bruzzone, EM, Volpicelli, M, Squaglia, A, Tartaglione, Guarino.(2006) Impact of prebiotics on human health. *Digestive and Liver Disease*, 38 Suppl 2, S283–S287.
- Chiang, B. Y. dan Johnson, J. A. (1977) Measurement of total and gelatinized starch by glucoamylase and o-toluidine reagent. *Cereal chemistry* 3:429-435.
- Christ, M. (2010) Smart Freeze Drying: Basic Principles, Optimum Procedures, and Applications. <http://www.martinchrist.de> diunduh pada tanggal 28 Maret 2014.
- Connolly, M.L., Lovegrove, J.A., Tuohy, K.M. (2010) Konjac Glucomannan Hydrolysate Beneficially Modulates Bacterial Composition and Activity within the Faecal Microbiota. In press. *Journal of Functional Foods*.
- Elamir, A.A., Tester, F.R., Al-Ghazzewi, F.H., Kaal, H.Y., Pigott, J.R. (2008) Effects of konjac glucomannan hydrolysates on the gut microflora of mice. *Nutrition and Food Science*, 38(5), 422-429.
- Ertan, F., Ekinci, F., & Aktac, T. (2003) Production of inulinases from *Penicillium spinulosum*, *Aspergillus parasiticus* NRRL2999 and *Trichoderma viride*. *Pakistan Journal of Biological Sciences*, 6:1332–1335.



- Fennema, R., O. (1996) Food Chemistry Third Edition. Marcel Dekker, Inc. New York.
- Gibson, G. R. dan Roberfroid, M. D. (2008) Handbook of prebiotics. CRC Press, New York.
- Gibson, G.R., Beatty, E.R., Wang, X., dan Cummings, J.H. (1995) Selective stimulation of Bifidobacteria in human colon by oligofructosa and inulin. *Gastroenterology*; 108:975-982. Gibson GR, Probert HM, Van Loo JAE, et al. (2004) Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutr Res Rev* 17, 259–275.
- Gilbowski, P. dan Bukowska, A. (2011) The Effect of pH, Temperature and Heating Time on Inulin Chemical Stability. *Acta. Sci. Pol. , Technol. Aliment.* 10(2):189-196.
- Gilles, K. A. dan Sibbit (1974) Quality Wheat Production and Utilization, Edit by G.E. INGLETT. The AVI Publishing Company. Inc.
- Guardeño, L. M., Vázquez-Gutiérrez, J. L., Hernando, I., Quiles, A. (2013) Effect of different rice starches, inulin, and soy protein on microstructural, physical, and sensory properties of low-fat, gluten, and lactose free white sauces. *Czech Journal of Food Science*, 31:575-580.
- Guggisberg, D., Cuthbert-Steven, J., Piccinelli, P., Bütkofer, U., dan Eberhard, P. (2009). Rheological, microstructural and sensory characterization of low-fat and whole milk set yoghurt as influenced by inulin addition. *International Dairy Journal*, 19:107–115.
- Gupta A. K., Kaur N., Kaur N. (2003) Preparation of Inulin from Chicory Roots. *Journal of Scientific & Industrial Research*, 62:916-920.
- Henderson, S.M. dan Perry, R. L. (1976) Agricultural Process Engineering 3th Edition. The AVI Publishing Company. Inc., Wesport Connecticut. USA.
- Hsiao-Ling Chen, Han-Chung Cheng, M.S.a, Yann-Jiu Liu, M.S., R.D.a,bSu-Yuan Liu, M.S., R.D.a, and Wen-Tze Wu, M.S. (2006) Konjac acts as a natural laxative by increasing stool bulk and improving colonic ecology in healthy adults. *Nutrition*, 22,1112–1119.
- Huebner, J, Wehling, RL, Hutkins, RW. (2007) Functional activity of commercial prebiotics. *International Dairy Journal* 17:770-775
- Huebner, J, Wehling, RL, Hutkins, RW. (2008) Effect of processing condition on the prebiotic activity of commercial prebiotics. *International Dairy Journal* 18, 287-293.
- Hursh, H., dan Martin, J. (2005). Low-carb and beyond: The health benefits of inulin. *Cereal Foods World* 50:57–60.
- Izaak, F. D., Rauf, F. A., Lumintang, R. (2013) Analisis Sifat Mekanik dan Daya Serap Air Material Komposit Serat Rotan. *Jurnal Poros Teknik Mesin* vol 2. No. 2
- Kaur, N., and Gupta, A.K. (2002) Applications of inulin and oligofructose in health and nutrition. *J.Biosci*, 7:703-714.
- Kelly, G. (2008) Inulin-Type Prebiotics-A Review: Part 1. Alternative Medicine Review vol. 13 No. 4.
- Kim, Y., Faqih, M. N.; Wang, S. S. (2001) Factors affecting gel formation of inulin. *Carbohydrate Polymers*, 46:135-145.



- King, C.j., Wing. K. Lam and Orville, C. Sandall (1968) Physical properties of important for freeze-drying poultry meat. *J. Food Tech.* 22:100.
- Ku, Y., Jansen, O., Oles, C.J., Lazar, E.Z., dan Rader, J.I.. (2003) Precipitation of inulins and oligoglucose by ethanol and other solvents. *Food Chemistry.* 80:1-8.
- Lingyun, W., Jianhua, W., Xiaodong, Z., Da Teng, Yalin, Y., Chenggang, C., Tianhua, F., Fan, Z. (2006) Studies on the extracting technical conditions of inulin from Jerusalem artichoke tubers. *Journal of food engineering* 79:1087-1093
- Mangunwidjaja, D., Rhayuningisih, M., Suparwati, R. (2014) Pengaruh konsentrasi dan waktu hidrolisis enzimatis terhadap mutu frukto-oligosakarida dari inulin umbi dahlia (*Dahlia pinnata*). *E-jurnal Agroindustri Indonesia* 3(1)
- Marion Eugene Ensminger, Audrey H. Ensminger. (1993) Foods & Nutrition Encyclopedia, 2nd Edition, Volume 1. CRC press
- Matz, S.A. (1972) Cereal Technology. The Avil Publishing Co.,Inc, Westport, Conecicut.
- Park, K. J., de Oliveira, R. A., Brod, F. P. R. (2006) Drying operational parameters influence on chicory roots drying and inulin extraction. *IchemE*, 85:184-192.
- Park, K.J., Toneli, J.T.C.L., Elisabeth, F. dan Martinelli, P. (2006) Optimazion of Physical Concentration Process for Inulin. School of Food Engineering State University of Campinas (UNICAMP), Brazi.l
- Paseephol, T., Small, D., Sherkat, F. (2007) Process optimisation for fractionating Jerusalem artichoke fructans with ethanol using response surface methodology. *Food Chemistry*, 104:73-80.
- Permana, D. R. dan Citroreksoko, P. (2003) Analisis proksimat tepung hasil proses ekstraksi minyak dari *puree* ikan. *Jurnal Ikhtiologi Indonesia* 3(2): 73-74
- Perrigue, MM, Monsivais, P, Drewnowski, A. (2009) Added soluble fiber enhances the satiating power of low-energy-density liquid yogurts. *J Am Diet Assoc* 109:1862-8.
- Poinot, P., Arvisenet, G., Grua-Priol, J., Fillonneau, C., Le-Bail, A., Prost, C. (2010) Influence of inulin on bread: Kinetics and physico-chemical indicators of the formation of volatile compounds during baking. *Food Chemistry* 119:1472-1484.
- Pompei, A., Cordisco, L., Raimondi, S., Amaretti, A., Pagnoni, U. M, Matteuzzi, D, Rossi, M (2008) In vitro comparison of the prebiotic effects of two inulin-type fructans. *Anaerobe* 14:280-286
- Prameswari, R. D. dan Estiasih, T. (2013) Pemanfaatan tepung gembili dalam pembuatan cookies (*Dioscorea esculenta L.*). *Jurnal Pangan dan Agroindustri*, 1:115-128.
- Pressini, D. dan Sensidoni, A. (2009) Effect of soluble dietary fibre addition on rheological and breadmaking properties of wheat doughs. *Journal of cereal science* 49:190-201.
- Priyadi, I. (2008) Budidaya gembili (*Dioscorea esculenta*). <http://cybex.deptan.go.id/penyuluhan/budidaya-gembili-dioscorea-esculenta> diunduh pada tanggal 18 Mei 2014.



- Pudjianto, T. (2014). Budidaya gembili. <http://agri-tani.blogspot.com/2014/02/budidaya-gembili.html> diunduh pada tanggal 17 Mei 2014.
- Putra M. P.(2010) Isolasi dan Karakterisasi Protein Biji Nyamplung (*Calophyllum inophyllum*) (Tesis)
- Ratti, C. (2001) Hot air and freeze-drying of high-value foods: a review. *Journal of food engineering* 49:311-319.
- Richana, N. dan Sunarti, T. C. (2004) Karakterisasi sifat fisikokimiatepung umbi dan tepung pati dari umbi ganyong, suweg, ubikelapa dan gembili. *J.Pascapanen*, 1:29-37.
- Roberfroid, M. B. (2005) Introducing inulin-type fructans. *British Journal of Nutrition* 93: Suppl.1,S13-S25.
- Roberfroid, M. B. (2007) Inulin-type ructans: functional food ingredients. CRC press: New York.
- Roberfroid, M., Slavin, J. (2000) Nondigestible oligosaccharides. (Critical Reviews) *Food Science and Nutrition*, 40, 461–480.
- Ronkart, S. N., Blecker, C. S., Fourmanoir, H., Fougnies, C., Deroanne, C., Van Herck,J.-C., et al. (2007). Isolation and identification of inuloooligosaccharides resulting from inulin hydrolysis. *Analytica Chimica Acta*, 604:81–87.
- Russo, F., Clemente, C., Linsalata, M., Chiloiro, M., Orlando, A., Marconi, E., Chimenti, G., Riezzo, G. (2011) Effects of a diet with inulin-enriched pasta on gut peptides and gastric emptying rates in healthy young volunteers. *European Journal of Nutrition* 50:271-277.
- Saengthongpinit, W. (2005) Influence of harvest time and storage temperature on characteristics of inulin from jerusalem artichoke and physicochemical properties of inulin-starch mixed gel (Disertation).
- Saengthongpinit, W., & Saijaanantakul, T. (2005). Influence of harvest time and storage temperature on characteristics of inulin from Jerusalem artichoke (*Helianthus tuberoses L.*) tubers. *Postharvest Biology and Technology*, 37:93-100.
- Safingi, A. (2013) Seluk Beluk Umbi Gembili yang Luar Biasa. <http://petani-kaya.blogspot.com/2013/07/makalah-seluk-beluk-umbi-gembili-yang.html> diunduh pada tanggal 10 Juli 2014.
- Santoso, A. (2011) Serat Pangan (Dietary Fiber) dan Manfaatnya Bagi Kesehatan. *Magistra* 75:35-40
- Sardesai, V. M. (2003) *Introduction to Clinical Nutrition*. Ed ke-2. USA: Marcel Dekker, Inc on: Herb Panduan Hunters.
- Sathe, A. Y. (1999) A first course ini food analysis. New age international publishera. New delhi
- Scheeman, O. B. (2015) Fiber, Inulin, and Oligofructose: Similiarities and Differences. *The Journal of Nutrition*. 129:1424-1427.
- Silva, R.F. (1996) Use of inulin as a natural texture modifier. *Cereal Foods World*, 41: 792-795.



- Slamet, A. (2010) Pengaruh perlakuan pendahuluan pada pembuatan tepung ganyong (*Canna edulis*) terhadap sifat fisik dan amilografi tepung yang dihasilkan. *Agrointek*, 4:100-103.
- Sudarmadji, S. (1989) Analisa Bahan Makanan dan Pertanian. Yogyakarta : Liberti
- Sutherland, A., Tester, R., Al-Ghazzewi, F., Mcculloch, E., dan Connolly, M. (2008) Glucomannan hydrolysate (GMH) inhibition of *Candida albicans* growth in the presence of *Lactobacillus* and *Lactococcus* species. *Microbial Ecology in Healthand Disease*, 20:127–134.
- Thammarutwasik, P., Hongpattarakere, T., Chanthacum, S., Kijroongrojana, K., Itharat, A., Reanmongkol, W., Tewtrakul, S., Ooraikul, B., (2009) Prebiotics- A Review. *J. Sci. Technol*; 31: 401-8.
- Toneli, J.T.C.L., Park, K.J., Ramalho, J.R.P., Murr, F.E.X. dan Fabbro, I.M.D. (2008). Rheological characterization of chicory root (*Cichorium intybus L.*) inulin solution. *Brazilian Journal of Chemical Engineering*, 25:461-471.
- Utami, R., Widowati, E., Dewati, A. D. A. R. (2013). Kajian penggunaan tepung gembili (*Dioscorea esculenta*) dalam pembuatan minuman sinbiotik terhadap total bakteri probiotik, karakter mutu, dan karakter sensoris. *Jurnal Teknosains Pangan* 2:3-8.
- Van Arkel, J., Sévenier, R., Hakkert, J. C., Bouwmeester, H. J., Koops, A. J., van der Meer, I. M. (2013) Tailor-made fructan synthesis in plants: A review. *Carbohydrate Polymers* 93:48–56.
- Wardhana, H. (2013) Inilah umbi-umbian lokal Indonesia yang berpotensi sebagai pangan alternatif.
- Wichienchot, S., Thammarutwasik, P., Jongjareonrak,A., Chansuwan, W., Hmadhlu, P., Hongpattarakere, T., et al. (2011). Extraction and analysis of prebiotics from selected plants from southern Thailand. *Songklanakarin Journal of Science and Technology*, 33:517-523.
- Widowati, S. T.C. Sunarti, dan Zaharani, A. (2005) Ekstraksi, Karakterisasi dan Kajian Potensi Inulin Dari Umbi Dahlia (*Dahlia pinnata L.*). Makalah Seminar Rutin Puslitbang Tanaman Pangan, Bogor, 16 Juni 2005.
- William, M. (1989) Foods : Experimental Perspektif. Macmilan Publishing Company. New York
- Winarti, S., Harmayani, E., Marsono, Y., Pranoto, Y. (2013) Effect of inulin isolated from lesser yam (*Dioscorea esculenta*) on the growth of probiotics bacteria and SCFA formation during fermentation. *International Research Journal of Microbiology* (IRJM), 4:53-63.
- Winarti, S., Harmayani, E., Nurismanto, R. (2011) Extraction of Inulin from Various Yam Tubers (*Dioscorea* spp.). The 12th ASEAN Food Conference 16-18 Juni 2011 in BITEC bangna, Bangkok, Thailand.
- Winarti, S., Harmayani, E., Nurismanto, R. (2011). Karakteristik dan profil inulin beberapa jenis uwi (*Dioscorea* app.). *AGRITECH*, 31:378-383.
- Yang, Z., Hu, J., Zhao, M. (2011) Isolation and quantitative determination of inulin-type oligosaccharides in roots of *Morinda officinalis*. *Carbohydrate Polymers*, 83:1997–2004.
- Yuwono, S. S. dan Susanto, T. (2001) Pengujian Fisik Pangan. Universitas Brawijaya. Malang.



UNIVERSITAS
GADJAH MADA

EKSTRAKSI INULIN DARI CHIP UMBI GEMBILI (*Dioscorea esculenta L.*) DENGAN VARIASI RASIO
CHIP DAN AIR

SERTA EVALUASI POTENSINYA SEBAGAI PREBIOTIK

ASTRI BESTARI CIPTANINGRUM, Prof. Dr. Ir. Eni Harmayani, M.Sc; Prof. Dr. Yudi Pranoto, STP, MP

Universitas Gadjah Mada, 2015 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhang, M., Tang, J.M., Mujumdar, A.S., Wang, S. (2006) Trends in microwave related drying of fruits and vegetable. *Trends in Food Science & Technology* 17: 524–534.