

DAFTAR PUSTAKA

- Ackerfield J., and Wen J. 2002. A morphometric analysis of *Hedera* L. (the ivy genus, Araliaceae) and its taxonomic implication. *Adonsonia* 24 (2): 197-212
- Adlassnig, W., Peroutka, M., Lambers, H., Lichtscheidl, I.K. 2004. The root of carnivorous plants. *Plant and Soil* 274: 127-140.
- Adrian. 2011. Pengaruh Pemberian Hormon BAP Terhadap multiplikasi Tunas Tumbuhan Kantong Semar (*Nepenthes alata* Blanco) pada Media Tanam *Murashige* dan *Skoog* dengan Teknik *In Vitro*. Skripsi. Institut Pertanian Bogor. Bogor.
- Akhiradi, P., Hernawati., R, Tamin. 2004. A New Species of *Nepenthes* (Nepenthaceae) from Sumatra. *Reinwardtia* 12 (2): 141-144
- Arnold, N. 1990. Tropical Rainforest A world survey of our most valuable a blueprint for its survival, Facts On File. New York.
- Azrai, M. 2005. Utilization of Molecular Markers in Plant Breeding Selection Process. *Journal Agrobiogen*, 1 (1): 26-37
- Bhau BS, Medhi K, Sarkar T, Saikia SP. 2009. PCR Based Molecular Characterization of *Nepenthes khasiana* Hook. f.- Pitcher Plant. *Genet Resour Crop Evol.* 56: 1183-1193
- Bardakci, F. 2001. Random Amplified Polymorphic DNA (RAPD) Markers. *Turk J Biol.* 25: 185-196
- Bauer, U., Grafe, TU., Federle, W. 2011. Evidence for alternative trapping strategies in two forms of the pitcher plant, *Nepenthes rafflesiana*. *J Exp Bot* 10: 368 -3692.
- Bintang, M. 2010. Biokimia-Teknik Penelitian. Erlangga. Jakarta
- Bozokalfa, M.K., Esiyok, D. And Turhan K. 2009. Patters of phenotypic variation in a germplasm collection of pepper (*Capsicum annuum* L) from Turkey. *Spanish J. Agric. Res.* 7 (1): 83-95.
- Chaveerach, A., Sudmoon, R., Tanee, T., Mookamul, P., Sattayasai, N., and Sattayasai, J. 2008. Two New Species of curcuma (zingiberaceae) used as cobra bite antidots. *Journal of systematics and Evolution*, 46(1): 80-88
- Clarke, C.M. 2001. *Nepenthes* of Sumatera and peninsular Malaysia. Natural History Publication (Borneo), Kinabalu.

- Crawford, M.R and J. Parmele. 2007. Structure and dynamic in *Nepenthes* pitch plant of Borneo. *Tropical Ecology* 380.
- Dariana. 2013. Keanekaragaman, *Nepenthes* dan pohon Inangdi Taman Wisata Alam Sicikeh-cikeh Kabupaten Dairi Sumatera Utara. Thesis. Sekolah Pascasarjana Universitas Sumatera Utara. Medan
- Departemen Kehutanan. 2003. Kumpulan Peraturan Perundang-undangan bidang Kehutanan dan Konservasi. Balai Konservasi Sumber Daya Alam Sumatera Barat.
- Esau, K. 1977. Anatomy of seed plants. John Wiley & Son. Inc New York.
- Fadillah, N.N. 2013. Eksplorasi keanekaragaman *Nepenthes* spp. di cagar Alam Dolok Sibuali-buali Sumatera Utara. Skripsi. Prodi kehutanan, Fak Pertanian. Universitas Sumatera Utara.
- Frankham, R., Jonathan D.B., & David, A.B. 2002. Intoduction to Conservation Genetics. Cambridge University Press. United Kingdom.
- Gower, J.C. 1971 A General coefficient of similarity and some of its properties *Biometrics* 27: 857-874
- Groombridge, B. 1992. Global Biodiversity Status of the Earth's living redources a report compiled by the World Conservation Monitoring Centre. Chapman dan Hall. London.
- Handayani T. 2001. *Nepenthes* spp. Koleksi Kebun Raya Bogor Yang Berpotensi Sebagai Tanaman Hias. *Warta Kebu Raya* 3 (1): 26-31
- Hartati D. 2006. Genetic diversity sengon (*albizia falcataria* L. Fosberg) through DNA markers. Scientific report. Research and development center for forest plantation (p3HT). Yogyakarta
- Haryadi, 2013. Inventarisasi Tumbuhan Kantung Semar (*Nepenthes* spp.) di Lahan Gambut Bukit Rawi, Kalimantan Tengah. *Biospecies* 6 (1): 24-27
- Hernawati dan P. Akhriadi. 2006. *A Field Guide to The Nepenthes of Sumatra*. PILI Publisher. Bogor.
- Jabbarzadeh, Z., Khos-Khui, M., salehi, H., and saberivand, A. 2010 Intersimple sequence repeat (ISSR) marker as reproducible and specific tool for genetics diversity of rose species. *African Journal of Biotechnology*. 9 (37): 6091-6095.

- Judd, W.S., C.S. Campbell., E.A. Kellog., S.P.F, Sterens. 1999. Plant Systematics: A phylogenetic approach. Sinauer Assoc. Sunderland
- Karsinah, Sudarsono., Lilik , S., and H. Aswidinnoor. 2002. Keragaman genetik plasma jeruk berdasarkan analisis penanda RAPD. *Jurnal Bioteknologi Pertanian*. 7 (1): 8-16
- Komar, T.E. 1999. *Marka Genetika dan Aplikasi Dalam Bidang Kehutanan*. Lab. Genetika Molekuler. Departemen Kehutanan dan Perkebunan.
- Lim, S.H., D.C.Y. Phua., and H.T.W. Tan. 2000. Primer Design and Optimization for RAPD Analysis of *Nepenthes*. *Biologia Plantarum* 43 (1): 153-155
- Listiawati A., C, Siregar. 2008. Entuyut (*Nepenthes*) Asal Kalimantan Barat. Untan Press. Pontianak.
- Mansur, M. 2000. Koleksi *Nepenthes* di Herbarium Bogoriense : Prospeknya sebagai Tanaman Hias. *Proceeding: Seminar Hari Cinta Puspa dan satwa Liar*. Hal 244-253.
- _____. 2002, *Nepenthes gymnamphora* Nees di Taman Nasional Gunung Halimun dan Penyebarannya. *Jurnal Berita Biologi* 6 (1): 107-114
- _____. 2006. *Nepenthes: Kantong Semar Yang Unik*. Penebar Swadaya. Jakarta.
- _____. 2008. Penelitian ekologi *Nepenthes* di laboratorium alam hutan gambut Sabangau Kereng Bangkirai Kalimantan Tengah. *J. Tek. Ling.* 9 (1): 67-73.
- _____. 2013. Tinjauan Tentang *Nepenthes* (Nepenthaceae) di Indonesia. *Berita Biologi* 12 (1): 1-7
- Mithofer, A. 2011. Carnivorous pitcher plants: Insights in an old topic. *Phytochem.* 72 (13): 1678–1682.
- Moran, J.A., Clarke, J.M., Hawkins, B.J. 2003. From carnivore to detritivore? Isotopic evidence for leaf litter utilization by the tropical pitcher plant *Nepenthes ampullaria*. *Int J Plant Sci* 164: 635-639.
- Morohoshi, T., M, Oikawa., S, Sato., N, Kikuchi., N, Kato., dan T, Ikeda. 2011. Isolation and characterization of novel lipases from a metagenomic library of the microbial community in the pitcher fluid of the carnivorous plant *Nepenthes hybrida*. *J. Biosci. And Bioeng.* 112 (4): 315–320.
- Mulyani, M. 2004. Pengembangan Kultur Tanaman Berkhasiat Obat. Jakarta.

- Nongrum, I., Shrawam, K., Suman, K., and Pramod, T. Genetic Variation and Gene Flow Estimation of *Nepenthes khasiana* Hook. f- A Threatened Insectivorous Plant of India as Revealed by RAPD Markers. *J. Crop Sci. Biotech.* 15 (2): 101 -105
- Owen, T.P., Lennon, K.A., Santo, M.J., and Anderson A.M. 1999. Pathways for nutrient transport in the pitcher plant *Nepenthes alata*. *Ann. Bot.* 89 (4): 459-466.
- Poulsen, A.D., and Nordal, I. 2005 A Phonetic Analysis and Revisions of Guineo-Congolese Rainforest Taxa of *Chlorophytum* (Antheriaceae). *Bot. J. Linn Soc.* 148: 1-20
- Prana, T.K. dan N.S. Hartati. 2003. Identifikasi sidik jari DNA talas (*Colocasia esculenta* L. Schott) Indonesia dengan teknik (RAPD): Skrining primer dan optimalisasi kondisi PCR. *Jurnal Natur Indonesia* 5 (2): 107-112
- Purnomo., S, Hardjosuwarno. 1992. Komposisi dan struktur vegetasi gunung perahu dataran tinggi dieng. Laporan penelitian. Universitas Gadjah mada
- Puspitaningtyas, D.M., and H, Wawaningrum. 2007. Keanekaragaman *Nepenthes* di Suaka Alam Sulasih Talang-Sumatra Barat. *Jurnal Biodiversitas.* 8 (2): 152-156.
- Radford, A.E. 1986. Fundamentals of Plant systematics, harper & Rows Publishers, Inc. New York
- Rischer, H.H.A and Bringmann, G. 2002. *Nepenthes insignis* uses a C2- portion of the carbon skeleton of alanine acquired via its carnivorous organs, to build up the allelochemical plumbagin. *Phytochem.* 59(6): 603- 609.
- Rugayah., E. A. Widjaja., Praptiwi. 2004. Pedoman Pengumpulan Data Keanekaragaman Flora. Pusat Penelitian Biologi-Lipi. Bogor.
- Ruwaida, I.P., Supriyadi and parjanto. 2009. Variability analysis of Suku durian plant (*Durio zibethinus*) based on RAPD marker. *Nusantara Bioscience.* 1 (2): 84-91
- Rolfh F.J. 1970. Adaptive Hierarchical Clustering Schemes. *Syst. Zool.* 18: 58-82
- Sanjaya L., GA Wattimena., Guharja E., joseph M., Aswidinoor H., and Stam, P. 2002. The resistance diversity of capsicum accssesions against antraknose (*colletotricum capsici*) based on RAPD markers. *Jurnal Bioteknol Pertanian,* 7(2): 37-42

- Sanni, K.A., Fawole, I., Ogunbayo, A., Tia, D., Somado, E.A., Futakuchi, K., Sie, M., Nwilene, F.E., and Guei, R.G. 2010. Multivariate analysis of diversity of landrace rice germplasm. *Proceedings of the second Africa Rice Congress, Bamako, Mali, 22-26 March 2010: Innovation and partnerships to realize Africa's Rice potential*.
- Simbolon, H., and Mirmanto. 2000. Checklist of Plant Species in the Peat Swamp Forest of Central Kalimantan Indonesia. *Proceedings of the International Symposium on Tropical peat Lands*. 179-190
- Singh, G. 1999. *Plant Systematics*. Science Publishers, Inc. USA
- Sneath, P.H.A and R.R. Sokal. 1963. *Principles of Numerical Taxonomy*. W. H Freeman and Company. San Fransisco.
- Srivastava, s. And Mishra, N. 2009. Genetics markers- a cutting edge-technology in herbal drug research. *Journal of Chemical and Pharmaceutical Research*. 1 (1): 1-8
- Stone BC. 1976. The Morphology and Systematics of *Pandanus* Today (Pandanaceae). *Gardens 'Bulletin*. 29: 137-142
- Stuessy, T.F. 1994. *Case Studies in Plant Taxonomy. Exercises in Applied Pattern recognition*. Columbia University press. New York.
- Sudarsono, Ratnawati & Budiwati. 2005. *Taksonomi Tumbuhan Tinggi*. Malang : Universitas Negeri Malang.
- Sulistyaningsih. 2008. Identifikasi Isolate Bakteri penghasil Zat Anti Bakteri Dari Cairan Kantong Semar (*N. Ampullaria* Jack). *Laporan Penelitian Mandiri*. Universitas Padjajaran Bandung.
- Tanaka and Taniguchi. 2002. Emphasized-RAPD (e-RAPD): Simple and efficient technique to make RAPD bands clearer. *Breeding science*. 3: 225-229.
- Tjitrosoepomo, G. 2010. *Taksonomi Tumbuhan Spermatophyta*. Cetakan sepuluh. Gadjah Mada University Press. Yogyakarta.
- Tjitrosoepomo, G. 2013. *Morfologi Tumbuhan*. Cetakan sembilanbelas. Gadjah Mada University Press. Yogyakarta.
- Trijatmiko, K. R. 2006. *Penggunaan Metode PCR untuk Deteksi Cepat Keragaman DNA*. Pelatihan dan Workshop Identifikasi DNA dengan Aplikasi PCR. Balai Penelitian Tanaman Jeruk dan Buah Subtropika-BPPT. Sumatera Barat

- Van Steenis, C.G.GJ. 2010. Flora Pegunungan Jawa. Edisi Indonesia. Pusat Penelitian Biologi-LIPI, Bogor.
- Wang, L., Q, Zhou., Y, Zheng., and S. Xu. 2009. Composite structure and properties of the pitcher surface of the carnivorous plant *Nepenthes* and its influence on the insect attachment system. *Prog. in Nat. Sci.* 19 (12): 1657 – 1664.
- Wardani W, Simbolon W and Dirman. 2005. Inventarisasi tumbuhan di lahan gambut Kalampangan Kalimantan Tengah. Lap. Tek. Bidang Botani. Pusat Penelitian Biologi LIPI, hlm. 204-211
- Williams, J.G.K., A.R Kubelik., K.J. Livak., J.A Rafalsks., and, S.V. Tingey. 1990. DNA polymorfism by arbitari primers are useful as genetic markers. *Nucleic Acid Research* 18: 6531-6535
- Yulita, K, S., and Muhammad, M. The Occurrence of Hybrid in *Nepenthes hookeriana* Lindl. From Central Kalimantan can be Detected by RAPD and ISSR Markers. *HAYATI Journal of Biosciences.* 19 (1), 18-24
- Zhang, H.Y, F.S. Li, l. L. He, H.Q.Zhong, Q. H. Yang and S. C. He. 2008. Identification of sugarcane interspecies hybrids with RAPDs. *African Journal of Biotechnology.* 7 (8): 1072-1074