

## DAFTAR PUSTAKA

- Acevedo-Rodriguez, P. and Nicolson, D.H. 2005. Araceae, Philodendron family, p 30. In Acevedo-Rodriguez, P. and Strong, M.T. (Eds.). *Monocotyledons and Gymnosperms of Puerto Rico and Virgin Islands*. Contribution from the United States National Herbarium, 52: 1–415.
- Ahmed, I., Matthews, P.J. and Lockhart, P.J. 2013. A phylogenetic study of the origins, domestication and dispersal of taro (*Colocasia esculenta*, Araceae). In preparation.
- Alvarez, I. and Wendel, J.F. 2003. Ribosomal ITS sequences and plant phylogenetic inference. *Mol. Phylogenet. Evol.*, 29: 417–434.
- Anonymous. 2013. A Working List of All Plant Species: *Colocasia esculenta* (L.) Schott. Url: <http://www.theplantlist.org/tpl1.1/record/kew-46275>. Diakses pada tanggal 23 Juni 2014.
- Ashary, S.S. 2010. *Studi Keragaman Ganyong (Canna edulis Ker.) di Wilayah Eks-Karesidenan Surakarta Berdasarkan Ciri Morfologi dan Pola Pita Isozim*. Skripsi (tidak dipublikasikan). Jurusan Biologi Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Negeri Sebelas Maret, Solo.
- Baldwin, B.G., Sanderson, M.J., Porter, J.M., Wojciechowski, M.F., Campbell, C.S., and Donoghue, M.J. 1995. The ITS region of nuclear ribosomal DNA: A valuable source of evidence on Angiosperm phylogeny. *Ann. Missouri Bot. Gard.*, 82: 247–277.
- Barbas III, C.F., Burton, D.R., Scott, J.K., and Silverman, G.J. 2001. 'General Procedures', appendix 3. *Phage Display*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.
- Boyce, P.C. and T.B. Croat. 2011. The Uberlist of Araceae, Totals for Published and Estimated Number of Species in Aroid Genera. Url: <http://www.aroid.org/genera/140601uberlist.pdf>. Diakses pada tanggal 25 Juni 2014.
- Brandenburg, W.A. 1986. Objectives in classification of cultivated plants, pp: 87–89. In Styles, B.T. (Ed.). *Classification of Wild and Cultivated Plants*. The Systematics Association Special Volume No. 29. Oxford University Press, New York.
- Brinegar, C. 2009. Assessing evolution and biodiversity in plants at the molecular level. *Kathmandu University Journal of Science, Engineering and Technology*, 5: 149–159.
- Bro, R. and Smilde, A.K. 2014. Principal component analysis. *Anal. Methods*, 6: 2812–2831.
- Coates, D.J., Yen, D.E. and Gaffey, P.M. 1988. Chromosome variation in taro, *Colocasia esculenta*: implication for origin in the Pacific. *Cytologia*, 53: 551–560.

- Cronquist, A. 1981. *An Integrated System of Classification of Flowering Plants*. Columbia University Press, New York. pp: 1096–1099.
- Das, A.B., Das, A., Pradhan, C., and Naskar, S.K. 2015. Genotypic variation of ten Indian cultivars of *Colocasia esculenta* var. *antiquorum* Schott. evident by chromosomal and RAPD markers. *Caryologia: International Journal of Cytology, Cytosystematics and Cytogenetics*, 68: 44–54.
- Davis, P.H. and Heywood, V.H.. 1973. *Principles of Angiosperm Taxonomy*. Krieger Publishing Co., New York. pp: 110–121.
- Dwari, S. and Mondal, A.K. 2011. Systematic studies (morphology, anatomy and palynology) of economically viable grass *Brachiaria mutica* (Forsskil) Stapf in Eastern India. *Afr. J. Plant Sci.*, 5: 296–304.
- Edel, V. 1998. Polymerase chain reaction in Mycology: An overview, pp: 1–20. In Bridge, P.D., Arora, D.K., Reddy, C.A., and Elander, R.P. (Eds.). *Application of PCR in Mycology*. Cambridge University Press, Cambridge.
- Govaerts R, 2012. World Checklist of Araceae. Royal Botanic Gardens, London. Url: <http://apps.kew.org/wcsp/>. Diakses pada tanggal 13 Juni 2015.
- Gregory, T.R. 2008. Understanding evolutionary trees. *Evo. Edu. Outreach*, 1:121—137.
- Hamby, R.K. and Zimmer, E.A. 1992. Ribosomal RNA as a phylogenetic tool in Plant Systematics, p. 54. In Soltis, P.S., Soltis, D.E. and Doyle, J.J. (Eds.). *Molecular Systematics of Plants*. Chapman & Hall, New York.
- Hammer, K. and Morimoto, Y. 2011. Classification of infraspecific variation in crop plants, pp: 1–15. In Guarino, L., Rao, V.R., and Reid, R. (Eds.). *Collecting Plant Genetic Diversity: Technical Guidelines*. Bioversity International. Url: <http://cropgenebank.sgrp.cgiar.org/index.php>. Diakses pada tanggal 06 Januari 2015.
- Hannelt, P. 1986. Formal and informal classification of the infraspecific variability of cultivated plants – advantages and limitations, pp: 139–156. In Styles, B.T. (Ed.). *Classification of Wild and Cultivated Plants*. The Systematics Association Special Volume No. 29. Oxford University Press, New York.
- Hartati, N.S., Prana, T.K. and Prana, M.S. 2001. Comparative study on some Indonesian taro (*Colocasia esculenta* (L.) Schott) samples using morphological characters, RAPD markers and isozyme banding patterns. *Annales Bogorienses*, 7: 65–73.
- Hartati, N.S dan Prana, T.K. 2003. Analisis kadar pati dan serat kasar tepung beberapa kultivar talas (*Colocasia esculenta* (L.) Schott). *Jurnal Natur Indonesia*, 6: 29–33.
- Hay, A. 1998. Botanical varieties in taro, *Colocasia esculenta*: leaving old baggage behind. *A Report on Taro Consultancy No. CO2C*. International Plant Genetic Resources Institute, Rome.

- Heyne, K. 1987. *Tumbuhan Berguna Indonesia I*. Badan Litbang Kehutanan, Departemen Kehutanan. Jakarta. pp: 497–499.
- Hill, A.F. 1939. The nomenclature of the taro and its varieties. *Botanical Museum Leaflets, Harvard University*, 7: 113–118.
- Hillis, D.M. 1987. Molecular versus morphological approaches to systematics. *Ann. Rev. Ecol. Syst.*, 18: 23–42.
- Hillis, D.M. and Dixon, M.T. 1991. Ribosomal DNA: Molecular evolution and phylogenetic inference. *Quart. Rev. Biol.*, 66: 411–453.
- Iezzoni, A.F. and Pritts, M.P. 1991. Application of principal component analysis to horticultural research. *HortScience*, 26: 334–338.
- IPGRI. 1999. *Descriptors for Taro (Colocasia esculenta)*. International Plant Genetic Resources Institute, Rome.
- Ivancic, A. and Lebot, V. 2000. *Taro (Colocasia esculenta): Genetics and Breeding*. Collection 'Reperes', CIRAD, Montpellier, France.
- Jannah, M. 2014. *Variasi Genetik dan Identifikasi Usnea spp. Berdasarkan Karakter Morfologis dan Molekular*. Tesis (tidak dipublikasikan). Fakultas Biologi Universitas Gadjah Mada, Yogyakarta.
- Jeffrey, C. 1968. Systematics categories for cultivated plants. *Taxon*, 17: 109–114.
- Kaplan, D.R. 2001. The science of plant morphology: definition, history, and role in modern biology. *Am. J. Bot.*, 88: 1711–1741.
- Kawase, D., Yumoto, T., Hayashi, K., and Sato, K. 2007. Molecular phylogenetic analysis of the infraspecific taxa of *Erigeron thunbergii* A.Gray distributed in ultramafic rock sites. *Plant Species Biol.*, 22: 107–115.
- Kelly, L.M. 1998. Phylogenetic relationships in *Asarum* (Aristolochiaceae) based on morphology and ITS sequences. *Am. J. Bot.*, 85: 1454–1467.
- Kovach, W.L. 2007. *MVSP – a Multivariate Statistical Package, 3.1*. Kovach Computing Services, Pentraeth, Wales.
- Kreike, C.M., van Eck, H.J. and Lebot, V. 2004. Genetic diversity in taro (*Colocasia esculenta* (L.) Schott) from South East Asia and Oceania. *Theor. Appl. Genet.*, 109:761–768.
- Lebot, V., Prana, M.S., Kreike, N., van Eck, H.J., Pardales, J., Okpul, T., Gendua, T., Thongjiem, M., Hue, H., Viet, N., and Yap, T.C. 2004. Characterisation of taro (*Colocasia esculenta* (L.) Schott) genetic resources in Southeast Asia and Oceania. *Genetic Resources and Crop Evolution*, 51: 381–392.
- Lebot, V. 2009. *Tropical Root and Tuber Crops: Cassava, Sweet Potato, Yams, and Aroids*. Crop Production Science in Horticulture Series 17. CAB International, Oxford. pp: 279–360.

- Logacheva, M.D., Valiejo-Roman, C.M., Degtjareva, G.V., Stratton, J.M., Downie, S.R., Samigullin, T.H., and Pimenov, M.G. 2010. A comparison of nrDNA ITS and ETS loci for phylogenetic inference in the Umbelliferae: An example from tribe Tordylieae. *Mol. Phylogenet. Evol.*, 57: 471–476.
- Low, S.L., Wong, S.Y. and Boyce, P.C. 2014. *Schottarum* (Schismatoglottideae: Araceae) substantiated based on combined nuclear and plastid DNA sequences. *Plant Syst. Evol.*, 300: 607–617.
- Mabhaudhi, T. and Modi, A.T. 2013. Preliminary assessment of genetic diversity in three taro (*Colocasia esculenta* (L.) Schott) landraces using agro-morphological and SSR DNA characterisation. *Journal of Agricultural Science and Technology B*, 3: 265–271.
- Maga, J.A. 1992. Taro – composition and food uses. *Food Rev. Int.*, 8: 443–473.
- Matthews, P.J. 2002. Taro storage systems, pp: 135–163. In Yoshida, S. and Matthews, P.J. (Eds.). *Vegeticulture in Eastern Asia and Oceania*. The Japan Center for Area Studies, Osaka.
- Mathews, P.J. 2006. Written records of taro in the Eastern Mediterranean, pp: 419–426. In Ertug, Z.F. (Ed.). *Proceedings of the IV International Congress of Ethnobotany (ICEB 2005)*. Yeditepe University, Istanbul, Turkey.
- Matthews, P.J. 2010. An introduction to the history of taro as a food, pp: 6–28. In Rao, V.R., Matthews, P.J., Eyzaguirre, P.B., and Hunter, D. (Eds.). *The Global Diversity of Taro; Ethnobotany and Conservation*. Biodiversity International, Rome.
- Matthews, P.J. 2014. *Nor*-locus rDNA variation in *C. esculenta*, pp: 191–228. *On the Trail of Taro: An Exploration of Natural and Cultural History*. Senri Ethnological Studies 88. National Museum of Ethnology, Osaka, Japan.
- Maxiselly, Y. dan Karuniawan, A. 2011. Keragaman talas spesies *Colocasia esculenta* (L.) Schott dan *Xanthosoma sagittifolium* (L.) Schott di Jawa Barat. *Prosiding Seminar Nasional Hasil Penelitian Tanaman Aneka Kacang dan Umbi 2011*. Pusat Penelitian dan Pengembangan Tanaman Pangan Badan Penelitian dan Pengembangan Pertanian, Bogor. pp: 795–802.
- Mayo, S.J., Bogner J. and Boyce, P.C. 1997. *The Genera of Araceae*. Royal Botanical Gardens, Kew. pp: 53–54.
- Misra, R.S. and Chowdhury, S.R. 1997. *Phytophthora Leaf Blight Disease of Taro*. CTCRI Technical Bulletin Series 21. CTCRI, Trivandrum.
- Muladno. 2002. *Seputar Teknologi Rekayasa Genetika*. Pustaka Wirausaha Muda, Bogor.
- Nauheimer, L., Boyce, P.C. and Renner, S.S. 2012. Giant taro and its relatives: A phylogeny of the large genus *Alocasia* (Araceae) sheds light on Miocene floristic exchange in the Malesian region. *Mol. Phylogenet. Evol.*, 63: 43–51.

- Nei, M. and Kumar, S. 2000. *Molecular Evolution and Phylogenetics*. Oxford University Press, New York.
- Nilsson, R.H., Kristiansson, E., Ryberg, M., Hallenberg, N., and Larsson, K.H. 2008. Intraspecific ITS variability in the kingdom Fungi as expressed in the international sequence databases and its implication for molecular species identification. *Evolutionary Bioinformatics*, 4: 193–201.
- Ochsmann, J. 2004. Current problem in nomenclature and taxonomy of cultivated plants. *Acta Hort.*, 634: 53–61.
- Onwueme, I. 1999. *Taro Cultivation in Asia and The Pacific*. FAO Regional Office for Asia and the Pacific, Bangkok. pp: 4–9.
- Osman, A., Zaki, M. Hamed, S., and Hussein, N. 2011. Numerical taxonomy study of some tribes of Graminae from Egypt. *Am. J. Plant. Sci.*, 2: 1–14.
- Pandin, D.S. 2010. Penanda DNA untuk pemuliaan tanaman kelapa (*Cocos nucifera* L.). *Perspektif*, 9: 21–35.
- Pissard, A., Arbizu, C., Ghislain, M., Paulet, S., and Bertin, P. 2007. Congruence between morphological and molecular markers inferred from the analysis of the intra-morphotype genetic diversity and the spatial structure of *Oxalis tuberosa*. *Mol. Genetica*, 132: 71–85.
- Plucknett, D.L. 1976. Edible aroids, pp: 10–18. In Simmonds, N. (Ed.). *Evolution of Crop Plants*. Longman Group Ltd., London.
- Poczai, P. and Hyvonen, J. 2010. Nuclear ribosomal spacer regions in plant phylogenetics: Problems and prospects. *Mol. Biol. Rep.*, 37: 1897–1912.
- Poerbowati, L.S.E. 2003. *Identifikasi dan Pengelompokan 18 Koleksi Talas Berdasarkan Karakter Morfologi, Anatomi Daun dan Pola Pita Isozim*. Skripsi (tidak dipublikasikan). Jurusan Biologi Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor, Bogor.
- Prana, M.S., Hartati, N.S. and Kuswara, T. 2000. Evaluation on genetic variation in taro (*Colocasia esculenta* (L.) Schott) collected from West Java using isozymic markers. *Annales Bogorienses*, 6: 80–87.
- Prana, M.S. 2007. Studi biologi pembungaan pada talas (*Colocasia esculenta* (L.) Schott). *Biodiversitas*, 8: 63–66.
- Prana, M.S., Hartati, N.S. and Prana, T.K. 2010. A study on isozyme variation in the Indonesian taro (*Colocasia* spp.) germplasm collection, pp: 56–59. In Rao, V.R., Matthews, P.J., Eyzaguirre, P.B., and Hunter, D. (Eds.). *The Global Diversity of Taro; Ethnobotany and Conservation*. Biodiversity International, Rome.
- Prentice, H. 1986. Continuous variation and classification, pp: 21–32. In Styles, B.T. (Ed.). *Classification of Wild and Cultivated Plants*. The Systematics Association Special Volume No. 29. Oxford University Press, New York.

- Purnomo dan Pudjoarinto, A. 1999. *Struktur Perkembangan Tumbuhan I (Morfologi Tumbuhan)*. Fakultas Biologi UGM, Yogyakarta.
- Purseglove, J.W. 1979. *Tropical Crops – Monocotyledons*. Longman, London.
- Quartau, J.A. 1988. A numerical taxonomic analysis of interspecific morphological differences in two closely related species of *Cicada* (Homoptera, Cicadidae) in Portugal. *Great Basin Naturalist Memoirs*, 12: 171–181
- Quero-Garcia, J., Noyer, J.L., Perrier, X., Marchand, J.L., and Lebot, V. 2004. A germplasm stratification of taro (*Colocasia esculenta*) based on agro-morphological descriptors, validation by AFLP markers. *Euphytica*, 137: 387–395.
- Radford, A.E. 1986. *Fundamentals of Plant Systematics*. Harper & Row, New York.
- Rao, V.R., Hunter, D., Eyzaguirre, P.B., and Matthews, P.J. 2010. Ethnobotany and global diversity of taro, pp: 1–5. In Rao, V.R., Matthews, P.J., Eyzaguirre, P.B., and Hunter, D. (Eds.). *The Global Diversity of Taro; Ethnobotany and Conservation*. Biodiversity International, Rome.
- Rodriguez-Manzano, A., Rodriguez-Nodals, A.A., Roman-Gutierrez, M.I., Mayor, Z.F., and Alfonso, L.C. 2010. Morphological and isoenzyme variability of taro (*Colocasia esculenta* (L.) Schott) germplasm in Cuba, pp: 69–91. In Rao, V.R., Matthews, P.J., Eyzaguirre, P.B., and Hunter, D. (Eds.). *The Global Diversity of Taro; Ethnobotany and Conservation*. Biodiversity International, Rome.
- Sastrapradja, S. and Hambali, G.G. 1982. The importance of *Colocasia esculenta* in West Java, Indonesia. *Proceedings of the 5th International Symposium on Tropical Root and Tuber Crops (Philippines, 1979)*. Philippine Council for Agriculture and Resources Research, Los Banos. pp: 539–543.
- Sattler, R. and Rutshauser, R. 1997. The fundamental relevance of morphology and morphogenesis to plant research. *Ann. Bot.*, 80: 571–582.
- Sharma K., Mishra, A.K. and Mishra, R.S. 2008a. The genetic structure of taro: a comparison of RAPD and isozyme markers. *Plant Biotechnol. Rep.*, 2: 191–198.
- Sharma, K., Mishra, A.K. and Misra, R.S. 2008b. A simple and efficient method for extraction of genomic DNA from tropical tuber crops. *Afr. J. Biotechnol.*, 7: 1018–1022.
- Simpson, M.G. 2006. *Plant Systematics*. Elsevier Academic Press, San Diego. pp: 477–484.
- Singh, G. 2010. *Plant Systematics; An Integrated Approach*, 3rd ed. Science Publishers, Enfield, NH.

- Singh, S., Singh, D.R., Faseela, F., Kumar, N., Damodaran, V., and Srivastava, R.C. 2012. Diversity of 21 taro (*Colocasia esculenta* (L.) Schott) accessions of Andaman Islands. *Genet. Resour. Crop Evol.*, 59: 821–829.
- Singh, V. and Jain, D.K. 1981. *Taxonomy of Angiospermae*. Rastogi Publications, New Delhi.
- Sivarajan, V.V. 1991. *Introduction to the Principles of Plant Taxonomy*, 2nd Ed. Cambridge University Press, Cambridge.
- Sokal, R.R. and Sneath, P.H.A. 1963. *Principles of Numerical Taxonomy*. W.H. Freeman Co., San Francisco.
- Soltis, P.S., Soltis, D.E. and Doyle, J.J. 1992. 'Preface'. *Molecular Systematics in Plant*. Chapman & Hall, New York. pp: ix–xii.
- Soltis, D.E. and Soltis, P.S. 1998. Choosing an approach and an appropriate gene for phylogenetic analysis, pp: 1–42. In Soltis, P.S., Soltis, D.E. and Doyle, J.J. (Eds.). *Molecular Systematics in Plant II; DNA Sequencing*. Kluwer Academic Publishers, New York.
- Spooner, D.M., Hetterscheid, W.L.A., van den Berg, R.G., and Brandenburg, W.A. 2003. Plant nomenclature and taxonomy – an horticultural and agronomic perspective. *Horticultural Reviews*, 28: 1–60.
- Sreekumari, M.T. 1997. Cytological studies in taro – a review. *J. Root Crops*, 23: 1–7.
- Stace, C.A. 1989. *Plant Taxonomy and Biosystematics*, 2nd ed. Edward Arnold, London.
- Susandarini, R. 2014. *Biosistemika Pamelor (Citrus maxima (Burm.) Merr.) di Indonesia Berdasarkan Kajian Morfologis, Fitokimia, dan Molekular*. Disertasi (tidak dipublikasikan). Fakultas Biologi Universitas Gadjah Mada, Yogyakarta.
- Switzer, R.L. and Garritty, L.F. 1999. *Experimental Biochemistry*. W.H. Freeman, San Francisco.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A., and Kumar, S. 2013. MEGA6: molecular evolutionary genetics analysis version 6.0. *Mol. Biol. Evol.*, 30: 2725–2729.
- Tjitrosoepomo, G. 1997. *Taksonomi Umum (Dasar-Dasar Taksonomi Tumbuhan)*, cetakan ke-2. UGM Press, Yogyakarta. p: 18.
- USDA. 2003. Plants Profile for *Colocasia esculenta* (cocoyam). Url: <http://plants.usda.gov/core/profile?symbol=COES>. Diakses pada tanggal 15 Juni 2014.
- Varma, A., Padh, H. and Shrivastava, N. 2007. Plant genomic DNA isolation: An art or a science. *Biotechnol. J.*, 2: 386–392.
- White, T.J., Bruns, T., Lee, S., and Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics, pp: 315–322.

- In Innis, M., Gelfand, D.H., Sninsky, J.J., and White, T.J. (Eds.). *PCR Protocols*. Academic Press, San Diego, USA.
- Wilson, J.E. and Siemonsma, J.S. 1996. *Colocasia esculenta* (L.) Schott, pp: 69–72. In Flach, M. and Rumawas, F. (Eds.). *Plants Yielding Non-seed Carbohydrates*. Plant Resources of South-East Asia 9. Backhuys Publishers, Leiden.
- Witono, J.R., Konishi, T. and Kondo, K. 2008. DNA polymorphisms analysis of *Alocasia odora* and *A. cucullata* in Ishigaki Island, Japan generated by RAPD and ISSR markers and ITS nrDNA sequence data. *Chromosome Botany*, 3: 11–18.
- Yi, T., Yang, J., Li, H. and Li, D. 2002. The utility of ITS and trnL-F sequences in inferring the phylogeny of *Pinellia* (Araceae). Unpublished manuscript.
- Yi, T. and Li, D. 2002. The utility of ITS and trnL-F sequences data in inferring the phylogeny of *Remusatia* (Araceae). Unpublished manuscript.
- Zhao, K., Zhou, M., Chen, L., Zhang, D., and Robert, G.W. 2007. Genetic diversity and discrimination of *Chimonanthus praecox* (L.) Link germplasm using ISSR and RAPD markers. *HortScience*, 42: 1144–1148.
- Zulfahmi. 2013. Penanda DNA untuk analisis genetik tanaman. *Jurnal Agroteknologi*, 3: 41–52.