DAFTAR PUSTAKA

Aliabadi, M., Irani, M., Ismaeili, J., dan Najafzadeh, S., 2013, Electrospun nanofiber membrane of PEO/Chitosan for the adsorption of nickel, cadmium, lead and copper ions from aqueous solution. *Chem. Eng. J.*, 220, pp.237–243.

Avila, M., Burks, T., Akhtar, F., Göthelid, M., Lansåker, P.C., Toprak, M.S., Muhammeda, M., dan Uheida, A., 2014, Surface functionalized nanofibers for the removal of chromium(VI) from aqueous solutions. *Chem. Eng. J.*, 245, pp.201–209.

Bhatluri, K.K., Manna, M.S., Ghoshal, A.K., Saha, P., 2015, Supported liquid membrane based removal of lead(II) and cadmium(II) from mixed feed: Conversion to solid waste by precipitation. *J. Hazard. Mater.*, 299, pp.504–512.

Briones, A. V. dan Sato, T., 2010, Encapsulation of glucose oxidase (GOD) in polyelectrolyte complexes of chitosan–carrageenan. *React. Funct. Polym.*, 70(1), pp.19–27.

Chauhan, D., Dwivedi, J. dan Sankararamakrishnan, N., 2014, Novel chitosan/PVA/zerovalent iron biopolymeric nanofibers with enhanced arsenic removal applications. *Environ. Sci. Pollut. Res.*, 21(15), pp.9430–9442.

Chen, P., Bi, X., Zhang, J., Wu, J., dan Feng, Y., 2015, Assessment of heavy metal pollution characteristics and human health risk of exposure to ambient PM2.5 in Tianjin, China. *Particuology*, 20, pp.104–109.

Dastbaz, A. dan Keshtkar, A.R., 2014, Adsorption of Th4+, U6+, Cd2+, and Ni 2+ from aqueous solution by a novel modified polyacrylonitrile composite nanofiber adsorbent prepared by electrospinning. *Appl. Surf. Sci.*, 293, pp.336–344.

Desai, K.,Kit, K., Li, J., dan Zivanovic, S., 2008, Morphological and surface properties of electrospun chitosan nanofibers. *Biomacromolecules*, 9(3), pp.1000–1006.

Distantina, S. dan Fahrurrozi, M., 2010, Hydrogel Based on Glutaraldehyde–Crosslinked Kappa Carrageenan : Effect of Glutaraldehyde Concentration.*Proceeding 19th Regional Symposium on Chemical Engineering*, pp.1–6.

Dutta, A.K., Egusa, M., Kaminaka, H., Izawa, H., Morimoto, M., Saimoto, H., dan Ifuku, S., 2015, Facile preparation of surface N-halamine chitin

nanofiber to endow antibacterial and antifungal activities. *Carbohydr. Polym.*, 115, pp.342–347.

Fares, M.M., Maayta, A.K. dan Al-Mustafa, J.A., 2012, Corrosion inhibition of iota-carrageenan natural polymer on aluminum in presence of zwitterion mediator in HCl media. *Corros. Sci.*, 65, pp.223–230.

Foo, K.Y. dan Hameed, B.H., 2012, Adsorption characteristics of industrial solid waste derived activated carbon prepared by microwave heating for methylene blue. *Fuel Process. Technol.*, 99, pp.103–109.

Fuhrmann, G.F., 1994, Impact of heavy metals on the environment. *Toxicology*, 94(1-3), p.247.

Griswold, W. dan Martin, S., 2009, Human Health Effects of Heavy Metals. *Environ. Sci. Technol.*, (15), pp.1–6.

Haider, S. dan Park, S.Y., 2009, Preparation of the electrospun chitosan nanofibers and their applications to the adsorption of Cu(II) and Pb(II) ions from an aqueous solution. *J. Memb. Sci.*, 328(1-2), pp.90–96.

Hallaji, H., Keshtkar, A.R. dan Moosavian, M.A., 2015. A novel electrospun PVA/ZnO nanofiber adsorbent for U(VI), Cu(II) and Ni(II) removal from aqueous solution. *Journal of the Taiwan Institute of Chemical Engineers*, 46, pp.109–118.

He, J., Lu, Y., dan Luo, G., 2014, Ca(II) imprinted chitosan microspheres: An effective and green adsorbent for the removal of Cu(II), Cd(II) and Pb(II) from aqueous solutions. *Chem. Eng. J.*, 244, pp.202–208.

Heidari, A., Younesi, H., Mehraban, Z., dan Heikkinen, H., 2013, Selective adsorption of Pb(II), Cd(II), and Ni(II) ions from aqueous solution using chitosan-MAA nanoparticles. *Int. J. Biol. Macromol.*, 61, pp.251–263.

Ho, Y.S. dan Ofomaja, A.E., 2006, Pseudo-second-order model for lead ion sorption from aqueous solutions onto palm kernel fiber. *J. Hazard. Mater.*, 129(1-3), pp.137–142.

Igberase, E. dan Osifo, P., 2015, Equilibrium, kinetic, thermodynamic and desorption studies of cadmium and lead by polyaniline grafted cross-linked chitosan beads from aqueous solution. *J. Ind. Eng. Chem.*, 26, pp.340–347.

J. O., Oti Wilberforce, dan Nwabue, F. I.,2012, Heavy Metals Effect due to Contamination of Vegetables from Enyigba Lead Mine in Ebonyi State, Nigeria. *Environ. Pollut.*, 2(1), pp.19–26.

Kampalanonwat, P. dan Supaphol, P., 2010, Preparation and adsorption behavior of aminated electrospun polyacrylonitrile nanofiber mats for heavy metal ion removal. *ACS Appl. Mater. Interfaces*, 2(12), pp.3619–3627.

Kampalanonwat, P. dan Supaphol, P., 2014, The Study of Competitive Adsorption of Heavy Metal Ions from Aqueous Solution by Aminated Polyacrylonitrile Nanofiber Mats. *Energy Procedia*, 56, pp.142–151.

Lee, C.-G., Jeon, J.-W., Hwang, M.-J., Ahn, K.-H., Park, C., Choi, J.-W., dan Lee, S.-H., 2015, Lead and copper removal from aqueous solutions using carbon foam derived from phenol resin. *Chemosphere*, 130, pp.59–65.

Lee, C.H., Chiang, C.L. dan Liu, S.J., 2013, Electrospun nanofibrous rhodanine/polymethylmethacrylate membranes for the removal of heavy metal ions. *Sep. Purif. Technol.*, 118, pp.737–743.

Li, L., Chen, X., Liu, X., dan Zhao, Z., 2014, Removal of Cu from the nickel electrolysis anolyte using amorphous MnS. *Hydrometallurgy*, 146, pp.149–153.

Li, Y., Qiu, T. dan Xu, X., 2013, Preparation of lead-ion imprinted crosslinked electro-spun chitosan nanofiber mats and application in lead ions removal from aqueous solutions. *Eur. Polym. J.*, 49(6), pp.1487–1494.

Mahdavinia, G.R., Massoudi, A., Baghban, A., dan Shokri, E., 2014, Study of adsorption of cationic dye on magnetic kappa-carrageenan/PVA nanocomposite hydrogels. *J. Environ. Chem. Eng.*, 2(3), pp.1578–1587.

Malkoc, E. dan Nuhoglu, Y., 2005, Investigations of nickel(II) removal from aqueous solutions using tea factory waste. *J. Hazard. Mater.*, 127(1-3), pp.120–128.

Mansoorian, H.J., Mahvi, A.H. dan Jafari, A.J., 2014, Removal of lead and zinc from battery industry wastewater using electrocoagulation process: Influence of direct and alternating current by using iron and stainless steel rod electrodes. *Sep. Purif. Technol.*, 135, pp.165–175.

Marcasuzaa, P., Reynaud, S., Ehrenfeld, F., Khoukh, A., danDesbrieres, J., 2010, Chitosan-graft-polyaniline-based hydrogels: Elaboration and properties. *Biomacromolecules*, 11(6), pp.1684–1691.

Mohammed, K. dan Sahu, O., 2015, Bioadsorption and membrane technology for reduction and recovery of chromium from tannery industry wastewater. *Environ. Technol. Innov.*, 4, pp.150–158.

Mohan, D., Singh, P., Sarswat, A., Steele, P.H., dan Pittman, C.U., 2015, Lead sorptive removal using magnetic and nonmagnetic fast pyrolysis energy cane biochars. *J. Colloid Interface Sci.*, 448, pp.238–50.

Molaei, A. dan Waters, K.E., 2015, Copper ion removal from dilute solutions using colloidal liquid aphrons. *Sep. Purif. Technol.*, 152, pp.115–122.

Murata, T., Kanao-Koshikawa, M. dan Takamatsu, T., 2005, Effects of Pb, Cu, Sb, in and Ag contamination on the proliferation of soil bacterial colonies, soil dehydrogenase activity, and phospholipid fatty acid profiles of soil microbial communities. *Water. Air. Soil Pollut.*, 164(1-4), pp.103–118.

Njoroge.G.Kimani, 2012, Environmental Pollution and Impacts on Public Health : *Environ. Pollut. impacts public Heal.*, 1, p.14.

Nthumbi, R.M., Catherine, N.J., Moodley, B., Kindness, A., dan Petrik, Leslie., 2012, Application of chitosan/polyacrylamide nanofibres for removal of chromate and phosphate in water. *Phys. Chem. Earth*, 50-52, pp.243–251.

Nurchi, V.M. dan Villaescusa, I., 2008, Agricultural biomasses as sorbents of some trace metals. *Coord. Chem. Rev.*, 252(10-11), pp.1178–1188.

Odisitse, S. dan Jackson, G.E., 2009, In vitro and in vivo studies of the dermally absorbed Cu(II) complexes of N5O2 donor ligands–Potential anti-inflammatory drugs. *Inorganica Chim. Acta*, 362(1), pp.125–135.

Ohkawa, K., Minato, K.I., Kumagai, G., Hayashi, S., dan Yamamoto, H., 2006, Chitosan nanofiber. *Biomacromolecules*, 7(11), pp.3291–3294.

Omar, N.A.. Praveena, S.M., Aris, A.Z., dan Hashim, Z., 2015, Health Risk Assessment using in vitro digestion model in assessing bioavailability of heavy metal in rice: A preliminary study. *Food Chem.*, 188, pp.46–50.

Paipitak, K., Pornpra, T., Mongkontalang, P., Techitdheer, W., da. Pecharapa, W., 2011, Characterization of PVA-chitosan nanofibers prepared by electrospinning. *Procedia Eng.*, 8, pp.101–105.

Pal, P.dan Banat, F., 2014, Comparison of heavy metal ions removal from industrial lean amine solvent using ion exchange resins and sand coated with chitosan. *J. Nat. Gas Sci. Eng.*, 18, pp.227–236.

Pawar, S. V. dan Yadav, G.D., 2014, PVA/chitosan–glutaraldehyde cross-linked nitrile hydratase as reusable biocatalyst for conversion of nitriles to amides. *J. Mol. Catal. B Enzym.*, 101, pp.115–121.

Qing, X., Yutong, Z. dan Shenggao, L., 2015, Assessment of heavy metal pollution and human health risk in urban soils of steel industrial city (Anshan), Liaoning, Northeast China. *Ecotoxicol. Environ. Saf.*, 120, pp.377–385.

Rodrigues, S., da Costa, A.M.R. dan Grenha, A., 2012, Chitosan/carrageenan nanoparticles: effect of cross-linking with tripolyphosphate and charge ratios. *Carbohydr. Polym.*, 89(1), pp.282–9.

Salam, Z., Vijayakumar, E., Subramania, A., Sivasankar, N., dan Mallick, S., 2015, Graphene quantum dots decorated electrospun TiO_2 nanofibers as an effective photoanode for dye sensitized solar cells. *Sol. Energy Mater. Sol. Cells*, 143, pp.250–259.

Schiffman, J.D. dan Schauer, C.L., 2007, Cross-linking chitosan nanofibers. *Biomacromolecules*, 8(2), pp.594–601.

Shagholani, H., Ghoreishi, S.M. dan Mousazadeh, M., 2015, Improvement of interaction between PVA and chitosan via magnetite nanoparticles for drug delivery application. *Int. J. Biol. Macromol.*, 78, pp.130–6.

Silva, F.R.F., Dore, C.M.P.G., Marques, C.T., Nascimento, M.S., Benevides, N.M.B., Rocha, H.A.O., Chavante, S.F., dan Leite, E.L., 2010, Anticoagulant activity, paw edema and pleurisy induced carrageenan: Action of major types of commercial carrageenans. *Carbohydr. Polym.*, 79(1), pp.26–33.

Song, T.Y., Yao, C. dan Li, X.S., 2010, Electrospinning of zein/chitosan composite fibrous membranes. *Chinese J. Polym. Sci. (English Ed.*, 28(2), pp.171–179.

Spurgeon, D.J., Hopkin, S.P. dan Jones, D.T., 1994, Effects of cadmium, copper, lead and zinc on growth, reproduction and survival of the earthworm Eisenia fetida (Savigny): Assessing the environmental impact of point-source metal contamination in terrestrial ecosystems. *Environ. Pollut.*, 84(2), pp.123–130.

Sun, K. dan Li, Z.H., 2011, Preparations, properties and applications of chitosan based nanofibers fabricated by electrospinning. *Express Polym. Lett.*, 5(4), pp.342–361.

Sun, Q., Li, Y., Tang, T., Yuan, Z., dan Yu, C.-P., 2013, Removal of silver nanoparticles by coagulation processes. *J. Hazard. Mater.*, 261, pp.414–20.

Tian, Y., Wu, M., Liu, R., Li, Y., Wang, D., Tan, J., Wu, R., dan Huang, Y., 2011, Electrospun membrane of cellulose acetate for heavy metal ion adsorption in water treatment. *Carbohydr. Polym.*, 83(2), pp.743–748.

Tsai, R.Y., Hung, S.C., Lai, J.Y., Wang, D.M., dan Hsieh, H.J., 2014, Electrospun chitosan-gelatin-polyvinyl alcohol hybrid nanofibrous mats: Production and characterization. *J. Taiwan Inst. Chem. Eng.*, 45(4), pp.1975–1981.

Tseng, R.-L., Wu, F.-C. dan Juang, R.-S., 2010, Characteristics and applications of the Lagergren's first-order equation for adsorption kinetics. *J. Taiwan Inst. Chem. Eng.*, 41(6), pp.661–669.

Uyar, T., Havelund, R., Nur, Y., Hacaloglu, J., Besenbacher, F., dan Kingshott, P., 2009, Molecular filters based on cyclodextrin functionalized electrospun fibers. *J. Memb. Sci.*, 332(1-2), pp.129–137.

Wang, Y., Li, Z., Shao, P., Hao, S., Wang, W., Yang, Q., dan Wang, B., 2014, A novel multiple drug release system in vitro based on adjusting swelling core of emulsion electrospun nanofibers with core-sheath structure. *Mater.* Sci. *Eng. C. Mater. Biol. Appl.*, 44, pp.109–16.

Yang, J.M., Su, W.Y., Leu, T.L., dan Yang, M.C., 2004, Evaluation of chitosan/PVA blended hydrogel membranes. *J. Memb. Sci.*, 236(1-2), pp.39–51.

Yari, S., Abbasizadeh, S., Mousavi, S.E., Moghaddam, M.S., dan Moghaddam, A.Z., 2015, Adsorption of Pb(II) and Cu(II) ions from aqueous solution by an electrospun CeO2 nanofiber adsorbent functionalized with mercapto groups. *Process Saf. Environ. Prot.*, 94, pp.159–171.

Zhou, Y., Yang, D., Chen, X., Xu, Q., Lu, F., dan Nie, J., 2008, Electrospun Water-Soluble Carboxyethyl Chitosan / Poly (vinyl alcohol) Nanofibrous Membrane as Potential Wound Dressing for Skin Regeneration Electrospun Water-Soluble Carboxyethyl Chitosan / Poly (vinyl alcohol) Nanofibrous Membrane as Potential Woun., pp.349–354.