

DAFTAR PUSTAKA

- Aisyah, S.I. 2007. Induksi kalus embriogenik pada kultur *in vitro* jagung (*Zea mays* L.) dalam rangka peningkatan keragaman genetik melalui variasi somaklonal. *Jurnal Ilmu-ilmu Pertanian Indonesia. Edisi Khusus, Vol.4(3): 344 – 350*
- Alitalia, Yayu. 2008. *Pengaruh Pemberian BAP Dan NAA Terhadap Pertumbuhan Dan Perkembangan Tunas Mikro Kantong Semar (Nepenthes Mirabilis) Secara In Vitro*. Skripsi. Program Studi Hortikultura Fakultas Pertanian Institut Pertanian, Bogor.
- Andaryani. 2010. *Kajian Penggunaan Berbagai Konsentrasi BAP dan 2,4-D terhadap Induksi Kalus Jarak Pagar (Jatropha curcas L.) secara In Vitro*. Surakarta: Universitas Sebelas Maret.
- Aman, N., Hadi, F., Khalil, S. A., Zamir, R., dan Ahmad, N. 2013. Efficient regeneration for enhanced steviol glycosides production in *Stevia rebaudiana* (Bertoni). *Comptes Rendus Biologies 336 (2013) 486–492*
- Atmawinata, O., Darmoko, T. M., dan Soekarto. 1984. Tingkat Manisnya Gula *Stevia* Terhadap Sukrosa. *Menara Perkebunan 14 (2): 52-56*.
- Atmoko, M. A. B. 2001. Pemberian Gambut Rawa Pening pada Tanah Latosol untuk Meningkatkan Pertumbuhan dan Kandungan Gula pada Tanaman *Stevia (Stevia rebaudiana Bertoni M)*. Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor, Bogor.
- Bhojwani, S.S dan Razdan M. K., 1983. *Plant Tissue Culture : Theory and Practice*. New York. pp. 21-45
- Brahmachari, G., Mandal, L. C., Roy, R., Mondal, S. dan Brahmachari, A. K. 2011. Stevioside and Related Compounds – Molecules of Pharmaceutical Promise: A Critical Review. *Arch. Pharm. Chem. Life Sci.*, 1 : 5 – 19.
- Brandle, J. E. and Telmer, P. G. 2007. Steviol Glycoside Biosynthesis. *Phytochemistry*, 68 : 1855 – 1863.
- Darmoko dan Atmawinata, O. 1984. Ekstraksi Gula *Stevia*. *Menara Perkebunan 52 (6a): 234-236*.
- Das, K., Dang, R. dan Rajasekharan, P. E. 2006. Establishment and Maintenance of Callus of *Stevia rebaudiana Bertoni* Under Aseptic Environment. *Natural Product Radiance*, 5(5) : 373 – 376.

- Darise, M., Kohda, H., Mizutani, K., Kasai, R. and Tanaka, O.Can. 1983. Chemical constituents of flowers of *Stevia rebaudiana* Bertoni. *Agric. Biol. Chem.* 47: 133–135.
- Darnell, J., H. Lodish and H. Baltimore. 1986. *Molecular Cell Biology*. Scientific American Books, Inc. New York. Pp: 16-20
- Davies, PJ. 1987. *Plant Hormones*. Kluwer Academic Publisher. Dordrecht.
- Dodds, H.J and L.W., Robetrs, 1983. *Experiments in Plant Tissue Culture*. Cambridge Univ.Press. Cambridge. Hal. 232
- Dunstan, D.I. and K.C. Short. 1977. Improved growth of tissue cultures of the onion. *Allium cepa*. *Physiol. Plant.* 41:70-72.
- Erwin, Noor, A., Soekamto, N. H., et al. 2009. 6,6-Dimethoxy-4,4-Dihydroxy 3,2-Furano-Isosoflavane, A New Compound From *Melochia umbellata* (Houtt) Stapf Var. *Degrabrata* K. (Paliasa). *Indonesian Journal of Chemistry* 10(2): 215-218
- Epstein, E. 1971. *Mineral Nutrition of Plants, Principles and Prespectives*. John Wiley and Sons Inc., NewYork 11:482–485
- Fatmawati, A. 2008. *Kajian konsentrasi BAP dan 2,4-D terhadap induksi kalus tanaman Artemisia annua L. Secara in vitro*. Skripsi Fakultas Pertanian UNS . Surakarta.
- Fujita, H., dan Edahira. 1979. Safety utilization of *Stevia* sweetener. *The Food Industry*,; 82: 65-72.
- Gardner, F. P., R. B. Pearnce and R.L. Mitchell. 1991. *Fisiologi Tanaman Budidaya* (diterjemahkan oleh Herawati Susilo). Universitas Indonesia Press. Jakarta. Hal: 242, 329
- Geuns, J. M. C. 2003. Molecules of Interest Stevioside. *Phytochemistry*, 64 : 913 – 921.
- Geuns, J. M. C. 2008. Stevioside : A Safe Sweetener and Possible New Drug for The Treatment of The Metabolic Syndrome. In : Weerasinghe, D. K. and Dubois, G. *American Chemical Society Symposium Series 979*. p. 597
- George, E.F dan Sherrington, P. D. 1984. *Plant Propagation by Tissue Culture*, Exegetics Ltd, England. Pp. 3, 17,228,119.

- Gunawan,L. W. 1988. *Teknik Kultur Jaringan Tumbuhan*. Laboratorium Kultur Jaringan Tumbuhan. Pusat Antar Universitas (PAU), Institut Pertanian Bogor. Bogor. Hal. 304
- Greulach, V.A. 1973. *Plant Function And Structure*. Macmillan publishing Co., Inc. New York. pp:138
- Gupta, P., Sharma, S. dan Saxena, S. 2010. Callusing in *Stevia rebaudiana* (Natural Sweetener) for Steviol Glycoside Production. *Int. Journal. Agro. Biol.*, 1(1) : 30 – 34.
- Halperin, W. 1978. Alternative morphogenic events in cell suspensions. *Am. J. Bot.* 53:443-453.
- Hartman, H. T., Kester, D. E. dan Davis, F. T. 1990. *Plant Propagation : Principles and Practices*. Prentice Hall International Inc. New Jersey.
- Haryati, S. K., Yulita N, & Nintya S. 2010. Induksi Kalus dari Hipokotil Alfalfal (*Medicago sativa* L.) Secara *In Vitro* dengan Penambahan *Benzyl Amino Purine* (BAP) dan *a-Naphtalene Acetic Acid*. *BIOMA* 12(1): 6-12.
- Hendaryono dan Daisy, P. S. 2007. *Anggrek Dalam Botol*. Yogyakarta : Kanisius
- Herbert, R. B. 1995. *Biosintesis Metabolisme Sekunder*. Edisi Kedua. School of Chemistry, New York.
- Hermawan, T., dan B. Ismail. 2009. *Penggunaan Kombinasi Auksi dan Sitokinin untuk Menginduksi Tunas pada Kultur Jaringan Sengon (Falcataria moluccana) Menggunakan Bagian Kotiledon*. Jurnal Pemuliaan Tanaman Hutan. Vol 3 no 1, Juli hal 23-31.
- Indrianto, Ari. *Bahan Ajar Kultur Jaringan Tumbuhan*. Yogyakarta: Fakultas Biologi UGM
- Janarthanam, B., M. Gopalakrishnan dan T. Sekar. 2010. Secondary Metabolite Production in Callus Culture of *Stevia rebaudiana* Bertoni. *Bangladesh Journal of Scientific and Industrial Researc.* 45(3): 243-248
- J. van Overbeek. 1966. Plant Hormones and Regulators. *Science* (6): 721-731
- Karjadi dan Buchory. 2007. Pengaruh NAA dan BAP Terhadap Pertumbuhan Jaringan Meristem Bawang Putih Pada Media B5. *Jurnal Hort* 17(3):217-223
- Kennely, E. J. 2002. Sweet and Non-sweet constituents of *Stevia rebaudiana*. In: Kinghorn, A. D. (ed.). *Stevia*. Taylor and Francis, London.

- Khan, S. A., Rahman, L. U., Shanker, K., dan Singh, M. 2014. Agrobacterium Tumefaciens-Mediated Transgenic Plant And Somaclone Production Through Direct And Indirect Regeneration From Leaves In *Stevia Rebaudiana* With Their Glycoside profile. *Protoplasma*. 251:661–670
- Kinghorn, A. D., dan Soejarto, D. D. 1985. Stevioside. eds. L. O. Nabos dan R. C. Gelardi. *Alternative Sweeteners*. 157 – 171. Marcel Dekker Inc, New York.
- Krikorian, A.D. 1995. *Hormones In Tissue Culture and Micropropagation*. Kluwer Academic Publishers 1995: 774-796.
- Lutony, T. L. 1993. *Tanaman Sumber Pemanis*. Penebar Swadaya, Jakarta.
- Madan S., Ahmad S., Singh G.N., Kohli K.,Kumar Y., Singh R. and Garg M. (2010). *Stevia rebaudiana* (Bert.) - A review. *Ind. J. Nat. Prod. Res.* 1: 267-286.
- Mariska, I. 1995. The growth of culture of purwoceng on several basal media. *In Proceeding of Congress of National Science VI*. September 11-15th, Jakarta. p. 250-256
- Marlin. 2005. *Regenerasi In vitro Planlet Jahe Bebas Penyakit Layu Bakteri pada Beberapa Taraf Konsentrasi 6-Benzil Amino Purine (BAP) dan 1-Naphtalene Acetic Acid (NAA)*. *Jurnal Ilmu-Ilmu Pertanian Indonesia* 7 (1): 8-14.
- Modi, A. R., Shukla, Y. M., Litoriya, N. S., Patel, N. J. dan Narayan, S. 2011. Effect of Gibberellic Acid Foliar Spray on Growth Parameters and Stevioside Content of Ex Vitro Grown Plants of *Stevia rebaudiana* Bertoni. *Medicinal Plants*, 3(2) : 157 – 160.
- Moncalean, P., P. Alonso, M.L. Centeno, M. Cortizo, A. Rodríguez, B. Fernández and R.J. Ordás. 2005. Organogenic responses of *Pinus pinea* cotyledons to hormonal treatments: BA metabolism and cytokinin content. *Tree Physiol.* 25:1–9.
- Narayanaswamy, S. 1994. *Plant Cell and Tissue Culture*. Tata McGraw-Hill publishing Company, New Delhi. pp 3-6
- Naeem N, Ishtiaq M, Khan P, Mohammad N (2001). *Effect Of Gibberellic Acid On Growth And Yield Of Tomato*. *Journal Biology Science* vol (1): 448-450
- Nugroho, A. dan Sugito, Heru. 2005. *Pedoman Pelaksanaan Teknik Kultur Jaringan*. Jakarta : Penebar swadaya

- Osbourn, A. E. and Lanzotti, V. 2009. *Plant-derived Natural Products: Synthesis, Function, and Application*. Springer, New York.
- Overbeek J. Van. 1966. *Plant hormones and regulators*. Science 152, 721-731.
- Pandiangan, W. Tilaar, N. Nainggolan, L. Wahyudi (2011) *Relations between Catharanthine Content Enhancement with the Other Associated Secondary Metabolites in Catharanthus Roseus Cell Culture that Treated Tryptophan*. International Journal of Science and Research (IJSR)
- Pierik, R. L. M., 1987. In *Vitro Culture of Higher Plants*. Martinus Nijhoff Publ. Dordrecht, Boston, Lancaters
- Radzan, M.K. 2003. *Introduction to Plant Tissue Culture*. Science Publisher, Inc., Enfield, USA.
- Rahayu, B., Solichatun, dan Anggarwulan, E. 2003. Pengaruh Asam 2,4-Diklorofenoksiasetat (2,4-D) Terhadap Pembentukan dan Pertumbuhan Kalus Serta Kandungan Flavonoid Kultur Kalus *Acalypha indica* L. *Biofrms*. 1(1):1-6.
- Rohmah. (2007). *Penggunaan BAP dan 2,4-D dalam Kultur in vitro Ilesiles (Amorphophallus muelleri Blume.)* Bogor: Institut Pertanian Bogor
- Rukmana, R. 2003. *Budidaya Stevia Bahan Pembuatan Pemanis Alami*. Kanisius, Yogyakarta.
- Salisbury, F. B. dan Ross, C. W. 1995. *Fisiologi Tumbuhan Jilid 3*. Bandung: Penerbit ITB.
- Santoso, U. dan Nursandi. 2002. *Kultur Jaringan Tanaman*. UMM Press, Malang.
- Sivaram, L. and Mukundan, U. 2003. In Vitro Culture Studies on *Stevia rebaudiana*. *In Vitro Cell. Dev. Biol. Plant*, 39 : 520 – 523.
- Shirwaikar, A., Vinit Parmar, Jay Bhagat and Saleemulla Khan. 2011. Identification and estimation of stevioside in the commercial samples of stevia leaf and powder by HPTLC and HPLC. *International Journal Of Pharmacy & Life Sciences*
- Staden, J. V., Zazimalova, E. and George, E. F. 2008. Plant Growth Regulators II :Cytokinins, their Analogues and Antagonists. In : George, E. F., Hall, M. A.and de Klerk, G-J. (eds.). *Plant Propagation by Tissue Culture*. Third Edition Volume 1, p. 65.

- Springer, Dordrecht, The Netherland. Sudarmadji. 2003. Penggunaan Benzil Amino Purine pada Pertumbuhan Kalus Kapas secara In Vitro. *Buletin Teknik Pertanian*, 8(1) : 8 – 10.
- Sutjahjo, S.H. 1994. *Induksi keragaman somaklon ke arah ketenggangan terhadap keracunan aluminium pada tanaman jagung*. Disertasi Program Pascasarjana, Institut Pertanian Bogor.
- Sudarmadji. 2003. Penggunaan Benzil Amino Purine pada Pertumbuhan Kalus Kapas secara In Vitro. *Buletin Teknik Pertanian*, 8(1) : 8 – 10.
- Sukmadjaja, D. 2005. Embriogenesis Somatik Langsung Pada Tanaman Cendana. *Jurnal Bioteknologi Pertanian*. Vol. 10 (1): 1-6
- Swanson, S. M., Mahady, G. B. and Beecher, C. W. W. 1992. Stevioside biosynthesis by callus, root, shoot and rooted-shoot culture in vitro. *Plant Cell, Tissue and Organ Culture*, 28 : 151 – 157.
- Taiz L dan Zeigler. 2002. *Plant Physiology*. Third edition. USA: Sinauer
- Tjasadihardja, A. 1982. *Stevia rebaudiana* Bertoni M. Sumber daya Pemanis Alami. *Temu Karya GPP Jabar*. Cabang Cianjur di BPP Bogor.
- Thorpe, T.A. 1987. Micropropagation of softwood and hard woods. Proceeding of the Seminar on Tissue Culture of Forest Species. Kualalumpur, 15-18 Juni.
- Uddin, M. S., Chowdhury, M. S. H., Khan, M. M. M. H., Uddin, M. B., Ahmed, R. and Baten, M. A. 2006. In vitro Propagation of *Stevia rebaudiana* Bert in Bangladesh. *African Journal Biotechnology*, 5(13) : 1238 – 1240.
- Weaver, J.R. (1972). *Plant Growth in Agriculture*. University of California. San Frasco. 594 p.
- Wardani, Solichatun dan A.D. Setyawan. 2004. Pertumbuhan dan Produksi Saponin Kultur Kalus *Talinum paniculatum* Gaertn. Pada Variasi Penambahan Asam 2,4-Diklorofenoksi Asetat (2,4-D) dan Kinetin. *Biofarmasi*. Vol. 2, No. 1: 35-43.
- Wattimena, G. A. 1988. *Zat Pengatur Tumbuh*. PAU. IPB. Bogor\
- Yadav, A. K., Singh, S., Dhyani, D. and Ahuja, P. S. 2011. A Review on The Improvement of *Stevia* (*Stevia rebaudiana* Bertoni). *Can. Journal plant Science*. 91:1-27

Zulkarnain, H. 2009. *Kultur Jaringan Tanaman : Solusi Perbanyak Tanaman
Budi Daya*. PT Bumi Aksara, Jakarta.