

DAFTAR PUSTAKA

- Al-Yaari, M., Hussein, I.A., Al-Sarkhi, A., Abbad, M., dan Chang, F., 2015, “Effect of Water Salinity on Surfactant-Stabilized Water-Oil Emulsions Flow Characteristics”, *Experimental Thermal and Fluid Science*, Vol.64, pp. 54-61.
- Amin, N.K., 2008, “Removal of reactive dye from aqueous solutions by adsorption onto activated carbons prepared from sugarcane bagasse pith”, *Desalination*, Vol. 223, pp. 152-161.
- APKI, 2012, “Produksi Kulit dalam Negeri”, diakses dari www.indonesiantaners.com/index.php?Itemid=190 pada 16 Januari 2015.
- Bera, A., Kumar, T., Ojha, K., dan Manda, A., 2013, “Adsorption of surfactants on sand surface in enhanced oil recovery: Isotherms, kinetics and thermodynamic studies”, *Applied Surface Science*, Vol. 284, pp. 87-99.
- Binner, E.R., Robinson, J.P., Silvester, S.A., Kingman, S.W., Lester, E.H., 2014, “Investigation into the Mechanisms by which Microwave Heating Enhances Separation of Water-in-Oil-Emulsions”, *Fuel*, Vol. 116, pp. 516-521.
- Castellan, G. W., 1985, “Physical Chemistry”, 2ed, Addison Wesley Publishing Company, Massachusetts.
- Chronska, K., dan Przepiorkowska, A., 2008, “Buffing dust as a filler of carboxylated butadiene-acrylonitrile rubber and butadiene-acrylonitrile rubber”, *Journal of Hazardous Materials*, Vol. 151, pp. 348-355.

Dehghan, A.A., Masihi, M., dan Ayatollahi, Sh., 2015, "Phase behavior and interfacial tension evaluation of a newly designed surfactant on heavy oil displacement efficiency; effects of salinity, wettability, and capillary pressure", Fluid Phase Equilibria, Vol. 396, pp. 20-27.

Do, D. D., 1998, "Adsorption analysis : Equilibria and Kinetics", Imperial College, London.

Fakhrudin., 2004, "Dampak Tumpahan Minyak Pada Biota Laut", diakses dari <https://avievarifian.wordpress.com/2014/06/10/dampak-pencemaran-air-laut-akibat-tumpahan-minyak/> pada 7 November 2014.

Franco, C.A., Nassar, N.N., dan Cortes, F.B., 2014, "Removal of oil from oil-in-saltwater emulsions by adsorption onto nano-alumina functionalized with petroleum vacuum residue", Journal of Colloid and Interface Science, Vol. 433, pp. 58-67.

Gammoun, G., Soufiane, T., Abderrahman, A., Mohammed, A. dan Miguel, D.L.G., 2007, "Decontamination of Water Polluted with Oil Through The Use of Tanned Solid Wastes", Journal of Environmental Engineering and Science, Vol. 6, pp. 553-559.

Herbeck, E.F., Hernitz, R.C., dan Hastings, J.R., 1976, "Fundamental of Tertiary Oil Recovery", Petroleum Engineer, pp. 33-46.

ICI Americas, 1980, "HLB System – A Time Saving Guard to Emulsifier Selection", ICI Americas Inc.

Ita, M., 2015, "Minyak", diakses dari <http://www.academia.edu/6836670/Minyak> pada 15 Januari 2015.

- Jintao, W., Yian, Z. dan Aiqin, W., 2013, "Investigation of Acetylated Kapok Fibers on The Sorption of Oil in Water", *Journal of Environmental Science*, Vol. 25, pp. 246-253.
- Kanagaraj, J., Velappan, K.C., Chandra, B.N.K. dan Sadulla, S., 2006, "Solid Wastes Generation in The Leather Industry and Its Utilization for Cleaner Environment", *Journal of Scientific and Industrial Research*, Vol. 65, pp. 541-548.
- Kanicky, J.R., Montilla, J.C.L, Pandey, S., dan Dinesh, O.S., 2001, "Handbook of Applied Surface and Colloid Chemistry", John Wiley & Sons Ltd., Florida.
- Kundu, P., Agrawal, A., Mateen, H., dan Mizhra, I.M., 2013, "Stability of Oil in Water Macroemulsion with Anionic Surfactant": Effect of Electrolyte and Temperature", *Chemical Engineering Science*, Vol. 102, pp. 176-185.
- Lake, L.W., 1989, "Enhanced Oil Recovery", pp. 9-356, Prentice Hall, Englewood Cliffs, New Jersey.
- Lata, H., Garg, V.K., dan Gupta, R.K., 2008, "Adsorptive removal of basic dye by chemically activated Parthenium biomass: equilibrium and kinetic modeling", *Desalination*, Vol. 219, pp. 250-261.
- McCabe, W. L., Smith, J. C., Harriot, P., 1999, "Unit Operations of Chemical Engineering", 5ed., McGraw-Hill Inc., New York.
- Pra Mauro, E., Pelezetti, E., 1996, "Surfactant in Analytical Chemistry: Application of Organized Amphiphilic Media", Elsevier Science, Amsterdam.

- Prendergast, D.P. dan Philip, M.G., 2014, "Assessing the performance and cost of oil spill remediation technologies", *Journal of Cleaner Production*, Vol. 78, pp. 233-242.
- Riki, S., 2013, "Metode Penanggulangan Tumpahan Minyak", diakses dari <http://navale-engineering.blogspot.com/2012/02/1-metode-penanggulangan-tumpahan-minyak.html> pada 16 Januari 2015.
- Park, S., Euy, S.L., Sulaiman, W.R.W., 2015, "Adsorption behaviors of Surfactant for Chemical Flooding in Enhanced Oil Recovery", *Journal of Industrial and Engineering Chemistry*, Vol. 21, pp. 1239-1245.
- Salager, J.L., 2002, "Booklet: Surfactants Types and Uses", De Los ANDES University, Venezuela.
- Schulz, E.N., Ambrusi, R.E., Miraglia, D.B., Schulz, E.P., Garcia, S.G., Rodriguez, J.L., dan Schulz, P.C., 2015, "Evaluation of Oil-in-Water Emulsions With Cationic–Anionic Surfactants Mixtures for Potential Use in the Oil Industry", *Physicochem. Eng. Aspects*, Vol. 490, pp. 145-154.
- Sekaran, G., Shanmugasundaram, K.A. dan Mariappan, M., 1998, "Characterization and Utilisation of Buffing Dust Generated by The Leather Industry", *Journal of Hazardous Materials*, Vol. 63, pp. 53-68.
- Swarnalatha, S., Srinivasulu, S., Srimurali, M. dan Sekaran, G., 2008, "Safe Disposal of Toxic Chrome Buffing Dust Generated from Leather Industries", *Journal of Hazardous Materials*, Vol. 150, pp. 290-299.

Tan, I.A.W., Ahmad, A.L., dan Hameed, B.H., 2008, “Adsorption of basic dye using activated carbon prepared from oil palm shell: batch and fixed bed studies”, *Desalination*, Vol. 225, pp. 13-28.

Treybal, R. E., 1981, “Mass Transfer Operations”, 3ed, Mc Graw-Hill co., New York.

Wang, D., Elisabeth, M., Robert, P., dan Lin, Y.S., 2012, “Adsorption of Oils from Pure Liquid and Oil-Water Emulsion on Hydrophobic Silica Aerogels”, *Journal of Separation and Purification Technology*, Vol. 99, pp. 28-35.

www.petrowiki.org/Stability_of_oil_emulsions, diakses pada 8 Juli 2015.

www.wikipedia.org/wiki/Sodium_laureth_sulfate, diakses pada 8 Juli 2015.