

DAFTAR PUSTAKA

- Anonim. 2006. *Invasive Species: Invasive Species Advisory Committee*. <http://invasivespeciesinfo.gov/advisory.shtml>. Diakses tanggal 4 November 2013.
- Anonim. 2012. The Greenhouse Effect. <http://www.weather-climate.org.uk/15.php>. Diakses tanggal 24 Februari 2015.
- Abdulrahman, A. A and Oladele, F. A. 2003. Stomatal complex types, stomatal sizes, density and index in some vegetable species in Nigeria. *Nigerrian Journal of Botany* 16: 144-160.
- Alhamd, L. 2012. *Karbon Sekuestrasi dan Stoknya dari Perkebunan Kelapa Sawit untuk menunjang perubahan iklim, Kalimantan Tengah*. http://pkpp.ristek.go.id/_assets/upload/feval/I_1_Presentasi_Evaluasi.pdf. Diakses tanggal 11 Juli 2014.
- Backer, C.A. and Bakhuizen Van Den Brink, R. C. 1980. *Flora of Java*. Springer.
- Barbour, M.G., Burk, I. & Pitts, W. D. 1987. *Terrestrial Plant Ecology*. Second Edition. California: The Benjamin/Cummings Publishing Company, Inc. pp: 356-366.
- Benton, A. H. and Werner, W. E. Jr. 1976. *Field Biology and Ecology*. T H M Edition. Tata McGraw-Hill Publishing Company Limited. New Delhi.
- Bateman, I. J. dan Lovett, A.A. 2000. Estimating and valuing the carbon sequestered in softwood and hardwood trees, timber products and forest soils in Wales. *Journal of Environmental Management* 60: 301-323.
- Bertrand, R., Lenoir, J., Piedallu, C., Riofrío-Dillon, G., de Ruffray, P., Vidal, C., Pierrat, J-C. and Ge'gout, J-C. 2011. Changes in plant community composition lag behind climate warming in lowland forests. *Nature* 478: 517-520.
- Bidwell, R.G.S. 1979. *Plant Physiology* 2nd Edition. MacMillan Publishing Co., Inc. New York. Pp 660-677.
- Blanco, F.F. and Folegatti, M.V. 2003. A new method for estimating the leaf area index of cucumber and tomato plants. *Horticultura Brasileira* 21: 666-669.

- Cannell, M.G.R. 2003. Carbon sequestration and biomass energy offset: theoretical, potential and achievable capacities globally, in Europe and the UK. *Biomass and Bioenergy* 24: 97 – 116.
- Cairns, J. 1995. *Rehabilitating Damaged Ecosystem* 2nd edition. CRC Press. Florida. Pp: 110-140.
- Clark, D. B., Palmer, M. W. and Clark, D. A. 1999. Edhaptic factor and the landscape-scale distribution of tropical rain forest. *Ecology* 80: 2662-2675.
- Cornelissen, J.H.C., Castro Diez, P and Hunt, R. 1996. Seedling growth, allocation, and leaf attributes in a wide range of woody plant species and types. *J. Ecol.* 84: 755-765.
- Coronel, R.E. & Verheij, E.W.M. 1992. (Eds.): *Plant Resources of South-East Asia*. No. 2: Edible fruits and nuts. Prosea Foundation, Bogor, Indonesia.
- Csiszár, A. 2009. Allelopathic effects of invasive woody plant species in Hungary. *Acta Silv.Lign. Hung.* 5: 9-17.
- Dahlan, E. 2010. *Trembesi dahulunya asing namun sekarang tidak lagi*. Bogor. IPB Press.
- Dewwar, R. C dan Cannel, M.R. 1992. Carbon sequestration in the trees, products dan soils of forest plantations: an analysis using UK examples. *Tree Physiology* 11: 49-71.
- De Vries, W., Reinds, G.J., Gundersen, P and Sterba, H. 2006. The impact of nitrogen deposition on carbon sequestration in European forests and forest soils. *Global Change Biology* 12: 1151–1173.
- De Jong, B.H.J., Montoya-Gomez, G., Nelson, K. 1995. Community forest management and carbon sequestration: a feasibility study from Chiapas, Mexico. *INTERCIENCIA* 20: 409-416.
- Diaz, S., Grime, J.P., Harris, J and McPherson, E. 1993. Evidence of a feedback mechanism limiting plant response to elevated Carbon Dioxide. *Nature* 365: 616-617.
- Diaz, S., Hector, A., and Wardle, D.A. 2009. Biodiversity in forest carbon sequestration initiatives: not just a side benefit. *Current Opinion in Environmental Sustainability* 1: 55-60.

- Durr, P. A. 2001. The biology, ecology and agroforestry potential of the raintree *Samanea saman* (Jacq.) Merr. *Agroforestry System* 51: 223-237.
- Ekadinata, A dan Dewi S. 2012. Memperkirakan hilangnya cadangan karbon di atas permukaan tanah sebagai akibat dari penggunaan lahan dan perubahan penggunaan lahan di Indonesia (1990, 2000, 2005). Brief No 31. Bogor, Indonesia. World Agroforestry Centre - ICRAF, SEA Regional Office. 6p.
- Field, C.B., Boesch, D.F., Chapin III, F.S., Gleick, P.H., Janetos, A.C., Lubchenco, J., Overpeck, J.T., Parmesan, C., Root, T.L., and Running, S.W. 2009. *Ecological Impacts of Climate Change*. www.oceanservice.noaa.gov. Diakses tanggal 23 Januari 2014.
- Fitter, D.W., Martin, D.J., Copley, M.J., Scotland, R.W and Langdale, J.A. 2002. GLK gene pairs regulate chloroplast development in diverse plant species. *The Plant Journal* 31(6): 713-727.
- Gomez, K.A and Gomez, A.A. 2010. Prosedur Statistik untuk Penelitian Pertanian (Terj: Syamsuddin, E dan Baharsyah, J.S). Edisi kedua. UI-Press. Jakarta.
- Gordo, O. and Sanz, J.J. 2010. Impact of climate change on plant phenology in Mediterranean ecosystems. *Global Change Biology* 6: 1082–1106.
- Hairiah, K., Ekadinata, A., Sari, R.R., Rahayu, S. 2011. *Pengukuran Cadangan Karbon: dari tingkat lahan ke bentang lahan*. Petunjuk praktis. Edisi kedua. Bogor, World Agroforestry Centre, ICRAF SEA Regional Office, University of Brawijaya (UB), Malang, Indonesia xx p.
- Hairiah, K dan Rahayu, S. 2007. *Pengukuran Karbon Tersimpan di Berbagai Macam Penggunaan Lahan*. World Agroforestry Centre ICRAF Southeast Asia Regional Office Bogor.
- Heyne, K. 1988. *Tumbuhan Berguna Indonesia* Volume 3. Yayasan Sarana Wana Jaya. Hal: 1250-1260.
- Holdridge, L.R., Genkre, W.C., Hatheway, W.H., Liang, T., Tosi, J.A.Jr. 1971. *Forest environment in tropical life zone. A pilot study*. Pergamon Press.
- Hobbie, S. E. 1992. Effects of plant species on nutrient cycling. *Trends in Ecology and Evolution* 7: 336–339.
- Hopkins, W.G. 1995. *Introduction to Plant Physiology* 2nd edition. John Wiley & Sons, Inc. Pp: 255-265.

- Hunt, R. and Cornelissen, J.H.C. 1997. Components of relative growth rate and their interrelations in 59 temperate plant species. *New Phytol.* 135: 395-417.
- Imiliyana, A., Muryono, M., dan Purnobasuki, H.. 2012. *Estimasi stok karbon pada tegakan tumbuhan Rhizophora stylosadi Pantai Camplong, Sampang-Madura.* <http://digilib.its.ac.id/public/ITS-paper-22853-1508100020-Presentation.pdf>. Diakses tanggal 10 Juli 2014.
- Indrawan, M., Primack, R.B. dan Supriatna, J. 2007. *Biologi Konservasi*. Edisi Revisi. Yayasan Obor Indonesia. Jakarta. Pp: 10-12.
- IPCC, 2006. *IPCC Guidelines for national greenhouse gas inventories*. IPCC national greenhouse gas inventories programme. IGES. Japan.
- Islam, S.M., Hasanuzzaman, M., Rokonuzzaman, M., and Nahar, K. 2009. Effect of split application of nitrogen fertilizer on morphophysiological parameters of rice genotypes. *International Journal of Plant Production* 3(1): 51-60.
- IUCN, 2000. *IUCN Guidelines for the Prevention of Biodiversity Loss caused by Alien Invasive Species*. <http://www.intranet.iucn.org/webfiles/doc/sscwebsite>. Diakses tanggal 10 Mei 2014.
- Jacobson, M.Z. 2012. *Air Pollution and Global Warming: History, Science, and Solutions*. 2nd Edition. Cambridge University Press. PP: 45-68.
- Janzen, D. 1988. *Tropical dry forest, the most endangered major tropical ecosystem*. In. Wilson, E. O. Biodiversity. National Academy of Sciences/Smithsonian Institution. Washington DC.
- Jeki. 2013. *Analisis Toleransi Beberapa Varietas Padi Gogo pada Cekaman Kekeringan*. Tesis. Program Studi Agronomi. Fakultas Pertanian UGM. Yogyakarta.
- Jindal, R., Swallow, B and Kerr, J. 2008. Forestry-based carbon sequestration projects in Africa: Potential benefits and challenges. *Natural Resources Forum* 32: 116–130.
- Karl, T.R., Melillo, J.M. and Peterson, T.C. (eds.). 2009. *Global Climate Change Impacts in the United States*. Cambridge University Press. New York.
- Kenzo, T., Ichie, T., Watanabe, Y. and Hiromi, T. 2007. Ecological distribution of homobaric and heterobaric leaves in tree species of Malaysian lowland tropical rainforest. *American Journal of Botany* 94(5): 764–775.

- Lambers, H., Chapin, F.S. and Pons, T.L. 1998. *Plant Physiological Ecology*. Springer-Verlag. New York. Pp:299-322.
- Lack, A.J and Evans, D.E. 2001. *Instant Notes of Plant Biology*. BIOS Scientific Publishers Limited. Oxford.
- Lange, O.L., Mooney, H.A. and Remmert, H. 1995. *Tropical Forest: Management and Ecology*. Springer-Verlag. New York. Pp: 3-14.
- Lemmens, R.H.M.J. 2005. *Heritiera littoralis* Aiton. In: Louppe, D., Oteng-Amoako, A.A. & Brink, M. (Editors). Prota 7(1): Timbers/Bois d'œuvre 1. [CD-Rom]. PROTA, Wageningen, Netherlands.
- Lemmens, R.H.M.J., Soerianegara, I., Wiselius, S.I. & Baas, P., 1993. *Heritiera Aiton*. In: Soerianegara, I. & Lemmens, R.H.M.J. (Editors). *Plant Resources of South-East Asia* No 5(1). Timber trees: Major commercial timbers. Pudoc Scientific Publishers, Wageningen, Netherlands. pp. 230–238.
- Leopold, A.C. and Kreidemann, P.E. 1975. *Plant Growth and Development*. Second edition. Tata McGraw-Hill Publishing Company Ltd. P: 77-90.
- LI-COR Biosciences. 2013. *LI-6400XT System, Photosynthesis, Fluorescence, Respiration*. www.licor.com/6400XT. Diakses tanggal 24 Agustus 2014.
- Lugo, A. E. 1992. Comparison of tropical tree plantations with secondary forests of similar age. *Ecological Monographs* 62: 1–41.
- McMullen, C.P and J. Jabbour. 2009. *Climate Change, Science Compendium (UNEP)*. www.unep.org/pdf/ccScienceCompendium2009/cc_ScienceCompendium2009_full_en.pdf. Diakses tanggal 7 April 2014.
- Murphy, P.G. and Lugo, A.E. 1986. Ecology of tropical dry forest. *Annual Review of Ecology and Systematics* 17: 67-88.
- Nair, P.K.R., Kumar, B.M. and Nair, V.D. 2009. Agroforestry as a strategy for carbon sequestration. *J. Plant Nutr. Soil. Sci.* 172: 10-23.
- National Research Council, 2012. *Climate Change, Evidence, Impacts dan Choices*. www.national-academics.org. Diakses tanggal 8 Februari 2014.
- Nadrowsky, K., Wirth, C., and Scherer-Lorenzen, M. 2010. Is forest diversity driving ecosystem function and service?. *Curr Opin Environ Sustain* 2: 75-79.

- Nowak, D.J. and Crane, D.E. 2002. Carbon storage and sequestration by urban trees in the USA. *Environmental Pollution* 116: 381–389.
- Nelson, D.L and Cox, M.M. 2004. *Lehninger Principles of Biochemistry* Fourth Edition. www.whfreeman.com/lehninger4e. Diakses tanggal 7 Oktober 2013.
- Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., and Anthony, S. 2009. *Agroforestry Database: a tree reference and selection guide*, version 4.0. <http://www.worldagroforestry.org/sites/treedbs/treedatabases.asp>.
- Pandey, S.N and Sinha, B.K. 2009. *Plant Physiology*, 4th edition. Vikas Publishing House. P: 220-235.
- Poorter, H. and Remkes, C. 1990. Leaf area ratio and net assimilation rate of 24 wild species differing in relative growth rate. *Oecologia* 83: 553-559.
- Pramudji, W.R. 2011. *Potensi serapan karbon pada tegakan Akasia*. <http://dosen.narotama.ac.id/wp-content/uploads/2012/03/Potensi-serapan-karbon-pada-tegakan-akasia.pdf>. Diakses tanggal 7 Juli 2014.
- Pugnaire, I.F. and Valladares, F. 1999. *Handbook of Functional Plant Ecology*. Marcel Dekker, Inc. New York. Pp: 81-121.
- Redondo-Brenes, A., and Montagnini, F. 2006. Growth, productivity, aboveground biomass, and carbon sequestration of pure and mixed native tree plantations in the Caribbean lowlands of Costa Rica. *Forest Ecology and Management* 232: 168–178.
- Reich, P.B., Walters, M.B., Tjoelker, M.G., Vanderklein, D and Buschena, C. 1998. Photosynthesis and respiration rates depend on leaf and root morphology and nitrogen concentration in nine boreal tree species differing in relative growth rate. *Functional Ecology*. 12: 395–405.
- Reitze, A.W.Jr. 2001. *Air Pollution Control Law: Compliance and Enforcement*. Environmental Law Institute. Washington. Pp: 409-450.
- Royer, D.L. 2001. Stomatal density and stomatal index as indicators of paleoatmospheric CO₂ concentration. *Review of Palaeobotany and Palynology* 114: 1-28.
- Sasidharan, N. 2013. *Schleichera oleosa*. India Biodiversity Portal. <http://indiabiodiversity.org/species/show/31755>. Diakses tanggal 27 Juni 2015.

- Scheiter, S. dan Higgins S.I. 2009. Impacts of climate change on the vegetation of Africa: an adaptive dynamic vegetation modelling approach. *Global Change Biology* 15: 2224–2246.
- Sikarwar, R.L.S. 2002. Mahua [*Madhuca longifolia* (Koen) MacBride]- A paradise tree for the tribals of Madhya Pradesh. *Indian Journal of Traditional Knowledge* 1(1): 87-92.
- Silver, W.L., Kueppers, L.M., Lugo, L.A.E., Ostertag, R. and Matzek, V. 2004. Carbon sequestration and plant community dynamics following reforestation of tropical pasture. *Ecological Applications* 14(4): 1115–1127.
- Shipley, B. 2006. Net assimilation rate, specific leaf area and leaf mass ratio: which is most closely correlated with relative growth rate? A meta-analysis. *Functional Ecology* 20: 565–574.
- Shu-Kang, L., Gilbert, M. G., and White, F. 1996. Ebenaceae. *Flora of China* 15: 215-234.
- Sirait, J. 2008. Leaf area, chlorophyll content, and relative growth rate of grass on different shading and fertilization. *JITV* 13(2): 109-116.
- Siregar, C.A. dan Dharmawan, I.W.S. 2011. Stok karbon tegakan hutan alam Dipterokarpa di PT. Sarpatim, Kalimantan Tengah. *Jurnal Penelitian Hutan dan Konservasi Alam* 8(4): 337-348.
- Slik, J.W.F. 2005. Assessing tropical lowland forest disturbance using plant morphological and ecological attributes. *Forest Ecology and Management* 205: 241-250.
- Smith, D.L. and Watt, W.M. 1986. Distribution of lithocysts, trichomes, hydathodes and stomata in leaves of *Pilea cadieri* Gagnep. & Guill. (Urticaceae). *Ann Bot* 58 (2): 155-166.
- Sodhi, N.S. dan Ehrlich, P.R. 2010. *Conservation Biology for All*. Oxford University Press. New York. Pp: 131-143.
- Solís, S.M. and Ferrucci, M.S. 2006. Comparative leaf morpho-anatomical studies of two south american species of cardiospermum (Sapindaceae) with special reference to adaxial domatia. *BLUMEA* 51: 153–164.
- Stiles, W. 2006. *Principles of Plant Physiology*. Discovery Publishing House. P: 102-138.

- Suprpto, S. J. 2012. *Tinjauan reklamasi lahan bekas tambang dan aspek konservasi bahan galian*.
http://psdg.bgl.esdm.go.id/buletin_pdf_file/.pdf. Diakses tanggal 9 Desember 2013.
- UNFCCC. 2007. *Impacts, vulnerabilities and adaptation in developing countries*.
Climate Change Secretariat-UNFCCC. Bonn. P: 1-68.
- Walmsley, D. 2010. *Climate change and its effect to human, state of the gulf of maine report*. www.gulfofmaine.org/. Diakses tanggal 3 Juli 2014.
- Wang, D., Bormann, F.H., Lugo, A.I.E., and Bowden, R.D. 1991. Comparison of nutrient-use efficiency and biomass production in five tropical tree taxa. *Forest Ecology and Management* 46: 1-12.
- Waters, M.T., Wang, P., Korkaric, M., Capper, R.G., Saunders, N.J. and Langdale, J.A. 2009. GLK transcription factors coordinate expression of the photosynthetic apparatus in Arabidopsis. *The Plant Cell* (21) 1109–1128.
- Whitten, A.J., Mustafa, M. dan Henderson, G.S. 1987. *Ekologi Sulawesi*. Gadjah Mada University Press. P: 366-538.