UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aarti P.D., R. Tanaka and A. Tanaka. 2006. Effects of Oxidative Stress on Chlorophyll Biosynthesis in Cucumber (*Cucumis sativus*) Cotyledons. *Physiologia Plantarum* 128 : 186 – 197.

Abenavoli, M.R., A. Lupini, S.Oliva and A. Sorgona. 2010. Allelochemical Effects on Nitrate Uptake and Plasma Membrane H+-ATPase Activity in Maize Seedling. *Biologia Plantarum*. 54 : 149-153.

Agarwal, S., R. K. Sairan, G.C. Srivastava, A. Tyagi and R. C. Meena. 2005. Role of ABA, Salicylic Acid, Calcium and Hidrogen Peroxide on Antioxidant Enzymes Induction in Wheat Seedling. *Plant Science*. 169 : 559 – 570.

Akinson, N.J. and P. E. Urwin. 2012. The Interaction of Plant Biotic and Abiotic Stresses : From Genes to The Field. *Journal of Experimntal Botany.* 63 : 3523-3543.

Anjum, S. A., X .Y. Xie, L. C. Wang, M. F. Saleem. 2011. Morphological, Physiological and Biochemical Responses of Plant to Drought Stress. *African Journal of Agricultural Research*. 6 : 2026 - 2032

Alexieva, V., S. Ivanov, I. Sergiev and E. Karanov. 2003. Interaction Between Stresses. *Bulgarian Journal of Plant Physiol*ogy. Special Issue.: 1-17.

Anonymous. 2009. *Petunjuk Teknis Pengelolaan Tanaman dan Sumberdaya Terpadu (PTT) Kedelai.* Balai Pengkajian Teknologi Pertanian (BPTP). Jawa Barat.

Anonymous, (2012). Pedoman Teknis Pengendalian Produksi Tanaman Kedelai. Direktoral Jendral Tanaman Pangan. Kementerian Pertanian. Republik Indonesia.

Apel, K. and H. Hirt. 2004. Reactive Oxygene Species : Metabolism, Oxidative Stress and Signal Transduction. *Annual Review of Plant Biology* 55 : 373-399.

Atman, 2006. Pengelolaan Tanaman Kedelai di Lahan Kering Asam. *Jurnal Ilmiah Tambua.* 3 : 281-287.

Arora, A., R.K. Sairam and G.C.Srivastava. 2002. Oxidative Stress and Antioxidative System in Plant. *Current Science*. 82 : 1227-1239.

Bates, L. S. 1973. Rapid determination of Free Prolin for Water Stress – Studies. *Plant and Soil.* 39 : 205 – 207.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Batish, D.R., K. Lavanya, H.P. Singh and R.K. Kohli. 2007. Phenolic Allelochemicals Release by *Chenopodium murale* Affect The Growth, Nodulation and Macromolecule Content in Chickpea and Pea. *Journal of Plant growth Reguations*. 51:119-128.

Bellaloui, N. 2012. Soybean Seed Phenol, Lignin, Isoflavons and Sugars Composition Altered By Foliar Boron Application in Soybean Under Water Stress. *Food and Nutition Science*. 3 : 579-590.

Bettaieb. I., I.H. Sellami, S. Bourgou, F. Liman and B. Marzuk. 2011. Drough Effects on Polyphenol Composition and Antioxidan Activities in Aerial Parts of *Salvia offucunalis* L. *Acta Physiologiae Plantarum*. 33 : 1103-1111.

Bhattacharjee, S. 2005. Reactive Oxygen Species and Oxidative Burst : Role in Stress, Senescence and Signal Transduction in Plant. *Current Science*. 89 : 1113-1121.

Bogatek, R., A. Gniazdowska, W. Zakrewska, K. Orscz and S.W. Garwronski. 2006. Allelopathic Effect of Sunflower Extract on Mustard Seed Germination and Seedling Growth. *Biologia Plantarum*. 50 : 156-158.

Bogatek, R and A. Gniazdowska. 2007. ROS and Phytohormones in Plant-Plant Allelopathic Interaction. *Plant Signaling & Behavior*. 2 : 317-318.

Bouazizi, H., H. Jouili and E. E. Ferjani. 2007. Effects of Copper Excess on Growth, H_2O_2 Production and Peroxidase Activities in maize Seedling (*Zea mays* L.). *Pakistan Journal of Biological Science*. 10 : 751-756.

Bradford, M. M. 1976. A Rapid Sensitive Method for The Quantitation of Microgram Quantities of Protein Utilizing The Principle of Protein-Dye Binding. *Analytical Biochemistry*. 72 : 248 – 254.

Bubna, G.A., R.B. Lima, D.Y.L. Zanardo, W.D. Dos Santos, M.D.L.L. Ferrarese and O. Ferrarese-Filho. 2011. Exogenous Cafeic Acid Inhibits The Growth and Enhance The Lignifications of The Roots of Soybean (*Glycine max*). *J. Plant Physiology*. 168 : 1627-1633.

Budi, G..P. dan O.D. Hajoeningtijas. 2009. Kemampuan Kompetisi beberapa Varietas Kedelai (*Glycine max* L.) Terhadap Gulma Alang Alang (*Imperata cylindrical*) dan teki (*Cyperus rotundus* L.). *Jurrnal Litbang Provinsi Jawa Tengah*. 2 : 127-132.

Burg M.B. and J. D. Ferraris. 2008. Intercellular Organic Osmolytes :nFunction and Regulation. *Journal of Biological Chemistry*.283 : 7309-7313.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Chakraverty, S., K. Sharma, S. Kumar, N.K. Sand and P.B. Rao. 2005. Effects of T,ree Weed Extracts on Nutrient Uptake in Different Varieties of Wheat Through Radio-tracer Technique and Autoradiography. *Bulletin of the National Institute of Ecolog.y* 15 : 171-180.

Chakraborty U. and B. Pradan. 2012. Oxidative Stress in Wheat Varieties (*Triticum aestivum* L.) Exposed to Water Stres and Study of Their Antioxidant Enzyme Defense System, Water Stress Responsive Metabolites and H_2O_2 Accumulation. *Brazilian Journal Plant Physiology*. 24 : 117-130.

Chaniago, I, A. Taji and R. Jessop. 2003. Assesment of Allelopathic Interction Between Soybean (*Glycine max* L.) and *Amaranthus powellii* and *Cyperus rotundus* L. Using in Vitro System. *Procceding of the 11 th Australian Agronomy Conference*.

Chugh V., N. Kaur and A. K. Gubta. 2011. Evaluation of Oxidative Stress Tolerance in maize (*Zea mays* L.) Seedling in Respose to Drought. *Indian Journal of Biochemistry & Biophysics*. 48 : 47-53.

Chutipaijit, S., S. Cha-Um and K. Shompornpailin. 2009. Differential Acumulation of Prolin and Flavonoid in Indica Rice varietas Againts Salinity. *Pakistan Journal of Botany*. 41 : 5497-2506.

Claussen, W. 2005. Proline as Measure of stress in Tomato plants. *Plant Science* 168 : 241-248.

Cho, D., D. Shin. B.W. Jeon and J.M. Kwak. 2009. ROS-Mediated ABA Signaling. *Journal of Plant Biology* 52 : 102-113.

Cruz-Ortega, R., A. Lara-Nunez and A.L. Anoya. 2007. Allelochemical Stress Can Trigger Oxidative Damage in Receptor Plants. *Plant Signaling Behavior*. 2 : 269-270.

Darmanti, S., Santosa, K. Dewi and L. H. Nugroho. 2-13. Allelopathic Effect of *Cyperus rotundus* L. on Seed Germination and Initial Growth of *Glycine max* L. *Proceeding. The Third Basic Science International Conference*. pp. PSB02 1-7.

Dere, S., T. Gunes and R. Sivaci. 1998. Spectrophotometric Determination of Chlorophyll – A, B and Total Carotenoid Contents of Same Algae Species Using Different Solvents. *Turkish Journal of Botany*. 22 : 13-17.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

De Albuquerque, M.B., R.C. Dos Santos, L.K. Lima, P.A Melo Filho, R.J.M.C. Nuguera, C.A.G. Da Camara and A. R. Ramos. 2011. Allelopathy, an Alternative Tool to Improve Cropping Systems. A Review. *Agronomy for Sustainable Developman.t* 31: 379-395.

Ding, J. Y. Sun, C.L. Xiao, K. Shi. Y. H. Zhou and J.Q.Yu. 2007. Physiological Basis of Different Allelopathic Reaction of Cucumber and Figleaf Gourd Plants to Cinnamic acid. *Journal of Experimental Botany.* 58 : 3765-3773.

Doblinski, P. M. F., M. L. L. Ferrarese, A.A. Huber, C. A Scapim, A. L. Braccini and O. F. Filho. 2003. Peroxidase and Lipid Perokidase of Soybean in Respon to *p*-Coumaric and *p*-Hydroxibenzoic Acid. *Brazilian Arcchives of Biology and Technology.* 46 : 193-198.

Dong, X., H. Bi, G. Wu and X. Ai. 2013. Drought-Induced Chilling Tolerance in Cucumber Involves Membrane Stabilisation Improved by Antioxidant System. *International Journal of Plant production*. 7 : 67-79.

Edreva, A., V.Velikova, T. Tsonev, S. Dagnon, A. Gurel, I. Aktas and E. Gesheva. 2008. Stress-Protective Role of Secundary Metabolites : Diversity of Fuction and Mechanisms. *General and Applied Plant Physiology.* 34: 67-78.

Einhellig, F.A. 2004. *Mode of Allelochemical Action of Phenolic Compounds*. pp. 217-238. In F.A.Macias, J.C.G. Galindo, J.M.G. Molinillo and H.G. Cutler (Eds.). *Allelopathy : Chemistry and Mode of Action of Allelochemicals.* CRC Press, New York.

El-Afry, M.M., M.F. El-Nady, E.B. Abdelmonteleb and M.M.S. Metwaly. 2012. Anatomical Studies on Drought-Stress Wheat Plants (*Triticum aetivum* L.) Treated with Some Bacterial Strains. *Acta Biological Szegediensi.* 56 : 165-174.

El-Rokiek, K., S.A.S. El-Din and F.A.A. Sharara. 2010. Allelopathic Behavior of *Cyperus rutundus* L. on Both *Chorchorus olitorius* (Broad leaved weed) and *Echinochloa crus-galli* (Grassy weed) Associated with Soybean. *Journal of Plant Protection Research.* 50 : 274-279.

Farooq, M., M. Habib, A. U Rahman, A. Wahid and R. munir. 2011. Employing Aqueous Allelopathic Extracts of Sunflower in Improving Salinity Tolerance of Rice. *Journal of Agriculture & Social Sci*ences. 7 : 75-80.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Ferrarese, M.L.L., J.D. Rofrigues and O. Ferrarese-Filho. 2000. Phenylalanine Ammonia-Lyase Activity in Soybean Roots Ectract Measured by Reverse-Phase High Performance Liquid Chromatography. *Plant Biol*ogy. 2 : 152-153.

Fujita, M., Y. Fujita, Y. Noutoshi, F. Takahashi, Y. Narusaka, K. Yamaguchi-Shinoshaki and K. Shinozaki. 2006. Crosstalk Between Abiotic and Biotic Stress Responses : A Current View from the Points of Convergence in The Stress Signal Networks. *Current Opinion in Plant Biology*. 9 : 436-442.

Gao-feng, X., Z. Fu-dou, L. Tian-lin, W. Di and Z. Yu-hua. 2010. Induced Effects of Exogenous Phenolic Acids on Allelopathy of a Wild Rice Accession (*Oryza longistaminata*, S37). *Rice Science*. 17 : 136 – 140.

Gawronska, H. & A. Golisz. 2006. *Allelopathy and biotic Stresses*. pp. 211-227. In M.J. Reigosa, N. Pedrol and L. Gondzales. (Eds). *Allelopathy : A Physiological Proccess with Ecological Implication*. Springer. Netherlands.

Gill, S.S. and N. Tuteja. 2011. Reactive Oxygen Species and Antioxidant Machinery in Abiotic Stress. *Plant Physiology and Biochemistry*. 48 : 909-930.

Gniazdowska, A. and R. Bogatek. 2005. Allelopathic Interaction Between Plants : Multi Site Action of Allelochemicals. *Acta Physioloiyae Plantaraum*. 27: 395-407.

Gholizadeh, A. 2011. Effect of Drought on the Activity of Phenylalanine Ammonilyase in the Leaves and Roots of Maize Inbreds. *Australian Journal of Basic and Applied Sciences*. 5 : 952-956

Haddadchi, G.R. dan Z. Gerivani. 2009. Effects of Phenolic Extracts of Canola (*Brassica napuse* L.) on Germination and Physiological Response of Soybean (*Glycin max* L.), Seedlings. *International Journal of Plant Production*. 3: 63-73.

Hachinohe, M. and H. Matsumoto. 2007. Mechanism of Selective Phytotoxicity of L-3,4-dihydroxyphenylalanine (L-Dopa) in Barnyardglass and Lettuce. *Journal of Chemical Ecology*. 33 : 1919-1926.

Hainemann, A.B., L.F. Stone and N.K. Fageria. 2011. Tranpiration Rate Response to Water Deficit During Vegegtative and Reproductive of Upland Rice Cultivars. *Scentia Agricola*. 68 : 24-30.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Hejl, A.M and K.L Koster. 2004. Juglone Disrupts Root Plasma Membrane H+-ATPase Activity and Impairs Water Uptake, Root Respiration and Growth in Soybean (*Glycine max*) and Corn (*Zea mays*). *Journal of Chemical Ecology*. 30 : 453-471.

He, H., H. Wang, C. Fang, H. Wu, X. Gao, C. Liu, Z. Lin and W. Lin. 2012. Barnyard Grass Stress up Regulates the Biosinthesis of Phenolic Compounds in Allelopathic Rice. *Journal of Plant Physiology*. 169 : 1747 – 1753.

Holzapfel. C., P. Shahrokh and D. Kafkewitz. 2010. Polyphenol Oxidase in The Roots of Seedlings of Bromus (Poaceae) and Other Grass Genera. *American Journal of Botany*. 97: 1195-1199.

Iannucci, A., M. Fragasso, C. Platani, A. Narducci, V. Miullo and. R. Papa. 2012. Dynamics of Release of Allelochemical Compound from Roots of Wild oat (*Avena fatua* L.). *Agrochemica*. 56 : 185-192.

Inderjid and R.D. Moral. 1997. Is Separating Resource Competition from Allelopathy Realistic ?. *Botanical Review*. 63:221-230.

Inderjid and K.I. Keating. 1999. *Allelopathy : Principles, Procedures, Processes and promises for Biological Control.* pp. 141 – 231. In D.L. Spark. *Advances Agronomy Vol. 67*. Academic Press. New York.

Inderjit and S.O. Duke. 2003. Ecophysiological Aspects of Allelopathy. *Planta*. 217: 529-539

Inderjit. 2005. Soil microorganisms : An Important Determinant of Allelopathic Activity. *Plant Soil*. 273 : 227-236.

Jabran, K., M. Farooq, T. Aziz and K. H. M. Siddique. 2013. *Allelopathy and Crop Nutrition*. Pp. 337 – 388. In Cheema Z. A., M. Farooq and A. Wahid. *Allelopathy : Current Trend and Future Applications*. Springer. London.

Jalageri, B.R., B.B. Channappagoudar, A.Suwenshi and H.T.Nakul. 2010. Allelopathic Effect of Prominent Weed Species on Cereals, Pulses and Oilsedd Crops. *Research Journal of Agricultural Sciences* 1 : 107-112.

Jiang, M. And J. Zhang. 2002. Water Stress – Induced Abcisic Acid Accumulation Trigers the Increased Generation of Reactive Oxygen Species and Up-regulates the Activities of Antioxidant Enzymes in Maize Leaves. *Journal of Experimental Botany*. 53 : 2401-2410.

Junaedi, A., M. A. Chozin and K. H. Kim. 2006. Perkembangan Tekini Alelopati. *Hayati*. Juni 2006 :79-84.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Jose, S. and A.R. Gillespie. 1998. Allelopathy in Black Walnut (*Juglans nigra* L.) Alley cropping II. Effects of Juglone on Hydroponically Grown Corn (*Zea mays* L.) and Soybean (*Glycine max* L. Merr.) growth and physiology. *Plant and Soil.* 203:199-205.

Jozwiak-Zurek, A, M. Kozlowska and K. Nuc. 2011. Phenilalanine Ammonia Lyase Under Combined Effects of Enhanced UV-B Radiation and Allelopathy Stress. *Acta Biologica Cracoviensia.* 53 : 73-78.

Kafeli, V. I., M. V. Kalevitch and B. Borsari. 2003. Phenolic Cycle in Plants and Enviroment. *Journal of Cell and Molecular Biology*. 2 : 13-18.

Kamal, J. and A. Bano. 2008. Allelopathic Potential of Sunflower (*Helianthus annus* L.) on Soil Metals and Its Leaves Extracts on Physiology of Wheat (*Triticum aestivum* L.) Seedling. *Afican Journal of Biotechnology*. 7 : 3261-3265.

Karageorgou, P., E. Levizou and Y. Manetas. 2002. The Influences of Drough, Shade and Availability of Mineral nutrients on Exudate Phenolics of *Dittrichia viscosa*. *Flora.* 197: 285-289.

Karuppanadian, T., J. C. Moon, C. Kim, K. Manoharan and W. Kim. 2011. Reactive Oxyigen Species in plants : Their Generation, Signal transduction and Scavenging mechanism. *Australian Journal of Crop Sciences* 5 : 709-725.

Kavitha, D., J. Prabhakaran, K. Arumugam. 2012. Phytotoxic Effect of Purple nutsedge (*Cyperus rotundus* L.) on Germination and Growth of Finger millet (*Eleusine coracona* Gaertn.). *International Journal of Research in Pharmaceutical and Biomedical Scence*. 3 : 615-619.

Kelen, M., E.C. Demiralay, S. Sen and G. Ozkan. 2004. Separation of Abscisic Acid, Indole-3-Acetic Acid, Gibberellic Acid in 99 R (*Vitis berlandieri* X *Vitis rupetri* and Rose oil (*Rosa damascena* Mill.) by Reversed Phase Liquid Chromatograpyy. *Turkish Journal of Chemistry*. 25 : 603-610.

Kelij, S., A. Majd, G. Nematzade, P. Jonoubi and L. Haghighi. 2013. Phenilalanine Ammonialyase Gene Expression and Activity in Relations to Lignin Deposition in Salt Stress *Aeluropus littoralis*. *Advance Studies in Biology*. 5 : 403 - 412.

Khan, T.A., M. Mazid and F. Mohammad. 2011. Status of Secundary Plant Products under Stress. *Journal of Stress Physiology & Biochememistry*. 7 : 75-98.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Kohli, R.K., D.R. Batish and H.P. Singh. 2006. *Allelopathic Interaction in Agroecosystems*. Pp 465 – 494. In M.J. Reigosa, N. Pedrol and L. Gonzales (eds.). Allelopathy : *A Physiological Preocess with Ecological Implicartion*. Springaer. Netherlands.

Kong,. C., F. Hu and X. H. Xu. 2002. Allelopathic Potetian and Chemicals Constituents of Volatil *Ageratum conyzoides* Under Stress. *Journal of Chemicals Ecology*. 28 : 1173 – 1182.

Kristanto, B.A. 2006. Perubahan Karakter Tanaman Jagung (*Zea mays*.L.) Akibat Alelopati dan Persaingan Teki (*Cyperus rotundus* L.). *Journal of The Indonesian Tropical Animal Agric*ultur. 31 : 189-194.

Kumar, M., M.K. Sharma and A. Kumar. 2005. *Spirulina fusiformis* : A Food Suplement Against Mecury Induced Hepatic Toxicity. Journal of Helath Science. 51 : 424 – 430.

Labudda, M. and F.M.S. Azam.2014. Glutathione-Dependent Responses of Plant to Drought. *Acta Societati Botanicum Poloniae*. 83 :3-12

Lee, B. R., K. Y. Kim, W. J. Jung, J. C. Avice, A. Ourry and T. H. Kim. 2007. Peroxidases and Lignification in Relation to the Intensity of Water –deficit Stress in White Clover (*Trifolium repens* L.). *Journal of Experimental Botany*. 58 : 1271-1279.

Li, X. And C. Chapple. 2010. Understanding Lignification : Challenges Beyond Monolignol Biosynthesis. *Plant Physiology*. 154 : 449-452.

Lou, S. 2013. *Allelopathy in South China Agroecosystem*. Pp. 145 -158. In Cheema, Z. A., M. Farooq and A. Wahid. Allelopathy : *Current Trend and Future Applications*. Springer. London.

Lovisolo, C. And A. Schubert. 1998. Effects of Water Stress on Vessel Size and Xylem Hydraulic Conductivity in *Vitis vivifera* L. *Journal of Experimental Botany*. 48 : 693-700.

Lee, S.C. and S. Luan. 2012. ABA Signal Transduction at the Crossroad of Biotic and Abiotic Stress Responses. *Plant, Cell & Environment.* 35 : 53-60.

Lehman, M..E. and U. Blum. 1999. Influence of Pretreatment Stresses on Inhibitory Effects of Ferulic Acid, an Allelopathic Phenolic Acid. *Journal Chemicals Ecology*. 25 : 1517-1529.

Li, H. Z., Q. Wang, X. Ruan, C. D. Pan and D. A. Jiang. 2010. Phenolic and Plant Allelopathy. *Molecules*. 15. : 8933 – 8952.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, X. and C. Chapple. 2010. Understanding Lignification : Challenges Beyond Monolignol Biosynthesis. *Plant Physiology*. 154 : 449 – 452.

Li, G.Z. and M. Gong. 2011.Mechanical Stimulation-Induce Cross-Adaptation in Plants : An Overview. *Journal of Plant Biol*ogy. 54 : 358 – 364.

Liu, H., X. Wang, D. Wang, Z. Zou and Z. Liang. 2011. Affect of Drough Stress on Growth and Accumulation of Active Constituents in *Salvia miltiorrhiza* Bunge. *Industrial Crops and Production* 33:84-88.

Mohamed, H. I. and S. A. Akladious. 2014. Influence of Garlic Extract on Enzymatic and Enzymatic Antioxidants in Soybean Plant (*Glycine max*) Growth under Drought Stress. *Life Science Journal*. 11 : 46-58.

Mahmoodzadeh, H. And E. Esparham. 2011. Change in Hydrogen Peroxide Content and Antioxidant Enzymes in Abscisic Acid–Induced Antioxidant Defense in Live of beab seedling. *International Journal of Botany* 7 : 195-199.

Makbul, S., NS. Guler, N. Durmus and S. Guven. 2011. Changes in Anatomical and Physiological Parameter of Soybean under Drought Stress. *Turkish Journal of Botany*. 35 : 369 – 377.

Malecka, A., A. Piechakak, B. Zielinska, A. Kutrowska and B. Tomaszewska. 2014. Response of The Pie Roots Defense Systems to The Two Element Combinations of Metals (Cu, Zn, Cd, Pb). *Acta Biochimica Polonica*. 61 : 23 -28.

Maldonado, R., O. Goni, M. I. Escribano and C. Merodio, 2007. Regulation of Phenylalanin Ammonia-Lyase Enzyme in Annona Fruit : Kinetic Characteristic and Inhibitory Effect of Ammonia. *Journal of Food Biochemistry*. 31 : 161-178.

Mandal, S. M., D. Chakraborty and S. Dey. 2010. Phenolic Acids Act as Signaling Molecules in Plant – Micrpbe Symbiose. *Plant Signaling Behavior*. 5 : 359 – 368.

Mittler, R. 2002. Oxidative Stress, Antioxidants and Stress Tolerance. *Trend Plant Science*. 7 : 405-410.

---------- 2006. Abiotic Stress, The field Enviroment and Stress Combination. *Trend in Plant Science*. 11 : 15-19.

Morvillo, C.M., E.B. de la Fuente, A. Gil, M.A. Martinez-Ghersa and J.I. Gonzalez-Andujar. 2011. Competitive and Allelopathic Interference between Soybean Crop and Annual Wormwood (*Artemesia annua* L.) under Field Conditions. *European Journal of Agronomy*. 34 : 211-221.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Narwal, S.S. and D.A. Sampietro. 2009. *Allelopathy and Allelochemicals*. Pp. 3-5. In D.A.Sampietro, C.A.N. Catalan, M.A. Vattuone and S.S. Narwal. (eds.). *Isolation, Identification and Characterization of Allelochemicals/Natural Products*. Science Publishers, Plymouth.

Noguchi, K.H and F.A. Macias. 2006. Possible Mechanism of Inhibitation of 6-Methoxy-Benzoxazolin-2(3*H*)-One on Germination of Cress (*Lepidum sativum* L.). *Journal of Chemical Ecology*. 32 : 1101-1109.

Oracz, K., A. Gniazdowska, F. Corbineau, D. Come, A. Skoczowzki, A. Janeczko and R. Bogatek. 2004. *Comparation Between Allelopathy and Water Stress in Germinating Mustard Seed*. In. "Allepathy–from understanding to application" Proceeding : Second European Allelopathy Symposium.

Palapa, T. M. 2009. Senyawa Alelopati Teki (*Cyperus rotundus*) Dan Alang Alang (*Imperata cylindrica*) Sebagai Penghambat Pertumbuhan Bayam Duri (*Amaranthus spinosus*). Agrotek. 17 : 1155 -1162.

Panda. S. K. and H.K. Patra. 2007. Effect of Salicylic Acid Potentiates Cadmium – Induced Oxidative damage in *Oryza sativa* Leaves. *Acta Physiologicae Plantarum*. 29 : 567 – 575.

Parida, AK, VS. Dagaonkar, MS. Phalak, GV. Umalkar, LP. Aurangabadkar. 2007. Alterations in Photosynthetic Pigments, Protein and Osmotic Components in Cotton Genotypes Subjected to Short-term Drought Stress Followed by Recovery. *Plant Biotechnology Reports*. 1 : 37–48

Partohardjono, S. 2005. Upaya *peningkatan produksi kedelai melalui perbaikan teknologi budidaya*. Pp.132-147. Dalam Partohardjono (penyunting). *Analisa dan Opsi Kebijakan Penelitian dan Pengembangan Tanaman Pangan*. Monograf No.1 2005 Puslibang Bogor.

Pedrol, M..N., I. Gomzales and M.J. Reigosa. 2006. *Allelopathy and Abiotic Stress*. In M.J. Reigosa, N.Pedrol and L. Gonzales. (eds.). *Allelopathy : A Physiological Preocess with Ecological Implicartion*. Springer. Netherlands.

Porter, P. M., W. L. Banwart and J. J. Hasset. 1986. Phenolic Acids and Flavonoids in Soybean Root and Leaf Extracts. *Environmental and Experimantal Botany*. 25 : 65 – 73.

Proestos C. And M. Komatis. 2013. Analysis of Naturally Occurring Phenolic Compounds in Aromatic Plants by RP-HPLC Coupled to Diode Array detector (DAD) and GC-MS after Sylylation. *Foods* 2 : 90-99.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Purwanto dan T. Agustono. 2010. Kajian Fisiologi Tanaman kedelai pada berbagai kepadatan gulma teki dalam kondisi cekaman kekeringan. *Jurnal Agroland*. 17 : 85-90.

Qasem, J.R. and C.L. Foy. 2001. Weed Allelopathy : Its Ecological Impacts and Future Prospects. *Journal of Crop Production*. 4 : 43-119.

Quayyum, H. A., A. U. Mallik, D. M. Leach and C. Gottardo. 2000. Growth Inhibitory Effect of Nutgrass (*Cyperus rotundus*) on Rice (*Oryza sativa*) Seedling. Journal of Chemical Ecology. 26 : 2221 -2231.

Ramel, F., A. S. Mialcundama and M. Havaux. 2013. Nonenzymatic Carotenoid Oxidation and Photooxidative Stress Signalling in Plants. *Journal of Experimental Botany*. 64 : 799-805.

Rameskhumar, A. and T. Sivasudha. 2012. In Vitro Antioxidant and Antibacterial Activity of Aquous and Methanolic Extract of Molligo nudicaulis L. Leaves. Asian Pacific Journal of Tropical Biomedicin. 2012 : S895 – S900. Doi : 10.1016/S2221 – 1691(12)60332-3.

Ratnayaka, H.H., W.T. Mollin and T.M.Sterling. 2003. Phyiological and Antioxidan Responses of cotton and spurred anoda under interference and mild drought. *Journal of Experiment Botany*. 391:2293-2305.

Rebey, I.B., I. Jabri-Karoui, I. Hamrouni-Sellami, S. Bourgou, F. Liman and B. Marzouk. 2012. Effect of Drought on The Biocemical Composition and Antioxidant Activities of Cumin (*Cuminum cyminum* L.) Seed. *Industrial Crop Products*. 36 : 238-245.

Rejeb, I.B., V. Pastor and B. Mauch-Mani. 2014. Plant Responses to Simultaneous Biotic and Abiotic Stress : Molecular Mechanism. *Plants* 3 : 458 – 475.

Rivoal, A, C. Fernandez, S. Greff, N Montes and B. Vila. 2011. Does Competition Stress decrease Alleleopathic Potential ?. *Biochemical Systematic and Ecoligy*. 39 : 401-407.

Romero-Romero, T., S. Sanchez-Nieto, A. SanJuan-Badillo, A.L. Anaya and R.Cruz-Ortega. 2005. Camparative Effects of Allelochemical and Water Stress in Roots of *Lycopericon esculentum* Mill. (Solanaceae). *Plant Science*. 168 : 1059-1066.

Sakhabutdinova, A., D. R. Fatkhutdinova, M. V. Bezrukova and F. M. Shakirova. (2003). Salicylic Acid Prevents The damageing Ation of Stress Factor on Wheat Plants. *Bulgarian Journal Plant Physiology*. Special Issue : 314 – 319.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Sampietro, D.A., J.R. Soeberon, M.A. Sgariglia, E.N. Quiroga and M.A. Varruone. 2009. *Soil, Air and Water Samples*. pp. 7–31. In D.A.Sampetro, C.A.N. Catalan, M.A. Vattuone and S.S. Narwal. (eds.). *Isolation. Identiification and Characterization of Allelochemical/Natural product.* Science Publisher. Plymouth.

Sanchez-Morerias, A.M.., N. Pedrol, L. Gonzales and M.J. Reigosa. 2008. 2-3H-Benzoxazolinone (BOA) Induces Loss of Salt Tolerance in Salt-Adapted Plants. *Plant Biology*. 11 : 582-590.

Sass. J. E. 1958. *Botanical Microtechnique*. The Lowa State College Press. Iowa. Pp. 3-55.

Schulz, M, H., Shenab, B. Manthe, B. Schweihofen and I. Casser. 1993. Uptake and detoxification of Salicylic Acid By *Vicia faba* and *Fagopyrum esculentum*. *Phytochemistry*. 33 : 291-294.

Schulz, M., M. Knop, S. Kant, N. Voloshchu and A. Gryganski. 2006. *Detoxification of Allelochemicals – the Case of Benzoxazolin-2(3H)-one(BOA)*. Pp. 157-170. In M.J. Reigosa, N. Pedrol and L. Gondzales. (eds.). *Allelopathy : A Physiological Proccess with Ecological Implication*. Springer. Netherlands.

Shao, H. B., L.Y. Chu, C. A. Jaleel and C. X. Zhao. 2008. Water-deficit Stress-Induced Anatomical Changes in Higer Plants. *Comptes Rendus Biologies.* 331 : 215-225.

Singh, N.B., D. Singh and A. Singh. 2009a. Modification of Physiological Responses of Water Stressed *Zea mays* Seedling by Leachate of *Nicotiana plumbagiflolia*. *General and Applied Plant Physiology*. 35 : 51-63.

Singh, N.B., B.N. Pandey and A. Sigh. 2009b. Allelopathic Effects of *Cyperus rotundus* Extract in Vitro and ex Vitro on Banana. *Acta Physiologiae Plantarum*. 31 : 633-638

Sirikantaramas, S., M. Zamazaki and K. Saito. 2008. Mechanisms of Resistence to Self-Produced Toxic Secondary Metabolies in Plant. *Phytochemistry Reviews.* 7 : 467-477.

Sitompul, S.M. and B. Guritno. 1995. *Analisis Pertumbuhan Tanaman*. UGM Press.Yogyakarta.

Soegiyanto, A. 2012. Soybean (*Glycine max* L. Merr.) Varietas Selection for the Trait of Tolerance to Nutsedge (*Cyperus rotundus* (L.) Weed Competition. *Journal of Basic and Appied. Scientific Research*. 2 : 2231-2242.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Sodaeizadeh, H., M. Rafleiolhossaini, J. Havlik and V. Damme. 2009. Allelopathic Activity of Different Plant Parts of *Peganum harmala* L. and Identification of Their Growth Inhibitors Subtances. *Plant Growth Regulations.* 59 : 227-236.

Sharma, P., A. B. Jha, R.S.Dubey and M. Pessarakli. 2012. Reactive Oxygen Species, Oxidative Damage, and Antioxidative Defense Mechanism in Plant Under Stressful Conditions. *Journal of Botany.* 2012 : 1-26.

Szabados L. and A. Savoure . 2008. Proline : A Multifunctiona : Amino Acid. Trends in Plant Science . 15: 89-97.

Ton, J., V. Flors and B. M. Mani.. 2009. The Multifaceted Role of ABA in Disease Resitance. *Trend Plant Science.* 14 : 310 – 317.

Velazquez, S.F., R. R. Guerra and L.S. Calderon. (2011). *Abiotic and Biotic Response Crosstalk in Plant* .pp. 1-6. In A. Shanker (ed.) : *Abiotic Stress Response in Plants – Physiological, Biochemical and Genetic Perspective.* InTech China. Shanghai.

Verslues, P.E., M.Agarval, S. Katiyar-Agarval, J. Zhu and J.K. Zhu. 2006 Methods and Concepts in Quantifying Resistance to Drought, Salt and Freezing, Abiotic Stresses than Affect Plant Water Status. *The Plant Journal.* 45 : 523-539.

Wang, B., Z. Li, A. E. Eneji, X. Tian, Z. Zhai, J. Li and L. Duan. 2008. Coronatine om Growth, Gas Exchange Traits, Clorophyll Content, Antioxidant Enzyms and Lipid peroxidations in Maize (*Zea mays* L.) Seedling Under Simultaned Drought Stress. *Plant Production Science*. 11 : 283 – 290.

Weidner, S., M. Karolak, M. Karama, A. Kosinska dan R. Amarowicz. 2009. Phenolic Coumpound and Proprties of Antioxidants in Grapevine (*Vitis vinifera* L.) Under Drough Stress Folowed by Recovery. *Acta Societatis Botanicorum Poloniae*. 78 : 97-103.

Weir, T.L., S.W. Park and J.M. Vivanco. 2004. Biochemicals and Physiolocical mechanisms Mediated by Allelochemicals. *Current Opinion in Plant Biology*. 7 : 472-479.

Weir, T.L., H.P. Bais, V.J. Stull, R.M. Callaway, G.C. Thelen, W.M. Ridenour, S. Bhamidi, F.R. Stermitz and J.M. Vivaco. 2006. Oxalate Contribute to the Resistance of *Gillardia grandiflora* and *Lupinus sericeus* to a Phytotoxin Produce by *Centaurea maculosa*. *Planta.* 226 : 785-795.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Weir, T.L. and J.M. Vivanco. 2008. *Allelopathy : Full Circle from Phytotoxicity to Mechanisms of Resistance.* Pp. 105-117. In R.Z. Zeng, A.U. Mallik and S. Luo. (eds.). *Allelopathy in Sustainable Agricultire and Forestry*. Springer. New York.

Wellburn. A. L. 1994. The Spectral Determination of Chlorophylls A and B as well as total Carotenoids, Using Various Solvents with Spectrophotometers of Different Resolution . *Journal of Plant Physiology*. 144 : 307-313.

Wu, Y. and D. J. Cosgrove. 2000. Adaptation of Root to Low Water Potential by Changes in Cell wall Extensibility and Cell wall Protein. *Journal of Experimental Botany*. 51 : 1543 – 1553.

Yang, C.M, C.N. Lee and C.H. Chou. 2002. Effect of Three Allelopathic Phenolics on Chlorophyll Accumulation of Rice (*Oryza sativa*) Seedlings : I. Inhibitation of Supply – Orientation. *Botanical Bulletin Academia Sin*sinica. 43 : 299-304.

Yang, C.M., I.F.Chang, S.J. Lin and C.H. Chou. 2004. Effect of Three Allelopathic Phenolics on Chorophyll Acumulation of Rice (*Oryza sativa*) Seedlings : II. Stimulation of Consumption–Orientation. *Botanical Bulletin Academia Sinica*. 45: 119-125.

Yang, G.Q., F.H. Wan, W.X. Liu and J. Y. Guo. 2008. Influence of Two Allelochemicals from *Ageratina adenophora Sprengel* on ABA, IAA and ZR contents in Root of Upland Rice Seedlings. *Allelopathy Journal.* 21 : 253-262.

Yazdani, M. and H. Bagheri. 2011. Allelopathic Effect of Tobacco (*Nicotiana tabacucum* L.) on Germonation and Early Growth of Soybean (*Glycine max* L.). Australian Journal of Basic and Applied Sciences. 5 : 1178 – 1181.

Ye, N. G. Zhu, Y. Liu, Y. Li and J. Zhang. 2011. ABA Controls H_2O_2 Accumulayion Throught the Induction of *OsCATB* in Rice under Water Stress. *Plant Cell Physiology*. 52 : 689-698.

Ye, N., L. Jia and J. Zhang. 2012. ABA Signal in Rice Under Stress Conditions. *Rice*. 5 : 1-9.

Yordanov, I., V. Velokova and T. Tsonev. 2003. Plant Response to Drought and Stress Tolerance. *Bulgarian Journal Plant Physiology. Special Issue*. 187-206.

UNIVERSITAS
GADJAH MADA
Toleransi Kedelai [Glycine max (L.) Merr. cv. Grobogan] Terhadap Interferensi Teki (Cyperus rotundus L.) Pada Kondisi Cekaman Kekeringan
SRI DARMANTI, Prof. Dr. Santosa; Dr. Kumala Dewi, M. St. Sc.; Prof. Dr. L. hartanto Nugroho
Universitas Gadjah Mada, 2015 | Diunduh dari http://etd.repository.ugm.ac.id/

Zanardo D.L., R. B. Lima, M.L.L.Ferrarese, G.A.Bubna and O.F. Filho. 2009. Soybean Root Growth Inhibitation and Lignification Induced by-coumaric acid. *Environmental and Experimental Botany*. 66 : 25-30.

Zeng, R. S., S. M. Luo, Y. H. Shi, M. B. Shi and C. Y. Tu. 2001. Physiological and Biochemicals Mechanism of Allelopathy of Secalonic Acid F on Higher Plants. *Agronomy Journal*. 93 : 72 – 79.

Zhang, E., S.Zhang, W.Zhang, L. Li and T. Li. 2010. Effect of Exogenic Benzoic Acid and Cinnamic Acid on The Root Oxidative Damage of Tomato Seedlings. *Journal of Horticulture and Forestry*. 2 : 22-29.

Zhou, Y.H. and J.Q.Yu. 2006. *Allelochemicals and Photosynthesis.* pp. 127-140. In M.J.. Reigosa, N.Pedrol and L. Gonzales (eds.) : *Allelopathy : A Physiological Preocess with Ecological Implicartion.* Springer. Netherlands.