

DAFTAR PUSTAKA

- Aarti P.D., R. Tanaka and A. Tanaka. 2006. Effects of Oxidative Stress on Chlorophyll Biosynthesis in Cucumber (*Cucumis sativus*) Cotyledons. *Physiologia Plantarum* 128 : 186 – 197.
- Abenavoli, M.R., A. Lupini, S.Oliva and A. Sorgona. 2010. Allelochemical Effects on Nitrate Uptake and Plasma Membrane H⁺-ATPase Activity in Maize Seedling. *Biologia Plantarum*. 54 : 149-153.
- Agarwal, S., R. K. Sairan, G.C. Srivastava, A. Tyagi and R. C. Meena. 2005. Role of ABA, Salicylic Acid, Calcium and Hidrogen Peroxide on Antioxidant Enzymes Induction in Wheat Seedling. *Plant Science*. 169 : 559 – 570.
- Akinson, N.J. and P. E. Urwin. 2012. The Interaction of Plant Biotic and Abiotic Stresses : From Genes to The Field. *Journal of Experimntal Botany*. 63 : 3523-3543.
- Anjum, S. A., X .Y. Xie, L. C. Wang, M. F. Saleem. 2011. Morphological, Physiological and Biochemical Responses of Plant to Drought Stress. *African Journal of Agricultural Research*. 6 : 2026 - 2032
- Alexieva, V., S. Ivanov, I. Sergiev and E. Karanov. 2003. Interaction Between Stresses. *Bulgarian Journal of Plant Physiology*. Special Issue.: 1-17.
- Anonymous. 2009. *Petunjuk Teknis Pengelolaan Tanaman dan Sumberdaya Terpadu (PTT) Kedelai*. Balai Pengkajian Teknologi Pertanian (BPTP). Jawa Barat.
- Anonymous, (2012). *Pedoman Teknis Pengendalian Produksi Tanaman Kedelai*. Direktorat Jendral Tanaman Pangan. Kementerian Pertanian. Republik Indonesia.
- Apel, K. and H. Hirt. 2004. Reactive Oxygene Species : Metabolism, Oxidative Stress and Signal Transduction. *Annual Review of Plant Biology* 55 : 373-399.
- Atman, 2006. Pengelolaan Tanaman Kedelai di Lahan Kering Asam. *Jurnal Ilmiah Tambua*. 3 : 281-287.
- Arora, A., R.K. Sairam and G.C.Srivastava. 2002. Oxidative Stress and Antioxidative System in Plant. *Current Science*. 82 : 1227-1239.
- Bates, L. S. 1973. Rapid determination of Free Prolin for Water Stress – Studies. *Plant and Soil*. 39 : 205 – 207.

- Batish, D.R., K. Lavanya, H.P. Singh and R.K. Kohli. 2007. Phenolic Allelochemicals Release by *Chenopodium murale* Affect The Growth, Nodulation and Macromolecule Content in Chickpea and Pea. *Journal of Plant growth Reguations*. 51:119-128.
- Bellaloui, N. 2012. Soybean Seed Phenol, Lignin, Isoflavons and Sugars Composition Altered By Foliar Boron Application in Soybean Under Water Stress. *Food and Nutrition Science*. 3 : 579-590.
- Bettaieb. I., I.H. Sellami, S. Bourgo, F. Liman and B. Marzuk. 2011. Drought Effects on Polyphenol Composition and Antioxidan Activities in Aerial Parts of *Salvia officunalis* L. *Acta Physiologiae Plantarum*. 33 : 1103-1111.
- Bhattacharjee, S. 2005. Reactive Oxygen Species and Oxidative Burst : Role in Stress, Senescence and Signal Transduction in Plant. *Current Science*. 89 : 1113-1121.
- Bogatek, R., A. Gniazdowska, W. Zakrewska, K. Orsz and S.W. Garwronski. 2006. Allelopathic Effect of Sunflower Extract on Mustard Seed Germination and Seedling Growth. *Biologia Plantarum*. 50 : 156-158.
- Bogatek, R and A. Gniazdowska. 2007. ROS and Phytohormones in Plant-Plant Allelopathic Interaction. *Plant Signaling & Behavior*. 2 : 317-318.
- Bouazizi, H., H. Jouili and E. E. Ferjani. 2007. Effects of Copper Excess on Growth, H₂O₂ Production and Peroxidase Activities in maize Seedling (*Zea mays* L.). *Pakistan Journal of Biological Science*. 10 : 751-756.
- Bradford, M. M. 1976. A Rapid Sensitive Method for The Quantitation of Microgram Quantities of Protein Utilizing The Principle of Protein-Dye Binding. *Analytical Biochemistry*. 72 : 248 – 254.
- Bubna, G.A., R.B. Lima, D.Y.L. Zanardo, W.D. Dos Santos, M.D.L.L. Ferrarese and O. Ferrarese-Filho. 2011. Exogenous Cafeic Acid Inhibits The Growth and Enhance The Lignifications of The Roots of Soybean (*Glycine max*). *J. Plant Physiology*. 168 : 1627-1633.
- Budi, G..P. dan O.D. Hajoeningtijas. 2009. Kemampuan Kompetisi beberapa Varietas Kedelai (*Glycine max* L.) Terhadap Gulma Alang Alang (*Imperata cylindrical*) dan teki (*Cyperus rotundus* L.). *Jurnal Litbang Provinsi Jawa Tengah*. 2 : 127-132.
- Burg M.B. and J. D. Ferraris. 2008. Intercellular Organic Osmolytes :nFunction and Regulation. *Journal of Biological Chemistry*. 283 : 7309-7313.

- Chakraverty, S., K. Sharma, S. Kumar, N.K. Sand and P.B. Rao. 2005. Effects of Tree Weed Extracts on Nutrient Uptake in Different Varieties of Wheat Through Radio-tracer Technique and Autoradiography. *Bulletin of the National Institute of Ecology* 15 : 171-180.
- Chakraborty U. and B. Pradan. 2012. Oxidative Stress in Wheat Varieties (*Triticum aestivum* L.) Exposed to Water Stress and Study of Their Antioxidant Enzyme Defense System, Water Stress Responsive Metabolites and H₂O₂ Accumulation. *Brazilian Journal Plant Physiology*. 24 : 117-130.
- Chaniago, I, A. Taji and R. Jessop. 2003. Assesment of Allelopathic Interction Between Soybean (*Glycine max* L.) and *Amaranthus powellii* and *Cyperus rotundus* L. Using in Vitro System. *Proceeding of the 11 th Australian Agronomy Conference*.
- Chugh V., N. Kaur and A. K. Gubta. 2011. Evaluation of Oxidative Stress Tolerance in maize (*Zea mays* L.) Seedling in Respose to Drought. *Indian Journal of Biochemistry & Biophysics*. 48 : 47-53.
- Chutipaijit, S., S. Cha-Um and K. Shompornpailin. 2009. Differential Acumulation of Prolin and Flavonoid in Indica Rice varietas Againts Salinity. *Pakistan Journal of Botany*. 41 : 5497-2506.
- Claussen, W. 2005. Proline as Measure of stress in Tomato plants. *Plant Science* 168 : 241-248.
- Cho, D., D. Shin. B.W. Jeon and J.M. Kwak. 2009. ROS-Mediated ABA Signaling. *Journal of Plant Biology* 52 : 102-113.
- Cruz-Ortega, R., A. Lara-Nunez and A.L. Anoya. 2007. Allelochemical Stress Can Trigger Oxidative Damage in Receptor Plants. *Plant Signaling Behavior*. 2 : 269-270.
- Darmanti, S., Santosa, K. Dewi and L. H. Nugroho. 2-13. Allelopathic Effect of *Cyperus rotundus* L. on Seed Germination and Initial Growth of *Glycine max* L. *Proceeding. The Third Basic Science International Conference*. pp. PSB02 1-7.
- Dere, S., T. Gunes and R. Sivaci. 1998. Spectrophotometric Determination of Chlorophyll – A, B and Total Carotenoid Contents of Same Algae Species Using Different Solvents. *Turkish Journal of Botany*. 22 : 13-17.

- De Albuquerque, M.B., R.C. Dos Santos, L.K. Lima, P.A Melo Filho, R.J.M.C. Nuguera, C.A.G. Da Camara and A. R. Ramos. 2011. Allelopathy, an Alternative Tool to Improve Cropping Systems. A Review. *Agronomy for Sustainable Development*. 31: 379-395.
- Ding, J. Y. Sun, C.L. Xiao, K. Shi. Y. H. Zhou and J.Q. Yu. 2007. Physiological Basis of Different Allelopathic Reaction of Cucumber and Figleaf Gourd Plants to Cinnamic acid. *Journal of Experimental Botany*. 58 : 3765-3773.
- Doblinski, P. M. F., M. L. L. Ferrarese, A.A. Huber, C. A Scapim, A. L. Braccini and O. F. Filho. 2003. Peroxidase and Lipid Peroxidase of Soybean in Respon to *p*-Coumaric and *p*-Hydroxibenzoic Acid. *Brazilian Archives of Biology and Technology*. 46 : 193-198.
- Dong, X., H. Bi, G. Wu and X. Ai. 2013. Drought-Induced Chilling Tolerance in Cucumber Involves Membrane Stabilisation Improved by Antioxidant System. *International Journal of Plant production*. 7 : 67-79.
- Edreva, A., V. Velikova, T. Tsonev, S. Dagnon, A. Gurel, I. Aktas and E. Gesheva. 2008. Stress-Protective Role of Secondary Metabolites : Diversity of Fuction and Mechanisms. *General and Applied Plant Physiology*. 34: 67-78.
- Einhellig, F.A. 2004. *Mode of Allelochemical Action of Phenolic Compounds*. pp. 217-238. In F.A. Macias, J.C.G. Galindo, J.M.G. Molinillo and H.G. Cutler (Eds.). *Allelopathy : Chemistry and Mode of Action of Allelochemicals*. CRC Press, New York.
- El-Afry, M.M., M.F. El-Nady, E.B. Abdelmonteleb and M.M.S. Metwaly. 2012. Anatomical Studies on Drought-Stress Wheat Plants (*Triticum aetivum* L.) Treated with Some Bacterial Strains. *Acta Biologica Szegediensi*. 56 : 165-174.
- El-Rokiek, K., S.A.S. El-Din and F.A.A. Sharara. 2010. Allelopathic Behavior of *Cyperus rotundus* L. on Both *Chorchorus olitorius* (Broad leaved weed) and *Echinochloa crus-galli* (Grassy weed) Associated with Soybean. *Journal of Plant Protection Research*. 50 : 274-279.
- Farooq, M., M. Habib, A. U Rahman, A. Wahid and R. munir. 2011. Employing Aqueous Allelopathic Extracts of Sunflower in Improving Salinity Tolerance of Rice. *Journal of Agriculture & Social Sciences*. 7 : 75-80.

- Ferrarese, M.L.L., J.D. Rofrigues and O. Ferrarese-Filho. 2000. Phenylalanine Ammonia-Lyase Activity in Soybean Roots Extract Measured by Reverse-Phase High Performance Liquid Chromatography. *Plant Biology*. 2 : 152-153.
- Fujita, M., Y. Fujita, Y. Noutoshi, F. Takahashi, Y. Narusaka, K. Yamaguchi-Shinoshaki and K. Shinozaki. 2006. Crosstalk Between Abiotic and Biotic Stress Responses : A Current View from the Points of Convergence in The Stress Signal Networks. *Current Opinion in Plant Biology*. 9 : 436-442.
- Gao-feng, X., Z. Fu-dou, L. Tian-lin, W. Di and Z. Yu-hua. 2010. Induced Effects of Exogenous Phenolic Acids on Allelopathy of a Wild Rice Accession (*Oryza longistaminata*, S37). *Rice Science*. 17 : 136 – 140.
- Gawronska, H. & A. Golisz. 2006. *Allelopathy and biotic Stresses*. pp. 211-227. In M.J. Reigosa, N. Pedrol and L. Gondzales. (Eds). *Allelopathy : A Physiological Process with Ecological Implication*. Springer. Netherlands.
- Gill, S.S. and N. Tuteja. 2011. Reactive Oxygen Species and Antioxidant Machinery in Abiotic Stress. *Plant Physiology and Biochemistry*. 48 : 909-930.
- Gniazdowska, A. and R. Bogatek. 2005. Allelopathic Interaction Between Plants : Multi Site Action of Allelochemicals. *Acta Physiologicae Plantarum*. 27: 395-407.
- Gholizadeh, A. 2011. Effect of Drought on the Activity of Phenylalanine Ammonylase in the Leaves and Roots of Maize Inbreds. *Australian Journal of Basic and Applied Sciences*. 5 : 952-956
- Haddadchi, G.R. dan Z. Gerivani. 2009. Effects of Phenolic Extracts of Canola (*Brassica napuse* L.) on Germination and Physiological Response of Soybean (*Glycin max* L.), Seedlings. *International Journal of Plant Production*. 3: 63-73.
- Hachinohe, M. and H. Matsumoto. 2007. Mechanism of Selective Phytotoxicity of L-3,4-dihydroxyphenylalanine (L-Dopa) in Barnyardgrass and Lettuce. *Journal of Chemical Ecology*. 33 : 1919-1926.
- Hainemann, A.B., L.F. Stone and N.K. Fageria. 2011. Transpiration Rate Response to Water Deficit During Vegetative and Reproductive of Upland Rice Cultivars. *Scientia Agricola*. 68 : 24-30.

- Hejl, A.M and K.L Koster. 2004. Juglone Disrupts Root Plasma Membrane H⁺-ATPase Activity and Impairs Water Uptake, Root Respiration and Growth in Soybean (*Glycine max*) and Corn (*Zea mays*). *Journal of Chemical Ecology*. 30 : 453-471.
- He, H., H. Wang, C. Fang, H. Wu, X. Gao, C. Liu, Z. Lin and W. Lin. 2012. Barnyard Grass Stress up Regulates the Biosynthesis of Phenolic Compounds in Allelopathic Rice. *Journal of Plant Physiology*. 169 : 1747 – 1753.
- Holzapfel. C., P. Shahrokh and D. Kafkewitz. 2010. Polyphenol Oxidase in The Roots of Seedlings of Bromus (Poaceae) and Other Grass Genera. *American Journal of Botany*. 97: 1195-1199.
- Iannucci, A., M. Fragasso, C. Platani, A. Narducci, V. Miullo and. R. Papa. 2012. Dynamics of Release of Allelochemical Compound from Roots of Wild oat (*Avena fatua* L.). *Agrochimica*. 56 : 185-192.
- Inderjid and R.D. Moral. 1997. Is Separating Resource Competition from Allelopathy Realistic ?. *Botanical Review*. 63:221-230.
- Inderjid and K.I. Keating. 1999. *Allelopathy : Principles, Procedures, Processes and promises for Biological Control*. pp. 141 – 231. In D.L. Spark. *Advances Agronomy Vol. 67*. Academic Press. New York.
- Inderjit and S.O. Duke. 2003. Ecophysiological Aspects of Allelopathy. *Planta*. 217: 529-539
- Inderjit. 2005. Soil microorganisms : An Important Determinant of Allelopathic Activity. *Plant Soil*. 273 : 227-236.
- Jabran, K., M. Farooq, T. Aziz and K. H. M. Siddique. 2013. *Allelopathy and Crop Nutrition*. Pp. 337 – 388. In Cheema Z. A., M. Farooq and A. Wahid. *Allelopathy : Current Trend and Future Applications*. Springer. London.
- Jalageri, B.R., B.B. Channappagoudar, A.Suwenshi and H.T.Nakul. 2010. Allelopathic Effect of Prominent Weed Species on Cereals, Pulses and Oilsedd Crops. *Research Journal of Agricultural Sciences* 1 : 107-112.
- Jiang, M. And J. Zhang. 2002. Water Stress – Induced Abscisic Acid Accumulation Triggers the Increased Generation of Reactive Oxygen Species and Up-regulates the Activities of Antioxidant Enzymes in Maize Leaves. *Journal of Experimental Botany*. 53 : 2401-2410.
- Junaedi, A., M. A. Chozin and K. H. Kim. 2006. Perkembangan Tekini Alelopati. *Hayati*. Juni 2006 :79-84.

- Jose, S. and A.R. Gillespie. 1998. Allelopathy in Black Walnut (*Juglans nigra* L.) Alley cropping II. Effects of Juglone on Hydroponically Grown Corn (*Zea mays* L.) and Soybean (*Glycine max* L. Merr.) growth and physiology. *Plant and Soil*. 203:199-205.
- Jozwiak-Zurek, A, M. Kozłowska and K. Nuc. 2011. Phenilalanine Ammonia Lyase Under Combined Effects of Enhanced UV-B Radiation and Allelopathy Stress. *Acta Biologica Cracoviensia*. 53 : 73-78.
- Kafeli, V. I., M. V. Kalevitch and B. Borsari. 2003. Phenolic Cycle in Plants and Enviroment. *Journal of Cell and Molecular Biology*. 2 : 13-18.
- Kamal, J. and A. Bano. 2008. Allelopathic Potential of Sunflower (*Helianthus annuus* L.) on Soil Metals and Its Leaves Extracts on Physiology of Wheat (*Triticum aestivum* L.) Seedling. *African Journal of Biotechnology*. 7 : 3261-3265.
- Karageorgou, P., E. Levizou and Y. Manetas. 2002. The Influences of Drough, Shade and Availability of Mineral nutrients on Exudate Phenolics of *Dittrichia viscosa*. *Flora*. 197: 285-289.
- Karuppanadian, T., J. C. Moon, C. Kim, K. Manoharan and W. Kim. 2011. Reactive Oxygen Species in plants : Their Generation, Signal transduction and Scavenging mechanism. *Australian Journal of Crop Sciences* 5 : 709-725.
- Kavitha, D., J. Prabhakaran, K. Arumugam. 2012. Phytotoxic Effect of Purple nutsedge (*Cyperus rotundus* L.) on Germination and Growth of Finger millet (*Eleusine coracona* Gaertn.). *International Journal of Research in Pharmaceutical and Biomedical Science*. 3 : 615-619.
- Kelen, M., E.C. Demiralay, S. Sen and G. Ozkan. 2004. Separation of Abscisic Acid, Indole-3-Acetic Acid, Gibberellic Acid in 99 R (*Vitis berlandieri* X *Vitis rupestris*) and Rose oil (*Rosa damascena* Mill.) by Reversed Phase Liquid Chromatography. *Turkish Journal of Chemistry*. 25 : 603-610.
- Kelij, S., A. Majd, G. Nematzade, P. Jonoubi and L. Haghghi. 2013. Phenilalanine Ammonialyase Gene Expression and Activity in Relations to Lignin Deposition in Salt Stress *Aeluropus litoralis*. *Advance Studies in Biology*. 5 : 403 - 412.
- Khan, T.A., M. Mazid and F. Mohammad. 2011. Status of Secondary Plant Products under Stress. *Journal of Stress Physiology & Biochememistry*. 7 : 75-98.

- Kohli, R.K., D.R. Batish and H.P. Singh. 2006. *Allelopathic Interaction in Agroecosystems*. Pp 465 – 494. In M.J. Reigosa, N. Pedrol and L. Gonzales (eds.). *Allelopathy : A Physiological Preocess with Ecological Implicartion*. Springaer. Netherlands.
- Kong,. C., F. Hu and X. H. Xu. 2002. Allelopathic Potetian and Chemicals Constituents of Volatil *Ageratum conyzoides* Under Stress. *Journal of Chemicals Ecology*. 28 : 1173 – 1182.
- Kristanto, B.A. 2006. Perubahan Karakter Tanaman Jagung (*Zea mays*.L.) Akibat Alelopati dan Persaingan Teki (*Cyperus rotundus* L.). *Journal of The Indonesian Tropical Animal Agricultur*. 31 : 189-194.
- Kumar, M., M.K. Sharma and A. Kumar. 2005. *Spirulina fusiformis* : A Food Supplement Against Mecury Induced Hepatic Toxicity. *Journal of Helath Science*. 51 : 424 – 430.
- Labudda, M. and F.M.S. Azam.2014. Glutathione-Dependent Responses of Plant to Drought. *Acta Societati Botanicum Poloniae*. 83 :3-12
- Lee, B. R., K. Y. Kim, W. J. Jung, J. C. Avice, A. Ourry and T. H. Kim. 2007. Peroxidases and Lignification in Relation to the Intensity of Water –deficit Stress in White Clover (*Trifolium repens* L.). *Journal of Experimental Botany*. 58 : 1271-1279.
- Li, X. And C. Chapple. 2010. Understanding Lignification : Challenges Beyond Monolignol Biosynthesis. *Plant Physiology*. 154 : 449-452.
- Lou, S. 2013. *Allelopathy in South China Agroecosystem*. Pp. 145 -158. In Cheema, Z. A., M. Farooq and A. Wahid. *Allelopathy : Current Trend and Future Applications*. Springer. London.
- Lovisololo, C. And A. Schubert. 1998. Effects of Water Stress on Vessel Size and Xylem Hydraulic Conductivity in *Vitis vivifera* L. *Journal of Experimental Botany*. 48 : 693-700.
- Lee, S.C. and S. Luan. 2012. ABA Signal Transduction at the Crossroad of Biotic and Abiotic Stress Responses. *Plant, Cell & Environment*. 35 : 53-60.
- Lehman, M..E. and U. Blum. 1999. Influence of Pretreatment Stresses on Inhibitory Effects of Ferulic Acid, an Allelopathic Phenolic Acid. *Journal Chemicals Ecology*. 25 : 1517-1529.
- Li, H. Z., Q. Wang, X. Ruan, C. D. Pan and D. A. Jiang. 2010. Phenolic and Plant Allelopathy. *Molecules*. 15. : 8933 – 8952.

- Li, X. and C. Chapple. 2010. Understanding Lignification : Challenges Beyond Monolignol Biosynthesis. *Plant Physiology*. 154 : 449 – 452.
- Li, G.Z. and M. Gong. 2011. Mechanical Stimulation-Induce Cross-Adaptation in Plants : An Overview. *Journal of Plant Biology*. 54 : 358 – 364.
- Liu, H., X. Wang, D. Wang, Z. Zou and Z. Liang. 2011. Affect of Drought Stress on Growth and Accumulation of Active Constituents in *Salvia miltiorrhiza* Bunge. *Industrial Crops and Production* 33:84-88.
- Mohamed, H. I. and S. A. Akladios. 2014. Influence of Garlic Extract on Enzymatic and Enzymatic Antioxidants in Soybean Plant (*Glycine max*) Growth under Drought Stress. *Life Science Journal*. 11 : 46-58.
- Mahmoodzadeh, H. And E. Esparham. 2011. Change in Hydrogen Peroxide Content and Antioxidant Enzymes in Abscisic Acid-Induced Antioxidant Defense in Live of beab seedling. *International Journal of Botany* 7 : 195-199.
- Makbul, S., NS. Guler, N. Durmus and S. Guven. 2011. Changes in Anatomical and Physiological Parameter of Soybean under Drought Stress. *Turkish Journal of Botany*. 35 : 369 – 377.
- Malecka, A., A. Piechakak, B. Zielinska, A. Kutrowska and B. Tomaszewska. 2014. Response of The Pie Roots Defense Systems to The Two Element Combinations of Metals (Cu, Zn, Cd, Pb). *Acta Biochimica Polonica*. 61 : 23 -28.
- Maldonado, R., O. Goni, M. I. Escribano and C. Merodio, 2007. Regulation of Phenylalanin Ammonia-Lyase Enzyme in Annona Fruit : Kinetic Characteristic and Inhibitory Effect of Ammonia. *Journal of Food Biochemistry*. 31 : 161-178.
- Mandal, S. M., D. Chakraborty and S. Dey. 2010. Phenolic Acids Act as Signaling Molecules in Plant – Micrpe Symbiose. *Plant Signaling Behavior*. 5 : 359 – 368.
- Mittler, R. 2002. Oxidative Stress, Antioxidants and Stress Tolerance. *Trend Plant Science*. 7 : 405-410.
- 2006. Abiotic Stress, The field Enviroment and Stress Combination. *Trend in Plant Science*. 11 : 15-19.
- Morvillo, C.M., E.B. de la Fuente, A. Gil, M.A. Martinez-Ghersa and J.I. Gonzalez-Andujar. 2011. Competitive and Allelopathic Interference between Soybean Crop and Annual Wormwood (*Artemisia annua* L.) under Field Conditions. *European Journal of Agronomy*. 34 : 211-221.

- Narwal, S.S. and D.A. Sampietro. 2009. *Allelopathy and Allelochemicals*. Pp. 3-5. In D.A.Sampietro, C.A.N. Catalan, M.A. Vattuone and S.S. Narwal. (eds.). *Isolation, Identification and Characterization of Allelochemicals/Natural Products*. Science Publishers, Plymouth.
- Noguchi, K.H and F.A. Macias. 2006. Possible Mechanism of Inhibition of 6-Methoxy-Benzoxazolin-2(3H)-One on Germination of Cress (*Lepidium sativum* L.). *Journal of Chemical Ecology*. 32 : 1101-1109.
- Oracz, K., A. Gniazdowska, F. Corbineau, D. Come, A. Skoczowzki, A. Janeczko and R. Bogatek. 2004. *Comparison Between Allelopathy and Water Stress in Germinating Mustard Seed*. In. "Alleopathy—from understanding to application" Proceeding : Second European Allelopathy Symposium.
- Palapa, T. M. 2009. Senyawa Alelopati Teki (*Cyperus rotundus*) Dan Alang Alang (*Imperata cylindrica*) Sebagai Penghambat Pertumbuhan Bayam Duri (*Amaranthus spinosus*). *Agrotek*. 17 : 1155 -1162.
- Panda. S. K. and H.K. Patra. 2007. Effect of Salicylic Acid Potentiates Cadmium – Induced Oxidative damage in *Oryza sativa* Leaves. *Acta Physiologica Plantarum*. 29 : 567 – 575.
- Parida, AK, VS. Dagaonkar, MS. Phalak, GV. Umalkar, LP. Aurangabadkar. 2007. Alterations in Photosynthetic Pigments, Protein and Osmotic Components in Cotton Genotypes Subjected to Short-term Drought Stress Followed by Recovery. *Plant Biotechnology Reports*. 1 : 37–48
- Partohardjono, S. 2005. Upaya peningkatan produksi kedelai melalui perbaikan teknologi budidaya. Pp.132-147. Dalam Partohardjono (penyunting). *Analisa dan Opsi Kebijakan Penelitian dan Pengembangan Tanaman Pangan*. Monograf No.1 2005 Puslibang Bogor.
- Pedrol, M..N., I. Gomzales and M.J. Reigosa. 2006. *Allelopathy and Abiotic Stress*. In M.J. Reigosa, N.Pedrol and L. Gonzales. (eds.). *Allelopathy : A Physiological Preocess with Ecological Implicartion*. Springer. Netherlands.
- Porter, P. M., W. L. Banwart and J. J. Hasset. 1986. Phenolic Acids and Flavonoids in Soybean Root and Leaf Extracts. *Environmental and Experimantal Botany*. 25 : 65 – 73.
- Proestos C. And M. Komatis. 2013. Analysis of Naturally Occurring Phenolic Compounds in Aromatic Plants by RP-HPLC Coupled to Diode Array detector (DAD) and GC-MS after Sylylation. *Foods* 2 : 90-99.

- Purwanto dan T. Agustono. 2010. Kajian Fisiologi Tanaman kedelai pada berbagai kepadatan gulma teki dalam kondisi cekaman kekeringan. *Jurnal Agroland*. 17 : 85-90.
- Qasem, J.R. and C.L. Foy. 2001. Weed Allelopathy : Its Ecological Impacts and Future Prospects. *Journal of Crop Production*. 4 : 43-119.
- Quayyum, H. A., A. U. Mallik, D. M. Leach and C. Gottardo. 2000. Growth Inhibitory Effect of Nutgrass (*Cyperus rotundus*) on Rice (*Oryza sativa*) Seedling. *Journal of Chemical Ecology*. 26 : 2221 -2231.
- Ramel, F., A. S. Mialcundama and M. Havaux. 2013. Nonenzymatic Carotenoid Oxidation and Photooxidative Stress Signalling in Plants. *Journal of Experimental Botany*. 64 : 799-805.
- Rameskhumar, A. and T. Sivasudha. 2012. In Vitro Antioxidant and Antibacterial Activity of Aquous and Methanolic Extract of Molligo nudicaulis L. Leaves. *Asian Pacific Journal of Tropical Biomedicin*. 2012 : S895 – S900. Doi : 10.1016/S2221 – 1691(12)60332-3.
- Ratnayaka, H.H., W.T. Mollin and T.M. Sterling. 2003. Physiological and Antioxidan Responses of cotton and spurred anoda under interference and mild drought. *Journal of Experiment Botany*. 391:2293-2305.
- Rebey, I.B., I. Jabri-Karoui, I. Hamrouni-Sellami, S. Bourgou, F. Liman and B. Marzouk. 2012. Effect of Drought on The Biochemical Composition and Antioxidant Activities of Cumin (*Cuminum cyminum* L.) Seed. *Industrial Crop Products*. 36 : 238-245.
- Rejeb, I.B., V. Pastor and B. Mauch-Mani. 2014. Plant Responses to Simultaneous Biotic and Abiotic Stress : Molecular Mechanism. *Plants* 3 : 458 – 475.
- Rivoal, A, C. Fernandez, S. Greff, N Montes and B. Vila. 2011. Does Competition Stress decrease Alleleopathic Potential ?. *Biochemical Systematic and Ecoligy*. 39 : 401-407.
- Romero-Romero, T., S. Sanchez-Nieto, A. SanJuan-Badillo, A.L. Anaya and R.Cruz-Ortega. 2005. Camparative Effects of Allelochemical and Water Stress in Roots of *Lycopericon esculentum* Mill. (Solanaceae). *Plant Science*. 168 : 1059-1066.
- Sakhabutdinova, A., D. R. Fatkhutdinova, M. V. Bezrukova and F. M. Shakirova. (2003). Salicylic Acid Prevents The damageing Ation of Stress Factor on Wheat Plants. *Bulgarian Journal Plant Physiology*. Special Issue : 314 – 319.

- Sampietro, D.A., J.R. Soeberon, M.A. Sgariglia, E.N. Quiroga and M.A. Varruone. 2009. *Soil, Air and Water Samples*. pp. 7–31. In D.A.Sampietro, C.A.N. Catalan, M.A. Vattuone and S.S. Narwal. (eds.). *Isolation, Identification and Characterization of Allelochemical/Natural product*. Science Publisher. Plymouth.
- Sanchez-Morerias, A.M., N. Pedrol, L. Gonzales and M.J. Reigosa. 2008. 2-3H-Benzoxazolinone (BOA) Induces Loss of Salt Tolerance in Salt-Adapted Plants. *Plant Biology*. 11 : 582-590.
- Sass. J. E. 1958. *Botanical Microtechnique*. The Iowa State College Press. Iowa. Pp. 3-55.
- Schulz, M., H., Shenab, B. Manthe, B. Schweihofen and I. Casser. 1993. Uptake and detoxification of Salicylic Acid By *Vicia faba* and *Fagopyrum esculentum*. *Phytochemistry*. 33 : 291-294.
- Schulz, M., M. Knop, S. Kant, N. Voloshchu and A. Gryganski. 2006. *Detoxification of Allelochemicals – the Case of Benzoxazolin-2(3H)-one(BOA)*. Pp. 157-170. In M.J. Reigosa, N. Pedrol and L. Gondzaes. (eds.). *Allelopathy : A Physiological Process with Ecological Implication*. Springer. Netherlands.
- Shao, H. B., L.Y. Chu, C. A. Jaleel and C. X. Zhao. 2008. Water-deficit Stress-Induced Anatomical Changes in Higer Plants. *Comptes Rendus Biologies*. 331 : 215-225.
- Singh, N.B., D. Singh and A. Singh. 2009a. Modification of Physiological Responses of Water Stressed *Zea mays* Seedling by Leachate of *Nicotiana plumbagifolia*. *General and Applied Plant Physiology*. 35 : 51-63.
- Singh, N.B., B.N. Pandey and A. Sigh. 2009b. Allelopathic Effects of *Cyperus rotundus* Extract in Vitro and ex Vitro on Banana. *Acta Physiologiae Plantarum*. 31 : 633-638
- Sirikantaramas, S., M. Zamazaki and K. Saito. 2008. Mechanisms of Resistance to Self-Produced Toxic Secondary Metabolies in Plant. *Phytochemistry Reviews*. 7 : 467-477.
- Sitompul, S.M. and B. Guritno. 1995. *Analisis Pertumbuhan Tanaman*. UGM Press. Yogyakarta.
- Soegiyanto, A. 2012. Soybean (*Glycine max* L. Merr.) Varietas Selection for the Trait of Tolerance to Nutsedge (*Cyperus rotundus* (L.) Weed Competition. *Journal of Basic and Appied. Scientific Research*. 2 : 2231-2242.

- Sodaeizadeh, H., M. Rafleiohossaini, J. Havlik and V. Damme. 2009. Allelopathic Activity of Different Plant Parts of *Peganum harmala* L. and Identification of Their Growth Inhibitors Substances. *Plant Growth Regulations*. 59 : 227-236.
- Sharma, P., A. B. Jha, R.S.Dubey and M. Pessaraki. 2012. Reactive Oxygen Species, Oxidative Damage, and Antioxidative Defense Mechanism in Plant Under Stressful Conditions. *Journal of Botany*. 2012 : 1-26.
- Szabados L. and A. Savoure . 2008. Proline : A Multifunctiona : Amino Acid. *Trends in Plant Science* . 15: 89-97.
- Ton, J., V. Flors and B. M. Mani.. 2009. The Multifaceted Role of ABA in Disease Resitance. *Trend Plant Science*. 14 : 310 – 317.
- Velazquez, S.F., R. R. Guerra and L.S. Calderon. (2011). *Abiotic and Biotic Response Crosstalk in Plant* .pp. 1-6. In A. Shanker (ed.) : *Abiotic Stress Response in Plants – Physiological, Biochemical and Genetic Perspective*. InTech China. Shanghai.
- Verslues, P.E., M.Agarval, S. Katiyar-Agarval, J. Zhu and J.K. Zhu. 2006 Methods and Concepts in Quantifying Resistance to Drought, Salt and Freezing, Abiotic Stresses than Affect Plant Water Status. *The Plant Journal*. 45 : 523-539.
- Wang, B., Z. Li, A. E. Eneji, X. Tian, Z. Zhai, J. Li and L. Duan. 2008. Coronatine om Growth, Gas Exchange Traits, Clorophyll Content, Antioxidant Enzymes and Lipid peroxidations in Maize (*Zea mays* L.) Seedling Under Simultaned Drought Stress. *Plant Production Science*. 11 : 283 – 290.
- Weidner, S., M. Karolak, M. Karama, A. Kosinska dan R. Amarowicz. 2009. Phenolic Coumpound and Proprties of Antioxidants in Grapevine (*Vitis vinifera* L.) Under Drough Stress Folowed by Recovery. *Acta Societatis Botanicorum Poloniae*. 78 : 97-103.
- Weir, T.L., S.W. Park and J.M. Vivanco. 2004. Biochemicals and Physiological mechanisms Mediated by Allelochemicals. *Current Opinion in Plant Biology*. 7 : 472-479.
- Weir, T.L., H.P. Bais, V.J. Stull, R.M. Callaway, G.C. Thelen, W.M. Ridenour, S. Bhamidi, F.R. Stermitz and J.M. Vivaco. 2006. Oxalate Contribute to the Resistance of *Gillardia grandiflora* and *Lupinus sericeus* to a Phytotoxin Produce by *Centaurea maculosa*. *Planta*. 226 : 785-795.

- Weir, T.L. and J.M. Vivanco. 2008. *Allelopathy : Full Circle from Phytotoxicity to Mechanisms of Resistance*. Pp. 105-117. In R.Z. Zeng, A.U. Mallik and S. Luo. (eds.). *Allelopathy in Sustainable Agriculture and Forestry*. Springer. New York.
- Wellburn. A. L. 1994. The Spectral Determination of Chlorophylls A and B as well as total Carotenoids, Using Various Solvents with Spectrophotometers of Different Resolution . *Journal of Plant Physiology*. 144 : 307-313.
- Wu, Y. and D. J. Cosgrove. 2000. Adaptation of Root to Low Water Potential by Changes in Cell wall Extensibility and Cell wall Protein. *Journal of Experimental Botany*. 51 : 1543 – 1553.
- Yang, C.M, C.N. Lee and C.H. Chou. 2002. Effect of Three Allelopathic Phenolics on Chlorophyll Accumulation of Rice (*Oryza sativa*) Seedlings : I. Inhibition of Supply – Orientation. *Botanical Bulletin Academia Sinica*. 43 : 299-304.
- Yang, C.M., I.F.Chang, S.J. Lin and C.H. Chou. 2004. Effect of Three Allelopathic Phenolics on Chlorophyll Accumulation of Rice (*Oryza sativa*) Seedlings : II. Stimulation of Consumption–Orientation. *Botanical Bulletin Academia Sinica*. 45: 119-125.
- Yang, G.Q., F.H. Wan, W.X. Liu and J. Y. Guo. 2008. Influence of Two Allelochemicals from *Ageratina adenophora Sprengel* on ABA, IAA and ZR contents in Root of Upland Rice Seedlings. *Allelopathy Journal*. 21 : 253-262.
- Yazdani, M. and H. Bagheri. 2011. Allelopathic Effect of Tobacco (*Nicotiana tabacum* L.) on Germination and Early Growth of Soybean (*Glycine max* L.). *Australian Journal of Basic and Applied Sciences*. 5 : 1178 – 1181.
- Ye, N. G. Zhu, Y. Liu, Y. Li and J. Zhang. 2011. ABA Controls H₂O₂ Accumulation Through the Induction of *OsCATB* in Rice under Water Stress. *Plant Cell Physiology*. 52 : 689-698.
- Ye, N., L. Jia and J. Zhang. 2012. ABA Signal in Rice Under Stress Conditions. *Rice*. 5 : 1-9.
- Yordanov, I., V. Velokova and T. Tsonev. 2003. Plant Response to Drought and Stress Tolerance. *Bulgarian Journal Plant Physiology. Special Issue*. 187-206.

- Zanardo D.L., R. B. Lima, M.L.L.Ferrarese, G.A.Bubna and O.F. Filho. 2009. Soybean Root Growth Inhibition and Lignification Induced by-coumaric acid. *Environmental and Experimental Botany*. 66 : 25-30.
- Zeng, R. S., S. M. Luo, Y. H. Shi, M. B. Shi and C. Y. Tu. 2001. Physiological and Biochemicals Mechanism of Allelopathy of Secalonic Acid F on Higher Plants. *Agronomy Journal*. 93 : 72 – 79.
- Zhang, E., S.Zhang, W.Zhang, L. Li and T. Li. 2010. Effect of Exogenic Benzoic Acid and Cinnamic Acid on The Root Oxidative Damage of Tomato Seedlings. *Journal of Horticulture and Forestry*. 2 : 22-29.
- Zhou, Y.H. and J.Q.Yu. 2006. *Allelochemicals and Photosynthesis*. pp. 127-140. In M.J.. Reigosa, N.Pedrol and L. Gonzales (eds.) : *Allelopathy : A Physiological Preocess with Ecological Implicartion*. Springer. Netherlands.