



DAFTAR PUSTAKA

- Akrem, A., (2011). Nanofibrous Nanocomposites Via Electrospinning, *Thesi*. Bilkent University, Turki.
- Anonim-a. (2009). <https://teyhirafarm.wordpress.com>. Judul “Kandungan Kimia Rokok dan Bahayanya”, diakses 17 September 2015 jam 13:02:37.
- Anonim-b. (2015). (<http://www.sinobiological.com>). Judul “Ultrafiltration”, diakses 12 November 2015 jam 10:22:47.
- Bhattacharyya, N. and Bandhopadhyay, R. (2010). Nondestructive Evaluation of Food Quality. *Springer Heidelberg Dordrecht London*.
- Cao, G. (2004). *Nanostructures and Nanomaterials: Synthesis, Properties and Applications*. London: Imperial College Press.
- Cengiz F., Dao T. A., Jirsak O. (2010). Influence of Solution Properties On The Roller Electrospinning of Poly(vinyl alcohol). *Polymer Engineering and Science*, 50, 936–943.
- Chaloupek J., Jirsak O., Kotek V., Lukas D., Martinova L., Sanetrnik F. (2009). A method of nanofibres production from a polymer solution using electrostatic spinning and a device for carrying out the method. EP Patent 1673493: EU .
- Chi, T. and Huang D. (2008). Implementation Study of an Electronic Nose System Based on Computing Mechanisms. *Fourth International Conference on Natural Computation*, 28, 62-65.
- Das, I. and Ansari, S.A. (2009). Nanomaterials in Science and Technology. *J. Sci. Ind. Res*, 68, 657-667.
- El-Kharrag, R., Amin, A. dan Greish, Y.E. (2011). Low Temperature Synthesis of Monolithic Mesoporous Magnetite Nanoparticles. *Ceram International*, 38, 627-634.
- Figaro. (2005). [http://www.figarosensor.com/products/common\(1104\).pdf](http://www.figarosensor.com/products/common(1104).pdf). Judul “Technical Information on Usage of TGS Sensors for Toxic and Explosive Gas Leak Detectors”, diakses 19 September 2015 jam 09:40:21.



- Freeman, B.D. and I. Pinnau. (1999). *Polymer Membrane for gas and vapor separation*. American Chemical Society, Washington D.C.
- Gardner, J. (2004). *Electronic Noses & Sensors for the Detection of Explosives*, . NATO Science Series II Mathematics, Physics and Chemistry – Vol.159, Kluwer, Dordrecht, 324.
- Giwangkara, S., EG. (2006). *Aplikasi Logika Syaraf Fuzzy pada Analisis Sidik Jari Minyak Bumi Menggunakan Spektrofotometer Infra Merah – Transformasi Fourier (FT-IR)*. Sekolah Tinggi Energi dan Mineral, Cepu – Jawa Tengah.
- Goel, A. and Rani, N. (2012). Effect of PVP, PVA and POLE Surfactants on the Size of Iridium Nanoparticles. *Open Journal of Inorganic Chemistry*, 2, 67-73.
- Goodship, V. and Jacobs, D. K. (2009). *Polyvinyl Alcohol: Materials, Processing and Applications*. Smithers Rapra Technology, Shrewsbury.
- Gufron. (2013). *Pengembangan Electronic Nose Berbasis Larik Sensor Gas yang Dikombinasikan dengan Principle Component Analysis untuk Klasifikasi Ikan Berformalin, Skripsi*. Jurusan Fisika FMIPA Universitas Gadjah Mada, Yogyakarta.
- Guo, Z. and Tan, L. (2009). *Fundamentals and Applications of Nanomaterials (1 ed.)*. Norwoo, MA: Artech House.
- Hidayat, S. N. (2015). *Aplikasi Sistem Larik Sensor Gas Untuk Identifikasi Profil Aroma Tempe Selama Proses Fermentasi, Thesis*. Jurusan Fisika FMIPA Universitas Gadjah Mada, Yogyakarta.
- Hoover L. A., Schiffman J. D., and Elimelech M. (2013). Nanofibers in Thin-Film Composite Membrane Support Layers: Enabling Expanded Application of Forward and Pressure Retarded Osmosis. *Desalination*, 308, 73–81.
- Iswani (1983). *Instrumentasi Kimia I*. BATAN, Yogyakarta.
- Khan, P. A., Sasikanth, K., Sreekanth N., Suresh, P., and Brahmaiah, B. (2013). Nanofibers - A New Trend In Nano Drug Delivery Systems. *International Journal of Pharmaceutical Research & Analysis*, 3, 47-55.
- Kundu, T.K., Karak, N., Barik, P. and Saha, S. (2011). Optical Properties of ZnO Nanoparticles Prepared by Chemical Method Using Poly(Vinyl Alcohol) (PVA) as Capping Agent. *International Journal of Soft Computing and Engineering*, 1, 19-24.



- Li, D., Babel, A., Jenekha, S. A., and Xia, Y. (2004). Nanofibers of Conjugated Polymers Prepared by Electrospinning with a Two Capillary Spinneret. *Adv. Mater*, 16, 2062-2066.
- Li, J., Gao, F., Liu, L. Q., and Zhang, Z. (2013). Needleless Electro-Spun Nanofibers Used for Filtration of Small Particles. *eXPRESS Polymer Letters*, 7, 683-689.
- Liu, Y., Wang, R., Ma, H., Hsiao, S. B. and Chu, B. (2013). High-Flux Microfiltration Filters Based on Electrospun Polyvinylalcohol Nanofibrous Membranes, *Polymer*, 54(2), 548–556.
- Makhyani, F. (2008). Pencemaran Udara Karbon Monoksida dan Nitrogen Oksida Akibat Kendaraan Bermotor pada Ruas Jalan Padat Lalu Lintas di Kota Makasar. *Thesis*, Makasar.
- Mallik, M. and Mandal, R.K. (2008). Effect of Variation of PVP/PVA Weight Ration on the Behaviour of Nanocrystalline Silver. *Indian Journal of Engineering & Materials Sciences*, 15, 425-428.
- Mandagi, J. (1996). *Masalah Narkotika dan Zat Adiktif Lainnya serta Penanggulangannya*. Jakarta: Bina Darma Pemuda Printing.
- McMahon, G. (2007). *Analytical Instrumentation: A Guide to Laboratory, Portable and Miniaturized Instruments*. John Wiley & Sons, Ltd Chichester, 318.
- Mukono, H.J. (2008). *Pencemaran Udara Dan Pengaruhnya Terhadap Gangguan Saluran Pernafasan*. Surabaya: Airlangga University Press.
- Mulder, M. (1996). *Principles of Membrane Technology, Second Edition*. Kluwer Academic Publisher: Dordrecht, The Netherland.
- Pappas, R. S., G. M. Polzin, L. Zhang, C. H. Watson, D. C. Pascal and D. L. Ashley. (2006). Cadmium, Lead, and Thallium in Mainstream Tobacco Smoke Particulate. *Food and Chemical Toxicology*, 44, 714-715.
- Patachia, S., Valente, A.J.M., Papancea, A. and Lobo, V.M.M. (2009). *Poly (Vinyl Alcohol) [PVA]-Based Polymer Membranes*. Nova Science Publishers, Inc, New York.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., dan Vyvyan, J. A., (2009). *Introduction to Spectroscopy 4th*. Western Washington University, Bellingham, Washington: Department of Chemistry.



- Phaisangittisagul, E. (2007). *Signal Processing using Wavelets for Enhancing Electronic Nose Performance*. ProQuest Information and Learning Company.
- Pompanomchai, C. and Chongchuay, P. (2009). *Chemical Substance Classification By Electronic Noses*. IEEE Electronic Society.
- Pratomo, H. Al. (2003). *Pembuatan dan Karakterisasi Membran Komposit Polisulfon Selulosa Asetat Untuk Proses Ultrafiltrasi*. Jurnal Pendidikan Matematika dan Sains, Edisi 3. Tahun VIII.
- Pudjiastuti, W. (2002). *Debu Sebagai Bahan Pencemar yang Membahayakan Kesehatan Kerja*. Pusat Kesehatan Kerja Departemen Kesehatan RI, Jakarta.
- Purdue University. (2014). *Purdue University - Scanning Electron Microscope*. <https://www.purdue.edu/ehps/rem/rs/sem.htm>, diakses 5 Mei 2015.
- Rajeswari, N., Selvasekarapandian, S., Karthikeyan, S., Sanjeeviraja, C., Iwai, Y. & Kawamura, J. (2013). Structural, Vibrational, Thermal, and Electrical Properties of PVA/PVP Biodegradable Polymer Blend Electrolyte with CH₃COONH₄. *Ionics*, 19, 1105-1113.
- Ramakrishna, S., Fujihara, K., Teo, W.-E. & Lim, T.C. (2005). *An Introduction to Electrospinning and Nanofibers*. World Scientific Publishing, Singapore.
- Ramakrishna, S., Jose, R., Archana, P.S., Nair, A.S., Balamurugan, R., Venugopal, J., and Teo, W.E. (2010). Science and Engineering of Electrospun Nanofibers for Advances in Clean Energy, Water Filtration and Regenerative Medicine. *J. Mater. Sci*, 45, 6283–6312.
- Riyadi, S., 1982. *Pencemaran Udara. Usaha Nasional*. Surabaya.
- Roso, M., Sundarrajan, S., Pliszka, D., Ramakrishna, S. and Modesti, M. (2008). Multifunctional Membranes based on Spinning Technologies: The Synergy of Nanofibers and Nanoparticles. *Nanotechnology*, 19, 285707.
- Sastrohamidjojo, H. (2001). *Spektroskopi Inframerah*. Liberti, Yogyakarta.
- Sautter, B. P. (2005). Continuous Polymer Nanofibers Using Electrospinning, *NFS-REU Summer 2005 Program*, University of Illionus at Chicago.
- Schiffman, S.S., Gutierrez-Osuna, R., Nagle, H. T., and Kermani, B. (2003). *Handbook of Machine Olfaction*. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim.



- Shackley, M. S. (2011). X-Ray Fluorescence Spectrometry (XRF) in Geoarchaeology, *Springer Science*, 14, 4-44.
- Shin, C. and Chase, G. G. (2005). Nanofibers from Recycle Waste Expanded Polystyrene Using Natural Solvent. *Polymmar Bulletin*, 55, 209-215.
- Simanjuntak, M.J. (2008). Studi Film Polyvinil Alkohol (PVA) Dimodifikasi dengan Acrylamide (AAm) sebagai Material Sensitif Terhadap Kelembaban, *Tesis*. Program Studi Fisika FMIPA UI, Depok.
- Thompson, C.J., Chase, G.G., Yarin, A.L., Reneker, D.H. (2007). Effects of parameters on nanofiber diameter determined from electrospinning model. *Polymer*, 48: 6913-6922.
- Triyana, K., Subekti, M.T., Aji, P., Hidayat, S.N., dan Rohman, A. (2015). Development of Electronic Nose with Low-Cost Dynamic Headspace for Classifying Vegetable Oils and Animal Fats. *Applied Mechanics and Materials*, 771, 50-54.
- Uyar, T., Havelund, R., Nur, Y., et al., (2010). Cyclodextrin functionalized poly(methylmethacrylate) (PMMA) electrospun nanofibers for organic vapors waste treatment. *Journal of Membrane Science*, 365(1-2), 409–417.
- Vaisniene, A.D., Katunskis, J., and Buika, G. (2009). Electrospun PVA Nanofibres for Gas Filtration Applications. *Fibers & Textiles in Eastern Europe*, 17(77), 40-43.
- Voigt W.V. (2009). *Water stable, antimicrobial active nanofibres generated by electrospinning from aqueous spinning solutions*, *Dessertation*, RWTH Aachen University, Munich.
- Wenten, I.G. (2000). *Teknologi Membran Industrial*. Penerbit ITB, Bandung.
- Wisnu Susetyo (1988). *Spektrometri Gamma*. Gadjah Mada University Press, Yogyakarta.
- Zhang S., Shim W. S., and Kim J. (2009). Design of Ultra-Fine Non-Wovens Via Electrospinning of Nylon 6: Spinning Parameters And Filtration Efficiency. *Materials and Design*, 30, 3659–3666.
- Zhang, Q., Welch, J., Park, H., Wu, C.Y., Sigmund, W. and Marijnissen, J. C. M. (2010). Improvement in Nanofiber Filtration by Multiple Thin Layers of Nanofiber Mats, *Journal of Aerosol Science*, 41(2), 230–236.