

DAFTAR PUSTAKA

- Aji, A.S., 2015, Pengaruh Pemberian Air Minum Terhadap Thermoregulatory Responses pada Aktivitas Fisik, Skripsi, Universitas Gadjah Mada, Yogyakarta
- Arini, H.M., 2011, *Pengaruh Thermal Terhadap Fisiologi, Waktu Reaksi, Inspeksi Visual, dan Udgement Under Uncertainty*, Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Azares, P.M., et al., 2013, Testing thermal comfort of trekking boots: An objective and subjective evaluation, *Applied Ergonomics*, 44, pp. 557-565
- BPS, 2010-2012, *Suhu minimum, Rata-Rata, dan Maksimum di Stasiun Pengamatan BMKG(oC), 2000-2012*, URL: <http://www.bps.go.id>, diakses 9 Januari 2015
- BPS, 2010-2012, *Kecepatan Angin dan Kelembaban di Stasiun Pengamatan BMKG, 2000-2012*, URL: <http://www.bps.go.id>, diakses 9 Januari 2015
- Bruce, R.A., Kusumi, F., Hosmer, D., (1973) Maximal oxygen intake and nomographic assesment of functional aerobic impairment in cardiovascular disease, *Am Heart J*, Vol.85, pp.546-562.
- Budd, G., Brotherhood, J., Hendrie, L., Cheney, P., and Dawson, M., 1996, *Safe and Protective Brushfire fighting with hand tools*, Australian Government Publishing Service.
- Cadarette, B.S., Levine,L., Kolka,M.A., Proulx,G.N., Correa,M.M., Sawka, M.N., 2002, Heat Strain reduction by Ice-Based Vapor Compression Liquid Cooling System with a Toxic Agent Protective Uniform, *Aviat Space Environ Med*, Vol.73. No.7.pp. 665-672.
- CDC. *Heat strain* . Diperoleh 4 oktober 2014. Dari <http://www.cdc.gov/niosh/topics/heatstress/gao>
- Choi, J.W., Kim, M.J., and Lee, J.Y., 2008, Alleviation of Heat Strain by Cooling Different Body Areas during Red Pepper Harvest Work at WBGT 33°C, *Industrial Health*, Vol.46, pp.620-628.
- Chou, C., Tochihara, Y., and Kim, T., 2008, Physiological and subjective responses to *cooling devices* on firefighting *protective clothing*, *Eur J Appl Physiol*, Vol.104, pp.369-374
- Daanen, H.A., van Es E.M., de Graaf J.L., 2005, Heat strain and gross efficiency during endurance *exercise* after lower, upper or whole body *precooling* in the heat, *Int J Sports Med*, Vol.25, pp.1–10.
- DiCorleto, R. D., Coles, G.,& Firth, I., (Eds.). (2003). *Heat stess and standard documentation develop for use in the Australia Environment*. Tullamarine: *the Australian Institute of Occupational Hygienists*.
- Holmer, I., 2006, *Protective clothing* in Hot Environment, *Industrial Health*, Vol.44, pp.404-413.
- Johnson, Harvey, 2011, *Heat Stress Hazards in The Workplace*, diakses tanggal 14 agustus 2015, URL:

http://www.michigan.gov/documents/lara/lara_miosha_heat_stress1_382309_7.pdf

- Livingstone, S.D., Nolan, R.W., Cattroll, S.W., 1989, Heat loss caused by immersing the hands in water, *Aviat Space Environ Med*, 60,1166–1171.
- Martini, F.H., Nath, Judi L., Bartholomew, and Edwin F., 2012, *Fundamentals of Anatomy and Physiology*, Ed. 9, Pearson Education Inc., San Francisco.
- Mc Lean, J.A., Tobin, G., 1987, *Animal and Human Calorimetry*, Press Syndicate of The University Of Cambridge, Cambridge.
- McLellan, T.M., and Daanen, H.A.M., 2012, *Heat Strain in Personal Protective clothing : Challenges and Intervention Strategies*, NATO Science for Peace and Security Series B : Physics and Biophysics, Amsterdam
- Menteri Tenaga Kerja, Keputusan Menteri no. 51.MEN/1999 tentang *Nilai Ambang Batas Iklim Kerja Indeks Suhu Basah dan Bola (ISBB) yang Diperkenankan*.
- Muflichatun, 2006, Hubungan Antara Tekanan Panas, Denyut Nadi, dan Produktivitas Kerja Pada Pekerja Pandai besi Paguyuban Wesi Aji Donorejo Batang, *Skripsi*, Jurusan Ilmu Kesehatan Masyarakat, Universitas Negeri Semarang, Semarang.
- Nagano, K., Mochida, T., Takeda, S., Ski, R.D., Rebow, M., 2003, Thermal Characteristics of Manganese(II) Nitrate Hexahydrate as a *Phase change material* for Cooling Systems, *Appl Therm Eng*, Vol.23, pp.229-241.
- Park, H., Park, J., Lin, S., Boorady, L.M., 2014, Assessment of *Firefighter's* needs for personal *protective clothing*, *Fashion and Textile*, Vol.1, No.8.
- Parson, K.C., 2003, *Human Thermal Environments : The Effect of Hot, Moderate, and Cold Environment on Human Health, Comfort and Performance 2nd edition*, Taylor and Francis, London.
- Pulung, S. and Setya P., Ika, 2006, *Perbedaan Efek Fisiologis pada Pekerja Sebelum dan Sesudah Bekerja di Lingkungan Kerja Panas*, Universitas Airlangga.
- Putri, H.E., 2011, Pengukuran Performansi Termal Tenda Darurat Untuk Daerah Tropis, *Skripsi*, Universitas Andalas, Padang.
- Robergs,R.A., Landwehr, R., 2002, The Surprising History of The “HRmax=220-Age” Equation, *An International Electronic Journal*, Vol.5, No.2.
- Smith, D.L. Petruzzello SJ, Kramer JM, Misner JE., 1997. The effects of different thermal environments on the physiological and psychological responses of *firefighters* to a training drill. *Ergonomic* 40. 500-10
- Smolander, J., Kuklane, K., Gavhed, D., Nilsson, H., and Holmer, I., 2004, Effectiveness of Light-Weight Ice-Vest for Body Cooling While Wearing Fire Fighter’s *Protective clothing* in the Heat, *International Journal of Occupational Safety and Ergonomics*, Vol.10, No.2, pp.111-117.
- Son,S., Lee,J., Tochihara,Y., 2012, Occupational Stress and Strain in Relarion to Personal Protective Equipment of Japanese Firefigters Assessed by a Questionnaire, *Industial Health* 2013, vol.51, pp.214-222
- van den Heuvel,.A.M.J., Kerry, P., van der Velde, J.H.P.M., Patterson,M.J., Taylor, N.A.S., 2010, Torso undergarments: their merit for clothed and armored



individuals in hot-dry conditions, *Aviat Space Environ Med*, Vol.81, No. 12, pp.1107–1013.

Yang, Y.J., Stapleton, B.T., Diagne, G.P., and Lan, C.Q., 2012, Man-Portable Personal Cooling Garment Based on Vacuum Desiccant Cooling, *Appl. Therm.Eng*, Vol.47, pp.18-24.

Zein, A.R.K., 2015, Analisis Pengaruh Penggunaan dan Penempatan *Phase change material* Berbahan Minyak Kelapa untuk Teknik *Precooling* Terhadap Respon Fisiologis dan Subjektif ketika Melakukan Aktivitas Fisik di Lingkungan Panas, Skripsi, Universitas Gadjah Mada, Yogyakarta

Zalba, B., Lazaro, A., Peñalosa, C., Solé, A., Diarce, G., Haussmann, T., Fois, M., Gshwander, S., Cabeza, L.F., 2013, Intercomparative tests on *Phase change materials* characterization with differential scanning calorimeter, *Applied Energy*, Vol.109, pp. 415-42.