

DAFTAR PUSTAKA

- Anggraeny, B.O.D., Sabarudin, A., dan Rumhayati, B., 2014, Pembuatan Kitosan Makropori Menggunakan Garam Dapur dan Aplikasinya Terhadap Adsorpsi Methyl Orange, *Kim. Student. J.*, 1(1), 1–7.
- Anitha, A., Maya, S., Deppa, N., Chennazhi, K.P., Nair, S.V., and Jayakumar, R., 2011, Preparation, Characterization, in vitro Drug Release and Biological Studies of Curcumin Loaded Dextran Sulphate–Chitosan Nanoparticles, *Carbohydr. Pol.*, 84, 1158–1164.
- Bapjai, S.K., Chand, N., and Ahuja S., 2015, Investigation of Curcumin Release from Chitosan/Celulosa Micro Crystal (CMC) Antimicrobial Film, *Int. J. Bio. Macro.*, 79, 440–448.
- Bhise, K.S., Dhumal, R.S., Chauhan, B., Paradkar, A., and Kadam, S.S., 2007, Effect of Oppositely Charged Polymer and Dissolution Medium in Swelling, Erosion, and Drug Release from Chitosan Matrices, *Apps. PharmSciTech.*, 8(2), 44.
- Bhise, K.S., Dhumal, R.S., Chauhan, B., Paradkar, A., and Kadam, S.S., 2007, Effect of Drying Methods on Swelling, Erosion and Drug Release from Chitosan–Naproxen Sodium Complexes, *AAPS. PharmSciTech.*, 9, 1.
- Briones, A.V., and Sato, T., 2010, Encapsulation of Glucose Oxidase (GOD) in Polyelectrolyte Complexes of Chitosan–Carrageenan, *React.Func.Polym.*, 70, 19–27.
- Champo, V.L., Kawano, D.F., Junior. D.B.S., and Carvalho, I., 2009, Carrageenan: Biological Properties, Chemical Modifications and Structural Analysis, *Carbohydr. Polym.*, 77, 167–180.
- Champagne, L.M., 2002, The Synthesis of Water Soluble N–Acyl Chitosan Derivatives For Characterization As Antibacterial Agent, *Disertation*, B.S., Xavier University of Louisiana.
- Chen, X., Liu, J., Feng, Z., and Shao, Z., 2004, Macroporous Chitosan/Carboxymethylcellulose Blend Membranes and Their Application for Lysozyme Adsorption, *J. Applied. Pol. Sci.*, 96, 1267–1274.
- Das, R.K., Kasoju, N., Bora and Utpal, 2009, Encapsulation of Curcumin in Alginate–Chitosan–Pluronic Composite Nanoparticles for Delivery to Cancer Cells, *J. Nanomed.*, 6, 153–160.
- El–Asaar, M.R., El Falal G.F., Kamoun, E.A., and Fouda M.M.G., 2015, Control Drug Release from Cross–linked κ –carrageenan/hyaluronic acid membranes, *Int. J. Bio. Macro.*, 77, 322–329.

- Ghaeea, A., Niassara, M.S., Barzinb, J., and Matsuura, T., 2010, Effects of Chitosan Membrane Morphology on Copper Ion Adsorption, *Chem. Eng. J.*, 165, 46–55.
- Giri, T.K., Thakur, A., Alexdaneer, A., Ajazuddin, Badwaik, H. and Tripathi, D.K., 2012, Modified Chitosan Hydrogels as Drug Delivery and Tissue Engineering Systems: Present Status and Applications, *Acta. Pharm. Sin.*, 1–11.
- Griffin, W.C., 1949, Classification of Surface–Active Agents by HLB, *J. Soc. Cosmet. Chem.*, 1, 311–326.
- Hasanah, Fithriya., 2014, Pembuatan Film Kitosan–Pektin dengan Penambahan Emulsifier Asam Stearat sebagai Matriks Pelepasan Kurkumin, *Skripsi*, Departemen Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Higuchi, T., 1963, Mechanism of Sustained Action Medication, Theoretical Analysis of Rate of Release of Solid Drug Dispered in Solid Matrices, *J.Pharm.Sci.*, 52 (12), 1145–1149.
- Jain, A. and Gupta, S.K., 2007, Potensial of Calcium Pectinate Beads for Target Spesific Drug Release to Colon, *J.Drug Target*, 15,285–296.
- Jelova, I., Drakalska, E., Momekova, D., Shalimova, N., Mamekov, D., Kontantinov S., and Pispas, S., 2015, Curcumin Loaded pH–Sensitive Hybrid Lipid/Block Copolymer Nanosized Drug Delivery Systems, *Int. J. Pharm. Sci.*,78, 67–78.
- Kolev, T.M., Velcheva, E.A., Stamboliyska, B.A., Spiteller, M., 2005, DFT and Experimental Studies of The Structure and Vibrational Spectra of Curcuma, *Int. J. Quant. Chem.*, 102, 1069–1079
- Korsmeyer, R. W., Gurny, R., Doelker, E., Buri, P., and Peppas, N. A., 1983, Mecanism of Solute Release from Porous Hydrophilic Polymers, *Int. J. Pharm.*, 15, 25–35.
- Li, L., Wang, L., Shao, Y., Ni, R., Zhang, T., and Mao, S., 2013. Drug Release Characteristics from Chitosan–Alginate Matrix Tablets based on The Theory of Self–Assembled Film, *Int. J. Pharm.*, 460, 197–207.
- Li, L., Ni, R., Shao, Y., and Mao, S., 2014, Carrageenan and Its Applications in Drug Delivery, *Cabohydr.Polym.*,103, 1–11.
- Liu, Y., Liu, D., Zhu, L., Gan, Q., and Le, X., 2015, Temeperature–Dependent Structure Stability and In Vitro Release of Chitosan–Coated Kurkumin Liposome, *Int. Food Res. J.*,74, 97–105.

- Luo, Y. and Wang, Q., 2014, Recent Development of Chitosan–Based Polyelectrolyte Complexes with Natural Polysaccharides for Drug Delivery, *Int. J. Bio. Macro.*, 64, 353–367.
- Luo, Y., Teng, Z., Wang, X., and Wang, Q., 2012, Development of Carboxymethyl Chitosan Hydrogel Beads in Alcohol–Aqueous Binary Solvent for Nutrient Delivery Applications, *Food Hydrocol.*, 31, 332–339.
- Lopez, R.F., Nobre, T.M., Acardo, C.M., Filho, P.P., Nader, H.B., and Caseli, L., 2013, Effect of Carrageenans of Diferrent Chemical Structures in Biointerface: A Langmuir Film Study, *Coll. Surf. B Biointerfaces.*, 111, 530–535.
- Ma, Z., Haddadi, A., Molavi, O., Lavasanifar, A., Lai, R., and Samuel, J., 2008, Micelles of Poly(ethylene Oxide)– β –poly(ϵ –aprolactone) as Vehicles for The Solubilization, Stabilization, and Controlled Delivery of Curcumin, *J. Biomed. Mater. Res.*, Part A, 86A, 300–310.
- Maradewi, A. Sri., 2013, Studi Pelepasan Kurkumin dengan Film Kitosan-Karaginan Tertaut Silang Glutaraldehida, *Skripsi*, Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Mulder, M., 1991, *Basic Principles of Membrane Technology*, Kluwer Academic Publisher, Netherlands.
- Nanaki, S., Karavas, E., Kalantzi, L., and Bikiaris, D., 2010, Miscibility Study of Carrageenan Blends and Evaluation og Their Effectiveness of Sustained Release Carries, *Carbohydr. Polym.*, 79, 1157–116.
- Ningrum, A.S., 2014, Pembuatan dan Studi pelepasan In Vitro Kurkumin dari Beads Kalsium–Pektin–Kitosan dengan Penambahan Emulsifier Asam Stearat, *Skripsi*, Jurusan Kimia Fakultas MIPA Universitas Gadjah Mada, Yogyakarta.
- Nguyen, A.T., Winckler, P., Loison, P., Wache, Y., and Chambin O., 2015, Phisico–Chemical State Influences In Vitro Release Profil of Curcumin from Pectin Beads, *Coll. Surf. B Biointerfaces.*, 121, 290–298.
- Patra, S., and Sleem, F., 2013, A new Method for pH Triggered Curcumin Release by Applying Poly(l-Lysine) Mediated Nanoparticle-Concregation, *J. Young Pharm.*, 1-7.
- Piyakulawat, P., Praphairaksit, N., Chantarasiri, N. and Muangsin, N., 2007, Preparation and Evaluation of Chitosan/Carrageenan Beads for Controlled Release of Sodium Diclofenac, *AAPS Pharm. Sci. Tech.*, 4(8), 1–11.

- Ravi, P. R., Ganga, S., and Saha, R. N., 2007, Design and Study of Lamivudine Oral Controlled Released Tablets, *AAPS Pharm. Sci. Tech.*, 4 (8), 1-9.
- Ritger, P.L. and Peppas, N. A., 1987, A Simple Equation for Description of Solute Release I. Fickian and Non-Fickian Release from Non-Swellable Devices in the Form of Slabs, Spheres, Cylinders or Discs, *J. Controlled Release.*, 5, 23-36.
- Rohman, A., 2012, Mini Review Analysis Curcuminoids in Food and Pharmaceutical Product, *Int. Food Res. J.*, 19, 1, 19-27.
- Sankalia, M.G., Mashru, R.C., Sankalia, J.M., and Sutariya V.B., 2006, Stability Improvement of Alpha-Amylase Entrapped in Kappa-Carrageenan Beads : Physicochemical Characterization and Optimization using Composite Index, *Int. J. Pharm.*, 312, 1-14.
- Schipper, N.G., Varum, K.M., and Artursson, p., 1996, Chitosan as Absorption Enhancer for Poorly Absorbable Drugs. I: Influence of Molecular Weight and Degree of Acetylation on Drug Transport Across Human Intestinal Epithelial (CaCO-2) Cells, *Pharm. Res.*, 13, 1686-1692.
- Shadiq, S., 2014, *Enkapsulasi dan Studi Pelepasan Kurkumin dalam Matriks Beads Kitosan-Karaginan Tertaut Silang Glutaraldehid menggunakan Asam Laurat sebagai Pengemulsi*, *Skripsi*, Jurusan Kimia Fakultas MIPA Universitas Gadjah Mada, Yogyakarta.
- Shen, L., and Hong-Fang, J., 2012, The Pharmacology of Curcumin: Is It The Degradation Product., *Mol. Med.*, 3, 18, 138-144.
- Singvi, G. and Singh, M., 2011, In-Vitro Drug Release Characterization Models, *Int. J. Pharm. Res.*, 11, 77-84.
- Song, S., Wang, Z., Qian, Y., Zhang, L., and Luo, E., 2012, The Release Rate of Curcumin from Calcium Alginate Beads Regulated by Food Emulsifiers, *J. Agri. Chem.*, 60, 4388-4395.
- Sutriyo, J.D., dan Indah, R., 2005, Perbandingan Pelepasan Propanol Hidroksida dari Matriks Kitosan, Etil Selulosa (EC) dan Hidroksi Propil Metil Selulosa (HMPC), *Majalah Ilmu Kefarmasian*, 2(3), 145-153.
- Tahtat, D., Mahlous, M., Benamer, S., Khodja, A.N., Oussedik-Oumehdi, H., and Laraba-Djebari, F., 2013, Oral Delivery of Insulin from Alginate/Chitosan y Crosslinked by Glutaraldehyde, *Int. J. Biological Macromolecules*, 58, 160-168.
- Yadav, G., Bansal, M., Thakur, N., Sargam, and Khare, P., 2013, Multilayer Tablets and Their Drug Release Kinetic Models for Oral Controlled Drug Delivery System, *Middle-East. J. Sci. Res.*, 16(6), 782-795.

Wu, X., Xu, J., Huang, X., and Wen, C., 2011, Self-Microemulsifying Drug Delivery Sistem Improves Curcumin Dissolution and Bioavailability, *Drug Dev. Ind. Pharm.*, 31 (1):15–23.