

DAFTAR PUSTAKA

- Alves, N.M., and Mano, J.F., 2008, Chitosan Derivatives Obtained by Chemical Modifications for Biomedical and Environmental Applications, *Int. J. Biol. Macromol.*, 43, 401–414.
- Anand, P., Kunnumakkara, A.B., Newman, R.A., and Aggarwal, B.B., 2007, Review: Bioavailability of Curcumin: Problems and Promises, *Mol. Pharm.*, 4(6), 807–818.
- Anggraeny, B.O.D., Sabarudin, A., dan Rumhayati, B., 2014, Pembuatan Kitosan Makropori Menggunakan Garam Dapur dan Aplikasinya Terhadap Adsorpsi Methyl Orange, *Kim. Student. J.*, 1(1), 1–7
- Anitha, A., Deepagan, V.G., Rani, V.V.D., Menon, D., Nair, S.V., and Jayakumar, R., 2011, Preparation, Characterization, In vitro Drug Release and Biological Studies of Curcumin Loaded Dextran Sulphate–Chitosan Nanoparticles, *Carbohydr. Pol.*, 84, 1158–1164.
- Anindya, B., Alok, S., Kaur, N., Jassal, M., and Prosenjit, M., 2013, Curcumin and Curcumin–Metal Complex: Ancient Weapon , Modern Target, *Universal. J. Pharm.*, 2(2), 8–9.
- Beppu, M.M., Arruda, E.J., Vieira, R.S., and Santos, N.N., Adsorption of Cu(II) on Porous Chitosan Membranes Functionalized with Histidine, *J. Membr. Sci.*, 240, 227–235.
- Butte, K., Momin, M., and Deshmukh, H., 2014, Optimisation and In Vivo Evaluation of Pectin Based Drug Delivery System Containing Curcumin for Colon, *Int. J. Biomater*, 2014, 1–7.
- Chao, A.C., Yu, S.H., and Chuang, G.S., 2006, Using NaCl Particles as Porogen to Prepare A Highly Adsorbent Chitosan Membranes, *J. Membr. Sci.*, 280, 163–174.
- Chen, X., Liu, J., Feng, Z., and Shao, Z., 2004, Macroporous Chitosan/Carboxymethylcellulose Blend Membranes and Their Application for Lysozyme Adsorption, *J. Applied. Pol. Sci.*, 96, 1267–1274.
- Chin, S.F., Yazid, S.M., and Pang, S.C., 2014, Preparation and Characterization of Starch Nanoparticles for Controlled Release of Curcumin, *Int. J. Pol. Sci.*, 2014, 1–8.
- Chuah, L.H., Billa, N., Roberts, C.J., Burley, J.C., and Manickam, S., 2011, Curcumin–Containing Chitosan Nanoparticles as A Potential Mucoadhesive Delivery System to The Colon, *Pharm. Development Tech.*, 1–9.
- Das, R.K., Kasoju, N., and Bora, U., 2010, Encapsulation of curcumin in Alginate–Chitosan–Pluronic Composite Nanoparticles for delivery to Cancer Cells, *Nanotech. Bio. Med.*, 6, 153–160.

- Dash, S., Murthy, P. N., Nath, L., and Chowdhury, P., 2010, Kinetics Modeling on Drug Release from Controlled Drug Delivery Systems, *Act. Pol. Pharm.*, 67, 217–223.
- Ghaeea, A., Niassara, M.S., Barzinb, J., and Matsuura, T., 2010, Effects of Chitosan Membrane Morphology on Copper Ion Adsorption, *Chem. Eng. J.*, 165, 46–55.
- Giri, T.K., Thakur, A., Alexdane, A., Ajazuddin., Badwaik, H., and Tripathi, D.K., 2012, Modified Chitosan Hydrogels as Drug Delivery and Tissue Engineering Systems: Present Status and Applications, *Acta. Pharm. Sin.*, 1–11.
- Gonçalves, C., Pereira, P., Schellenberg, P., Coutinho, P.J., and Gama, F.M., 2012, Self-Assembled Dextran Nanogel as Curcumin Delivery System, *J. Biomater. Nanobiotech.*, 3, 178–184.
- Hastuti, B., Mudasir., Siswanta, D., dan Triyono., 2013, The Synthesis of Carboxymethyl Chitosan–Pectin Film as Adsorbent for Lead (II) Metal, *Int. J. Chem. Eng. Appl.*, 4(6), 349–353.
- Higuchi, T., 1963, Mechanism of Sustained-Action Medication Theoretical Analysis of Rate of Release of Solid Drugs Dispersed in Solid Matrices, *J. Pharm. Sci.*, 12(52), 1145–1149.
- Jäger, R., Lowery, R.P., Calvanese, A.V., Joy, J.M., Purpura, M., and Wilson, J.M., 2014, Comparative Absorption of Curcumin Formulations, *Nutri. J.*, 13(11), 1–8.
- Joshi, V., Ahmed, M.G., Suresh, S., and Kowti, R., 2010, A Comparative Study: Solution Stability and Dissolution Behavior of Solid Dispersions Curcumin, *Indian. J. Novel. Drug. Del.*, 2(3), 88–95.
- Kwakye, K.O., Fell, J.T., and Kipo, S.L., 2006, Effect of pH of Medium and Molecular Weight on Polyelectrolyte Complex Formation Between Pectin and Chitosan, *J. Sci. Tech.*, 26(2), 66–73.
- Li, L., Wang, L., Shao, Y., Ni, R., Zhang, T., and Mao, S., 2013, Drug Release Characteristics from Chitosan–Alginate Matrix Tablets based on The Theory of Self-Assembled Film, *Int. J. Pharm.*, 460, 197–207.
- Luo, Y. and Wang, Q., 2014, Recent Development of Chitosan–Based Polyelectrolyte Complexes with Natural Polysaccharides for Drug Delivery, *Int. J. Bio. Macro.*, 64, 353–367.
- Luo, Y., Teng, Z., Wang, X., and Wang, Q., 2012, Development of Carboxymethyl Chitosan Hydrogel Beads in Alcohol–Aqueous Binary Solvent for Nutrient Delivery Applications, *Food Hydrocol.*, 31, 332–339.
- Mahapatro, A. and Singh, D.K., 2011, Review: Biodegradable Nanoparticles are Excellent Vehicle for Site Directed In-Vivo Delivery of Drugs and Vaccines, *J. Biotech.*, 9, 55–65.

- Mardila, V.T., Sabarudin, A., dan Rumhayati, B., 2014, Pembuatan Kitosan Makropori Menggunakan Epichlorohydrin Sebagai Cross-Linker dan Aplikasinya Terhadap Adsorpsi Methyl Orange, *Kimia. Student. J.*, 1(2), 182–188.
- Martins, A.F., Bueno, P.V.A., Almeida, E.A.M.S., Rodrigues, F.H.A., Rubira, A.F., and Muniz, E.C., 2013, Characterization of N-trimethyl Chitosan/Alginate Complexes and Curcumin Release, *Int. J. Bio. Macro.*, 57, 174–184.
- Mishra, R.K., Banthia, A.K., and Majeed, A.B.A., 2012, Pectin Based Formulations for Biomedical Applications: A Review, *Asian J. Pharm.Clin. Res.*, 4 (5), 1–7.
- Morris, G.A., Kök, M.S., Harding, S.E., and Adams, G.G., 2010, Polysaccharide Drug Delivery Systems Based on Pectin and Chitosan, *Biotech. Gen. Eng. Reviews.*, 27, 257–284.
- Nayak, P.L., Mohanty, D.P., and Swain, P.K., 2012, Synthesis and Characterization of Chitosan/Cloisite 30B (MMT) Nanocomposite for Controlled Release of Anticancer Drug Curcumin, *Int. J. Bio.*, 1(11), 1669–1686.
- Ningrum, A.S., 2014, Studi Pelepasan In-Vitro Kurkumin dari Beads Kalsium-Pektin-Kitosan dengan Penambahan Pengemulsi Asam Stearat, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.
- Patel, R., Singh, S.K., Singh, S., Sheth, N.R., and Gendle, R., 2009, Development and Characterization of Curcumin Loaded Transfersome for Transdermal Delivery, *J. Pharm. Sci.Res.*, 1(4), 71–80.
- Piyakulawat, P., Praphairaksit, N., Chantarasiri, N. and Muangsin, N., 2007, Preparation and Evaluation of Chitosan/Carrageenan Beads for Controlled Release of Sodium Diclofenac, *AAPS Pharm. Sci. Tech.*, 4(8), 1–11.
- Ravindranath, V. and Chandrasekhara, N., 1980, Absorption and Tissue Distribution of Curcumin in Rats, *Toxicology.*, 16(3), 259–65.
- Ritger, P.L. and Peppas, N. A., 1987, A Simple Equation for Description of Solute Release I. Fickian and Non-Fickian Release from Non-Swellable Devices in the Form of Slabs, Spheres, Cylinders or Discs, *J. Controlled Release.*, 5, 23–36.
- Salome A.C., Godswill C.O., Ikechukwu I.O., 2013, Kinetics and Mechanisms of Drug Release from Swellable and Non Swellable Matrices: A Review, *J. Pharm. Bio. Chem. Sci.*, 4(2), 97–103.
- Shoba, G., Joy, D., Joseph, T., Majeed, M., Rajendran, R., and Srinivas, P.S., 1998, Influence of Piperine on The Pharmacokinetics of Curcumin in Animals and Human Volunteers, *Planta Med.*, 64 (4), 353–6.
- Singvi, G. and Singh, M., 2011, In-Vitro Drug Release Characterization Models, *Int. J. Pharm. Res.*, 11, 77–84.

- Siswati, I., Sabarudin, A., dan Darjito., 2014, Pembuatan Kitosan Makropori Menggunakan Ethylene Glycol Diglycidyl Ether (EGDE) sebagai Cross-Linker dan Aplikasinya terhadap Adsorpsi Methyl Orange, *Kimia. Student. J.*, 1(2), 175–181.
- Wang, Q., Zhang, N., Hu, X., Yang, D., and Du, Y., 2007, Chitosan/Starch Fibers and Their Properties for Drug Controlled Release, *J. Pharm. Biopharm.*, 66, 398–404.
- Wang, Y.J., Pan, M.H., Cheng, A.L., Lin, L.I., Ho, Y.S., Hsieh, C.Y., and Lin, J.K., 1997, Stability of Curcumin in Buffer Solutions and Characterization of Its Degradation Products, *J. Pharm. Biomed. Anal.*, 15, 1867–1876.
- Xie, Y., Liu, Y., Wang, Y., Wang, S., and Jiang, T., 2012, Chitosan Matrix with Three Dimensionally Ordered Macroporous Structure for Nimodipine Release, *Carbohydr. Pol.*, 90, 1648– 1655.
- Yang, W.Y., Thirumavalavan, M., Malini, M., Annadurai, G., and Lee, J.F., 2014, Development of Silica Gel-Supported Modified Macroporous Chitosan Membranes for Enzyme Immobilization and Their Characterization Analyses, *J. Membr. Biol.*, 247, 549–559.
- Zheng, X.F., Lian, Q., and Song, S.T., 2013, Chitosan–Gelatin–Pectin Composite Films from Polyion–Complex Hydrogels, *Asian J. Chem.*, 25(10), 5363–5366.