

## DAFTAR PUSTAKA

- Abdolahi, A., Hamzah, E., Ibrahim, Z. dan Hashim, S., 2012, Synthesis of Uniform Polyaniline Nanofibers through Interfacial Polymerization, *Materials*, 5, 1487-1494.
- Baba, A., Tian, S., Stefani, F., Xia, C., Wang, Z., Advincula, R.C. dan Knoll, W., 2004, Electropolymerization and Doping/Dedoping Properties of Polyaniline Thin Films as Studied by Electrochemical-Surface Plasmon Spectroscopy and by The Quartz Crystal Microbalance, *Electroanalytical Chemistry*, 562, 95–103.
- Babu, V.J., Vempati, S. dan Ramakrishna, S., 2013, Conducting Polyaniline-Electrical Charge Transportation, *Material Science and Applications*, 4, 1-10.
- Banerjee, S., Sarmah, S., Kumar, A., 2009, Photoluminescence studies in HCl-doped polyaniline nanofibers, *Jurnal Optical Society of India*, 38, 124-130.
- Barsoukov, E. dan Macdonald, J.R., 2005, Impedance Spectroscopy Theory, Experiment, and Applications, 2<sup>nd</sup> edn, John Wiley & Sons Inc., Canada.
- Cai, Q., Xu, B., Ye, L., Di, Z., Zhang, J., Jin, Q., Zhao, J., Xue, J. dan Chen, X., 2013, Immobilization of Biomolecules on cysteamine-modified polyaniline film for highly sensitive biosensing, *J. Talanta*, 120, 462-469.
- Casado, U. M., Quintanilla, R. M., Aranguren, M. I., and Marcovich, N. E., 2012, Composite films based on shape memory polyurethanes and nanostructured polyaniline or cellulose–polyaniline particles, *Synthetic Metals*, 162, 1654-1664.
- Daghestani, H.N. dan Day B.W., 2010, Theory and Applications of Surface Plasmon Resonance, Resonant Mirror, Resonant Waveguide Grating, and Dual Polarization Interferometry Biosensors, *Sensor*, 10, 9630-9646.
- Detsri, E. dan Dubas, S.T., 2009, Interfacial Polymerization of Water-Soluble Polyaniline and Its Assembly Using the Layer-By-Layer Technique, *Journal of Metals, Materials and Minerals*, 19, 1, 39-44.
- Dhand, C., Das, M., Datta, M. dan Malholtra, B.D., 2001, Recent Advances in Polyaniline based biosensors, *Rev. Biosensors and Bioelectronics*, 26, 2811-2821.
- Dinesh, S., Vivek, D. dan Kumar, M. P., 2013, Dielectric Study of Polyaniline in Frequency Range 100Hz to 500 KHz at Temperature 20° C dan 30° C, *Res. J. Chem. Sci.*, 3(2), 16-19.

- Dostálek, J. dan Knoll, W., 2008, Biosensors Based on Surface Plasmon-Enhanced Fluorescence Spectroscopy (Review), *Biointerphases*, 3, 3, FD12-FD22.
- Duboriz, L. dan Pud, A., 2013, Polyaniline/Poly(Ethylene Terephthalate) Film as A New Optical Sensing Material, *Sensor and Actuator B: Chemical*, 190, 398-407.
- Hanjitsuwan, S., Chindaprasirt, P. dan Pimraksa, K., 2011, Electrical Conductivity and Dielectric Property of Fly Ash Geopolymer Pastes, *Int. J. Miner, Metallurg. Mater.*, 18, 94-
- Hassan, S.M., Baker, A.G. dan Jafaar, H.I., 2012, A.C Electrical Conductivity for Polyaniline Prepared in Different Acidic Medium, *Int. J. Basappli. Sci.*, 01, 02, 352-362.
- Hendro., Hidayat, R., Kurnia, D., 2011, Determination of the Dielectric Constant and the Thickness of Polymer Thin Film Based on SPR Curve, *J. Oto. Ktrl. Inst.*, 3, 15-20.
- Homola, Jiri., 2006, *Surface Plasmon Resonance Based Sensors*, Springer, New York.
- Huang, J., Virji, S., Weiller, B.H. dan Kaner, R.B., 2003, Polyaniline Nanofibers: Facile Synthesis and Chemical Sensors, *J. Am. Chem. Soc.*, 125, 314-315.
- Huang, J., and Kaner, R. B., 2004, A General Chemical Route to Polyaniline Nanofibers, *J. Am. Chem. Soc.* 126, 851–855.
- Huang, J., 2006, Syntheses and applications of conducting polymer polyaniline nanofiber, *Pure Appl. Chem.*, 78,15–27.
- Huang, J. dan Kaner, R. B., 2006, The Intrinsic Nanofibrillar Morphology of Polyaniline, *Chem. Commun.*, 4, 367-376.
- Hummel, R.E., 2011, *Electronic Properties of Materials*, Edisi 4, Springer, New York.
- Institute, Max-Planck, 2001, Features of a SPR Reflectivity Curve, Resonant Technologies GmbH, Jerman, <http://www.res-tec.de/downloads.html>, diakses 22 Oktober 2015.
- Irzaman, M.A., Maddu, A., Syafutra, H. dan Ismangil, A., 2010, Uji Konduktivitas Listrik dan Dielektrik Film Tipis Lithium Tantalate (LiTaO<sub>3</sub>) yang Didadah Niobium Pentaoksida (Nb<sub>2</sub>O<sub>3</sub>) Menggunakan Metode Chemical Solution Deposition, *Proceedings of National Workshop on Physics*, 175-183.

- Kang, X., Jin, Y., Cheng, G. dan Dong, S., 2002, Surface Plasmon Resonance Studies on the Electrochemical doping/dedoping Process of Anions on Polyaniline-Modified Electrode. *Langmuir*, 18, 10305-10310.
- Khuspe, G.D., Navale, S.T., Chougule, M.A., Sen, S., Agawane, G.L., dan Kim, J.H., 2013, Facile method of synthesis of polyaniline-SnO<sub>2</sub> hybridnanocomposites: Microstructural, optical and electrical transportproperties, *Synthetic Metals*, 178, 1–9.
- Kondawar, S.B., Patil, P.T. dan Agrawal S.P., 2014, Chemical Vapour Sensing Properties of Electrospun Nanofibers of Polyaniline/ ZnO Nanocomposites, *Adv. Mat. Lett.*, 5(7), 389-395.
- Kristaningrum, S., Handout Spektroskopi Inframerah, <http://staff.uny.ac.id/dosen/susila-kristianingrum-dra-msi>, diakses 14 Oktober 2015.
- Kulkarni, M., Kale, B., Apte, S., Naik, S., Mulik, U. dan Amalnerkar., 2011, Synthesis and Characterization of Polyaniline Nanofibers by Rapid Liquid-Liquid Interfacial Polymerization Method, *Journal Chemistry and Chemical Tecnology*, 1, 5, 55-58.
- Lahiff, E., Bell, S. Dan Diamond, D., 2008, Functionalised Nanostructured Polyaniline – A New Substrate for Building Adaptive Sensing Surfaces, *Mater. Res. Soc. Symp. Proc*, 1054.
- Lee, K.S., Lee, M., Byun, K.M., dan Lee, I.S., 2011, Surface plasmon resonance biosensing based on target-responsive mobility switch of magnetic nanoparticles under magnetic fields, *J. Mater. Chem*, 21, 5156.
- Li, G., Zhang, C., Li, Y., Peng, H. dan Chen, K., 2010, Rapid polymerization initiated by redox initiator for the synthesis of polyaniline nanofibers, *Polymer*, 51, 1934-1939.
- Li, Y., Al-Ghamdi, A.A., Al-Hartomy, O.A., El-Tantawy, F. dan Yakuphanoglu, F., 2012, Semiconducting Properties of Nanofiber Polyailine Organic Semiconductor, *Optoelectronics and Advanced Materials*, 6, 235-238.
- Maddu, A., Wahyudi, S.T. dan Kurniati, M., 2008, Sintesis dan Karakterisasi Nanoserat Polianilin, *J. Nano Saintek*, Vol. 1, No. 2.
- Molapo, K.M., Ndangili, P.M., Mbambisa, G., Mailu, S.M., Njomo, N., Masikini, M., Baker, P. dan Iwuoha, E.I., 2012, Electronics of Conjugated Polymers (I): Polyaniline, *Int. J. Electrochem. Sci.*, 7, 11859 – 11875.
- Nurrahmi, S., 2014, Kajian Sifat Optik Nanofiber Polianilin Terdoping HCl dan Potensinya sebagai Bahan Aktif Biosensor Berbasis Surface Plasmon Resonance (SPR), Tesis, Program Studi S2 Ilmu Fisika, Universitas Gadjah Mada, Yogyakarta.

- Pron, A. dan Rannou, P., 2002, Processible Conjugate Polymers: From Organic Semiconductor to Organic Metals and Superconductors, *Prog. Polym. Sci.*, 27, 135-190.
- Reyes De Corcuera, J.I. dan Cavalieri, R.P., 2003, *Biosensors*, Heldman, D.R., *Encyclopedia of Agricultural, Food, and Biological Engineering*, Marcel Dekker Inc., New York.
- Rezaei, F., Tavandashti, N. P., Zahedi, A. R., 2014, Morphology of polyaniline nanofibers synthesized under different conditions, *Res. Chem. Intermed.*, 40, 1233–1247.
- Rhodes, C., Franzen, S., Maria, J.P., Losego, M., Leonard, D.N., Laughlin, B., Duscher, G. dan Weibel, S., 2006, Surface Plasmon Resonance in Conducting Metal Oxides, *J. Appl. Phys.*, 100, 054905.
- Rosana, N. dan Putri, N.P., 2012, Fly Ash Addition in the Polyaniline/HCl/Fly Ash Composite, *Sains dan Matematika*, 1, 1, ISSN 2302-7290.
- Sadek, A.Z., Trinchi, A., Wlodarski, W., Kalantar-zadeh, K., Galatsis, K., Baker, C. dan Kaner, R.B., 2005, A Room Temperature Polyaniline Nanofiber Hydrogen Gas Sensor, *Sensor*, 05, 207-210.
- Sastrohamidjojo, H., 1991, Spektroskopi, Edisi Ke-2, Yogyakarta.
- Stejskal, J., Kratochvil, P. dan Radhakrishnan, N., 1993, UV-Vis absorption spectra, *Polym. Int.*, 61, 225-231.
- Stejskal, J. dan Gilbert, R.G., 2002, Polyanilin: Preparation of Conducting Polymer (IUPAC Technical Report), *Pure Appl. Chem.*, 74, 5, 857–867.
- Stejskal, J., Proke, J. dan Trchová, M., 2014, Reprotonated polyanilines: The stability of conductivity at elevated temperature, *Polym. Deg. Stab.*, 102, 67-73
- Syamsir, A. dan Astuti., 2012, Sintesis Nanokomposit PANi/TiO<sub>2</sub>/Karbon sebagai Penyerap Gelombang Mikro, *Jurnal Fisika Unand*, Vol. 1, No. 1.
- University, Purdue., Scanning Electron Microscope, <http://www.purdue.edu/ehps/rem/rs/sem.htm>, diakses 25 Februari 2015.
- Victoria, S., 2012, Application of Surface Plasmon Resonance (SPR) for the Detection of Single Viruses and Single Biological Nano-objects, *J. Bacteriol Parasitol* 3:e110.
- Virji, S., Weiller, B.H., Huang, J., Blair, R., Shepherd, H., Faltens, T., Haussmann, P.C., Kaner, R.B. dan Tolbert, S.H., 2008, Construction of a Polyaniline Nanofiber Gas Sensor, *J. Chem. Edu.*, 85, 8, 1102-1104.

- Wallace, G.G., Spinks, G.M., Kane-Maguire, L.A.P. dan Teasdale, P.R., 2009, *Conductive Electroactive Polymers*, edisi 3, CRC Press, Boca Raton.
- Wan, M., 2008, *Conducting Polymers with Micro or Nanometer Structure*, Springer, Tsinghua University Press, Beijing.
- Wijaya, E., Lenaerts, C., Maricot, S., Hastanin, J., Habraken, S., Vilcot, J.-P., Boukherroub, R. dan Szunerits, S., 2011, Surface Plasmon Resonance-Based Biosensors: From the Development of Different SPR Structures to Novel Surface Functionalization Strategies, *J. COSSMS*, 15, 208-224.
- Zhang, X., Chan-Yu-King, R., Jose, A., dan Mahonar, S.K., 2004, Nanofibers of Polyaniline Synthesized by Interfacial Polymerization, *Synthetic Metals*, 145, 23-29.
- Zhao, M., Wu, X., and Cai, C., 2009, Polyaniline Nanofibers: Synthesis, Characterization, and Application to Direct Electron Transfer of Glucose Oxidase, *J. Phys. Chem. C*, 113, 4987–4996.