

DAFTAR PUSTAKA

Al-Muharrmi Z, Rafay A, Balkhair A, Jabri AA. Antibiotic Combinations as Empirical Therapy for Extended Spectrum Beta-Lactamase. *Oman Medical Journal*. 2008;23(2):78-81

Brooks et al., 2010. *Jawetz, Melnick&Adelberg's Medical Microbiology*. New York: McGraw-Hill.

Cao X, Xu X, Zhang Z, Shen H, Chen J, Zhang K. Molecular characterization of clinical multidrug-resistant *Klebsiella pneumoniae* isolates *Annals of Clinical Microbiology and Antimicrobials* 2014,13:16

Centers for Disease Control and Prevention, 2013. *Antibiotic Resistance Threats in the United States, 2013*. Washington: U.S. Department of Health and Human Services.

CLSI. Performance Standards for Antimicrobial Susceptibility Testing; Twenty-Fourth Informational Supplement. CLSI document M100-S24. Wayne, PA: Clinical and Laboratory Standards Institute; 2014.

Elek SD. Principles and problems of combined antibiotic therapy. *Postgraduate Medical Journal*. 1956; 324-327.

Eliopoulos GM, Eliopoulos CT. Antibiotic Combinations: Should They be Tested? *Clin. Microbiol. Rev.* 1988; 1(2): 139-156

Hadi U, Duerink DO, Lestari ES, Nagelkerke NJ, Keuter M, Huisin't Veld D, et al. Audit of antibiotic prescribing in two governmental teaching hospitals in Indonesia. *Clin Microbiol Infect* 2008; 14: 698-707

Haller I. Comprehensive Evaluation of Ciprofloxacin-Aminoglycoside Combinations against Enterobacteriaceae and *Pseudomonas aeruginosa* Strains. *Antimicrobial Agents and Chemotherapy*. 1985;28(5):663-666

Hsieh MH, Yu CM, Yu VL, Chow JW. Synergy assessed by checkerboard: a critical analysis. *Diagn Microbiol Infect Dis*. 1993;16:343-349

Janas, Sutoto, Punjabi. Bakteremia nosokomial di rumah sakit khusus penyakit menular, Jakarta. *Majalah Kedokteran Indonesia* 1987; 37(5): 287-298

Kemkes, 2013. *Formularium Nasional*. Jakarta; Kementerian Kesehatan Republik Indonesia.

Liess, BD. *Gentamicin Level*. Diakses dari <medicine.medscape.com/article/2090086-overview> pada 11 September 2015.

Longo et al., 2012. *Harrison's Principles of Internal Medicine, 18thed*. New York: McGraw-Hill.

Lemaitre N, Ricard I, Pradel E, Foligne B, Courcol R, Simonet M, Sebbane F. Efficacy of ciprofloxacin-gentamicin combination therapy in murine bubonic plague. *PLoS ONE*.2012;7(12):e52503

Madigan, MT., Martinko J.M., Parker J., 2003. *Brock Biology of Microorganisms, 10thed*. New Jersey: Pearson Education.

Mandal S, Mandal MD, Pal NK. Combination effect of ciprofloxacin and gentamicin against clinical isolates of *Salmonella enteric serovar typhi* with reduced susceptibility to ciprofloxacin. *Jpn.J.Infect.Dis.* 2003;56:156-157

Mehta KC, Dargad RR, Borade DM, Swami OC. Burden of Antibiotic Resistance in Common Infectious Diseases: Role of Antibiotic Combination Therapy. *Journal of Clinical and Diagnostic Research*. 2014 Jun, Vol-8(6): ME05-ME08

Moehario LH, Tjoa E, Kiranasari A, Ningsih I, Rosana Y, Karuniawati A. Trends in antimicrobial susceptibility of Gram-negative bacteria isolated from blood in Jakarta from 2002 to 2008. *J Infect Dev Ctries*2009; 3(11):843-848

Podschun R, Ullman U. *Klebsiella* spp. as Nosocomial Pathogens: Epidemiology, Taxonomy, Typing Methods, and Pathogenicity Factors. *Clin.Microbiol. Rev.* 1998; 11(4): 589-603.

Pradipta IS, Sodik DC, Lestari K, Parwati I, Halimah E, Diantini A, Abdulah R. *Antibiotic Resistance in Sepsis Patients: Evaluation and Recommendation of Antibiotic Use*. North American Journal of Medical Sciences 2013 Jun; 5(6): 344-352

Radji M, Fauziah S, Aribinuko N. Antibiotic sensitivity pattern of bacterial pathogens in the intensive care unit of Fatmawati Hospital, Indonesia. *Asian Pacific Journal of Tropical Biomedicine* 2011; 1(1): 39-42.

Rahal JJ. Antibiotic combinations: The clinical relevance of synergy and antagonism. *Medicine*.1978; 57(2):179-195.

Rennie RP, Duncan IBR. Emergence of gentamicin-resistant *Klebsiella* in a general hospital. *Antimicrobs.Agents Chemother*. 1977;11(2):179-184.

Saiman L. Clinical utility of synergy testing for multidrug-resistant *Pseudomonas aeruginosa* isolated from patients with cystic fibrosis: 'the motion for'. *Paediatric Respiratory Reviews*. 2007;8:249-255

Tamma PD, Cosgrove SE, Maragakis LL. Combination therapy for treatment of infections with gram-negative bacteria. *Clinical Microbiology Reviews*. 2012;25(3):450-470

White RL, Burgess DS, Manduru M, Bosso JA. Comparison of three different in vitro methods of Detecting Synergy: Time-Kill, Checkerboard, and E test. *Antimicrobial Agents and Chemotherapy*.1996;40(8):1914-1918

Yasmin F, Akhtar N, Hameed A. In vitro synergistic effect of ciprofloxacin with aminoglycosides against multidrug resistant-*Pseudomonas aeruginosa*. *Pak. J. Pharm. Sci*. 2013;26(5):1041-1044