

BAB VI

DAFTAR PUSTAKA

- Alford, C., Cox, H., & Wescott, R. (2001). The effects of Red Bull Energy Drink on human performance and mood. *Amino Acids* , 21 (2), 139-150.
- Alford, C., Verster, J. C., & Hamilton-Morris, J. (2012). The effects of energy drink in combination with alcohol on performance and subjective awareness. *Psycopharmacol* , 222 (3), 519-532.
- Almatsier, S. (2001). *Prinsip dasar ilmu gizi*. Jakarta: Gramedia Pustaka Utama.
- Almatsier, S. (2002). *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.
- Alsunni, A., & Badar, A. (2011). Energy drinks consumption pattern, perceived benefits and associated adverse effect amongst student of University of Dammam, Saudi Arabia. *Journal of Ayub Medical College Abbottabad* , 23 (3), 3-9.
- Anonim. (2008). *Agriculture and Agri-Food Canada Agi-food trade service*. dari The energy drinks segment in North America:
http://www.ats.agr.gc.ca/us/4387_e.html. Diunduh tanggal 4 April 2015.
- Anonim. (2006). *BPOM*. Dari
<http://www.pom.go.id/new/index.php/view/berita/15/MINUMAN-BERENERGI.html>. Diunduh tanggal 19 Maret 2015
- Anonim. (2009). *Energy Fiend*. Dari
<<http://www.energyfiend.com/category/energydrinks>
Diunduh tanggal 20 Maret 2015.

Anonim. (2012). *Extrajoss*. dari Extrajoss:
<http://www.extrajoss.com/id/about>. Diunduh tanggal
28 Oktober 2015,

Anonim. (2015). *Food safety and standards authority of
India proposes regulation of energy drinks, and
caffeine (revised)*. India.

Anonim. (2014). *Jones and Bartlett Publishers*. dari The
learning process website:
[http://www.jblearning.com/samples/0763749109/4910
_CH04_056_072.pdf](http://www.jblearning.com/samples/0763749109/4910_CH04_056_072.pdf). Diunduh tanggal 28 Oktober 2015

Anonim. (2015). *Kamus Besar Bahasa Indonesia*. dari
[http://www.kamus
kbbi.com/kbbi/](http://www.kamus.kbbi.com/kbbi/). Diunduh
tanggal 22 Agustus 2015,

Anonim. (2014). *Kratingdaeng*. dari Kratingdaeng:
<http://www.kratingdaeng.co.id/product>. Diunduh
tanggal 28 Oktober 2015

Anonim. (2005). *New study indicates that popular sports
beverages cause more irreversible damage to teeth
than soda*. (Academy of General Dentistry). dari
Science Daily: [http://www.sciencedaily.com
/releases/2005/03/050323001206.htm](http://www.sciencedaily.com/releases/2005/03/050323001206.htm). Diunduh tanggal
4 April 2015

Anonim. (2005). *Promosi Kesehatan di Daerah Bermasalah
Kesehatan*. dari Kementrian Kesehatan Republik
Indonesia:
[http://www.depkes.go.id/resources/download/promos
-kesehatan/panduan-promkes-dbk.pdf](http://www.depkes.go.id/resources/download/promos-kesehatan/panduan-promkes-dbk.pdf). Diunduh
tanggal 1 Januari 2015,

Anonim. (1972). *WHO*. dari
[http://www.who.int/medicines/areas/quality_safety
safety_efficacy/trainingcourses/definitions.pdf](http://www.who.int/medicines/areas/quality_safety_safety_efficacy/trainingcourses/definitions.pdf).
Diunduh tanggal 17 Mei 2015,

Aranda, M., & Morlock, G. (2006). Simultaneous
determination of riboflavin, pyridoxine,
nicotinamide, caffeine and taurine in energy
drinks by planar chromatography-multiple detection

with confirmation by electrospray ionization mass spectrometry. *Journal of Chromatography* , 1131 (12), 253-260.

Arria, A. M., Caldeira, K. M., Kasperski, S. J., O'Grady, K. E., Vincent, K. B., Griffiths, R. R., et al. (2010). Increased alcohol consumption, nonmedical prescription drug use, and illicit drug use are associated with energy drink consumption among college students. *Journal of Addict Medicine* , 4 (2), 74-80.

Badriyah. (2012). Tingkat pengetahuan remaja putri tentang pre-menstrual syndrome (PMS) pada siswi kelas XI di Sekolah Menengah Atas Negeri 3 Sragen tahun 2012. *Skripsi* , 37.

Bawazeer, N. A., & AlSobahi, N. A. (2013). Prevalence and Side Effect of Energy Drink Consumption among Medical Students at Umm Al-Qura University, Saudi Arabia. *International Journal of Medical Student* , 1 (3), 104-108.

Bichler, A., Swenson, A., & Harris, M. (2006). A combination of caffeine and taurine has no effect on short term memory but induces changes in heart rate and mean arterial blood pressure. *Amino Acid* , 31 (4), 471-476.

Bonnet, M. H., Balkin, T. J., Dinges, D. F., Roehrs, T., Rogers, N. L., & Wesensten, N. J. (2005). The use of stimulation to modify performance during sleep loss: a review by the sleep deprivation and stimulant task force of the American Academy of Sleep Medicine. *AASM Task Force Report* , 28 (9), 1163-87.

Bradberry, T. (2012, Agustus 21). *Caffeine: The Silent Killer of Success*. dari *Caffeine: The Silent Killer of Success*:
<http://www.forbes.com/sites/travisbradberry/2012/8/21/caffeine-the-silent-killer-of-emotional-intelligence/>. Diunduh tanggal 10 Oktober 2015.

- Brenner, J., & Swanik, K. (2007). High-risk drinking characteristics in collegiate athlete. *Journal of American College Health* , 56 (3), 267-272.
- Brunye, T. T., Mahoney, C. R., Lieberman, H. R., & Taylor, H. A. (2010). Caffeine modulates attention network function. *Brain and cognition* , 72 (2), 181-188.
- Calamaro, C. J., Mason, T. B., & Ratcliffe, S. J. (2009). Adolescents living the 24/7 lifestyle: Effects of caffeine and technology on sleep duration and daytime functioning. *Pediatrics* , 123 (6), 1005-1010.
- Chaplin, J. P. (2006). *Kamus Lengkap Psikologi*. (K. Kartono, Trans.) Jakarta: RajaGrafindo Persada.
- Childs, E., & de Wit, H. (2008). Enhanced mood and psychomotor performance by a caffeine-containing energy capsule in fatigued individuals. *Experimental Clinical Psychopharmacology* , 16 (1), 13-21.
- Cysneiros, R. M., Farkas, D., Harmatz, J. S., Von Moltke, L. L., & Greenblatt, D. J. (2007). Pharmacokinetic and pharmacodynamic interactions between zolpidem and caffeine. *Clinical Pharmacology* , 82 (1), 54-62.
- Doan, B. K., Hickey, P. A., Lieberman, H. R., & Fischer, J. R. (2006). Caffeinated Tube Food Effect on Pilot Performance During a 9-Hour, Simulated Nighttime U-2 Mission. *Aviation, Space, and Environmental Medicine* , 77 (7), 1034-1040.
- Doherty, M., & Smith, P. M. (2004). Effects of caffeine ingestion on exercise testing: a meta-analysis. *International Journal of Sport Nutrition & Exercise Metabolism* , 14 (6), 626-46.
- Durlach, P. J. (1998). The effect of a low dose of caffeine on cognitive performance. *Psychopharmacology* , 140 (1), 116-119.

- Farquhar, K., Lambert, K., Drummond, G. B., Tiplady, B., & Wright, P. (2002). Effect of ethanol on psychomotor performance and on risk taking behaviour. *Journal of psychopharmacol* , 16 (4), 379-384.
- Feely, M. (2011, Juni 5). *The Health Dangers of Energy Drinks*. dari Irish Medical News: www.imn.ie/clinical/clinical_focus/3691 the health dangers for energy drinks. Diunduh tanggal 20 Maret 2015,
- Ferre, S. (2008). An update in the mechanism of the psychostimulant effect of caffeine. *Journal of Neurochemistry* , 105 (4), 1067-79.
- Ferreira, S., De Mello, T., Pompeia, S., & Oliveira de Souza-Formigoni, L. (2006). Effects of energy drinks ingestion on alcohol intoxication. *Alcoholism: Clinical and Experimental Research* , 30 (4), 598-606.
- Fromme, K., D'Amico, E. J., & Katz, E. C. (1999). Intoxicated sexual risktaking: an expectancy or cognitive impairment explanation? *Journal of Studies on Alcohol and Drugs* , 60 (1), 54-63.
- Gershon, P., Shinar, D., & Ronen, A. (2009). Evaluation of experience-based fatigue countermeasure. *Accident Analysis & Prevention* , 41 (5), 969-975.
- Giles, G. E., Mahoney, C. R., Brunye, T. T., Gardony, A. L., Taylor, H. A., & Kanarek, R. B. (2012). Differential cognitive effect of energy drink ingredients: Caffeine, taurine and glucose. *Pharmacology, Biochemistry and Behavior* , 102 (4), 559-577.
- Giles, G. E., Mahoney, C. R., Brunye, T. T., Gardony, A. L., Taylor, H. A., & Kanarek, R. B. (2012). Differential cognitive effects of energy drink ingredients: Caffeine, taurine, and glucose.

Pharmacology, Biochemistry and Behavior , 102,
569-577.

Graham, T. E. (2001). Caffeine and exercise:
metabolism, endurance and performance. *Sports
Medicine* , 31 (11), 785-807.

Green, L. W. (1984). Modifying and Developing Health
Behavior. *Public Health* , 215-222.

Halbach, O. v., & Dermietzel, R. (2006)
*Neurotransmitters and Neuromodulators: Handbook of
Receptors and Biological Effects* (2 ed.). Wiley
VCH Verlag GmbH & Co. KGaA.

Higgins, J., Tuttle, T., & Higgins, C. (2010). Energy
beverages content and safety. *Mayo Clinic
Proceedings* , 85 (11), 1033-1041.

Hingson, R., Heeren, T., Winter, M., & Wechsler, H.
(2005). Magnitude of Alcohol-Related Mortality and
Morbidity Among U.S. College Students Ages 18-24:
Changes from 1998 to 2001. *Annual Review of Public
Health* , 26 (1), 259-279.

Howard, M. A., & Marczynski, C. A. (2010). Acute
Effects of a Glucose Energy Drink on Behavioral
Control. *Experimental and Clinical
Psychopharmacology* , 18 (6), 553-561.

Howard, M. A., & Marczynski, C. A. (2010). Acute effect
of a glucose energy drink on behavioral control.
Experimental and clinical psychopharmacology , 18
(6), 553-561.

Isaacs, G. (1996). *Teaching and educational development
institute*. dari The University of Queensland:
<http://kaneb.nd.edu/assets/137952/bloom.pdf>.
Diunduh tanggal 17 September 2015,

Jacob, S., Tambawel, J., Trooshi, F., & Alkhoury, Y.
(2013). Consumption pattern of nutritional health
drinks and energy drinks among university student

in Ajman, UAE. *Gulf Medical Journal* , 2 (1), 22
26.

James, J. E., Kristjánsson, A. L., & Sigfúsdóttir, I. D. (2011). Adolescent substance use, sleep and academic achievement: Evident of harm due to caffeine. *Journal of Adolescence* , 34 (4), 665
673.

Kartono, K., & Andari, J. (1989). *Hygiene mental dan kesehatan mental dalam islam*. Bandung: Mandar
Maju.

Kavita, M., Babu, M. D., Richard, J., Church, M. D., & Lewander, M. D. (2008). Energy drinks: the new eye-opener for adolescents. *Clinical Pediatric Emergency Medicine* , 9 (1), 35-42.

Kennedy, D. O., & Scholey, A. B. (2004). A glucose caffeine 'energy drink' ameliorates subjective and performance deficits during prolonged cognitive demand. *Appetite* , 42 (3), 331-3.

Kotler P, R. E. (1989). *Social Marketing: Strategies for Changing Public Behavior*. New York : The Free Press.

Kotler, P., Roberto, E. L., & Roberto, N. (1989). *Social Marketing: Strategies for changing public behavior*. New York: The Free Press.

Lee, S., Hudson, R., Kilpatrick, K., Graham, T. E., & Ross, R. (2005). Caffeine Ingestion Is Associated With Reductions in Glucose Uptake Independent of Obesity and Type 2 Diabetes Before and After Exercise Training. *Diabetes Care* , 28 (3), 566-72.

Lima, W. P., Carnevali, L. C., Eder, R., Fernando, L., Costa Rosa, B. P., Bacchi, E. M., et al. (2005). Lipid metabolism in trained rats: effect of guarana (*Paullinia cupana* Mart.) supplementation. *Clinical Nutrition* , 24 (6), 1019-28.

- Liveina, & I G A, A. (2014). Pola Konsumsi dan efek samping minuman mengandung kafein pada mahasiswa program studi pendidikan dokter fakultas kedokteran universitas udayana. *E-Jurnal Medika Udayana* , 3 (4), 1-11.
- Lorist, M., & Tops, M. M. (2003). Caffeine, fatigue and cognition. *Brain & Cognition* , 53 (1), 82-94.
- Malinauskas, B. M., Aeby, V. G., Overton, R. F., Carpenter-Aeby, T., & Barber-Heidal, K. (2007). A survey of energy drink consumption patterns among college student. *Nutritonal Journal* , 3-9.
- Marni. (2013). *Gizi Dalam Kesehatan Reproduksi*. Padang: Pustaka Pelajar.
- Mattei, R., Dias, R. F., Espinola, E. B., Carlini, E. A., & Barros, S. B. (1998). Guarana (Paullinia cupana): toxic behavioral effect in leboratory animals and antioxidant activity in vitro. *Journal of Enthnopharmacology* , 60 (2), 111-116.
- Michael, J., Jorge, R., Jose, R. G., Carlos, M., & Dharma, R. P. (2012). Energy Drinks and Health: A Brief Review of their Effect and Consequences. *Ciencias de la Conducta* , 27 (1), 23-24.
- Miller, K. E. (2008). Wired: energy drinks, jock identity, masculine norms, and risk taking. *Journal of American College Health* , 56 (5), 481-9.
- Notoatmodjo, S. (2007). *Kesehatan masyarakat ilmu dan seni*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2005). *Promosi Kesehatan, Teori dan Aplikasi*. Jakarta: Rineka Cipta.
- O'Brien, M. C., McCoy, T. P., Rhodes, S. D., & Wagoner, A. (2008). Caffeinated Cocktails: Energy Drink Consumption, High-Risk Drinking, and Alcohol related Consequences among College Students. *Academy Emergency Medicine* , 15 (5), 453-460.

- Pettenuzo, L. F., Noschang, C., Von Pozzer Toigo, E., Fachin, A., Vendite, D., & Dalmaz, C. (2008). Effects of chronic administration of caffeine and stress on feeding behavior of rats. *Physiology Behavior* , 95 (3), 295-301.
- Putriastuti, R., Kustiyah, L., & Anwar, F. (2007). Persepsi, Konsumsi dan Preferensi Minuman Berenergi. *Jurnal Gizi dan Pangan* , 2 (3), 13-25.
- Rao, A., Hu, H., & Nobre, A. C. (2005). The effects of combined caffeine and glucose drinks on attention in the human brain. *Nutritional Neuroscience* , 8 (3), 141-153.
- Reissig, C., Strain, E., & Griffiths, R. (2009). Caffeinated energy drinks-a growing problem. *Drug Alcohol Dependence* , 99 (1-3), 1-10.
- Ribeiro, J. A., & Sebastiao, A. M. (2010). Caffeine and Adenosine. *Journal of Alzheimer* , 3-15.
- Riesenhuber, A., Boehm, M., Posch, M., & Aufricht, C. (2006). Diuretics potential of energy drinks. *Amino Acid* , 31 (1), 81-83.
- Riksen, N., Rongen, G., & Smith, P. (2009). *Pharmacology and Therapeutics* (Vol. 2).
- Rodger, S., & Thorson, E. (2012). *Advertising Theory*. New York: Routledge.
- Rotstein, J., Barber, J., Strowbridge, C., Hayward, S., Huang, R., & Godefroy, S. B. (2013). Energy Drinks: An Assessment of the Potential Health Risk in the Canadian Context. *International Food Risk Analysis Journal* , 3 (5), 1-29.
- Safranow, K., & Machoy, Z. (2005). Methylated purines in urinary stones. *Clinical Chemistry* , 51 (8), 1493-1498.
- Saputri, R. (2013). Hubungan antara pengetahuan soft drink dan konsumsi soft-drink dengan kejadian

obesitas pada anak usia remaja di SMP Budi Mulia Dua Yogyakarta. *eprints* , 1 (1), 7-18.

Scholey, A. B., & Keneddy, D. O. (2004). Cognitive and physiological effects of an "energy drink": an evaluation of the whole drink and of glucose, caffeine and herbal flavouring fractions. *Psychopharmacology* , 176 (3-4), 320-330.

Scholey, A., & Haskell, C. (2008). Neurocognitive effects of guarana plant extract. *Drugs of the Future* , 33 (10), 869-74.

Sediaoetama, A. D. (1987). *Ilmu gizi dan ilmu diet di daerah tropik* (Vol. 1). Jakarta: Balai Pustaka.

Seidl, R., Peyrl, A., Nicham, R., & Hauser, E. (2000). A taurine and caffeine-containing drink stimulates cognitive performance and well-being. *Amino Acid* , 19 (3-4), 635-642.

Skewes, M. C., Decou, C. R., & Gonzales, V. M. (2013). Energy drink use, problem drinking and drinking motives in a diverse sample of Alaskan college students . *Behavioural Health* , 72.

Smit, H. J., & Rogers, P. J. (2002). Effects of energy drinks on mood and mental performance: critical methodology. *Food Quality and Preference* , 13 (5), 317-326.

Smith, A. P. (2005). Caffeine at work. *Human Psychopharmacology: Clinical and Experimental* , 20 (6), 441-445.

Smith, A., Sutherland, D., & Chrisopher, G. (2005). Effects of repeated doses of caffeine on mood and performance of alert and fatigued volunteer. *Journal of Psychopharmacology* , 19 (6), 620-626.

Utami, E. M., & Kusmaryati, S. (2008). Pengaruh Iklan Televisi Terhadap Perilaku Konsumen Dalam Pengambilan Keputusan Pembelian Sabun Mandi Lifebuoy . *Skripsi* , 34.

- Wardlaw, G. M., & Smith, A. M. (2009). *Nutrition a functional approach* (Vol. 4). New York: McGraw Hill.
- Wecker le, C. S., Stutz, M. A., & Baumann, T. W. (2003). Purine alkaloids in Paullinia. *Phytochemistry* , 64 (3), 735-742.
- Wesensten, N., Belenky, G., Kautz, M. A., Thorne, D. R., Reichardt, R. M., & Balkin, T. J. (2002). Maintaining alertness and performance during sleep deprivation: modafinil versus caffeine. *Psychopharmacology* , 159 (3), 238-247.
- Widyarini, Riskiyani, S., & Thaha, R. M. (2012). Perilaku konsumsi minuman energi pada sopir pete pete trayek Sudiang Kota Makasaar. *Skripsi* , 10.