

DAFTAR PUSTAKA

- Andersson, M.I. & MacGowan, A.P., 2003, 'Development of the quinolones', *Journal of antimicrobial chemotherapy*, vol.51, suppl S1, vol.1-11.
- Askarian, M., 2012, 'Nosocomial infections: the definition criteria', *Iran J Med Sci*, vol. 37, no. 2, pp. 72-73.
- Berutu, K.B.R., 2013, 'Daya antibakteri kombinasi chitosan-minyak atsiri kayu manis terhadap staphylococcus epidermidis dan pseudomonas aeruginosa secara in vitro', *Skripsi, Universitas Gadjah Mada, Yogyakarta*.
- Bollenbach, T., 2015, 'Antimicrobial interactions: mechanisms and implications for drug discovery and resistance evolution', *Current Opinion in Microbiology*, vol. 27, pp. 1-9.
- Breathnach A.S., 2013, 'Nosocomial infections and infection control', *Prevention and Control of Infection*, viewed 28 Juni 2015, Elsevier.
- Brooks, G.F., Jawetz, E., Melnick, J.L., Adelberg E.A., 2010, *Jawetz, Melnick, & Adelberg's medical microbiology*, 25th edn, McGraw Hill Medical, New York.
- Brunton, L.L. & Parker, K.L., 2006, *Goodman and Gilman's manual of pharmacology and therapeutics*, McGraw-Hill, Amerika.
- Burke, J.P., 2003, 'Infection control. A problem for patient safety', *N Engl J Med*, vol.348, pp.651-656.
- Cappelletty, D.M. & Rybak, M.J., 1996, 'Comparison of methodologies for synergism testing of drug combinations against resistant strains of pseudomonas aeruginosa', *Antimicrob Agents Chemother*, vol. 40, pp. 677-683.

CDC, 2015, *Identifying healthcare-associated infection (HAI) for NHSN surveillance*, https://www.google.co.id/url?sa=t&source=web&rct=j&url=http://www.cdc.gov/nhsn/PDFs/pscManual/2PSC_IdentifyingHAIs_NHSNcurrent.pdf&ved=0CCAQFjAAahUKEwiL5MSN6THAhXDSI4KHeCMaMY&usg=AFQjCNF1RDYKH5KbZd7JwVROh44Ggu-dg&sig2=thyXMuojFqNcQZD6vkGEAw diakses 5 September 2015.

CLSI, 2014, *M100-S24 performance standards for antimicrobial susceptibility testing; twenty fourth informational supplement*, Clinical and Laboratory Standards Institute, Wayne, PA.

D'Agata, E., 2014, 'Pseudomonas aeruginosa and other pseudomonas species', dalam *Mandell, Douglas, and Bennett's principles and practice of infectious disease*, 8th edn, eds JE Bennett, R Dolin, dan MJ Blaser, Elsevier Health Sciences, London.

Drago, L., Vecchi, E.D., Nicola, L., Tocalli, L., Gismondo, M.R., 2005, 'In vitro selection of resistance in pseudomonas aeruginosa and acinetobacter spp. by levofloxacin and ciprofloxacin alone and in combination with β -lactams and amikacin', *Journal of Antimicrobial Chemotherapy*, vol. 56, pp. 353-359.

Dundar, D. & Otkun, M., 2010, 'In-vitro efficacy of synergistic antibiotic combinations in multidrug resistant pseudomonas aeruginosa strains', *Yonsei Med J*, vol. 51, no. 1, pp. 111-116.

Eliopoulos, G.M. & Eliopoulos, C.T., 1988, 'Antibiotic Combinations: Should they be tested?', *Clinical Microbiology Reviews*, vol. 1, no. 2, pp. 139-156.

Eliopoulos, G.M. & Moellering, R.C. Jr., 1991, 'Laboratory methods used to assess the activity of antimicrobial combinations', *Antibiotics in Laboratory Medicine*, 3 edn, pp. 432-492, MD: Williams & Wilkins, Baltimore.

- Fitriati, S., 2012, 'Aktivitas antibakteri kombinasi ekstrak etanol kulit buah delima (*punica granatum* l.) dan siprofloksasin terhadap pseudomonas aeruginosa sensitif dan miltiresisten antibiotik', Skripsi, Universitas Muhammadiyah Surakarta, Surakarta.
- Ganiswara & Sulistya, G., 2003, *Farmakologi dan terapi*, Edisi 4, Gaya Baru, Jakarta.
- Gould, I.M. & Milne, K., 1997, 'In vitro pharmacodynamic studies piperacillin/tazobactam with gentamicin and ciprofloxacin', *Journal of Antimicrobial Chemotherapy*, vol. 39, pp. 53-61.
- Guilfoile, P.G., 2007, *Antibiotic-resistant bacteria*, Chelsea house, New York.
- Haller, I., 1985, 'Comprehensive evaluation of ciprofloxacin - amynoglycoside combinations against enterobacteriaceae and pseudomonas aeruginosa strains', *Antimicrobial Agents and Chemotherapy*, vol. 28, pp. 663-666.
- Hasgor-Limoncu, M., Ermertcan, S., Tasli, H., Yurtman, A.N., 2008, 'Activity of amikacin, ertapenem, ciprofloxacin and levofloxacin alone and in combination against resistant nosocomial pathogens by time-kill', *West Indian Med J*, vol.57, no.2, pp. 106-111.
- Horan, T.C., Andrus, M., Dudeck, M.A., 2008, 'CDC/NHSN surveillance definition of healthcare-associated infection and criteria for specific types of infections in the acute care setting', *Am J Infect Control*, vol.36, pp. 309-332.
- Howland, R.D. & Mycek, J., 2006, *Lippincott's illustrated reviews: pharmacology*, 3rd edn, Lippincott Williams & Wilkins, Philadelphia.
- Hsueh, P.R., Liu, C.Y., Luh, K.T., 2002, 'Current status of antimicrobial resistance in Taiwan', *Emerg Infect Dis*, vol.8, pp.132-137.

- Ilyas, E.L., 2006, 'Aktivitas in vitro kombinasi kloramfenikol dan siprofloksasin terhadap sensitivitas Escherichia coli yang resisten kloramfenikol', Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Jacoby, T.S. et al., 2010, 'Impact of hospital-wide infection rate, invasive procedures use and antimicrobial consumption on bacterial resistance inside an intensive care unit', Journal of hospital infection, vol. 75, pp.23-27, viewed 24 September 2014, www.sciencedirect.com.
- Katzung, B.G., Masters, S.B., Trevor, A.D., 2009, *Basic and clinical pharmacology*, 11th edn, McGraw-Hill Medical, China.
- Lai, C.C., Lee, K., Xiao, Y. et al., 2014, 'High burden of antibacterial drug resistance in asia', Journal of global antimicrobial resistance, vol. 2, pp. 141-147, viewed 27 Juni 2015, www.sciencedirect.com.
- Lai, C.C., Wang, C.Y., Chu, C.C., Tan, C.K., Lu, C.L., Lee, Y.C. et al., 2011, 'Correlation between antibiotic consumption and resistance of gram-negative bacteria causing healthcare-associated infections at a university hospital in Taiwan from 2000-2009', J Antimicrob Chemother, vol.66, pp. 1374-1382.
- Lemaitre, N., Ricard, I., Pradel, E., Foligne, B., Courcol, L., Simonet, M. et al., 2012, 'Efficacy of ciprofloxacin-gentamicin combination therapy in murine bubonic plague', PLOS ONE, vol. 7, issue.12.
- Lorian, V., 2005, *Antibiotics in laboratory medicine*, 5th edn, Lippincott Williams & Wilkins, New York.
- Machado, I., Graca, J., Lopes, H., Lopes, S., Pereira, M.O., 2012, 'Antimicrobial pressure of ciprofloxacin and gentamicin on biofilm

development by an endoscope-isolated pseudomonas aeruginosa', *ISRN Biotechnology*.

Mandal, S., Mandal, M.D., Pal, N.K. 2003, 'Combination effect of ciprofloxacin and gentamicin against clinical isolates of salmonella enteric serovar typhi with reduced susceptibility to ciprofloxacin', *Jpn. J. Infect. Dis*, vol. 56, pp. 156-157.

Moulds, R.F.W. & Jeyasingham, M.S., 2010, *Gentamicin: a great way to start*, *Australian prescriber*, vol.33, pp. 134-5.

Nathwani, D., Raman, G., Sulham, K., Gavaghan, M., Menon, V., 2014, 'Clinical and economic consequences of hospital-acquired resistant and multidrug-resistant pseudomonas aeruginosa infections: a systematic review and meta-analysis', *Antimikrob Resist Infect Control*, vol. 3, pp. 32-47.

Nazli, E., Zer, Y., Eksi, F., 2015, 'In vitro efficacy of various antibiotic combinations against pseudomonas aeruginosa isolates', *Journal of International Medical Research*, vol. 43, no.2, pp. 217-225.

Neofytos, D., El-Beyrouy, C., DeSimone, J.A., 2009, 'Pharmacology of Infections', dalam *Pharmacology and therapeutics principles to practice*, 1st edn, SA Waldman dan A Terzic, Elsevier Saunders, Philadelphia.

Neu, H.C. & Chin, N. 1994, 'In vitro activity of the new fluoroquinolone cp-99,219', *Antimicrob Agents Chemother*, vol. 38, no. 11, pp. 2615-2622.

Pankey, G.A. & Ashcraft, D.S., 2005, 'In vitro synergy of ciprofloxacin and gatifloxacin against ciprofloxacin-resistant pseudomonas aeruginosa', *Antimicrob Agents Chemother*, vol. 49, no. 7, pp. 2959-2964.

- Plowman, R.P., Graves, N., Griffin, M.A.S., Roberts, J.A., Swan, A.V., Cookson, B. *et al.* 2001, 'The rate and cost of hospital-acquired infections occurring in patients admitted to selected specialties of a district general hospital in England and the national burden imposed', *Journal of Hospital Infection*, vol. 47, no. 3, pp. 198-209.
- Ponce de Leon, R.S., Molinar, R.F., Dominguez, C.G., Rangel, F.M.S., Vazquez, M.V.G., 2000, 'Prevalence of infections in intensive care units in Mexico: a multicenter study', *Crit Care Med*, vol. 28, pp. 1316-1321.
- Ramphal, R., 2010, 'Infections due to *Pseudomonas* species and related organisms', dalam *Harrison's infectious diseases*, eds DL Kasper dan AS Fauci, McGraw-Hill, China.
- Rizki, R.L.P., 2015, 'Studi efek kombinasi meropenem, gentamisin dan levofloxacin terhadap isolate klinis multidrug resistance *Pseudomonas aeruginosa* (mdr-pa) dengan metode e-test), Thesis, Universitas Gadjah Mada, Yogyakarta.
- Rossolini, G.M. & Mantengoli, E., 2005, 'Treatment and control of severe infections caused by multiresistant *Pseudomonas aeruginosa*', *Clin Microbiol Infect*, vol.11, suppl.4, pp. 17-32.
- Sánchez-Velázquez, L.D., Rosales, S.P.L., Frausto, M.S.R. 2006, 'The burden of nosocomial infection in the intensive care unit: Effects on organ failure, mortality and costs. A nested case-control study', *Archives of medical research*, vol. 37, pp. 370-375.
- Satria, A.D., 2013, 'Daya antibakteri kombinasi chitosan-gentamisin terhadap *Staphylococcus epidermidis* dan *Pseudomonas aeruginosa* secara in vitro', Skripsi, Universitas Gadjah Mada, Yogyakarta.

Song, W., Woo, H.J., Kim, J.S., Lee, K.M., 2003, 'In vitro activity of β -lactams in combination with other antimicrobial agents against resistant strains of pseudomonas aeruginosa', Int J Antimicrob Agents, vol. 21, pp. 8-12.

Sopirala, M.M., Mangino, J.E., Gebreyes, W.A. et al., 2010, 'Synergy testing by etest, microdilution checkerboard, and time-kill methods for pan-drug-resistant acinetobacter baumannii', Antimicrobial agents and chemotherapy, vol. 54, no. 11, pp. 4678-4683.

Southwick, F., 2007, *Infectious disease a clinical short course*, 2nd edn, The Mcraw Hill Companies, USA.

Weinstein, R.A., 1998, 'Nosocomial infection update', Emerg Infect Dis, vol. 4, no. 3, pp. 416-420.