

References

- Anothaisintawee, T. *et al.* (2019) 'Cost-effectiveness modelling studies of all preventive measures against rabies: A systematic review', *Vaccine*. The Authors, 37(xxxx), pp. A146–A153. doi: 10.1016/j.vaccine.2018.11.071.
- Balasubramanian, S. *et al.* (2018) *Indian Academy of Pediatrics (IAP) Advisory Committee on Vaccines and Immunization Practices (ACVIP) Recommended Immunization Schedule (2018-19) and Update on Immunization for Children Aged 0 Through 18 Years*.
- Bharti, O. K., Madhusudana, S. N. and Wilde, H. (2017) 'Injecting rabies immunoglobulin (RIG) into wounds only: A significant saving of lives and costly RIG', *Human Vaccines & Immunotherapeutics*. Taylor and Francis Inc., 13(4), pp. 762–765. doi: 10.1080/21645515.2016.1255834.
- Bharti, O. K., Thakur, B. and Rao, R. (2019) 'Wound-only injection of rabies immunoglobulin (RIG) saves lives and costs less than a dollar per patient by "pooling strategy"', *Vaccine*. Elsevier Ltd, 37(June 2014), pp. A128–A131. doi: 10.1016/j.vaccine.2019.07.087.
- Director General Of Health Services, G. of I. (2014) 'National Rabies Control Programme (Zoonosis Division)', p. 1. Available at: <http://dghs.gov.in/WriteReadData/userfiles/file/National Rabies Control Programme.pdf>
- Director General Of Health Services, G. of I. (no date) *National Rabies Control Programme*. Available at: <https://dghs.gov.in/WriteReadData/userfiles/file/National Rabies Control Programme.pdf>
- Fooks, A. R. *et al.* (2014) 'Current status of rabies and prospects for elimination', *The Lancet*. Lancet Publishing Group, pp. 1389–1399. doi: 10.1016/S0140-6736(13)62707-5.
- Hampson, K. *et al.* (2015) 'Estimating the Global Burden of Endemic Canine Rabies', *PLOS Neglected Tropical Diseases*. Edited by M. S. Carvalho. Public Library of Science, 9(4), p. e0003709. doi: 10.1371/journal.pntd.0003709.
- Hampson, K., Abela-Ridder, B., *et al.* (2019) 'Modelling to inform prophylaxis regimens to prevent human rabies', *Vaccine*. Elsevier Ltd, 37(xxxx), pp. A166–A173. doi: 10.1016/j.vaccine.2018.11.010.
- Hampson, K., Ventura, F., *et al.* (2019) 'The potential effect of improved provision of rabies post-exposure prophylaxis in Gavi-eligible countries: a modelling study', *The Lancet Infectious Diseases*, 19(1), pp. 102–111. doi: 10.1016/S1473-3099(18)30512-7.
- Hueffer, K. *et al.* (no date) 'Rabies virus modifies host behaviour through a snake-toxin like region of its glycoprotein that inhibits neurotransmitter receptors in the CNS OPEN'. doi: 10.1038/s41598-017-12726-4.
- Kessels, J. *et al.* (2019) 'Rabies post-exposure prophylaxis: A systematic review on abridged vaccination schedules and the effect of changing administration routes during a single course', *Vaccine*. Elsevier Ltd, pp. A107–A117. doi: 10.1016/j.vaccine.2019.01.041.

Kessels, J. A. et al. (2017) 'Systematic reviews Pre-exposure rabies prophylaxis: a systematic review', *Bull World Health Organ*, 95, pp. 210–219. doi: 10.2471/BLT.16.173039.

Kole, A. K., Roy, R. and Kole, D. C. (2014) 'Human rabies in India: A problem needing more attention', *Bulletin of the World Health Organization*. World Health Organization, p. 230. doi: 10.2471/BLT.14.136044.

Kumar Bharti, O. and Epidemiologist Himachal Pradesh Keywords, S. 'Himachal Implements New WHO Guidelines 2018. Author's's'. doi: 10.4236/wjv.2018.81002.

Lang, J., Feroldi, E. and Vien, N. C. (2009) 'Pre-exposure purified vero cell rabies vaccine and concomitant routine childhood vaccinations: 5-year post-vaccination follow-up study of an infant cohort in Vietnam', *Journal of Tropical Pediatrics*, 55(1), pp. 26–31. doi: 10.1093/tropej/fmm100.

M K Sudarshan, S N Madhusudana, B J Mahendra, N S N Rao, D H Ashwath Narayana, S Abdul Rahman, F -X Meslin, D Lobo, K Ravikumar, G. (2018) *Indian Multicentric Rabies Survey 2017*. Bangalore. Available at: <http://www.apcri.org/pdf/WHO-APCRI Rabies Survey, 2017 - Final Report.pdf>.

M V, S. and Culas, R. (2014) 'Cost Analysis of Post Exposure Prophylaxis of Rabies in A Tertiary Care Centre- A Cross Sectional Study', *IOSR Journal of Dental and Medical Sciences*, 13(12), pp. 08–12. doi: 10.9790/0853-131260812.

NCDC National Rabies Control Programme, National Rabies Control Programme. Available at: <https://ncdc.gov.in/index1.php?lang=1&level=1&sublinkid=146&lid=150>.

Prasad N et al. (2019) 'Cost–benefit analysis of controlling rabies: prioritizing areas in rural setting of Maner: a cross sectional study', *International Journal of Community Medicine and Public Health*. 2019 Sep;6(9)

Quiambao, B. et al. (2020) 'Health economic assessment of a rabies pre-exposure prophylaxis program compared with post-exposure prophylaxis alone in high-risk age groups in the Philippines', *International Journal of Infectious Diseases*. International Society for Infectious Diseases, 97, pp. 38–46. doi: 10.1016/j.ijid.2020.05.062.

Sreenivasan, N. et al. (2019) 'Overview of rabies post-exposure prophylaxis access, procurement and distribution in selected countries in Asia and Africa, 2017–2018', *Vaccine*. Elsevier Ltd, 37, pp. A6–A13. doi: 10.1016/j.vaccine.2019.04.024.

Sudarshan, M. et al. (2007) 'Assessing the burden of human rabies in India: results of a national multi-center epidemiological survey', *International Journal of Infectious Diseases*, 11, pp. 29–35. doi: 10.1016/j.ijid.2005.10.007.

Sudarshan, M. K. and Ashwath Narayana, D. H. (2019a) 'Appraisal of surveillance of human rabies and animal bites in seven states of India', *Indian journal of public health*. NLM (Medline), 63(5), p. 3. doi: 10.4103/ijph.IJPH_377_19.

Sudarshan, M. K. and Ashwath Narayana, D. H. (2019b) 'Background paper for developing a policy for the use of rabies biologicals and vaccination of humans in India', *Indian journal of public health*. NLM (Medline), 63, pp. S51–S53. doi: 10.4103/ijph.IJPH_378_19.

World Health Organization (2013) 'WHO Expert Consultation on Rabies. Second report.', *World Health Organization technical report series*, (982).

World Health Organization (WHO) (2018) Rabies vaccines and immunoglobulins: WHO position April 2018. Available at: <http://apps.who.int/iris/bitstream/10665/259533/1/WER9248.pdf?ua=1> (Accessed: 5 July 2020).

Rabarison, K. M. et al. (2015) 'Economic evaluation enhances public health decision making', *Frontiers in Public Health*. *Frontiers Media S. A*, 3(JUN), p. 1. doi: 10.3389/fpubh.2015.00164

Jamison, D. T. et al. (2006) 'Cost-Effectiveness Analysis'. *The International Bank for Reconstruction and Development / The World Bank*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK10253/>

Fox-rushby, J. et al. (2005) *Economic Evaluation, Understanding Public Health*. Published by: Open University Press. Mc Graw Hill Education

Antman, E. M., Califf, R. M. and Choudhry, N. K. (2012) 'Tools for assessment of cardiovascular tests and therapies', in *Cardiovascular Therapeutics: A Companion to Braunwald's Heart Disease: Fourth Edition*. Elsevier Inc., pp. 1–32. doi: 10.1016/B978-1-4557-0101-8.00001-1.

Care, H. (2009) *Working Paper Cost Estimation*. Institute for Quality and Efficiency in Health Care (IQWiG)

Drummond MF, Sculpher MJ, Torrance GW, O'Brien BJ, Stoddart G. *Methods for the economic evaluation of health care programmes*. 3rd ed. Oxford University Press, 2005.

Poulsen RJ, Gyrd-Hansen D, Poulsen PB. The economy. In: Kristensen FB, Sigmund H (Ed). *Health Technology Assessment handbook*. Kopenhagen: National Board of Health; 2008. p. 139-171.

Torrance GW, Siegel JE, Luce BR, Gold MR, Russell LB, Weinstein MC. Framing and designing the cost-effectiveness analysis. In: Gold MR, Siegel JE, Russell LB, Weinstein MC (Ed). *Cost-effectiveness in health and medicine*. New York: Oxford University Press; 1996. p. 54-81.

Garber AM, Weinstein MC, Torrance GW, Kamlet MS. Theoretical foundations of cost-effectiveness analysis. In: Gold MR, Siegel JE, Russell LB, Weinstein MC (Ed). *Cost-effectiveness in health and medicine*. New York: Oxford University Press; 1996. p. 25-53.

Mas-Colell A. *Microeconomic theory*. New York: Oxford University Press; 1995.

Kuntz, K. et al. (2013) *Decision and Simulation Modeling in Systematic Reviews*. Agency for Healthcare Research and Quality (US). Available at: <http://www.ncbi.nlm.nih.gov/pubmed/23534078> (Accessed: 8 September 2020).

Qu, Z. et al. (2018) 'Decision modelling for economic evaluation of liver transplantation', *World Journal of Hepatology*. Baishideng Publishing Group Co, pp. 837–848. doi: 10.4254/wjh.v10.i11.837.

Garrison, L. P. et al. (2018) 'An Overview of Value, Perspective, and Decision Context-A Health Economics Approach: An ISPOR Special Task Force Report [2]', *Value in Health*, 21, pp. 124–130. doi: 10.1016/j.jval.2017.12.006.

Chalkidou, K., Culyer, A. J. and Nemzoff, C. (2018) Perspective in Economic Evaluations of Health Care Interventions in Low- and Middle-Income Countries—One Size Does Not Fit All. Available at: www.cgdev.org

Economic Evaluation Defining the Scope of a Cost-effectiveness Analysis II (2018). Available at: <http://ocw.jhsph.edu/courses/TeachVaccEconEval/PDF/CEA2.pdf>

Petrou, S. and Gray, A. (2011) 'Economic evaluation using decision analytical Journal Publishing Group, 342(7808). doi: 10.1136/bmj.d1766.

Peters, D. H., Tran, N. T. and Adam, T. (2013) *A Practical Guide Implementation Research in Health* ©WHO. Available at: www.who.int (Accessed: 1 September 2020).

Proctor, E. *et al.* (2011) 'Outcomes for implementation research: Conceptual distinctions, measurement challenges, and research agenda', *Administration and Policy in Mental Health and Mental Health Services Research*. Springer, 38(2), pp. 65–76. doi: 10.1007/s10488-010-0319-7.

Kirigia, J. M. *et al.* (2009) 'Economic burden of diabetes mellitus in the WHO African region', *BMC International Health and Human Rights*, 9(1). doi: 10.1186/1472-698X-9-6.

Crowley M, Jones D. Valuing Our Communities: Ethical Considerations for Economic Evaluation of Community-Based Prevention. *Am J Community Psychol*. 2017;60(3-4):309-315. doi:10.1002/ajcp.12200

WHO Expert Consultation on Rabies, third report. Geneva: World Health Organization; 2018 (WHO Technical Report Series, No. 1012). Licence: CC BY-NC-SA 3.0 IGO. Available at: <https://apps.who.int/iris/bitstream/handle/10665/272364/9789241210218-eng.pdf>

Fooks *et al* (2014). Current status of rabies and prospects for elimination. *Lancet*. 2014 Oct 11;384(9951):1389-99. doi: 10.1016/S0140-6736(13)62707-5. Epub 2014 May 11.

Hueffer, K., Khatri, S., Rideout, S. *et al* (2017). Rabies virus modifies host behaviour through a snake-toxin like region of its glycoprotein that inhibits neurotransmitter receptors in the CNS. *Sci Rep* 7, 12818 (2017). <https://doi.org/10.1038/s41598-017-12726-4>

Bharti, O. K., Madhusudana, S. N. and Wilde, H. (2017) 'Injecting rabies immunoglobulin (RIG) into wounds only: A significant saving of lives and costly RIG', *Human Vaccines & Immunotherapeutics*. Taylor and Francis Inc., 13(4), pp. 762–765. doi: 10.1080/21645515.2016.1255834

John D, Royal A, Bharti O (2021). Burden of illness of dog-mediated rabies in India: A systematic review. *Clin Epidemiol Glob Heal* [Internet]. 2021 Jun 1 [cited 2021 Jun 24];12:100804. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S2213398421001123>

CHEC list: Consensus health economic criteria – research – maastricht university [internet] [cited 2020 Dec 10]. Available from: <https://www.maastrichtuniversity.nl/research/caphri/our-research/creating-value-based-health-care/chec-list-consensus-health-economic>.

Husereau D, Drummond M, Petrou S, *et al* (2013). Consolidated health economic evaluation reporting Standards (CHEERS) statement. *BMJ*. 2013;346:f1049. <https://www.bmj.com/content/346/bmj.f1049>.



WHO Rabies Modelling Consortium. The potential effect of improved provision of rabies post-exposure prophylaxis in Gavi-eligible countries: a modelling study. *Lancet Infect Dis*. 2019 Jan;19(1):102-111. doi: 10.1016/S1473-3099(18)30512-7.

WHO guide to cost-effectiveness analysis. 2003. Available at:
<http://apps.who.int/iris/bitstream/handle/10665/42699/9241546018.pdf;jsessionid=6AF3430426FB4D38FFD4FCB7393DBDB5?sequence=1>

World Economic Outlook Database, April 2021. International Monetary Fund. Available at:
<https://www.imf.org/en/Publications/WEO/weo-database/2021/April/weo-report?c=534,&s=NGDPDPC,PPPPC,&sy=2020&ey=2026&ssm=0&scsm=0&scc=0&ssd=1&ssc=0&sic=0&sort=country&ds=.&br=1>

Census of India 2011. Population Projections for India and States 2011 – 2036. Available at:
https://nhm.gov.in/New_Updates_2018/Report_Population_Projection_2019.pdf

N Agarwal (2015). Epidemiology of dog bites in Patna: cross sectional study. *Indian Journal of Community & Family Medicine* | Vol. 1 | Issue 02. 2015. Available at:
https://www.ijcfm.org/temp/IndianJCommunityFamMed1270-6095449_165554.pdf

Nandimath VA (2019). Anti-rabies prophylaxis among children attending ARV clinic in a tertiary care center, Solapur, India. *Int J Med Sci Public Health* 2019;8(9):742-745. Available at: <http://www.ijmsph.com/fulltext/67-1560953960.pdf>

Shim E, Hampson K, Cleaveland S, Galvani AP (2009). Evaluating the cost-effectiveness of rabies post-exposure prophylaxis: a case study in Tanzania. *Vaccine* 2009;27 (51):7167–72.

K. Suwansrinon; H. Wilde; M. Benjavongkulchai; U. Banjongkasaena; S. Lertjarutorn; S. Boonchang; R. Suttisri; P. Khowplod; S. Daviratanasilpa; V. Sitprija (2006). Survival of neutralizing antibody in previously rabies vaccinated subjects: A prospective study showing long lasting immunity. , 24(18), 0–3880. doi:10.1016/j.vaccine.2006.02.027

International Institute for Population Sciences (IIPS) and ICF. 2017. National Family Health Survey (NFHS-4), 2015-16: India. Mumbai: IIPS. Available at: <http://rchiips.org/nfhs/NFHS-4Reports/India.pdf>

Khadilkar V (2019). Indian Growth References from 0-18-Year-Old children and Adolescents - A Comparison of Two Methods. *Indian J Endocrinol Metab*. 2019;23(6):635-644. doi:10.4103/ijem.IJEM_555_19

Rate Contract Report. Madhya Pradesh Aushadhi, Directorate of Health Services, Government of Madhya Pradesh, India. [Accessed on 18th April 2021]. Available at:
<http://mpaushadhi.mp.gov.in/HISUtilities/dashboard/dashBoardACTION.cnt?groupId=MTU=&dashboardFor=RFdI&hospitalCode=998&seatId=10001&isGlobal=1&isPreview=0>

Average number and monthly salaries of different human resource categories at various levels of the health system across different states in India. National Health System Cost Database of India. PGIMER, School of Public Health, 2018. Available at:
https://www.healtheconomics.pgispsh.in/costing_web/index.php?action=price

Health Benefit Package 2.0. Pradhan Mantri Jan Arogya Yojana (PM-JAY), Government of India. Available at: <https://pmjay.gov.in/sites/default/files/2019-09/HBP%202.0%20for%20website.pdf>

Abbas SS, Kakkar M, Rogawski ET (2014). Costs Analysis of a Population Level Rabies Control Programme in Tamil Nadu, India. *PloS Negl Trop Dis*. 2014;8(2)

State-wise wage rate for unskilled manual workers (Rupees per day) for FY 2020-21.

Ministry of Rural Development. The Gazette of India. Available at:

https://nrega.nic.in/netnrega/writereaddata/Circulars/2410Wage_rate_notification_for_FY2020-21.pdf

CCEMG. EPPI-centre cost converter v.1.4 [internet] [cited 2020 Sep 29]. Available from:

<https://eppi.ioe.ac.uk/costconversion/>.

WHO. WHO guide for standardization of economic evaluations of immunization programmes. 2008 Available from:

<https://apps.who.int/iris/bitstream/handle/10665/329389/WHO-IVB-19.10-eng.pdf>

SRS based abridged life tables (2014-18). Census of India (2011). Available at:

https://censusindia.gov.in/Vital_Statistics/SRS_Life_Table/SRS%20based%20Abridged%20Life%20Tables%202014-18.pdf

Ock, M. *et al.* (2019) 'Disability Weights Measurement for 289 Causes of Disease Considering Disease Severity in Korea', *Journal of Korean Medical Science*. Korean Academy of Medical Science, 34(Suppl 1). doi: 10.3346/jkms.2019.34.e60

Vernekar SP (2018). A study of dog bites among children in the rural area of Goa, India. *J Prev Med Holist Health*, 4 (1) (2018), pp. 20-23, 10.18231/2454-6712.2018.0006.

N. Agarwal, V.P. Reddajah (2004). Epidemiology of dog bites: a community-based study in India. *Trop Doct*, 34 (2) (2004), pp. 76-78

Supplement to GBD 2016. Global Burden of Diseases. Available at:

[https://www.thelancet.com/cms/10.1016/S0140-6736\(17\)32154-2/attachment/52b63b24-df1c-49ea-b9e4-1b51cbc697bd/mmc1.pdf](https://www.thelancet.com/cms/10.1016/S0140-6736(17)32154-2/attachment/52b63b24-df1c-49ea-b9e4-1b51cbc697bd/mmc1.pdf)

Ock, M., Ahn, J., *et al.* (2016) 'Estimation of Disability Weights in the General Population of South Korea Using a Paired Comparison', *PLOS ONE*. Edited by O. A. Sankoh. Public Library of Science, 11(9), p. e0162478. doi: 10.1371/journal.pone.0162478.

Rabies. India. Facts. WHO. Available at: <https://www.who.int/india/health-topics/rabies>

Suraweera W, Morris SK, Kumar R, Warrell DA, Warrell MJ, Jha P, *et al.* (2012) Deaths from Symptomatically Identifiable Furious Rabies in India: A Nationally Representative Mortality Survey. *PLoS Negl Trop Dis* 6(10): e1847.

<https://doi.org/10.1371/journal.pntd.0001847>

Shewale A, Nale T, Daptardar M, Tiwari S (2021). A Case for Pre-Exposure Prophylaxis of High-Risk Groups against Rabies in India. *J Commun Dis* 2021; 53(1): 110-116.

DOI: <https://doi.org/10.24321/0019.5138.202118>

Sridhar PV, Shanmukappa, Vinay M *et al.* Profile of children bitten by dogs, reporting to a government tertiary care hospital and their compliance to post exposure prophylaxis. *Journal of Evolution of Medical and Dental Sciences* 2014; 5294.

Dodet B; Asian Rabies Expert Bureau (AREB). Report of the sixth AREB meeting, Manila, The Philippines, 10–12 November 2009. *Vaccine*. 2010 Apr 26;28(19):3265–8. doi: <http://dx.doi.org/10.1016/j.vaccine.2010.02.093>

Aikimbayev A, Briggs D, Coltan G, Dodet B, Farahtaj F, Imnadze P, et al. Fighting rabies in Eastern Europe, the Middle East and Central Asia—experts call for a regional initiative for rabies elimination. *Zoonoses Public Health*. 2014 May;61(3):219–26. doi: <http://dx.doi.org/10.1111/zph.12060> PMID: 23782901

Vashishtha VM, Choudhury P, Kalra A, Bose A, Thacker N, Yewale VN, et al.; Indian Academy of Pediatrics. Indian Academy of Pediatrics (IAP) recommended immunization schedule for children aged 0 through 18 years—India, 2014 and updates on immunization. *Indian Pediatr*. 2014 Oct;51(10):785–800. doi: <http://dx.doi.org/10.1007/s13312-014-0504-y> PMID: 25362009

Hampson K, Coudeville L, Lembo T, Sambo M, Kieffer A, Attlan M, et al.; Global Alliance for Rabies Control Partners for Rabies Prevention. Estimating the global burden of endemic canine rabies. *PLoS Negl Trop Dis*. 2015 Apr;9(4):e0003709. doi: <http://dx.doi.org/10.1371/journal.pntd.0003709>

Chulasugandha P, Khawplod P, Havanond P, Wilde H. Cost comparison of rabies pre-exposure vaccination with post-exposure treatment in Thai children. *Vaccine*. 2006 Feb 27;24(9):1478–82. doi: <http://dx.doi.org/10.1016/j.vaccine.2005.03.059> PMID: 16221511

Liu Q, Ertl HC (2018). Preventative childhood vaccination to rabies. *Expert Opin Biol Ther*. 2012 Aug;12(8):1067–75. doi: <http://dx.doi.org/10.1517/14712598.2012.691162> PMID: 22724389

Strady C, Hung Nguyen V, Jaussaud R, Lang J, Lienard M, Strady A. Pre-exposure rabies vaccination: strategies and cost-minimization study. *Vaccine*. 2001 Jan 8;19(11-12):1416–24. doi: [http://dx.doi.org/10.1016/S0264-410X\(00\)00368-6](http://dx.doi.org/10.1016/S0264-410X(00)00368-6) PMID: 11163664

K. Hampson, B. Abela-Ridder, O. Bharti et al., Modelling to inform prophylaxis regimens to prevent human rabies, *Vaccine*, <https://doi.org/10.1016/j.vaccine.2018.11.010>

Streicker DG, Recuenco S, Valderrama W, Gomez Benavides J, Vargas I, Pacheco V, et al. Ecological and anthropogenic drivers of rabies exposure in vampire bats: implications for transmission and control. *Proc Biol Sci*. 2012 Sep 7;279(1742):3384–92. doi: <http://dx.doi.org/10.1098/rspb.2012.0538>

Abbas SS, Kakkar M, Rogawski ET; Roadmap to Combat Zoonoses in India (RCZI) initiative. Costs analysis of a population level rabies control programme in Tamil Nadu, India. *PLoS Negl Trop Dis*. 2014February;8(2):e2721. 10.1371/journal.pntd.0002721

Totton SC, Wandeler AI, Zinsstag J, Bauch CT, Ribble CS, Rosatte RC, et al. Stray dog population demographics in Jodhpur, India following a population control/rabies vaccination program. *Prev Vet Med*. 2010October1;97(1):51–7. 10.1016/j.prevetmed.2010.07.009

Abbas SS, Kakkar M. Rabies control in India: a need to close the gap between research and policy. *Bull World Health Organ*. 2015;93(2):131-132. doi:10.2471/BLT.14.140723

Vien NC, Feroldi E, Lang J. Long-term anti-rabies antibody persistence following intramuscular or low-dose intradermal vaccination of young Vietnamese children. *Trans R Soc Trop Med Hyg* 2008;102(3):294–6.



UNIVERSITAS
GADJAH MADA

Economic Evaluation of Pre Exposure Prophylaxis plus Post Exposure Prophylaxis versus Post Exposure

Prophylaxis only strategy to avert rabies deaths in children in India: An Implementation Research

Royal, Abhishek, Prof Adi Utarini; Prof Retna Siwi Padmawati

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Lang J, Feroldi E, Vien NC. Pre-exposure purified Vero cell rabies vaccine and concomitant routine childhood vaccinations: 5-year post-vaccination followup study of an infant cohort in Vietnam. *J Trop Pediatr* 2009;55(1):26–31.

Bharti OK, Madhusudana SN, Gaunta PL, Belludi AY. Local infiltration of rabies immunoglobulins without systemic intramuscular administration: An alternative cost effective approach for passive immunization against rabies. *Hum Vaccines Immunother* [Internet]. 2016;12(3):837–42. Available from: <http://dx.doi.org/10.1080/21645515.2015.1085142>