

DAFTAR PUSTAKA

- Allken, V., Handegard, N. O., Rosen, S., Schreyeck, T., Mahiout, T. and Malde, K., (2018). Fish species identification using a convolutional neural network trained on synthetic data. *ICES Journal of Marine Science*, vol. 76 (1), pp. 342-349. Doi: 10.1093/icesjms/fsy147.
- Alsmadi, M. K. dan Almarashdeh, I., (2020). A survey on fish classification techniques. *Journal of King Saud University - Computer and Information Sciences*. Doi: 10.1016/j.jksuci.2020.07.005.
- Anantharajah, K., Ge, Z., McCool, C., Denman, S., Fookes, C., Corke, P., Tjondronegoro, D., Sridharan, S., (2014). Local inter-session variability modelling for object classification. *IEEE Winter Conference on Applications of Computer Vision*, Steamboat Springs, CO, 2014. pp. 309-316. Doi: 10.1109/WACV.2014.6836084.
- Arjovsky, M., Chintala, S., Bottou, L., (2017). Wasserstein Generative Adversarial Networks. *Proceedings of the 34th International Conference on Machine Learning*. PMLR. vol. 70. pp. 214-223. Diakses dari <http://proceedings.mlr.press/v70/arjovsky17a.html>.
- Australian Institute of Marine Science (AIMS), University of Western Australia (UWA) and Curtin University. (2019). OzFish Dataset - Machine learning dataset for Baited Remote Underwater Video Stations. Doi: 10.25845/5e28f062c5097.
- Bodnar, C., (2018). Text to Image Synthesis Using Generative Adversarial Networks. Doi:10.13140/RG.2.2.35817.39523
- Boom, B. J., Huang, P. X., He, J., Fisher, R. B. (2012). Supporting Ground-Truth annotation of image datasets using clustering. *21st Int. Conf. on Pattern Recognition (ICPR)*.
- Dekking, M., (2005). A modern introduction to probability and statistics : understanding why and how. London, UK: Springer. pp. 60–61. ISBN 978-1-85233-896-1.
- Dertat, A., (2017). Applied Deep Learning - Part 4: Convolutional Neural Networks. Diakses 28 November 2020, dari <https://towardsdatascience.com/applied-deep-learning-part-4-convolutional-neural-networks-584bc134c1e2>.
- Dumoulin, V., Visin, F. (2018). A guide to convolution arithmetic for deep learning. ArXiv Preprint ArXiv:1603.07285

- Gao, X., Deng, F., Yue, X., (2020). Data augmentation in fault diagnosis based on the Wasserstein generative adversarial network with gradient penalty. *Neurocomputing*, vol. 396. pp. 487-494. Doi: 10.1016/j.neucom.2018.10.109.
- Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., et al., (2014). Generative adversarial nets. *Advances in neural information processing systems*. pp. 2672–2680.
- Gulrajani, I., Ahmed, F., Arjovsky, M., Dumoulin, V., Courville, A., (2017). Improved training of wasserstein gans.
- Han, J., Morag, C., (1995). The influence of the sigmoid function parameters on the speed of backpropagation learning. In Mira, José; Sandoval, Francisco (eds.). *From Natural to Artificial Neural Computation*. Lecture Notes in Computer Science. 930. pp. 195–201. Doi: 10.1007/3-540-59497-3_175. ISBN 978-3-540-59497-0.
- He, K., Zhang, X., Ren, S., Sun, J., (2015). Deep Residual Learning for Image Recognition. ArXiv Preprint ArXiv: 1512.03385.
- He, K., Zhang, X., Ren, S., Sun, J., (2016). Identity Mappings in Deep Residual Networks. ArXiv Preprint ArXiv: 1603.05027.
- He, K., Zhang, X., Ren, S., and Sun, J., (2016). Deep residual learning for image recognition. *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Las Vegas, NV, USA, pp. 770–778.
- Heinonen, J. (2001). Lipschitz Functions. *Lectures on Analysis on Metric Spaces*. New York, NY: Springer New York. pp. 43-48. Doi: 10.1007/978-1-4613-0131-8_6.
- Hernández-Serna, A. dan Jiménez-Segura, L. F., (2014). Automatic identification of species with neural networks. *PeerJ* 2:e563. Doi: 10.7717/peerj.563.
- Heusel, M., Ramsauer, H., Unterthiner, T., Nessler, B., & Hochreiter, S. (2017). Gans trained by a two time-scale update rule converge to a local nash equilibrium. *Advances in Neural Information Processing Systems*. pp. 6626–6637.
- Heusel, M., Ramsauer, H., Unterthiner, T., Nessler, B., Hochreiter, S., (2018). GANs Trained by a Two Time-Scale Update Rule Converge to a Local Nash Equilibrium. ArXiv Preprint ArXiv: 1706.08500.
- Ioffe, S., Szegedy, C., (2015). Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift. ArXiv Preprint ArXiv: 1502.03167.

- Jalal, A., Salman, A., Mian, A., Shortis, M., Shafaitdoi, F., (2020). Fish detection and species classification in underwater environments using deep learning with temporal information. *Ecological Informatics*. vol. 57. Doi: 10.1016/j.ecoinf.2020.101088.
- Jennings, S., Kaiser, M., (1998). The effects of fishing on marine ecosystems. *Advances in Marine Biology*. vol. 34. pp. 201-352.
- Ji, Q., Huang, J., He, W., Sun, Y., (2019). Optimized Deep Convolutional Neural Networks for Identification of Macular Diseases from Optical Coherence Tomography Images. *Algorithms*. vol. 12. p. 51. Doi: 10.3390/a12030051.
- Kingma, D. P., Ba, J., (2017). Adam: A Method for Stochastic Optimization. ArXiv Preprint ArXiv: 1412.6980.
- Krizhevsky, A., Sutskever, I., and Hinton, G. E., (2012). ImageNet classification with deep convolutional neural networks. *Advances in Neural Information Processing Systems* 25. pp. 1097–1105. Ed. by F. Pereira, C. J. C. Burges, L. Bottou, and K. Q. Weinberger. (Curran Associates, Inc.).
- Labao, A.B., Naval Jr, P.C., (2019). Cascaded deep network systems with linked ensemble components for underwater fish detection in the wild. *Ecol. Inform.* vol. 52. pp. 103–121.
- Maas, A. L., Hannun, A. Y., Ng, A. Y. (2013). Rectifier nonlinearities improve neural network acoustic models. *Proc. Icml*. vol. 30. no. 1. p. 3.
- Mirza, M., Osindero, S., (2014). Conditional Generative Adversarial Nets. ArXiv Preprint ArXiv: 1411.1784.
- Nair, V., Hinton, G. E. (2010). Rectified linear units improve restricted boltzmann machines. *Proceedings of the 27th international conference on machine learning (ICML-10)*. pp. 807-814.
- Optimized Deep Convolutional Neural Networks for Identification of Macular Diseases from Optical Coherence Tomography Images - Scientific Figure on ResearchGate. Diakses 30 November 2020, dari https://www.researchgate.net/figure/Left-ResNet50-architecture-Blocks-with-dotted-line-represents-modules-that-might-be_fig3_331364877.
- Parenti, L. R., Weitzman, Stanley, H. (2021). fish. *Encyclopedia Britannica*. <https://www.britannica.com/animal/fish>.
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., Flannery, B. P., (1992). Numerical recipes in C: the art of scientific computing (2nd ed.). New

York, NY, USA: Cambridge University Press. pp. 123-128. ISBN 0-521-43108-5.

Radford, A., Metz, L., Chintala, S., (2016). Unsupervised Representation Learning with Deep Convolutional Generative Adversarial Networks. ArXiv Preprint ArXiv: 1511.06434.

Rauf, H. T., Lali, M. I. U., Zahoor, S., Shah, S. Z. H., Rehman, A. U., Bukhari, S. A. C., (2019). Visual features based automated identification of fish species using deep convolutional neural networks. *Computers and Electronics in Agriculture*. vol. 167. Doi: 10.1016/j.compag.2019.105075.

Reithaug, A., (2018). Employing Deep Learning for Fish Recognition.

Rouse, W., (2007). Marine Biology Research Experiment: Population Dynamics of Barnacles in the Intertidal Zone.

Ruder, S., (2016). An overview of gradient descent optimization algorithms. ArXiv Preprint ArXiv: 1609.04747.

Scherer, D., Müller, A., Behnke, S., (2010). Evaluation of pooling operations in convolutional architectures for object recognition. *International Conference on Artificial Neural Networks*. Springer. pp. 92–101.

Serre, T., Wolf, L., Poggio, T., (2006). Object recognition with features inspired by visual cortex, Technical Report. Massachusetts Inst of Tech Cambridge Dept of Brain and Cognitive Sciences.

Socher, R., Huval, B., Bath, B. P., Manning, C. D., and Ng A. Y., (2012). Convolutional-recursive deep learning for 3d object classification. *NIPS*, vol. 3, no. 7, p. 8.

Song, S., Que, Z., Hou, J., Du, S., Song, Y., (2019). An efficient convolutional neural network for small traffic sign detection. *J. Syst. Architect*.

Spampinato, C., Giordano, D., Di Salvo, R., Chen-Burger, Y.-H. J., Fisher, R. B., and Nadarajan G., (2010). Automatic fish classification for underwater species behavior understanding. *Proceedings of the first ACM international workshop on Analysis and retrieval of tracked events and motion in imagery streams*. ACM, pp. 45–50.

Srivastava, N., Hinton, G., Krizhevsky, A., Sutskever, I., Salakhutdinov. R., (2014). Dropout: a simple way to prevent neural networks from overfitting. *J. Mach. Learn. Res.* vol. 15, 1929–1958. Doi:10.5555/2627435.2670313.

- Suh, S., Lee, H., Lukowicz, P., Lee, Y.O., (2021). CEGAN: Classification Enhancement Generative Adversarial Networks for unraveling data imbalance problems. *Neural Networks*, vol. 133, pp. 69-86, doi: 10.1016/j.neunet.2020.10.004.
- Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J., Wojna, Z., (2015). Rethinking the Inception Architecture for Computer Vision. ArXiv Preprint ArXiv: 1512.00567.
- Tamou, A. B., Benzinou, A., Nasreddine, K. and Ballihi, L., (2018). Transfer Learning with deep Convolutional Neural Network for Underwater Live Fish Recognition. *2018 IEEE International Conference on Image Processing, Applications and Systems (IPAS)*, Sophia Antipolis, France, pp. 204-209. Doi: 10.1109/IPAS.2018.8708871.
- Varalakshmi, P. and Rachel J. J. L., (2019). Recognition Of Fish Categories Using Deep Learning Technique. *2019 3rd International Conference on Computing and Communications Technologies (ICCT)*, Chennai, India, pp. 168-172. Doi: 10.1109/ICCT2.2019.8824916.
- Wolchover, N., (2017). New Theory Cracks Open the Black Box of Deep Neural Networks. Diakses 28 November 2020, dari <https://www.wired.com/story/new-theory-deep-learning>.
- Wong, S. C., Gatt, A., Stamatescu, V., & McDonnell, M. D., (2016). Understanding data augmentation for classification: when to warp?. *2016 International conference on digital image computing: techniques and applications*. IEEE, pp. 1–6.
- Xu, L., Bennamoun, M., An, S., Sohel, F., Boussaid, F., (2019). Deep learning for marine species recognition. *Handbook of Deep Learning Applications*. Springer, pp. 129–145.
- Zhang, Z., Sabuncu, M.R., (2018). Generalized Cross Entropy Loss for Training Deep Neural Networks with Noisy Labels. ArXiv Preprint ArXiv: 1805.07836.
- Zheng, Z., Guo, C., Zheng, X., Yu, Z., Wang, W., Zheng, H., Fu, M., and Zheng, B., (2018). Fish Recognition from a Vessel Camera Using Deep Convolutional Neural Network and Data Augmentation. *2018 OCEANS - MTS/IEEE Kobe Techno-Oceans (OTO)*, Kobe, pp. 1-5. Doi: 10.1109/OCEANSKOB.2018.8559314.

(<https://octave.sourceforge.io/octave/function/viridis.html>)