

DAFTAR PUSTAKA

- Ariasoca, T. A., Sholihun, dan Santoso, I., 2019, Trotter-Suzuki-time propagation method for calculating the density of states of disordered graphene, *Comput. Mater. Sci.*, 156, 434–440.
- Bederián, C.S., dan Dente, A., 2011, Boosting quantum evolutions using Trotter-Suzuki algorithms on GPUs, *Proceedings of HPCLatAm 2011: High-Performance Computing Symposium* 40, 63–75.
- Bernardi, M., Palumbo, M., dan Grossman, J. C., 2013, Extraordinary Sunlight Absorption and One Nanometer Thick Photovoltaics Using Two-Dimensional Monolayer Materials, *Nano Lett.*, 13(8), 3664–3670.
- Cappelluti, E., Roldán, R., Silva-Guillén, J. A., Ordejón, P., dan Guinea, F., 2013, Tight-binding model and direct-gap/indirect-gap transition in single-layer and multilayer MoS₂, *Phys. Rev. B*, 88(7).
- De Raedt, H., 1987, Product formula algorithms for solving the time dependent Schrödinger equation, *Comput. Phys. Rep.*, 7(1), 1-72.
- Dhand, I., dan Sanders, B.C., 2014, Stability of the Trotter–Suzuki decomposition, *J. Phys. A Math. Theor.*, 47(26), 265206.
- Dietl, P., 2009, Numerical studies of electronic transport through Graphene nano-ribbons with disorder, *Thesis*, Karlsruhe Institute of Technology, Department of Physics, Karlsruhe.
- Eftekhari, A., 2017, Molybdenum diselenide (MoSe₂) for energy storage, catalysis, and optoelectronics, *Appl. Mater. Today*, 8, 1–17.
- Fang, S., Kuate Defo, R., Shirodkar, S. N., Lieu, S., Tritsarlis, G. A., dan Kaxiras, E., 2015, Ab initio tight-binding Hamiltonian for transition metal dichalcogenides, *Phys. Rev. B*, 92(20).

- Geim, A. K., dan Grigorieva, I. V. , 2013, Van der Waals heterostructures, *Nature*, 499(7459), 419–425.
- Häefner, V., 2011, Large scale simulation of wave-packet propagation via Krylov subspace methods and application to graphene, *Thesis*, Karlsruhe Institute of Technology, Department of Physics, Karlsruhe.
- Hams, A., dan De Raedt, H., 2000, Fast algorithm for finding the eigenvalue distribution of very large matrices, *Phys. Rev. E*, 62(3), 4365.
- Jariwala, D., Sangwan, V. K., Lauhon, L. J., Marks, T. J., dan Hersam, M. C., 2014, Emerging Device Applications for Semiconducting Two-Dimensional Transition Metal Dichalcogenides, *ACS Nano*, 8(2), 1102–1120.
- Jeong, H. I., Park, S., Yang, H. I., dan Choi, W., 2019, Electrical properties of MoSe₂ metal-oxide-semiconductor capacitors, *Mater. Lett.*, 209–212.
- Li, X., dan Zhu, H., 2015, Two-dimensional MoS₂: Properties, preparation, and applications, *J. Materiomics*, 1(1), 33–44.
- Liu, G.-B., Shan, W.-Y., Yao, Y., Yao, W., dan Xiao, D., 2013, Three-band tight-binding model for monolayers of group-VIB transition metal dichalcogenides, *Phys. Rev. B*, 88(8).
- Nouri, Nafise., Potasz, P., Ziaborujeni, Sajad., Wójs, Arkadiusz., dan Rashedi, Gholamreza, 2017, Analysis of Optical Properties of MoS₂ Monolayer using Minimal-Basis Tight-Binding Models, *Acta Physica Polonica A*, 132(2), 313–315.
- Novoselov, K.S., Geim, A.K., Morozov, S.V., Jiang, D., Zhang, Y., Dubonos, S.V., Grigorieva, I.V., dan Firsov, A.A., 2004, Electric field effect in atomically thin carbon films, *Science*, 306(5696), 666–669.
- Radisavljevic, B., Radenovic, A., Brivio, J., Giacometti, V., dan Kis, A., 2011, Single-layer MoS₂ transistors, *Nat. Nanotechnol.*, 6(3), 147–150.

- Ridolfi, E., Le, D., Rahman, T. S., Mucciolo, E. R., dan Lewenkopf, C. H., 2015, A tight-binding model for MoS₂ monolayers, *J. Phys. Condens. Matter*, 27(36), 365501.
- Ridolfi, E., 2017, Electronic structure, transport and optical properties of MoS₂ monolayers and nanoribbons, *Thesis*, Universidade Federal Fluminense, Instituto de Física. Niterói.
- Ridolfi, E., Lewenkopf, C. H., dan Pereira, V. M., 2018, Excitonic structure of the optical conductivity in MoS₂ monolayers, *Phys. Rev. B*, 97(20).
- Roldán, R., Silva-Guillén, J. A., López-Sancho, M. P., Guinea, F., Cappelluti, E., dan Ordejón, P., 2014, Electronic properties of single-layer and multilayer transition metal dichalcogenides MX₂ (M= Mo, W and X= S, Se), *Annalen Der Physik*, 526(9-10), 347–357.
- Rostami, H., Moghaddam, A. G., dan Asgari, R., 2013, Effective lattice Hamiltonian for monolayer MoS₂: Tailoring electronic structure with perpendicular electric and magnetic fields, *Phys. Rev. B*, 88(8).
- Shah, K. A., dan Shah, M. A., 2014, Principles of Raman Scattering in Carbon Nanotubes. Diedit oleh Bououdina, M., dan Davim, J. P. (Ed.), *Handbook of Research on Nanoscience, Nanotechnology, and Advanced Materials*, 131-145, IGI Global.
- Shu, H., Wang, Y., dan Sun, M., 2019, Enhancing electronic and optical properties of monolayer MoSe₂ via MoSe₂/Blue phosphorene heterobilayer, *Phys. Chem. Chem. Phys.*, 21, 15760-15766.
- Silva-Guillén, J., San-Jose, P., dan Roldán, R., 2016, Electronic Band Structure of Transition Metal Dichalcogenides from Ab Initio and Slater–Koster Tight-Binding Model, *Applied Sciences*, 6(10), 284.
- Szulakowska, L., 2020, Electron-electron interactions and optical properties of two-dimensional nanocrystals, *Thesis*, University of Ottawa, Faculty of Sciences, Department of Physics, Ottawa.

- Terrones, H., dan Terrones, M., 2014, Electronic and vibrational properties of defective transition metal dichalcogenide Haeckelites: new 2D semi-metallic systems, *2D Materials*, 1(1), 011003.
- Tongay, S., Zhou, J., Ataca, C., Lo, K., Matthews, T. S., Li, J., Grossman, J.C., dan Wu, J., 2012, Thermally Driven Crossover from Indirect toward Direct Bandgap in 2D Semiconductors: MoSe₂ versus MoS₂, *Nano Lett.*, 12(11), 5576–5580.
- Uppstu, A., 2014, Electronic properties of graphene from tight-binding simulations, *Disertasi*, Department of Applied Physics, Aalto University, Helsinki.
- Vajpey, Divya S., 2016, Energy Dispersion Model using Tight Binding Theory, *Thesis*, Rochester Institute of Technology, Department of Electrical and Microelectronic Engineering, Rochester, New York.
- Zahid, F., Liu, L., Zhu, Y., Wang, J., dan Guo, H., 2013, A generic tight-binding model for monolayer, bilayer and bulk MoS₂, *AIP Advances*, 3(5), 052111.