

DAFTAR PUSTAKA

- [1] M. M. Arafat, A. S. M. A. Haseeb, and S. A. Akbar, *Developments in Semiconducting Oxide-Based Gas-Sensing Materials*, vol. 13. Elsevier, 2014.
- [2] H. Kim, M. C. Kim, S. B. Kim, Y. S. Kim, J. H. Choi, and K. W. Park, "Porous SnO₂ nanostructure with a high specific surface area for improved electrochemical performance," *RSC Adv.*, vol. 10, no. 18, pp. 10519–10525, 2020, doi: 10.1039/d0ra00531b.
- [3] S. Bai, J. Hu, D. Li, R. Luo, A. Chen, and C. C. Liu, "Quantum-sized ZnO nanoparticles: Synthesis, characterization and sensing properties for NO₂," *J. Mater. Chem.*, vol. 21, no. 33, pp. 12288–12294, 2011, doi: 10.1039/c1jm11302j.
- [4] H. Liu, L. Zhang, and T. Li, "A study of controllable synthesis and formation mechanism on flower-like TiO₂ with spherical structure," *Crystals*, vol. 8, no. 12, pp. 1–12, 2018, doi: 10.3390/cryst8120466.
- [5] S. V. Kahane, R. Sasikala, V. Sudarsan, and S. Mahamuni, "CdO-CdS nano-composites as improved photo-catalysts for the generation of hydrogen from water," *AIP Conf. Proc.*, vol. 1591, no. September, pp. 279–281, 2014, doi: 10.1063/1.4872572.
- [6] D.J. Wales, G. Julien, V. P. Ting, R. D. Burke, K. J. Edler, C. R. Bowen, M. Svetlana, A. D. Burrows, "Gas sensing using porous materials for automotive applications," *Chem. Soc. Rev.*, vol. 44, no. 13, pp. 4290–4321, Jun. 2015, doi: 10.1039/C5CS00040H.
- [7] V. Stavila, A. A. Talin, and M. D. Allendorf, "MOF-based electronic and opto-electronic devices," *Chem. Soc. Rev.*, vol. 43, no. 16, pp. 5994–6010, 2014, doi: 10.1039/c4cs00096j.
- [8] Y. R. Lee, J. Kim, and W. S. Ahn, "Synthesis of metal-organic

- frameworks: A mini review,” *Korean J. Chem. Eng.*, vol. 30, no. 9, pp. 1667–1680, 2013, doi: 10.1007/s11814-013-0140-6.
- [9] Y. Chen, X. Mu, E. Lester, and T. Wu, “High efficiency synthesis of HKUST-1 under mild conditions with high BET surface area and CO₂ uptake capacity,” *Prog. Nat. Sci. Mater. Int.*, vol. 28, no. 5, pp. 584–589, Oct. 2018, doi: 10.1016/j.pnsc.2018.08.002.
- [10] M. D. Allendorf, R. J. T. Houk, L. Andruszkiewicz, A. A. Talin, J. Pikarsky, A. Choudhury, K. A. Gall, P. J. Hesketh, “Stress-induced chemical detection using flexible metal-organic frameworks,” *J. Am. Chem. Soc.*, vol. 130, no. 44, pp. 14404–14405, 2008, doi: 10.1021/ja805235k.
- [11] Y. C. Zhang and E. R. Zhang, “Solvothermal synthesis of CeO₂ nanoparticles,” *Adv. Mater. Res.*, vol. 236–238, pp. 2000–2003, 2011, doi: 10.4028/www.scientific.net/AMR.236-238.2000.
- [12] X. Mu, Y. Chen, E. Lester, and T. Wu, “Optimized synthesis of nano-scale high quality HKUST-1 under mild conditions and its application in CO₂ capture,” *Microporous Mesoporous Mater.*, vol. 270, pp. 249–257, 2018, doi: 10.1016/j.micromeso.2018.05.027.
- [13] S. S. Y. Chui, S. M. F. Lo, J. P. H. Charmant, A. G. Orpen, and I. D. Williams, “A chemically functionalizable nanoporous material [Cu₃(TMA)₂(H₂O)₃](n),” *Science (80-.)*, vol. 283, no. 5405, pp. 1148–1150, Feb. 1999, doi: 10.1126/science.283.5405.1148.
- [14] J. L. C. Rowsell and O. M. Yaghi, “Effects of functionalization, catenation, and variation of the metal oxide and organic linking units on the low-pressure hydrogen adsorption properties of metal-organic frameworks,” *J. Am. Chem. Soc.*, vol. 128, no. 4, pp. 1304–1315, 2006, doi: 10.1021/ja056639q.
- [15] J. Liu, J. T. Culp, S. Natesakhawat, B. C. Bockrath, B. Zande, S. G. Sankar, G. Garberoglio, J. K. Johnson, “Experimental and Theoretical Studies of

- Gas Adsorption in Cu₃ (BTC) 2 : An Effective Activation Procedure,” *J. Phys. Chem. C*, vol. 111, no. 26, pp. 9305–9313, Jul. 2007, doi: 10.1021/jp071449i.
- [16] P. Chowdhury, C. Bikkina, D. Meister, F. Dreisbach, and S. Gumma, “Comparison of adsorption isotherms on Cu-BTC metal organic frameworks synthesized from different routes,” *Microporous Mesoporous Mater.*, vol. 117, no. 1–2, pp. 406–413, Jan. 2009, doi: 10.1016/j.micromeso.2008.07.029.
- [17] R. Ediati, M. Kahardian, and D. Hartanto, “Pengaruh Perbandingan Pelarut Etanol dan Dimetilformamida pada Sintesis Metal Organik Framework HKUST-1,” *Akta Kim. Indones.*, vol. 1, no. 1, p. 25, 2016, doi: 10.12962/j25493736.v1i1.1425.
- [18] M. Fu’Ad Saifuddin, “Studi Sintesis [Cu₃(C₆H₃(COO)₃)₂(H₂O)₃]N (HKUST-1) Menggunakan Metode Solvothermal pada Variasi Fraksi Volume Pelarut N,N-Dimethylformamide sebagai Material Prekursor Sensor Gas,” 2020.
- [19] M. W. Sigrist, A. Bohren, T. Lerber, M. Nägele, and A. Romann, “Environmental Spectroscopy Applications of Photoacoustic,” *Anal. Chem.*, vol. 17, no. June 2014, pp. 511–514, 2001.
- [20] M. Allendorf and P. Hesketh, “Metal organic frameworks for chemical recognition,” doi: 10.1117/2.1200905.1512.
- [21] J. L. C. Rowsell and O. M. Yaghi, “Metal-organic frameworks: A new class of porous materials,” *Microporous Mesoporous Mater.*, vol. 73, no. 1–2, pp. 3–14, 2004, doi: 10.1016/j.micromeso.2004.03.034.
- [22] J. Jiang, Y. Zhao, and O. M. Yaghi, “Covalent Chemistry beyond Molecules,” *J. Am. Chem. Soc.*, vol. 138, no. 10, pp. 3255–3265, 2016, doi: 10.1021/jacs.5b10666.
- [23] D. J. Tranchemontagne, J. L. Tranchemontagne, M. O’keeffe, and O. M.

- Yaghi, "Secondary building units, nets and bonding in the chemistry of metal-organic frameworks," *Chem. Soc. Rev.*, vol. 38, no. 5, pp. 1257–1283, 2009, doi: 10.1039/b817735j.
- [24] I. Majchrzak-Kuceba and A. Ściubidło, "Shaping metal-organic framework (MOF) powder materials for CO₂ capture applications—a thermogravimetric study," *J. Therm. Anal. Calorim.*, vol. 138, no. 6, pp. 4139–4144, 2019, doi: 10.1007/s10973-019-08314-5.
- [25] S. S. Y. Chui, S. M. F. Lo, J. P. H. Charmant, A. G. Orpen, and I. D. Williams, "CCDC 112954: Experimental Crystal Structure Determination," 1999.
<https://www.ccdc.cam.ac.uk/structures/search?id=doi:10.5517/cc3sjp2&sid=DataCite> (accessed Apr. 23, 2021).
- [26] J. G. Calvert, "Glossary of atmospheric chemistry terms (Recommendations 1990)," *Pure Appl. Chem.*, vol. 62, no. 11, pp. 2167–2219, 1990, doi: <https://doi.org/10.1351/pac199062112167>.
- [27] A. G. Wong-foy, A. J. Matzger, and O. M. Yaghi, "Exceptional H₂ Saturation Uptake in Microporous Metal - Organic Frameworks," pp. 3494–3495, 2010.
- [28] N. Stock and S. Biswas, "Synthesis of metal-organic frameworks (MOFs): Routes to various MOF topologies, morphologies, and composites," *Chem. Rev.*, vol. 112, no. 2, pp. 933–969, 2012, doi: 10.1021/cr200304e.
- [29] K. Schlichte, T. Kratzke, and S. Kaskel, "Improved synthesis, thermal stability and catalytic properties of the metal-organic framework compound Cu₃(BTC)₂," *Microporous Mesoporous Mater.*, vol. 73, no. 1–2, pp. 81–88, 2004, doi: 10.1016/j.micromeso.2003.12.027.
- [30] T. V. N. Thi, C. L. Luu, T. C. Hoang, T. Nguyen, T. H. Bui, P. H. D. Nguyen, T. P. P. Thi, "Synthesis of MOF-199 and application to CO₂ adsorption," *Adv. Nat. Sci. Nanosci. Nanotechnol.*, vol. 4, no. 3, 2013, doi:

10.1088/2043-6262/4/3/035016.

- [31] N. Al-Janabi, P. Hill, L. Torrente-Murciano, A. Garforth, P. Gorgojo, F. Siperstein, X. Fan, "Mapping the Cu-BTC metal-organic framework (HKUST-1) stability envelope in the presence of water vapour for CO₂ adsorption from flue gases," *Chem. Eng. J.*, vol. 281, pp. 669–677, 2015, doi: 10.1016/j.cej.2015.07.020.
- [32] W. Lu, Z. Wei, Z. Y. Gu, T. F. Liu, J. Park, J. Park, J. Tian, M. Zhang, Q. Zhang, T. Gentle, M. Bosch, H. C. Zhou, "Tuning the structure and function of metal-organic frameworks via linker design," *Chem. Soc. Rev.*, vol. 43, no. 16, pp. 5561–5593, 2014, doi: 10.1039/c4cs00003j.
- [33] P. Deria, J. E. Mondloch, O. Karagiari, W. Bury, J. T. Hupp, and O. K. Farha, "Beyond post-synthesis modification: Evolution of metal-organic frameworks via building block replacement," *Chem. Soc. Rev.*, vol. 43, no. 16, pp. 5896–5912, 2014, doi: 10.1039/c4cs00067f.
- [34] K. S. Lin, A. K. Adhikari, C. N. Ku, C. L. Chiang, and H. Kuo, "Synthesis and characterization of porous HKUST-1 metal organic frameworks for hydrogen storage," *Int. J. Hydrogen Energy*, vol. 37, no. 18, pp. 13865–13871, 2012, doi: 10.1016/j.ijhydene.2012.04.105.
- [35] "HKUST-1 Metal Organic Framework."
<https://www.chemtube3d.com/mof-hkust-1-2/> (accessed Apr. 12, 2021).
- [36] T. Wang, "Host-Guest Systems and Their Derivatives Based on Metal-Organic Frameworks," no. November, 2018, doi: 10.17863/CAM.41087.
- [37] M. Schlesinger, S. Schulze, M. Hietschold, and M. Mehring, "Evaluation of synthetic methods for microporous metal-organic frameworks exemplified by the competitive formation of [Cu₂(btc)₃(H₂O)₃] and [Cu₂(btc)(OH)(H₂O)]," *Microporous Mesoporous Mater.*, vol. 132, no. 1–2, pp. 121–127, 2010, doi: 10.1016/j.micromeso.2010.02.008.
- [38] J. E. Mondloch, O. Karagiari, O. K. Farha, and J. T. Hupp, "Activation of

- metal-organic framework materials,” *CrystEngComm*, vol. 15, no. 45, pp. 9258–9264, 2013, doi: 10.1039/c3ce41232f.
- [39] J. Kirchmair, M. J. Williamson, J. D. Tyzack, L. Tan, P. J. Bond, A. Bender, R. C. Glen, “Computational prediction of metabolism: Sites, products, SAR, P450 enzyme dynamics, and mechanisms,” *J. Chem. Inf. Model.*, vol. 52, no. 3, pp. 617–648, 2012, doi: 10.1021/ci200542m.
- [40] O. K. Farha and J. T. Hupp, “Rational design, synthesis, purification, and activation of metal-organic framework materials,” *Acc. Chem. Res.*, vol. 43, no. 8, pp. 1166–1175, Aug. 2010, doi: 10.1021/ar1000617.
- [41] S. K. Sharma, D. S. Verma, L. U. Khan, S. Kumar, and S. B. Khan, *Handbook of Materials Characterization*. 2018.
- [42] “XRD adalah: X-Ray Diffraction definisi, Prinsip.” <https://www.dynatech-int.com/id/artikel/xrd-adalah> (accessed Jul. 10, 2020).
- [43] M. E. Ali, R. Das, A. Eaqub, S. Bee, and A. Hamid, “CURRENT APPLICATIONS OF X-RAY POWDER,” 2014. Accessed: Jul. 10, 2020. [Online]. Available: www.scopus.com.
- [44] Y. K. Seo, G. Hundal, I. T. Jang, Y. K. Hwang, C. H. Jun, and J. S. Chang, “Microwave synthesis of hybrid inorganic-organic materials including porous Cu₃(BTC)₂ from Cu(II)-trimesate mixture,” *Microporous Mesoporous Mater.*, vol. 119, no. 1–3, pp. 331–337, 2009, doi: 10.1016/j.micromeso.2008.10.035.
- [45] J. R. Goldstein, J. Newbury, D.E., Joy, D.C., Lyman, C.E., Echlin, P., Lifshin, E., Sawyer, L., Michael, *Scanning Electron Microscopy and X-ray Microanalysis - / Joseph Goldstein / Springer*. Springer US, 2003.
- [46] S. Swapp, “Scanning Electron Microscopy (SEM).” https://serc.carleton.edu/research_education/geochemsheets/techniques/SEM.html (accessed Jul. 12, 2020).

- [47] M. Thommes, K. Kaneko, A. V. Neimark, J. P. Olivier, F. Rodriguez-Reinoso, J. Rouquerol, K. S. W. Sing, "Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report)," *Pure Appl. Chem.*, vol. 87, no. 9–10, pp. 1051–1069, 2015, doi: 10.1515/pac-2014-1117.
- [48] A. Malek and S. Farooq, "Comparison of Isotherm Models for Hydrocarbon Adsorption on Activated Carbon," *AIChE J.*, vol. 42, no. 11, pp. 3191–3201, 1996, doi: 10.1002/aic.690421120.
- [49] K. Y. Foo and B. H. Hameed, "Insights into the modeling of adsorption isotherm systems," *Chem. Eng. J.*, vol. 156, no. 1, pp. 2–10, 2010, doi: 10.1016/j.cej.2009.09.013.
- [50] S. Brunauer, P. H. Emmett, and E. Teller, "Adsorption of Gases in Multimolecular Layers," *J. Am. Chem. Soc.*, vol. 60, no. 2, pp. 309–319, Feb. 1938, doi: 10.1021/ja01269a023.
- [51] M. Thommes, "Physical adsorption characterization of nanoporous materials," *Chemie-Ingenieur-Technik*, vol. 82, no. 7, pp. 1059–1073, 2010, doi: 10.1002/cite.201000064.