

- Amanullah, *et al.* (2010). *Prospects and Potential of Poultry Manure* (pp. 172–182). Asian Journal of Plant Sciences.
- Badan Standarisasi Nasional. (2006). SNI Pakan Buatan untuk Lele Dumbo pada Budidaya Intensif SNI 01-4087-2006. *Badan Standardisasi Nasional*.
- Chen, S., *et al.* (2003). Value-Added Chemicals from Animal Manure Value-Added Chemicals from Animal Manure \* Washington State University. *Pacific Northwest National Laboratory, January*.
- Cheng, J. Y. K., *et al.* (2017). Effects of moisture content of food waste on residue separation, larval growth and larval survival in black soldier fly bioconversion. *Waste Management*, 67, 315–323.
- Čičková, H., *et al.* (2015). The use of fly larvae for organic waste treatment. *Waste Management*, 35, 68–80.
- Daly, S. E., *et al.* (2020). Food Waste as a Resource: Grinding, Dilution, and Storage as a Pretreatment Strategy to Produce Fermentation Intermediates. *The Preprint Server for Biology*, 1–30.
- Darmawan, M., Sarto, & Agus, P. (2017). “Budidaya Larva Black Soldier Fly (*Hermetia Illucens*) dengan Pakan Limbah Dapur (Daun Singkong).” *Simposium Nasional 1*, 208–213.
- Diener, S., *et al.* (2011). Biological treatment of municipal organic waste using black soldier fly larvae. *Waste and Biomass Valorization*, 2(4), 357–363.
- Diener, S., Zurbrügg, C., & Tockner, K. (2009). Conversion of organic material by black soldier fly larvae: Establishing optimal feeding rates. *Waste Management and Research*, 27(6), 603–610.
- Doraja, P.H., Shovitri, M., & Kuswytasari, N.D. (2012). Biodegradasi Limbah Domestik Dengan Menggunakan Inokulum Alami Dari Tangki Septik. *Jurnal Sains Dan Seni ITS*, 1(1), 44–47.
- Fahmi, M.R., Hem, S., & Subamia, I.W. (2009). Potensi Maggot untuk Peningkatan Pertumbuhan dan Status Kesehatan Ikan. *J. Ris. Akuakultur*, 4(2), 221–232.
- Georganas, A., *et al.* (2020). Bioactive compounds in food waste: A review on the transformation of food waste to animal feed. *Foods*, 9(3), 1–18.
- Ginting, S. P. (2012). *Prospek Penerapan Teknologi Proses Pakan Berbasis*. 53–64.

- Hahn, D. A. (2005). Larval Nutrition Affects Lipid Storage and Growth, But Not Protein or Carbohydrate Storage in Newly Eclosed Adults of The Grasshopper *Schistocerca Americana*. *Journal of Insect Physiology*, 51(11), 1210–1219.
- Hakim, A.R., Prasetya, A., & Petrus, H.T.B.M. (2017a). Potensi Larva *Hermetia Illucens* Sebagai Pereduksi Limbah Industri Pengolahan Hasil Perikanan. *Jurnal Perikanan Universitas Gadjah Mada*, 19(1), 39.
- Hakim, A. R., Prasetya, A., & Petrus, H.T.B.M. (2017b). Studi Laju Umpan pada Proses Biokonversi Limbah Pengolahan Tuna Menggunakan Larva *Hermetia illucens*. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 12(2), 179–192.
- Hartatik, W., & Widowati, L. (2006). Pupuk Organik dan Pupuk Hayati. *Balai Penelitian Tanah, Kementerian Pertanian*, 59–82.
- Hartutik, S., Sriatun, & Taslimah. (2005). Pembuatan pupuk kompos dari limbah bunga kenanga dan pengaruh persentase zeolit terhadap ketersediaan nitrogen tanah. *Jurnal Kimia Anorganik*, 3(1), 1–10.
- Hasanah, R., Daningsih, E., & Titin. (2017). The Analysis of Nutrient and Fiber Content of Banana (*Musa Paradisiaca*) Sold in Pontianak, Indonesia. *Biofarmasi Journal of Natural Product Biochemistry*, 15(1), 21–25.
- Heil, J., Vereecken, H., & Brüggemann, N. (2016). A Review of Chemical Reactions of Nitrification Intermediates and Their Role in Nitrogen Cycling and Nitrogen Trace Gas Formation in Soil. *European Journal of Soil Science*, 67(1), 23–39.
- Hermawan, S., R., & Muhtarudin. (2015). Kualitas Fisik, Kadar Air, dan Sebaran Jamur pada Wafer Limbah Pertanian dengan Lama Simpan Berbeda. *Jurnal Ilmiah Peternakan Terpadu*, 3(2), 55–60.
- Hidayati, Y., Marlina, E., AK, T., & Harlia, E. (2010). Pengaruh Campuran Feses Sapi Potong Dan Feses Kuda Pada Proses Pengomposan Terhadap Kualitas Kompos. *Jurnal Ilmiah Ilmu-Ilmu Peternakan Universitas Jambi*, XIII(6), 299–303.
- Jalaluddin, J., ZA, N., & Syafrina, R. (2017). Pengolahan Sampah Organik Buah- Buah menjadi Pupuk Dengan Menggunakan Efektive Mikroorganisme. *Jurnal Teknologi Kimia Unimal*, 5(1), 17.
- Katayane, F. A., et al. (2013). Produksi dan Kandungan Protein Maggot (*Hermetia illucens*) dengan Menggunakan Media Tumbuh Berbeda. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Khatoun, H., et al. (2017). Role of microbes in organic carbon decomposition and maintenance of soil ecosystem. *International Journal of Chemical Studies*, 5(6), 1648–1656.

- Kiran, E. U., *et al.* (2014). Bioconversion of food waste to energy: A review. *Fuel*, 134 (June), 389–399.
- Klammsteiner, T., *et al.* (2020). Suitability of Black Soldier Fly Frass as Soil Amendment and Implication for Organic Waste Hygienization. *Agronomy*, 10 (October).
- Lalander, C., *et al.* (2019). Effects of Feedstock on Larval Development and Process Efficiency in Waste Treatment with Black Soldier Fly (*Hermetia Illucens*). *Journal of Cleaner Production*, 208, 211–219.
- Li, Q., *et al.* (2011). From Organic Waste to Biodiesel: Black Soldier Fly, *Hermetia Illucens*, Makes It Feasible. *Fuel*, 90(4), 1545–1548.
- Liland, N. S., *et al.* (2017). Modulation of Nutrient Composition of Black Soldier Fly (*Hermetia Illucens*) Larvae By Feeding Seaweed-Enriched Media. *PLoS ONE*, 12(8), 1–23.
- Liu, T., *et al.* (2019). Performance of Black Soldier Fly Larvae (Diptera: Stratiomyidae) for Manure Composting and Production of Cleaner Compost. *Journal of Environmental Management*, 251 (March).
- Liu, X., *et al.* (2017). Dynamic Changes of Nutrient Composition Throughout The Entire Life Cycle of Black Soldier Fly. *PLoS ONE*, 12(8), 1–21.
- Manik, P. M., *et al.* (2017). Pemanfaatan Buah Pisang Masak Sehari dan Kelopak Bunga Rosella Dalam Pembuatan Selai. *Jurnal Online Mahasiswa*, 4(I), 1–14.
- Manurung, R., Supriatna, A., & Esyanthi, R.R. (2016). Bioconversion of Rice Straw Waste by Black Soldier Fly Larvae (*Hermetia Illucens* L): Optimal Feed Rate for Biomass Production. *Journal of Entomology and Zoology Studies*, 4(4), 1036–1041.
- Mertenat, A., Diener, S., & Zurbrügg, C. (2019). Black Soldier Fly Biowaste Treatment – Assessment of Global Warming Potential. *Waste Management*, 84, 173–181.
- Monita, L., *et al.* (2017). Pengolahan Sampah Organik Perkotaan Menggunakan Larva Black Soldier Fly (*Hermetia illucens*). *Jurnal Pengelolaan Sumberdaya Alam Dan Lingkungan (Journal of Natural Resources and Environmental Management)*, 7(3), 227–234.
- Muhayyat, M. S., Yuliansyah, A. T., & Prasetya, A. (2016). Pengaruh Jenis Limbah dan Rasio Umpan pada Biokonversi Limbah Domestik Menggunakan Larva Black Soldier Fly (*Hermetia illucens*). *Jurnal Rekayasa Proses*, 10(1), 23–28.
- Mujahid, M., *et al.* (2017). Oil Palm Empty Bunches Bioconversion Using *Trichoderma* sp. and Black Soldier Fly Larvae As Poultry Feed Composition. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 5(1), 5–10.
- Newton, L., *et al.* (2005). Using The Black Soldier Fly, *Hermetia Illucens*, as A Value-Added Tool for The Management of Swine Manure. *Journal Korean Entomology and Applied*

- Palinggi, N. N., Kabangnga, N., & Mangawe, A. G. (2005). *Pengaruh Kandungan Protein dalam Pakan Terhadap Pertumbuhan Ikan Napoleon, Cheilinus undulatus*. 11, 45–50.
- Pangestu, W., Prasetya, A., & Cahyono, R.B. (2017). D126 - Pengolahan Limbah Kulit Pisang Dan Nangka Muda Menggunakan Larva Black Soldier Fly (*Hermetia illucens*). *Simposium Nasional Rapi XVI*, 2, 97–101.
- Patti, P. S., Kaya, E., & Silahooy, C. (2013). Analisis Status Nitrogen Tanah Dalam Kaitannya dengan Serapan N oleh Tanaman Padi Sawah di Desa Waimital, Kecamatan Kairatu, Kabupaten Seram Bagian Barat. *Agrologia*, 2(1), 51–58.
- Prasetya, A., *et al.* (2021). A Growth Kinetics Model for Black Soldier Fly (*Hermetia illucens*) Larvae. *International Journal of Technology*, 12(1), 207–216.
- Puger, I. G. N. (2018). Sampah Organik, Kompos, Pemanasan Global, dan Penanaman *Aglaonema* Di Pekarangan. *Agro Bali: Agricultural Journal*, 1(2), 127–136.
- Purnamasari, L., *et al.* (2019). Komposisi Nutrien Larva Black Soldier Fly (*Hermetia illucens*) Dengan Media Tumbuh, Suhu dan Waktu Pengeringan yang Berbeda. *Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner 2019*, pp. 675–680.
- Rachmawati, *et al.* (2015). Perkembangan dan Kandungan Nutrisi Larva *Hermetia illucens* (Linnaeus) (Diptera: Stratiomyidae) pada Bungkil Kelapa Sawit. *Jurnal Entomologi Indonesia*, 7(1), 28.
- Ritika, P., & Rajendra, S.S.P. (2015). Study on Occurrence of Black Soldier Fly Larvae in Composting of Kitchen Waste. *International Journal of Research in Biosciences*, 4(4), 38–45.
- Rofi, D. Y., *et al.* (2021). Modifikasi Pakan Larva Black Soldier Fly (*Hermetia illucens*) sebagai Upaya Percepatan Reduksi Sampah Buah dan Sayuran. *Jurnal Teknologi Lingkungan*, 22(1), 130–137.
- Romelle, F.D., P. Ashwini R., & Manohar, R. S. (2016). Chemical Composition of Some Selected Fruit Peels. *European Journal of Food Science and Technology*, 4(4), 12–21.
- Saragi, E.S., & Bagastyo, A.Y. (2015). Reduction of Organic Solid Waste By Black Soldier Fly (*Hermetia Illucens*) Larvae. *The 5th Environmental Technology and Management Conference "Green Technology towards Sustainable Environment" November 23 - 24, 2015, Bandung, Indonesia.*, 978–979.
- Saraswati, R., *et al.* (2017). Percepatan Proses Pengomposan Aerobik Menggunakan Biodekomposer / Acceleration Of Aerobic Composting Process Using Biodecomposer. *Perspektif*, 16(1), 44–57.

- Shumo, M., *et al.* (2019). The Nutritive Value of Black Soldier Fly Larvae Reared on Common Organic Waste Streams in Kenya. *Scientific Reports*, 9(1), 1–13.
- Singh, A., & Kumari, K. (2019). An Inclusive Approach for Organic Waste Treatment and Valorisation Using Black Soldier Fly Larvae: A Review. *Journal of Environmental Management*, 251(April).
- Singh, G., *et al.* (2018). Characterization of Chicken Manure from Manjung Region. *IOP Conference Series: Materials Science and Engineering*, 458(1).
- Sprangers, T., *et al.* (2017). Nutritional Composition of Black Soldier Fly (*Hermetia Illucens*) Prepupae Reared on Different Organic Waste Substrates. *Journal of the Science of Food and Agriculture*, 97(8), 2594–2600.
- Suciati, R., Faruq, H., Biologi, J. P., & Timur, J. (2017). Efektifitas Media Pertumbuhan Maggots *Hermetia Illucens* (Lalat Tentara Hitam) Sebagai Solusi Pemanfaatan Sampah. *BIOSFER*, 2(1), 8-13.
- Sudding. (2012). Studi Awal Penggunaan Ekstrak Air Daun Gulma Siam *Chromolaena odorata* (L. King and Robinson) dalam Mencegah Pembusukan Sayuran. *Jurnal Chemica*, 13(1), 23–30.
- Supriyatna, A., *et al.* (2018). The Potency of Black Soldier Larvae (*Hermetia illucens* L.) as a Source of Protein for Livestock Feed. *Biosantifika: Journal of Biology & Biology Education*, 10(2), 448–454.
- Supriyatna, A., & Putra, R.E. (2017). Estimasi Pertumbuhan Larva Lalat Black Soldier (*Hermetia illucens*) dan Penggunaan Pakan Jerami Padi yang Difermentasi dengan Jamur *P. chrysosporium*. *Jurnal Biodjati*, 2(2), 159.
- Supriyatna, A., & Ukit, U. (2016). Screening and Isolation of Cellulolytic Bacteria from Gut of Black Soldier Flays Larvae (*Hermetia illucens*) Feeding with Rice Straw. *Biosaintifika: Journal of Biology & Biology Education*, 8(3), 314.
- Widyastuti, S., & Sardin. (2021). Pengolahan Sampah Organik Pasar Dengan Menggunakan Media Larva Black Soldier Flies(BSF). *Jurnal Teknik Waktu*, 19(01), 1–13.
- Xiao, X., *et al.* (2018). Efficient Co-Conversion Process of Chicken Manure Into Protein Feed and Organic Fertilizer by *Hermetia Illucens* L. (Diptera: Stratiomyidae) Larvae and Functional Bacteria. *Journal of Environmental Management*, 217, 668–676.
- Zhu, F. X., *et al.* (2012). Rapid Production of Maggots as Feed Supplement and Organic Fertilizer by The Two-Stage Composting of Pig Manure. *Bioresource Technology*, 116, 485–491.