

DAFTAR PUSTAKA

1. Robert JM, Cooper DW. Pathogenesis and genetics of pre-eclampsia. *Lancet* 2001;357:53-6.
2. Cunningham F.G, Gant NF, Leveno KJ, Gilstrap III LC. Hypertensive Disorder in Pregnancy. dalam *William Obstetric*. 21st ed. New York: McGraw-Hill Company; 2001. pp 567-609.
3. Barron WM. Hypertension., dalam Lindheimer MD. *Medical Disorders During Pregnancy*, 3rd ed. Missouri: Mosby, Inc.;2000. pp 1-38.
4. ACOG. Diagnosis and Management of Preeclampsia and Eclampsia. *ACOG Practice Bulletin* 2002;33:159-67.
5. Sofoewan S. Preeklampsia-Eklampsia di Beberapa Rumah Sakit di Indonesia, Patogenesis dan Kemungkinan Pencegahannya. Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Kedokteran Universitas Gadjah Mada, 2003.
6. Esplin MS, Fausett MB, Fraser A, Kerber R. Paternal and maternal component of the predisposition to preeclampsia. *N Engl J Med* 2001;344:867-72.
7. Barton JR, O'Brien JM, Bergauer NK, Jacques DL, Sibai BM. Mild gestational hypertension remote from term: Progression and outcome. *Am J Obstet GynecolOnline* 2001;184.
8. Barton C.B, Barton JR, O'Brien JM, Bergauer NK, Sibai BM. Mild gestational hypertension: Differences in ethnicity are associated with altered outcomes in woman who undergo outpatient treatment. *Am J Obstet Gynecol* 2002;186:896-8.
9. Dekker GA, Van Geijn HP. Endothelial dysfunction in preeclampsia. *J Perinat. Med* 1996;24:99-117.
10. Dekker GA, Sibai BM. Etiology and pathogenesis of preeclampsia: Current concepts. *Am J Obstet Gynecol* 1998;179:1359-75.
11. Norwitz ER. A role for expectant management in severe preeclampsia. *Contemporary OB/GYN*, 2002. <http://www.findarticles.com/>
12. Sibai BM. Prevention of preeclampsia: A big disappointment. *Am J Obstet Gynecol* 1998;179:1275-8.
13. Brown MA, Bowyer L, McHugh L, Davis GK. Twenty-four-hour automated blood pressure monitoring as a predictor of preeclampsia. *Am J Obstet Gynecol* 2001;185:618-22.
14. Hubel CA. Oxidative stress in the pathogenesis of preeclampsia. *P.S.E.B.M*, 1999;222:222-35.
15. Many A, Hubel CA, Fisher SJ, Robert JM, Zhou Y. Invasive Cytotrophoblasts Manifest Evidence of Oxidative Stress in Preeclampsia. *Am J Pathol* 2000;156:321-31 .
16. Walsh. The role of oxidative and antioxidants in preeclampsia. *Contemporary OB/GYN® Archive*, 1997. <http://www.findarticles.com/>

17. Davidge ST, Hubel CA, Brayden RD, Capeless EC, McLaughlin MK. Sera antioxidant activity in uncomplicated and preeclamptic pregnancies. *Obstet Gynecol* 1992;79:897-901.
18. Roes EM, Raijmakers MTM, Zusterzeel PLM, Knappen MCFM. Deficient detoxifying capacity in the pathophysiology of preeclampsia. *Medical Hypotheses* 2000;55:415-8.
19. Nuttall SL, Kendall MJ, Martin U. Antioxidant therapy for the prevention of cardiovascular disease. *Q J Med* 1999;92:239-44.
20. Levine RJ, Hauth JC, Curet LB, Sibai BM. Trial of Calcium to Prevent Preeclampsia. *N Engl J Med* 1997;337:69-76 .
21. Moutquin JM, Garner PR, Burrows RF, Rey E. Report of the Canadian Hypertension Society Consensus Conference: 2. Nonpharmacologic management and prevention of hypertensive disorder in pregnancy. *Can Med Assoc* 1997;157:7
22. Caritis S, Sibai B, Hauth J, Lindheimer MD, Klebanoff M. Low-dose Aspirin to Prevent Preeclampsia in Women at High Risk. *N Engl J med* 1998;388:701-5
23. Hermida RC, Ayala DE, Fernandez JR, Mojon A. Administration Time-Dependent Effect of Aspirin in woman at differing Risk for preeclampsia. *Hypertension* 1999;34:1016-23.
24. Kharb S. Vitamin E and C in preeclampsia. *European Journal of Obstetrics & Gynecology and Reproductive Biology* 2000;93:37-9 .
25. Duley L, Smart DH, Knight M, King J. Antiplatelet drug for prevention of pre-eclampsia and its consequences: systematic review. *BMJ* 2001;322:329-33.
26. Chappel LC, Seed PT, Kelly FJ, Briley A, Hunt BJ. Vitamin C and E supplementation in women at risk of preeclampsia is associated with changes in indices of oxidative stress and placental function. *Am J Obstet Gynecol* 2002;187:777-84 .
27. Taherian AA, Taherian A, Shirvani A. Prevention of Preeclampsia with Low-Dose Aspirin or Calcium Supplementation. *Arch Iranian Med* 2002;5(3):151-6.
28. Banerjee SK, Maulik SK. Effect of garlic on cardiovascular disorder: a review. *Nutrition Journal* 2002;1:4.
29. Zhang C, Williams MA, King IB, Dashow EE. Vit C and the risk of preeclampsia- result from dietary questionnaire and plasma assay [Abstract]. *Epidemiology* 2002;13:409-16.
30. Knappen MFCM, Peters WHN, Mulder TPJ, Merkus MWM. Glutathione and glutathione-related enzymes in decidua and placenta of controls and women with preeclampsia. *Placenta* 1999;20:541-6.
31. Ortolani O, Conti A, De Gaudio AR, Moraldi E, Cantini Q, Novelli G. The Effect of Glutathione and N-Acetylcysteine on Lipoperoxidative Damage in Patient with Early Septic Shock. *Am J Respir Crit Care Med* 2000;161:1907-11.

32. Buhimschi IA, Buhimschi CS, Weiner CP. Protective effect of N-acetylcysteine against fetal death and preterm labor induced by maternal inflammation. *Am J Obstet Gynecol* 2000;188:203-8 .
33. Kelly GS. Clinical Applications of N-Acetylcystein. *Alt Med Rev* 1998;3(2):114-27.
34. Sibai BM. Diagnosis and management of gestational hypertension and preeclampsia. *Obstet Gynecol* 2003;102:181-92.
35. Mostello D, Catlin TK, Roman L, Holcomb WL, Leet T. Preeclampsia in the parous woman: Who is at risk?. *Am J Obstet Gynecol* 2002;187:425-9.
36. Skjaerven R, Wilcox AJ, Lie RT. The interval between pregnancies and the risk of preeclampsia. *N Engl J Med* 2002;346:33-8.
37. Lie RT, Rasmussen S, Brunborg H, Gjessing HK. Fetal and maternal contributions to risk of preeclampsia: population based study. *BMJ* 1998;316:1343-7.
38. Dekker GA, Sibai BM. Primary, secondary and tertiary prevention of preeclampsia, *Lancet* 2001;357:209-15.
39. Walker JJ. Preeclampsia. *Lancet* 2000;356:1260-5.
40. Davidge ST, Signorella AP, Hubel CA, Lykins DL, Roberts JM. Distinct factors in plasma of preeclamptic women increase endothelial nitric oxide or prostacyclin. *Hypertension* 1996;28:758-64.
41. Granger JP, Alexander BT, Llianas MT, Bennett WA, Khalil RA. Pathophysiology of hypertension during preeclampsia linking placental ischemia with endothelial dysfunction. *Hypertension* 2001;38:718-22.
42. Hung TH, Skepper JN, Jones SC, Burton GJ. Hypoxia-Reoxygenation: A Potent Inducer of Apoptotic Changes in Human Placenta and Possible Etiological Factor in Preeclampsia. *Cir Res* 2002;90:1274-81.
43. Belo L, Silva AS, Rumley, Lowe G. Elevated tissue plasminogen activator as a potential marker of endothelial dysfunction in preeclampsia: correlation with proteinuria. *Br J Obstet Gynecol* 2002;109:1250-5.
44. Walsh SW. Preeclampsia: An imbalance in placental prostacyclin and thromboxane production. *Am J Obstet Gynecol* 1985;152:335-40.
45. Chavarria ME, Gonzales LL, Gleason AG. Prostacyclin/thromboxan early changes in pregnancies that are complicated by preeclampsia. *Am J Obstet Gynecol* 2003; 188: 986-92.
46. Zammit VC, Whitworth JA, Brown MA. Preeclampsia: The effect of serum on endothelial cell prostacyclin, endothelin, and cell membrane integrity. *Am J Obstet Gynecol* 1996;174:737-43.
47. Raijmakers MM, Zusterzeel PLM, Roes EM, Steegers EP. Oxidized and free whole blood thiols in preeclampsia. *Obstet Gynecol* 2001;97:272-6.
48. Nakai A, Oya A, Asakura H, Yokota A. Changes in Maternal Lipid peroxidation and Antioxidant Enzymatic Activities Before and After Delivery. *J Nippon Med Sch* 2000;67:434-9.

49. Redman CWG, Sacks GP, Sargent IL. Preeclampsia: An excessive maternal inflammatory response to pregnancy. *Am J Obstet Gynecol* 1999;180:499-506.
50. Rinehart BK, Terrone DA, Deenadayalan SL, Barber WH. Expression of the placental cytokine tumor necrosis factor α , interleukin 1β , and interleukin 10 is increased in preeclampsia. *Am J Obstet Gynecol* 1999;181:915-20.
51. Uotilla JT, Tuimala RJ, Aarnio TM. Findings on lipid peroxidation and antioxidant function in hypertensive complications of pregnancy. *Br J Obstet Gynecol* 1993;100:270-6.
52. Bartha JL, Carmona RR, Llompart ME, Delgado RC. The relationships between leptin and inflammatory cytokines in women with preeclampsia. *Br J Obstet Gynaecol* 2001;108:1272-6.
53. Regan CL, Levine RJ, Baird DD, Ewell MG. No evidence for lipid peroxidation in severe preeclampsia. *Am J Obstet Gynecol* 2001;185:572-8.
54. Hubel CA, Laughlin MK, Evans RW, Hauth BA. Fasting serum triglycerides, free fatty acids and malondialdehyde are increased in preeclampsia, are positively correlated and decrease within 48 hours post partum. *Am J Obstet Gynecol* 1996;174:975-82.
55. Zatik J, Major T, Aranyosi J, Molnar C, Limburg M. Assessment of cerebral hemodynamics during roll over test in healthy pregnant women and those with preeclampsia. *Br J Obstet Gynecol* 2001;188:353-8.
56. Hermida RC, Alaya DE, Iglesias. Predictable blood pressure variability in healthy and complicated pregnancies. *Hypertension* 2001;38:736-41.
57. Hermida RC, Ayala DE, Mojon A, Fernandez JR, Silva I. Blood pressure excess for the early identification of Gestational Hypertension and Preeclampsia. *Hypertension* 1998;31:83-9.
58. Bellomo G, Narducci PL, Rondoni F, Pastorelli G. Prognostic value of 24-hour blood pressure in pregnancy. *JAMA* 1999;282:1447-52.
59. Chappel LC, Seed PT, Briley AL, Kelly FJ. Effect of antioxidant on the occurrence of pre-eclampsia in women at increased risk: a randomized trial. *Lancet* 1999;354:810-6.
60. Sibai BM. Review Article: Treatment of Hypertension in Pregnant women. *N Engl J Med* 1996;335:257-65.
61. Rovinsky SA. NAC: It's Not Just for Glutathione Anymore. Department of Physiology and Biophysics. The University of Iowa, 2001.
62. Ercal N, Ohan HG. N-Acetylcystein (NAC): Its uses and abuses. Oxygen Society Education Program, 2002
63. Wingo PA, Higgins JE, Rubin GL, Zahnizer SC. *An Epidemiologic Approach to Reproductive Health*. CDC, FHI, WHO 1991; 293-348
64. Lumbanraja S. Efektifitas pemberian antioksidan N-Acetylcystein pada preeklamsia ringan untuk mencegah preeklamsia berat-UI/RSCM-2002.

65. Rasyanti D, Wibowo N. Pengaruh pemberian antioksidan N-acetylcystein terhadap kadar TNF alfa, IL-6, fibronectin dan glutathion peroksidase pada preeklamsia berat. FK UI-RSCM. 2000
66. Arsil E, Ginting A, Hasan H, Lumbanraja SN. Efektifitas pemberian antioksidan N-acetylcystein pada preeklamsia berat yang dirawat ekspektatif. FK USU-RSPM. 2003