

## DAFTAR PUSTAKA

- Ajibade, S. R., Weeden, N. F., & Chite, S. M. 2000. Inter simple sequence repeat analysis of genetic relationships in the genus *Vigna*. *Euphytica*. 111: 47–55.
- Al-Shehbaz, Ihsan A. 1984. The Tribes of Cruciferae (Brassicaceae) in the Southeastern United States. *Journal of the Arnold Arboretum*. 65(3): 343-373.
- Al-Shehbaz, I. A., Beilstein, M. A., & Kellogg, E. A. 2006. Systematics and phylogeny of the Brassicaceae (Cruciferae): an overview. *Plant Systematics and Evolution*. 259: 89–120.
- Al-Shehbaz, Ihsan A. 1985. The Genera of Brassicaceae (Cruciferae: Brassicaceae) in The Southeastern United States. *Journal of the Arnold Arboretum*. 66(3): 279–287.
- Al-Shehbaz, I. A., O’Kane, S. L., & Price, R. A. 1999. Generic placement of species excluded from *Arabidopsis* (Brassicaceae). *Novon*. 9(3): 296–307.
- Alvarez-Buylla, E. R., Pelaz, S., Liljegren, S. J., Gold, S. E., Burgeff, C., Ditta, G. S., De Pouplana, L. R., Martinez-Castilla, L., & Yanofsky, M. F. 2000. An ancestral MADS-box gene duplication occurred before the divergence of plants and animals. *Proceedings of the National Academy of Sciences of the United States of America*. 97(10): 5328–5333.
- Azuma, A., Yakushiji, H., Koshita, Y., & Kobayashi, S. 2012. Flavonoid biosynthesis-related genes in grape skin are differentially regulated by temperature and light conditions. *Planta*. 236: 1067–1080.
- Backer C. A., & v.d. Brink, R. C. B. 1963. *Flora of Java, Brassicaceae*, Vol. 1, N.V.P. Noordhoff, Groningen, The Netherlands, 186–192 pp.
- Barbour, G.M., J.K. Burk, and W.D. Pitts. 1987. *Terrestrial Plant Ecology*, The Benjamin/Cummings Publishing Company Inc., Los Angeles, 36-39 pp.
- Barker, A.V., and D.J. Pilbeam, D. 2007. *Handbook of plant nutrition second edition*. Boca Raton, FL, USA, CRC Press., 211 p.
- Barth, S., Melchinger, A. E., & Lübberstedt, T. H. 2002. Genetic diversity in *Arabidopsis thaliana* L. Heynh. investigated by cleaved amplified polymorphic sequence (CAPS) and inter-simple sequence repeat (ISSR) markers. *Molecular Ecology*. 11: 495–505.
- Baskauf, S. J., & Khirchoff, B. K. 2008. Digital plant images as specimens: forward standards for photographic living plants. *Vulpia*. 7: 16–30.

- Basumatary, S., & Narzary, H. 2017. Nutritional value, phytochemicals and antioxidant property of six wild edible plants consumed by the Bodos of North-East India. *Mediterranean Journal of Nutrition and Metabolism*. 10: 259–271.
- Beer, T., & Swaine, M. D. 1977. On the theory of explosively dispersed seeds. *New Phytologist*. 78: 681–694.
- Bell, T. J., & Quinn, J. A. 1987. Effects of soil moisture and light intensity on the chasmogamous and cleistogamous components of reproductive effort of *Dichantheium clandestinum* populations. *Canadian Journal of Botany*. 65: 2243–2249.
- Bengough, A. G., Bransby, M. F., Hans, J., McKenna, S. J., Roberts, T. J., & Valentine, T. A. 2005. Root responses to soil physical conditions; growth dynamics from field to cell. *Journal of Experimental Botany*. 57(2): 437–447.
- Bennett, M. D., Leitch, I. J., Price, H. J., & Johnston, J. S. 2003. Comparisons with *Caenorhabditis* (~100 Mb) and *Drosophila* (~175 Mb) using flow cytometry show genome size in *Arabidopsis* to be ~157 Mb and thus ~25% larger than the *Arabidopsis* genome initiative estimate of ~125 Mb. *Annals of Botany*. 91: 547–557.
- Benvenuti, S. 2007. Weed seed movement and dispersal strategies in the agricultural environment. *Weed Biology and Management*. 7: 141–157.
- Berihun, T., & Molla, E. 2017. Study on the diversity and use of wild edible plants in Bullen District Northwest Ethiopia. *Journal of Botany*. 1–10.
- Bijmoer R, Scherrenberg M, Creuwels J. 2020. *Naturalis Biodiversity Center (NL) -Botany*. (<https://www.gbif.org/occurrence>). Diakses tanggal 21 Oktober 2020.
- Bornet, B., & Branchard, M. 2004. Use of ISSR fingerprints to detect microsatellites and genetic diversity in several related Brassica taxa and *Arabidopsis thaliana*. *Hereditas*. 140: 245–248.
- Botstein, D., White, R. L., Skolnick, M., & Davis, R. W. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *American Society of Human Genetics*. 32: 314–331.
- Brako, L., Rossman, A. Y., & Farr, D. F. 1995. *Scientific and Common Names of 7,000 Vascular Plants in the United States*, American Phytopathological Society (APS Press), Amerika, 295 p.

- CABI, 2020. *Cardamine hirsuta* L., In: *Invasive Species Compendium*. Wallingford, UK: Centre of Agriculture and Biosciences International. ([www.cabi.org/isc](http://www.cabi.org/isc)). Diakses tanggal 10 September 2020.
- Cain, A. J., & Harrison, G. A. 1958. An analysis of the taxonomist's judgment of affinity. *Proceedings of the Zoological Society of London*. 131(1): 85–98.
- Cavallini, E., Zenoni, S., Finezzo, L., Guzzo, F., Zamboni, A., Avesani, L., & Tornielli, G. B. 2014. Functional diversification of grapevine MYB5a and MYB5b in the control of flavonoid biosynthesis in a *Petunia* anthocyanin regulatory mutant. *Plant and Cell Physiology*. 55(3): 517–534.
- Chalker-Scott, L. 1999. Environmental significance of anthocyanins in plant stress responses. *Photochemistry and Photobiology*. 70(1): 1–9.
- Chen, S. M., Li, C. H., Zhu, X. R., Deng, Y. M., Sun, W., Wang, L. S., Chen, F. D., & Zhang, Z. 2012. The identification of flavonoids and the expression of genes of anthocyanin biosynthesis in the chrysanthemum flowers. *Biologia Plantarum*. 56(3): 458–464.
- Coelho, S. M., Peters, A. F., Charrier, B., Roze, D., Destombe, C., Valero, M., & Cock, J. M. 2007. Complex life cycles of multicellular eukaryotes: New approaches based on the use of model organisms. *Gene*. 406: 152–170.
- Culley, T. M., & Klooster, M. R. 2007. The cleistogamous breeding system: a review of its frequency, evolution, and ecology in Angiosperms. *Botanical Review*. 73(1): 1–30.
- da Silva, A. P., Kay, B. D., & Perfect, E. 1994. Characterization of the Least Limiting Water Range of Soils. *Soil Science Society of America Journal*. 58(6): 1775–1781.
- Davis, J. I., Gilmartin, A. M. Y. J. 1985. Morphological variation and speciation. *Systematic Botany*. 10(4): 417–425.
- Dela, G., Or, E., Rinat, O., Nissim-le, A., & Oren-shamir, M. 2003. Changes in anthocyanin concentration and composition in 'Jaguar' rose flowers due to transient high-temperature conditions. *Plant Science*. 164: 333–340.
- Doyle, Jeff J. 1992. Gene trees and species trees: molecular systematics as one-character taxonomy. *Systematic Botany*. 17(1): 144–163.
- Dunja, Š., & Salopek-sondi, B. 2019. Cruciferous (Brassicaceae) Vegetables. *Nonvitamin and Nonmineral Nutritional Supplements*. 195–202.
- Eckel, P. M. 2015. The invasive species *Cardamine hirsuta* L. (Hairy Bittercress)

at DeVeaux Woods State Park. *Clintonia*. 30(4): 7.

- Fang, D. Q., & Roose, M. L. 1997. Identification of closely related citrus cultivars with inter-simple sequence repeat markers. *Theoretical and Applied Genetics*. 95: 408–417.
- Fox, A. R., Soto, G. C., Jones, A. M., Casal, J. J., Muschiatti, J. P., & Mazzella, M. A. 2012. Cry1 and GPA1 signaling genetically interact in hook opening and anthocyanin synthesis in *Arabidopsis*. *Plant Molecular Biology*. 80(3): 315–324.
- Fritz, M. A., Rosa, S., & Sicard, A. 2018. Mechanisms Underlying the Environmentally Induced Plasticity of Leaf Morphology. *Frontiers in Genetics*. 9: 478.
- Gabr, D. G. 2018. Significance of fruit and seed coat morphology in taxonomy and identification for some species of Brassicaceae. *American Journal of Plant Sciences*. 9: 380–402.
- Gan, X., Hay, A., Kwantes, M., Haberer, G., Hallab, A., Ioio, R. Dello, Hofhuis, H., Pieper, B., Cartolano, M., Neumann, U., Nikolov, L. A., Song, B., Hajheidari, M., Briskine, R., Kougioumoutzi, E., Vlad, D., Broholm, S., Hein, J., Meksem, K., ... Tsiantis, M. 2016. The *Cardamine hirsuta* genome offers insight into the evolution of morphological diversity. *Nature Plants*. 2: 1-6.
- GBIF. 2019. Checklist dataset *Arabidopsis thaliana* (L.) Heynh. (<https://www.gbif.org>). Diakses tanggal 19 Desember 2020.
- GBIF. 2019. Checklist dataset *Cardamine hirsuta* L. (<https://www.gbif.org>). Diakses tanggal 10 September 2020.
- Gil, J., & Cubero, J. I. 1993. Multivariate analysis of the *Vicia sativa* L. aggregate. *Botanical Journal of the Linnean Society*. 113: 389–400.
- Gratani, L. 2014. Plant phenotypic plasticity in response to environmental factors. *Advances in Botany*. 2014: 1–17.
- Guo, N., Cheng, F., Wu, J., Liu, B., Zheng, S., Liang, J., & Wang, X. 2014. Anthocyanin biosynthetic genes in *Brassica rapa*. *BMC Genomics*. 15: 426.
- Gupta, M., Chyi, Y.S., Romero-Reverson, J., Owen, J.L. 1994. Amplification of DNA markers from evolutionarily diverse genomes using single primers of simple-sequence repeats. *Theoretical and Applied Genetics*. 89: 998-1006.
- Hall, J. C., Sytsma, K. J., & Iltis, H. H. 2002. Phylogeny of Capparaceae and Brassicaceae based on chloroplast sequence data. *American Journal of Botany*.

89(11): 826–1842.

- Hatfield, J. L., & Prueger, J. H. 2015. Temperature extremes: effect on plant growth and development. *Weather and Climate Extremes*. 10: 4–10.
- Hay, A. S., Pieper, B., Cooke, E., Mandáková, T., Cartolano, M., Tattersall, A. D., Ioio, R. D., McGowan, S. J., Barkoulas, M., Galinha, C., Rast, M. I., Hofhuis, H., Then, C., Plieske, J., Ganal, M., Mott, R., Martinez-Garcia, J. F., Carine, M. A., Scotland, R. W., ... Tsiantis, M. 2014. *Cardamine hirsuta*: a versatile genetic system for comparative studies. *Plant Journal*. 78: 1–15.
- Hay, A., & Tsiantis, M. 2016. *Cardamine hirsuta*: a comparative view. *Current Opinion in Genetics and Development*. 39: 1–7.
- He, F., Kang, D., Ren, Y., Qu, L. J., Zhen, Y., & Gu, H. 2007. Genetic diversity of the natural populations of *Arabidopsis thaliana* in China. *Heredity*. 99: 423–431.
- Hofhuis, H., Moulton, D., Lessinnes, T., Routier-Kierzkowska, A. L., Bomphrey, R. J. J., Mosca, G., Reinhardt, H., Sarchet, P., Gan, X., Tsiantis, M., Ventikos, Y., Walker, S., Goriely, A., Smith, R., & Hay, A. 2016. Morphomechanical innovation drives explosive seed dispersal. *Cell*. 166: 222–233.
- Howe, H. E., & Smallwood, J. 1982. Ecology of seed dispersal. *Annual Review of Ecology and Systematics*. 13: 201–228.
- Husnudin, U. B., Daryono, B. S., & Purnomo. 2019. Genetic variability of Indonesian eggplant (*Solanum melongena*) based on ISSR markers. *Biodiversitas*. 20(10): 3049–3055.
- IBPGR. 1990. *Descriptors for Brassica and Raphanus*. International Board for Plant Genetic Resources, Roma.
- Johnston, J. S., Pepper, A. E., Hall, A. E., Chen, Z. J., Hodnett, G., Drabek, J., Lopez, R., & Price, H. J. 2005. Evolution of genome size in Brassicaceae. *Annals of Botany*. 95(1): 229–235.
- Jones, S. B. & A. E. Luchsinger. 1986. *Plant Systematic*. Second Edition. Mc GrawHill, Inc., USA.
- Jonsell B. 1984–1989. Cruciferae. In: van Steenis C. G. G. Y., de Wilde W. J. J. O. (eds.) *Flora Malesiana*, Ser. I. Vol. 10(3). Kluwer Academic Publishers, Dordrecht, 541–560 pp.
- Joshi, S. P., Gupta, V. S., Aggarwal, R. K., Ranjekar, P. K., & Brar, D. S. 2000. Genetic diversity and phylogenetic relationship as revealed by inter simple

- sequence repeat (ISSR) polymorphism in the genus *Oryza*. *Theoretical and Applied Genetics*. 100: 1311–1320.
- Karoly, K., & Conner, J. K. 2000. Heritable variation in a family-diagnostic trait. *Evolution*. 54(4): 1433–1438.
- Katz, A., & Weiss, D. 1998. Photocontrol of chs gene expression in *Petunia* flower. *Physiologia Plantarum*. 102: 210–216.
- Kaul, S., Koo, H. L., Jenkins, J., Rizzo, M., Rooney, T., Tallon, L. J., Feldblyum, T., Nierman, W., Benito, M. I., Lin, X., Town, C. D., Venter, J. C., Fraser, C. M., Tabata, S., Nakamura, Y., Kaneko, T., Sato, S., Asamizu, E., Kato, T., ... Somerville, C. 2000. Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature*. 408: 796–815.
- Khayyat, M., Barati, Z., & Aminifard, M. H. 2020. Anthocyanin Accumulation and Color Development in Seedless Barberry (*Berberis vulgaris* L.) Fruits: The Role of Altitude and Sun Light-the Preliminary Results Anthocyanin Accumulation and Color Development in. *International Journal of Fruit Science*. 20(S2): S955-968.
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. 2017. Anthocyanidins and anthocyanins : colored pigments as food , pharmaceutical ingredients , and the potential health benefits. *Food & Nutrition Research*. 61(1): 1361779.
- Kim, Y., Choi, E., Son, B., Seo, E., Lee, E., Ryu, J., Ha, G., Kim, J., Kwon, M., Nam, J., Kim, Y., & Lee, K. 2011. Effects of Storage Buffer and Temperature on the Integrity of Human DNA. *Korean J Clin Lab Sci*. 44(1): 24–30.
- Koes, R., Verweij, W., & Quattrocchio, F. 2005. Flavonoids: A colorful model for the regulation and evolution of biochemical pathways. *Trends in Plant Science*. 10(5): 236–242.
- Kong, J., Chia, L., Goh, N., Chia, T., & Brouillard, R. 2003. Analysis and biological activities of anthocyanins. *Phytochemistry*. 64: 923–933.
- Koornneef, M., & Meinke, D. 2010. The development of *Arabidopsis* as a model plant. *Plant Journal*. 61: 909–921.
- Kubasek, W. L., Ausubel, F. M., & Shirley, B. W. 1998. A light-independent developmental mechanism potentiates flavonoid gene expression in *Arabidopsis* seedlings. *Plant Molecular Biology*. 37: 217–223.
- Lai, Y., Yamagishi, M., & Suzuki, T. 2011. Elevated temperature inhibits anthocyanin biosynthesis in the tepals of an Oriental hybrid lily via the suppression of LhMYB12 transcription. *Scientia Horticulturae*. 132: 59–65.

- Le Corff, J. 1993. Effects of light and nutrient availability on chasmogamy and cleistogamy in an understory tropical herb, *Calathea micans* (Marantaceae). *American Journal of Botany*. 80(12): 1392–1399.
- Lee, J. Y., Mummenhoff, K., & Bowman, J. L. 2002. Allopolyploidization and evolution of species with reduced floral structures in *Lepidium* L. (Brassicaceae). *Proceedings of the National Academy of Sciences of the United States of America*. 99(26): 16835–16840.
- Leggett, R., & Kirchoff, B. K. 2011. Image use in field guides and identification keys: review and recommendations. *AoB Plants*. 2011: 1-37.
- Lidy Poot. 2009. *Cardamine hirsuta* L. In *Wilde Bloemen in Netherland*. ([www.wildebloemen.info](http://www.wildebloemen.info)). Diakses tanggal 21 Oktober 2020.
- Lihova, J., Marhold, K., Kudoh, H., & Koch, M. A. 2006. Worldwide phylogeny and biogeography of *Cardamine flexuosa* (Brassicaceae) and its relatives. *American Journal of Botany*. 93(8): 1206-1221.
- Liu, M., Li, X., Liu, Y., & Cao, B. 2013. Regulation of flavanone 3-hydroxylase gene involved in the flavonoid biosynthesis pathway in response to UV-B radiation and drought stress in the desert plant, *Reaumuria soongorica*. *Plant Physiology and Biochemistry*. 73: 161–167.
- Liu, Z., Jia, L., Mao, Y., & He, Y. 2010. Classification and quantification of leaf curvature. *Journal of Experimental Botany*. 61(10): 2757–2767.
- Lord, E. M. 1982. Effect of daylength on open flower production in the cleistogamous species *Lamium amplexicaule* L. *Annals of Botany*. 49: 261–263.
- Mächler, F., & Nösberger, J. 1977. Effect of light intensity and temperature on apparent photosynthesis of altitudinal ecotypes of *Trifolium repens* L. *Oecologia*. 31: 73–78.
- Mahklouf, M. H. 2020. Ethnobotanical Study of Edible Wild Plants in Libya. *European Journal of Ecology*. 5(2): 30–40.
- Maiden, J. H. 1889. *The useful native plants of Australia: including Tasmania*, Turner and Henderson.
- Maraş-Vanlıoğlu, F. G., Yaman, H., & Kayaçetin, F. 2020. Genetic diversity analysis of some species in Brassicaceae family with ISSR markers. *Biotech Studies*. 29(1): 38–46.
- Mathew, J., & George, K. 2013. Morpho-ecotypes of endemic flowering plants

from Achankovil Shear Zone in Agasthyamalai Biosphere Reserve, Western Ghats, Kerala. *Annals of Plant Sciences*. 2(12): 514–519.

Matsushashi, S., Sakai, S., & Kudoh, H. 2012. Temperature-dependent fluctuation of stamen number in *Cardamine hirsuta* (Brassicaceae). *International Journal of Plant Sciences*. 173(4): 391–398.

Matsushashi, S., Kudoh, H., Maki, M., Cartolano, M., Tsiantis, M., Itagaki, T., & Sakai, S. 2016. Invasion history of *Cardamine hirsuta* in Japan inferred from genetic analyses of herbarium specimens and current populations. *Biological Invasions*. 18(7): 1939–1951.

McGraw, J. B., & Antonovics, J. 1983. Experimental ecology of *Dryas octopetala* ecotypes: I. Ecotypic differentiation and life-cycle stages of selection. *Journal of Ecology*. 71(3): 879–897.

Mekapogu, M., Vasamsetti, B. M. K., Kwon, O. K., Ahn, M. S., Lim, S. H., & Jung, J. A. 2020. Anthocyanins in floral colors: Biosynthesis and regulation in chrysanthemum flowers. *International Journal of Molecular Sciences*. 21: 6537.

Méndez, M., & Gómez, J. M. 2006. Phenotypic gender in *Hormathophylla spinosa* (Brassicaceae), a perfect hermaphrodite with tetradynamous flowers, is variable. *Plant Systematics and Evolution*. 262: 225–237.

Meng, X., Xing, T., & Wang, X. 2004. The role of light in the regulation of anthocyanin accumulation in *Gerbera hybrida*. *Plant Growth Regulation*. 44: 243–250.

Mishra, P. K., Fox, R. T. V., & Culham, A. 2003. Inter-simple sequence repeat and aggressiveness analyses revealed high genetic diversity, recombination and long-range dispersal in *Fusarium culmorum*. *Annals of Applied Biology*. 143: 291–301.

Mori, K., Goto-Yamamoto, N., Kitayama, M., & Hashizume, K. 2007. Loss of anthocyanins in red-wine grape under high temperature. *Journal of Experimental Botany*. 58(8): 1935–1945.

Monniaux, M., Pieper, B., & Hay, A. 2016. Stochastic variation in *Cardamine hirsuta* petal number. *Annals of Botany*. 117: 881–887.

Morinaga, S. I., Nagano, A. J., Miyazaki, S., Kubo, M., Demura, T., Fukuda, H., Sakai, S., & Hasebe, M. 2008. Ecogenomics of cleistogamous and chasmogamous flowering: Genome-wide gene expression patterns from cross-species microarray analysis in *Cardamine kokaiensis* (Brassicaceae). *Journal of Ecology*. 96: 1086–1097.

- Moss, W. W. 1979. Phenetic approaches to classification. *American Zoologist*. 19: 1217–1223.
- Neumann, U., & Hay, A. 2020. Seed coat development in explosively dispersed seeds of *Cardamine hirsuta*. *Annals of Botany*. 126: 39–59.
- Ng, W. L., & Tan, S. G. 2015. Inter-simple sequence repeat (ISSR) markers: Are we doing it right?. *ASM Science Journal*. 9(1): 30–39.
- Nikolov, L. A. 2019. Brassicaceae flowers: Diversity amid uniformity. *Journal of Experimental Botany*. 70(10): 2623–2635.
- Nozaki, K., Takamura, T., & Fukai, S. 2006. Effects of high temperature on flower colour and anthocyanin content in pink flower genotypes of greenhouse chrysanthemum (*Chrysanthemum morifolium* Ramat.). *The Journal of Horticultural Science and Biotechnology*. 81(4): 728–734.
- Ogutcen, E., Pandey, A., Khan, M. K., Marques, E., Penmetsa, R. V., Kahraman, A., & Wettberg, E. J. B. von. 2018. Pod Shattering: a homologous series of variation underlying domestication and an avenue for crop improvement. *Agronomy*. 8: 137.
- Ohmiya, A., Hirashima, M., Yagi, M., & Tanase, K. 2014. Identification of genes associated with chlorophyll accumulation in flower petals. *PLoS ONE*. 9(12): 1–16.
- Onozaki, T., Mato, M., Shibata, M., & Ikeda, H. 1999. Differences in flower color and pigment composition among white carnation (*Dianthus caryophyllus* L.) cultivars. *Scientia Horticulturae*. 82: 103–111.
- Padole, D., & Ingle, K.P. 2017. *Arabidopsis*- a model plant. *Trends in Biosciences*. 10(2): 557–559.
- Pieper, B., Monniaux, M., & Hay, A. 2016. The genetic architecture of petal number in *Cardamine hirsuta*. *New Phytologist*. 209: 395–406.
- Platt, A., Horton, M., Huang, Y. S., Li, Y., Anastasio, A. E., Mulyati, N. W., Ågren, J., Bossdorf, O., Byers, D., Donohue, K., Dunning, M., Holub, E. B., Hudson, A., Le Corre, V., Loudet, O., Roux, F., Warthmann, N., Weigel, D., Rivero, L., ... Borevitz, J. O. 2010. The scale of population structure in *Arabidopsis thaliana*. *PLoS Genetics*. 6(2): 1–8.
- Post, A. R., Ali, R., Krings, A., Xiang, J., Sosinski, B. R., & Neal, J. C. 2011. On the identity of the weedy bittercresses (*Cardamine*: Brassicaceae) in United States Nurseries: Evidence from molecules and morphology. *Weed Science*. 59: 123–135.

- Pujiastuti, D. K., & Anggarwulan, E. 2004. The influence of sulphuric acid deposition from Sikidang crater at Dieng plateau on dry weight and starch content of potato's tuber (*Solanum tuberosum* L.). *BioSMART*. 6(2): 104–108.
- Purnomo, Malikah, & Maryani. 2018. Diversity and phenetic analysis of tomboreso (*Dioscorea pentaphylla* L.) in Yogyakarta based on morphological and leaf anatomical characters. *AIP Conference Proceedings*. 2002(1): 1-9.
- Rakow, G. 2004. Species origin and economic importance of Brassica. *Biotechnology in Agriculture and Forestry*. 54: 3–11.
- Ramakrishna, A., & Ravishankar, G. A. 2011. Influence of abiotic stress signals on secondary metabolites in plants. *Plant Signaling and Behavior*. 6(11): 1720–1731.
- Reddy, M. P., Sarla, N., & Siddiq, E. A. 2002. Inter simple sequence repeat (ISSR) polymorphism and its application in plant breeding. *Euphytica*. 128: 9–17.
- Rédei, G. P. 1975. *Arabidopsis* as a genetic tool. *Annual Review of Genetics*. 9: 111–127.
- Roldan-Ruiz, Calsyn, E., Gilliland, T. J., R. Coll, Eijk, M. J. T. van, & Loose, M. De. 2000. Estimating genetic conformity between related ryegrass (*Lolium*) varieties. 2. AFLP characterization. *Molecular Breeding*. 6: 593–602.
- Rollins, R. 1993. *The Cruciferae of Continental North America: Systematics of the Mustard Family from the Arctic to Panama*, Stanford University Press., California, 655 p.
- Roskov Y., Ower G., Orrell T., Nicolson D., Bailly N., Kirk P.M., Bourgoin T., DeWalt R.E., Decock W., Nieukerken E. van, Zarucchi J., Penev L., eds. 2019. *Species 2000 & ITIS Catalogue of Life, 2019 Annual Checklist. Digital resources*. ([www.catalogueoflife.org/annual-checklist/2019](http://www.catalogueoflife.org/annual-checklist/2019)). Diakses tanggal 20 Oktober 2020.
- Royal Horticultural Society. 2015. *Colour Chart* 6<sup>th</sup> ed, RHS Media, London.
- Sakuta, M., & Ohmiya, A. 2011. *Pigment biosynthesis II: Betacyanins and carotenoids in Plant Metabolism and Biotechnology*, Wiley, Chichester, 343-371 pp.
- Sambrook, J., Russel, & David W. 2006. *Molecular Cloning a Laboratory Manual Volume 1*, Cold Spring Harbor Laboratory Press., New York.
- Schmitzer, V., Veberic, R., Osterc, G., & Stampar, F. 2010. Color and phenolic content changes during flower development in groundcover rose. *Journal of*

*the American Society for Horticultural Science*. 135(3): 195–202.

Sicard, A., & Lenhard, M. 2011. The selfing syndrome: A model for studying the genetic and evolutionary basis of morphological adaptation in plants. *Annals of Botany*. 107: 1433–1443.

Simpson, R. L., Leck, M. A., & Parker, V. T. 1985. The Comparative Ecology of *Impatiens capensis* Meerb. (Balsaminaceae) in Central New Jersey. *Bulletin of the Torrey Botanical Club*. 112(3): 295–311.

Singh, G. 1999. *Plant Systematics*. Science Publisher Inc., USA.

Smith, S., & de Smet, I. 2012. Root system architecture: Insights from *Arabidopsis* and cereal crops. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 367: 1441–1452.

Smith, W. K., Vogelmann, T. C., DeLucia, E. H., Bell, D. T., & Shepherd, K. A. 1967. Leaf form and photosynthesis. *Bioscience*. 47(11): 785–793.

Sneath P. H. A. 1962. The Construction of taxonomic groups. *Symposia of the Society for General Microbiology*. 12: 289–332.

Sneath, P. H. A., & Sokal, R. R. 1973. *Numerical taxonomy: The principles and practice of numerical classification*, WH Freeman & Co, San Francisco.

Sokal, R. R. 1986. Phenetic taxonomy: theory and method. *Annual Review of Ecology and Systematics*. 17: 423–442.

Sokal, R. R., & Sneath, P. H. A. 1963. *Construction of a taxonomic system: Principles of numerical taxonomy*, WH Freeman & Co, San Francisco.

Speck, T., & Burgert, I. 2011. Plant Stems: Functional Design and Mechanics. *The Annual Review of Materials Research*. 41: 169–193.

Spelt, C., Quattrocchio, F., Mol, J., & Koes, R. 2002. Anthocyanin1 of *Petunia* controls pigment synthesis, vacuolar pH, and seed coat development by genetically distinct mechanisms. *The Plant Cell*. 14: 2121–2135.

Spribille, R., & Forkmann, G. 1982. Genetic control of chalcone synthase activity in flowers of *Antirrhinum majus*. *Phytochemistry*. 21(9): 2231–2234.

Stace, C.A. 1989. *Plant Taxonomy and Biosystematics 2nd ed*. Routledge, Chapman and Hall Inc., New York, 192–194 pp.

- Stevens, R. D., & Tello, J. S. 2014. On the measurement of dimensionality of biodiversity. *Global Ecology and Biogeography*. 23(10): 1115–1125.
- Stiles, E. A., Cech, N. B., Dee, S. M., & Lacey, E. P. 2007. Temperature-sensitive anthocyanin production in flowers of *Plantago lanceolata*. *Physiologia Plantarum*. 129: 756–765.
- Stuessy, T.F. 1990. Plant Taxonomy. *The Systematic Evolution of Comparative Data*, Columbia University Press., New York. 514 p.
- Stuessy, T.F. 2009. Plant Taxonomy. *The Systematic Evolution of Comparative Data 2nd Edition*, Columbia University Press., New York. 54 p.
- Sudarmadji, Supriyono, H., & Lestari, S. 2015. Danau-danau vulkanik di Dataran Tinggi Dieng: pemanfaatan dan masalah lingkungan yang dihadapi. *Jurnal Teknosains*. 5(1): 36–48.
- Supiandi, M. I., Mahanal, S., Zubaidah, S., Julung, H., & Ege, B. 2019. Ethnobotany of traditional medicinal plants used by Dayak Desa community in Sintang, West Kalimantan, Indonesia. *Biodiversitas*. 20(5): 1264–1270.
- Sutomo. 2019. Diversity of weeds on bamboo seedling's media in Bali Botanical Garden. *Jurnal Biologi Udayana*. 23(1): 16–25.
- Sutomo, S. 2015. Perbandingan komposisi dan keanekaragaman jenis yang berasal dari soil seedbank pada kawasan yang terganggu dan tidak terganggu erupsi 2010 di Gunung Merapi, Yogyakarta. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*. 1(4): 721-726.
- Taiyan, Z., Lianli, L., Guang, Y., & Al-Shehbaz, I. A. 2001. Brassicaceae (Cruciferae). *Flora of China*. 8: 1–193.
- Takos, A. M., Jaffé, F. W., Jacob, S. R., Bogs, J., Robinson, S. P., & Walker, A. R. 2006. Light-induced expression of a MYB gene regulates anthocyanin biosynthesis in red apples. *Plant Physiology*. 142: 1216–1232.
- Tanaka, Y., Sasaki, N., & Ohmiya, A. 2008. Biosynthesis of plant pigments: anthocyanins, betalains and carotenoids. *The Plant Journal*. 54: 733–749.
- Theodore W. Tibbitts. 1979. Humidity and Plants. *BioScience*. 29(6): 358–363.
- Thiede, D. A., & Augspurger, C. K. 1966. Intraspecific Variation in Seed Dispersion of *Lepidium campestre* (Brassicaceae). *American Journal of Botany*. 83(7): 856–866.

- Tjitrosoepomo, G. 1997. *Morfologi Tumbuhan*. Gadjah Mada University press  
Bulaksumur, Yogyakarta.
- Urbanska, K. M., Hurka, H., Landolt, E., Neuffer, B., & Mummenhoff, K. 1997.  
Hybridization and evolution in *Cardamine* (Brassicaceae) at Urnerboden,  
Central Switzerland: Biosystematic and molecular evidence. *Plant Systematics  
and Evolution*. 204: 233–256.
- Vaidya, P., McDurmon, A., Mattoon, E., Keefe, M., Carley, L., Lee, C. R.,  
Bingham, R., & Anderson, J. T. 2018. Ecological causes and consequences of  
flower color polymorphism in a self-pollinating plant (*Boechera stricta*). *New  
Phytologist*. 218: 380–392.
- van Steenis CGGJ. 2006. *Flora Pegunungan Jawa (The Mountain Flora of Java)*  
Terjemahan A. Hamzah dan M. Toha, Pusat Penelitian Biologi-LIPI, Bogor.
- Vaughn, K. C., Bowling, A. J., & Ruel, K. J. 2011. The mechanism for explosive  
seed dispersal in *Cardamine hirsuta* (Brassicaceae). *American Journal of  
Botany*. 98(8): 1276–1285.
- Victor, J. E., Koekemoer, M., Fish, L., Smithies, S.J., & Mössmer, M. 2004.  
*Herbarium Essentials: The Southern African Herbarium, User Manual*.  
Southern African Botanical Diversity Network Report No. 25, Sabonet,  
Pretoria.
- Vijayan, K. 2005. Inter simple sequence repeat (ISSR) polymorphism and its  
application in mulberry genome analysis. *International Journal of Industrial  
Entomology*. 10(2): 79–86.
- Vittoz, P., & Engler, R. 2007. Seed dispersal distances: a typology based on  
dispersal modes and plant traits. *Botanica Helvetica*. 117: 109–124.
- Warwick, S. I., Francis A., & Al-Shehbaz, I. A. 2006. Brassicaceae: Chromosome  
number index and database on CD-Rom. *Plant Systematics and Evolution*.  
259: 237–258.
- Warwick S. I.; Francis A. & Al-Shehbaz I. A. 2020. *Brassicaceae: Brassicaceae  
species checklist and database* (version 2, Oct 2009). In: Species 2000 & ITIS  
Catalogue of Life. ([www.catalogueoflife.org/col](http://www.catalogueoflife.org/col)). Diakses tanggal 10 Oktober  
2020.
- Wijaya, I. M. S., Daryono, B. S., & Purnomo. 2018. Morphological variations of  
terrestrial orchid *Thelymitra javanica* Blume (Orchidaceae: Orchidoideae) in  
Mount Arjuno, Lawu, and Sumbing, Java-Indonesia. *Floribunda*. 6(1): 22–31.

- Winkel-shirley, B. 2001. Flavonoid biosynthesis. A colorful model for genetics, biochemistry, cell biology, and biotechnology. *Plant Physiology*. 126: 485–493.
- Wolfe, Andrea D. 2005. ISSR techniques for evolutionary biology. *Methods in Enzymology*. 395: 134–44.
- Xiao, K., Mao, X., & Lin, Y. 2017. Trichome, a functional diversity phenotype in Plant. *Molecular Biology*. 6(1): 183.
- Yano, S. 1997. Silique burst of *Cardamine scutata* (Cruciferae) as a physical inducible defense against seed predatory caterpillars. *Research on Population Ecology*. 39(1): 95–100.
- Yu. V. Chesnokov, & Artemyeva, A. M. 2015. Evaluation of the measure of polymorphism information of genetic diversity. *Agricultural Biology*. 50(5): 571–578.
- Zhang, L., Wang, B., Pan, L., & Peng, J. 2013. Recycling isolation of plant DNA, A novel method. *Journal of Genetics and Genomics*. 40: 45–54.
- Zhang, S., Zhou, Z., Hu, H., Xu, K., Yan, N., & Li, S. 2005. Photosynthetic performances of *Quercus pannosa* vary with altitude in the Hengduan Mountains, southwest China. *Forest Ecology and Management*. 212: 291–301.
- Zhao, D., & Tao, J. 2015. Recent advances on the development and regulation of flower color in ornamental plants. *Frontiers in Plant Science*. 6: 261.
- Zietkiewicz, E., Rafalski, A., & Labuda, D. 1994. Genome fingerprinting by simple sequence repeat (SSR)-anchored polymerase chain reaction amplification. *Genomics*. 20: 176–183.
- Zmieńko, A., Samelak, A., Kozłowski, P., & Figlerowicz, M. 2014. Copy number polymorphism in plant genomes. *Theoretical and Applied Genetics*. 127: 1–18.