

DAFTAR PUSTAKA

- Agarwal, S. dan S.T. Shende. 1987. Tetrazolium reducing microorganism inside the root of *Brasica* species. *Current science* 56:187-188.
- Asikin, S., M. Thamrin, dan N. Djahab. 2000. Pemanfaatan purun tikus dalam pengendalian hama penggerek batang padi putih di lahan sulfat masam. *Berita Puslitbangtan* No. 17. Puslitbangtan Bogor.
- Allee, L.L., M.S. Goettel, A. Go Berg, H.S Whitney, dan D.W. Roberts. 1990. Infection by *Beauveria bassiana* of *Leptinotarsa decemlineata* larvae as a consequence of fecal contamination of the integument following *per os* inoculation. *Mycopathologia* 111, 17 24.
- Arnold A.E., dan L.C.Lewis. 2005. Ecology and evolution of fungal endophytes and their roles against insects. In: Vega FE, Blackwell M (eds), *Insect-Fungal Associations*:
- Badan Pusat Statistik. 2021. Badan Pusat Statistik Tabel Dinamis. Diambil kembali dari Badan Pusat Statistik: <https://www.bps.go.id/site/resultTab>
- Bacon, C.W. dan N.S. Hills. 1996. Symptomless grass endophytes: products of coevolucenary symbioses and their role in the ecological adaptation of grasses. In: *Endophytic fungi in grasses and woody plants*. Redlin, S.C. and Carris, L.M. (eds.). American Phytopathological Society Press, St. Paul. pp. 155-178.
- Baehaki S.E. 1984. Limpahan hama pada vegetasi rumput-rumputan. *Badan Penelitian dan Pengembangan Pertanian, Balai Penelitian Tanaman Pangan Sukamandi*. 4(2):77-81.
- Baird, R. B. 1958. The artificial control of insects by means of entomogenous fungi, a compilation of references with abstracts. Canadian Agricultural Research Station, Kentville, Nova Scotia, Canada.
- Bandong, J.P. dan J.A. Litsinger. 2005. Rice crop stage susceptibility to the rice yellow stemborer *Scirpophaga incertulas* (Walker) (Lepidoptera: Pyralidae). *Intern. Journal Pest Manag.* 51(1):37-43.
- Banerjee, S.N. dan L.M. Pramanik. 1967. The Lepidopterous Stalk Borers of Rice and Their Life Cycles in the Tropics. *Dalam The Major Insect Pest of Rice Plant*. Pp:103-124. Proc.Symp. At IRRI, Sept. 1964. J. Hopkins Press, Baltimore, Maryland.

- Barrion, A.T. and J.A. Litsinger. 1989. Taxonomy of Rice Insect Pests and Their Arthropod Parasite and Predators. International Rice Research Institute
- Bidochka, M. J., dan C. G. Khachatourians. 1991. The implication of metabolic acids produced by *Beauveria bassiana* in pathogenesis of the migratory grasshopper, *Melanoplus sanguinipes*. J. Invertebr. Pathol. 58:106–117.
- Boucias D.G., dan J.C. Pendland. 1998. Principles of insect pathology. Kluwer Acad Pub, Boston Ecology and Evolution. Oxford University Press, New York, pp. 74–96.
- Bing L.A., dan L.C. Lewis. 1991. Suppression of *Ostrinia nubilalis* (Hubner) (Lepidoptera, Pyralidae) by endophytic *Beauveria bassiana* (Balsamo) Vuillemin. Environmental Entomology 20: 1207–1211.
- Bing L.A., dan L.C. Lewis. 1992. Endophytic *Beauveria bassiana* (Balsamo) Vuillemin in corn: the influence of the plant growth stage and *Ostrinia nubilalis* (Hubner). Biocontrol Science and Technology 2: 39–47.
- Bing, L.A., dan L.C. Lewis. 1993. Occurance of entomopathogen *Beauveria bassiana* (Balsamo) Vuillemin in different tillage regimes in *Zea mays* L. and virulence towards *Ostrinia nubilalis* (Hubner). Agric. Ecosyst. Environ. 45, 147–156.
- Boller T., dan G. Felix. 2009. A renaissance of elicitors: perception of microbe-associated molecular patterns and danger signals by pattern-recognition receptors. Annu Rev Plant Biol 60:379–406.
- Brownbridge, M., S. Reay, dan T. Nelson. 2012 Persistence of *Beauveria bassiana* (Ascomycota: Hypocreales) as an endophyte following inoculation of radiata pine seed and seedlings. Biol Control 61(3):194–200.
- Bruck D.J., dan L.C. Lewis. 2002a. *Carpophilus freemani* (Coleoptera : Nitidulidae) as a vector of *Beauveria bassiana*. Journal of Invertebrate Pathology 80: 188–190.
- Catling, H. D., Z. Islam, dan B. Alam. 1983. Egg parasitism of the yellow rice borer, *Scirpophaga incertulas* (Lep.: Pyralidae) in Bangladesh deepwater rice. Entomophga 28: 227–239.
- Chandramohan, N., dan S. Chelliah. 1984. Parasite complex of yellow stem borer (YSB). Int. Rice Res. Notes 9: 21.
- Cherry, A.J., A. Banito, D. Djegui, dan C. Lomer. 2004. Suppression of the stem borer *Sesamia calamistis* (Lepidoptera: Noctuidae) in maize following seed dressing,

- topical application and stem injection with African isolates of *Beauveria bassiana*. Int. J. Pest Manag. 7, 171–181.
- Coley PD, Bryant JP, Chapin FS III. 1985. Resource availability and plant antiherbivore defense. Science 230:895–99.
- Copping L.G., dan J.J. Menn. 2000 Biopesticides: a review of their action, applications and efficacy. Pest Manag Sci 56:651–676.
- De la Rosa, W., R. Alatorre, J. Trujillo, dan J.F. Barrera. 1997. Virulence of *Beauveria bassiana* (Deuteromycetes) strains against the coffee borer (Coleoptera:Scolytidae). J. Econ. Entomol. 90, 1534–1538.
- De Silva, M. D. 1961. A preliminary list of the native parasites and predators of insect pests of Ceylon. Trop. Agr. 67(2) : 115–116.
- Direktorat Perlindungan Tanaman. 2012. Laporan serangan hama dan penyakit di Indonesia tahun 2011.
- Eleftherianos, I., J. Atri, dan J. Accetta. 2013. Endosymbiotic bacteria in insects: guardians of the immune system. Front Plant Physiol 4:46
- Ferron, P. 1978. Biological control of insect pests by entomogenous fungi. Annu. Rev. Entomol. 23:409–442.
- Genthner F.J., G.M. Cripe, dan D.J. Crosby. 1994 Effect of *Beauveria bassiana* and its toxins on *Mysidopsis bahia* (Mysidacea). Arch Environ Contam Toxicol 26:90–94.
- Gillespie, A. T. 1988. Use of fungi to control pests of agricultural importance, p. 37–60. In M. N. Burge (ed.), Fungi in biological control systems. Manchester University Press, Manchester, England.
- Grist, D.H. dan R.A.J.W. Lever. 1969. Pest of Rice. Longmans, Green and Co. London. 420p.
- Guesmi-Jouini J., I. Garrido-Jurado, C. Lopez-Diaz, M. Ben HalimaKamel, dan M. Quesada-Moraga. 2014. Establishment of fungal entomopathogens *Beauveria bassiana* and *Bionectria ochroleuca* (Ascomycota: Hypocreales) as endophytes on artichoke *Cynara scolymus*. J Invertebr Pathol 119:1–4.
- Gupta S., C. Montllor, dan Y.S. Hwang. 1995. Isolation of novel beauvericin analogues from the fungus *Beauveria bassiana*. J Nat Prod 58:733–738.

- Harahap, E.S. dan B. Tjahjono. 1989. *Pengendalian Hama Penyakit Padi*. Panebar Swadaya. Jakarta. 114p.
- Hendarsih, S. dan N. Usyati. 2005. The stem borer infestation on rice cultivars at three planting times. Indonesian Journal of Agricultural Science. Indonesia Agency for Agricultural Research and Development. Vol .6(2):39-45.
- Hokkanen H.M.T., dan I. Menzler-Hokkanen. 2017. The use of entomopathogenic fungi in the insect pest management of Brassica oilseed crops. CABI, Boston, pp 373–382
- Ho, D.T., dan J.G. Kibuka, 1983. Stemborers in various rice ecosystems in Kenya. Intl. Rice Res. Newsl. 8(5): 18.
- Ives, A. R., and W. H. Settle. 1997. Metapopulation dynamics and pest control in agricultural systems. American Naturalist 149:220–246.
- Jaber L.R., dan N.M. Salem. 2014. Endophytic colonisation of squash by the fungal entomopathogen *Beauveria bassiana* (Ascomycota: Hypocreales) for managing zucchini yellow mosaic virus in cucurbits. Biocontrol Sci Technol 24:1096–1109
- Jia Y., J.Y. Zhou, J.X. He, W. Du , Y.Q. Bu, C.H. Liu, dan C.C. Dai. 2013. Distribution of the entomopathogenic fungus *Beauveria bassiana* in rice ecosystems and its effect on soil enzymes. Current Microbiol 67:631–636
- Kaaya, G.P., K.V. Seshu-Reddy, E.D. Kokwaro, dan D.M. Munyinyi. 1993. Pathogenicity of *Beauveria bassiana*, *Metarhizium anisopliae* and *Serratia marcescens* to the banana weevil *Cosmopolites sordidus*. Biocontrol News and Information 3, 177– 187.
- Kapur, A.P. 1967. Taxonomy of the Rice Stem Borer. Dalam *The Major Insect Pest of the Rice Plant*. Pp:3-43. Proc. Symp. At IRRI, Sept. 1964. J. Hopkins. Press, Baltimore, Maryland.
- Khan, Z. R., J. A. Litsinger, A. T. Barrion, F. Villanueva, N. Fernandez, dan L. D. Taylo. 1991. World bibliography of rice stemborers 1794 -1990. International Rice Research Institute and International Centre of Insect Physiology and Ecology, Los Banos, Philippines.
- Khachatourians, G.G. 1991 Physiology and genetics of entomopathogenic fungi, in *Handbook of Applied Mycology*, Vol. 2 Marcel Dekker, Inc., New York, pp.613-663.

- Khasaba, E.H.K. 2021. Inoculation and colonization of isolated entomopathogenic fungi *Beauveria bassiana* in rice plants, *Oryza sativa* L. through seed immersion method. [Egyptian Journal of Biological Pest Control](#) volume 31: 92.
- Kim, H. S., E. A. Heinrichs, dan P. Mylvaganam. 1986. Egg parasitism of *Scirpophaga incertulas* Walker (Lepidoptera: Pyralidae) by hymenopterous parasitoids in IRRI rice fields. *Korean J. Plant Prot.* 25: 37 (40)
- Kolattukudy, P. E. 1984. Fungal penetration of defensive barriers in plants, p. 31–37. In W. M. Dugger and S. Bartnicki-Garcia (ed.), *Structure, function, and biosynthesis of plant cell walls*. American Society of Plant Physiologists, Rockville, Md.
- Lecuona, R., G. Riba, P. Cassier, dan J. L. Clement. 1991. Alterations of insect epicuticular hydrocarbons during infection with *Beauveria bassiana* or *B. brongniartii*. *J. Invertebr. Pathol.* 58:10–18.
- Lewis, L. C., dan L. A. Bing. 1991. *Bacillus thuringiensis* Berliner and *Beauveria bassiana* (Balsamo) Vuillemin for European corn borer control: potential for immediate and season-long suppression. *Can. Entomol.* 123:387–393.
- Lewvanich, A. 1981. A Revision of the Old world Species of *Scirpophaga* (Lepidoptera: Pyralidae). *Bull. Br. Mus. Nat. Hist. (Entomol)* 42(4):185-298.
- LI, Z.Z. 1988. A list of insect hosts of *Beauveria bassiana*, in *Study and Application of Entomogenous Fungi in China* Vol. 1 Academic Periodical Press Beijing, pp. 241-255.
- Litsinger, J. A. 1991. Crop loss assessment in rice, pp. 1Ð 65. In E. A. Heinrichs and T. A. Miller (eds.), *Rice insects: management strategies*. Springer, New York.
- Litsinger, J.A., B.L. Canapi, J.P. Bandong, Crus, C.G. Dela , E.F. Apostol, P.C. Pantua, M.D. Lumaban, A.L. Alviola , F. Raymundo, E.M. Libetario, M.E. Loevinsohn, dan R.C. Joshi. 1987. Rice crop loss from insect pests in wetland and dryland environments of Asia with emphasis on the Philippines. *Insect Science and its Application*, 8: 677–92.
- Liu, H., M. Skinner, M. Brownbridge, dan B.L. Parker. 2003. Characterization of *Beauveria bassiana* and *Metarhizium anisopliae* isolates for management of tarnished plant bug, *Lygus lineolaris* (Hemiptera: Miridae). *J Invertebr Pathol* 82:139–147

- Long, F.Z. dan K.H. Du. 1988 Study on the pathogenic mechanism of *Beauveria bassiana* to the Masson's pine.caterpillar, in *Study and Application of Entomogenous Fungi in China* Vol. 1 Academic Periodical Press Beijing, pp. 80-82.
- Mahrub, E. 1999. Kajian Pengendalian Alami Penggerek Batang Padi Kuning *Scirpophaga incertulans* (Walker). Disertasi. Universitas Gadjah Mada. Yogyakarta.
- Mantzoukas, S., C. Chondrogiannis, dan G. Grammatikopoulos. 2015. Effects of three endophytic entomopathogens on sweet sorghum and on the larvae of the stalk borer *Sesamia nonagrioides*. *Entomol Exp Appl* 154:78–87
- Mauch-Mani, B., I. Baccelli , dan E. Luna. 2017 . Defense priming: an adaptive part of induced resistance. *Annu Rev Plant Biol* 68:485– 512.
- Menjivar, R.D., J.A. Cabrera, dan J. Kranz. 2011. Induction of metabolite organic compounds by mutualistic endophytic fungi to reduce the greenhouse whitefly *Trialeurodes vaporariorum* (Westwood) infection on tomato. *Plant Soil* 352(1–2):233–241.
- Moreau, T.L., P.R. Warman, dan J. Hoyle. 2006. An Evaluation of Companion Planting and Botanical Extracts as Alternative Pest Controls for the Colorado Potato Beetle. *Biological Agriculture & Horticulture*. 23:4, 351-370
- Mwamburi, L.A. 2021. Endophytic fungi, *Beauveria bassiana* and *Metarhizium anisopliae*, confer control of the fall armyworm, *Spodoptera frugiperda* (J. E. Smith) (Lepidoptera: Noctuidae), in two tomato varieties. *Egypt. J. Biol. Pest Control*. 2021, 31, 1–6.
- Nankinga, C.M., 1994. Potential of indigenous fungal pathogens for the control of banana weevil *Cosmopolites sordidus* (Germar), in Uganda. M.Sc. Thesis, Makerere University, Kampala, Uganda.
- Nankinga, C.M., 1999. Characterization of entomopathogenic fungi and evaluation of delivery systems of *Beauveria bassiana* for the biological control of the banana weevil, *Cosmopolites sordidus*. Ph.D. Thesis, University of Reading, London, UK.

- Ownley, B., K. Gwinn, dan F. Vega. 2010. Endophytic fungal entomopathogens with activity against plant pathogens: ecology and evolution. *Biocontrol* 55(1):113–128.
- Parsa, S., V. Ortiz, dan F.E. Vega. 2013. Establishing fungal entomopathogens as endophytes: towards endophytic biological control. *J Vis Exp* 74(50360):1–5.
- Pathak, M.D. 1968. Ecology of Common Insect Pest in Rice. *Ann. Rev. Entomol.* 13:257-294.
- Pekrul, S., dan E. A. Gula. 1979. Mode of infection of the corn earworm (*Heliothus zea*) by *Beauveria bassiana* as revealed by scanning electron microscopy. *J. Invertebr. Pathol.* 34:238–247.
- Powell, W., W. Klingeman, dan B. Ownley. 2009. Evidence of endophytic *Beauveria bassiana* in seed-treated tomato plants acting as a systemic entomopathogen to larval *Helicoverpa zea* (Lepidoptera: Noctuidae). *J Entomol Sci* 44(44):391–396.
- Roberts, D.W. 1981. Toxins of entomopathogenic fungi, see COUCH & IGNOFFO, pp. 441-464.
- Rao, V.P. 1972. Rice StemBorrrer and Their Natural Enemies in India, Pakistan, Ceylon, and Malaysia. *Fukuoka, Mushi* 45:7-23.
- Risch, S.J., D. Andow, dan M.A. Altieri. 1983. Agroecosystem diversity and pest control: data, tentative conclusions and new research directions. *Environ. Entomol.* 12: 625-629.
- Russo, M.L., S.A. Pelizza, M.N. Cabello, S.A. Stenglein, A.C. Scorsetti. 2015. Endophytic colonisation of tobacco, corn, wheat and soybeans by the fungal entomopathogen *Beauveria bassiana* (Ascomycota, Hypocreales). *Biocontrol Sci Technol* 25:475–480
- Schulz, B., C. Boyle. 2005. The endophytic continuum. *Mycol Res* 109:661–687
- Shepard, M., dan G. S. Arida. 1986. Parasitism and predation of yellow stem borer, *Scirpophaga incertulas* Walker (Lepidoptera: Pyralidae) eggs in transplanted and direct seeded rice. *J. Entomol. Sci.* 21: 26–32.
- Shepard, B.M., A.T. Barrion, J.A., dan Litsinger. 1987. Friends of The Rice Farmer: Helpful Insects, Spiders and Pathogens, Philippines: International Rice Research Institute .
- Sieber, T.N. 2002. Fungal root endophytes In: Waisel Y, Eshel A, Kafkafi U (eds) *The hidden half*. Dekker, New York, pp 887–917

- Soejitno, J. 1991. Bionomi dan Pengendalian Hama Penggerek Batang Padi. Dalam, PADI. Puslitbang. Tan. Pangan Bogor. 3:713-735.
- Soehardjan, M. 1976. Dinamika Populasi Penggerek Padi Kuning *Tryporiza incertulas* (Walker) (Pyralidae, Lepidoptera). Disertasi di ITB. Bandung 62p.
- Stone, J.K., C.W. Bacon, dan J.F. White. 2000. An overview of endophytic microbes: endophytism defined. In: Bacon CW, White JF (eds) *Microbial endophytes*. Dekker, New York, pp 3–30
- Sudibyo, D. 1994. Petunjuk Praktis Cara Menghitung Jumlah Kerapatan dan Viabilitas Jamur. Laboratorium Utama Pengendalian Hayati. Dinas Perkebunan Propinsi Jawa Timur.
- Tengkano, W. dan Suharsono. 2005. Ulat grayak *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae) pada tanaman kedelai dan pengendaliannya. *Bul. Palawija*. No. 10. hlm: 43–52.
- Thalib, R., R. Fernando, Khodijah, D. Meidalima, dan S. Herlinda. 2013. Patogenesis isolat *Beauveria bassiana* dan *Metarhizium anisopliae* asal Tanah lebak dan Pasang surut Sumatera Selatan untuk agen hayati Scirpophaga incertulas. 13(1):10-18.
- Varela, A., dan E. Morales. 1996. Characterization of some *Beauveria bassiana* isolates and their virulence toward the Coffee Berry Borer *Hypothenemus hampei*. *J Invertebr Pathol* 67:147–152.
- Vega, F.E., F. Posada, M.C. Aime, M. Pava-Ripoll, F. Infante, S.A. Rehner. 2008. Entomopathogenic fungal endophytes. *Biol Control* 46:72-82.
- Webber, J. 1981. A natural control of Dutch elm disease. *Nature, London* 292:449-451.
- Wei, Q.Y., Y.Y. Li, dan C. Xu. 2020. Endophytic colonization by *Beauveria bassiana* increases the resistance of tomatoes against *Bemisia tabaci*. *Arthropod-Plant Interactions* 14: 289-300.
- Widagdo, H. 1994. *Pengendalian Hama Penggerek Batang Padi*. Andi Offset. Yogyakarta. 58p.
- Yasumatsu, K. 1967. Distribution and Bionomics of Natural Enemies of Rice Stem-borers. Fukuoka, *Mushi* 39:33-44.
- Yasumatsu, K., T. Wingsiri, C. Tirawat, N. Wongsiri, and A. Lewvanich. 1980. *Contribution to The Development of Integrated Rice Pest Control in Thailand*. Departement of Agriculture, Ministry of Agriculture, and Cooperatives,

Government of Thailand and Japan International Cooperation Agency (JICA).163p.

Zimmermann, G., 2007. Review on safety of the entomopathogenic fungi *Beauveria bassiana* and *Beauveria brongniartii*. Biocontrol Sci. Technol. 17, 553–596.