UNIVERSITAS
GADJAH MADA
Analisis Pengaruh Rasio Area Alir Terhadap Parameter Entrainment Ratio Steam Ejector Menggunakan Computational Fluid Dynamics
RAHADYAN SETIA MUHAMMAD, Dr. Jayan Sentanuhady, S.T., M.Eng.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Al-mutaz, I. S. and Wazeer, I. (2014) 'Current status and future directions of MED-TVC desalination technology Current status and future directions of MED-TVC desalination technology', (April). doi: 10.1080/19443994.2014.910841.

Ali, M., Aliabadi, F. and Bahiraei, M. (2021) 'Effect of water nano-droplet injection on steam ejector performance based on non-equilibrium spontaneous condensation : A droplet number study', *Applied Thermal Engineering*, 184(October 2020), p. 116236. doi: 10.1016/j.applthermaleng.2020.116236.

Çengel, Y. A., Boles, M. A. dan Kanoğlu, M. (2006). *Thermodynamics: An Engineering Approach* (9th ed.). New York: McGraw-Hill.

Chandra, V. V. and Ahmed, M. R. (2014) 'Experimental and computational studies on a steam jet refrigeration system with constant area and variable area ejectors', *Energy Conversion and Management*, 79, pp. 377–386. doi: 10.1016/j.enconman.2013.12.035.

Cheng, I. and Lammi, H. (2013) 'The great water grab: how the coal industry is deepening the global water crisis', *Greenpeace*, pp. 1–59.

Dong, J. *et al.* (2020) 'Numerical investigation on the influence of mixing chamber length on steam ejector performance', *Applied Thermal Engineering*, 174(April), p. 115204. doi: 10.1016/j.applthermaleng.2020.115204.

Fu, W. *et al.* (2016) 'Numerical study for the influences of primary nozzle on steam ejector performance', *Applied Thermal Engineering*, 106, pp. 1148–1156. doi: 10.1016/j.applthermaleng.2016.06.111.

Fu, W. *et al.* (2018) 'Numerical study for the influences of primary steam nozzle distance and mixing chamber throat diameter on steam ejector performance', *International Journal of Thermal Sciences*, 132(June), pp. 509–516. doi: 10.1016/j.ijthermalsci.2018.06.033.

UNIVERSITAS
GADJAH MADA
**Analisis Pengaruh Rasio Area Alir Terhadap Parameter Entrainment Ratio Steam Ejector Menggunakan
Computational Fluid Dynamics**
RAHADYAN SETIA MUHAMMAD, Dr. Jayan Sentanuhady, S.T., M.Eng.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Grazzini, G. and Mariani, A. (1998) 'A SIMPLE PROGRAM TO DESIGN A MULTI-STAGE JET-PUMP FOR REFRIGERATION CYCLES', 39(16), pp. 1827–1834.

Hanafi, A. S. *et al.* (2015) '1-D Mathematical Modeling and CFD Investigation on Supersonic Steam Ejector in MED-TVC', *Energy Procedia*, 75, pp. 3239–3252. doi: 10.1016/j.egypro.2015.07.690.

Li, J. *et al.* (2019) 'Economic evaluation of 20,000 M3/Day seawater desalination coupling with floating reactor nuclear power plant', *IOP Conference Series: Earth and Environmental Science*, 300(4), pp. 0–5. doi: 10.1088/1755-1315/300/4/042053.

Limbung, A. *et al.* (2009) 'ALKALINITAS : ANALISA DAN PERMASALAHANNYA UNTUK AIR INDUSTRI KARYA ILMIAH Oleh : AQUARINA LIMBONG PROGRAM DIPLOMA III KIMIA ANALIS'.

Ludwig, E. E. (1999) *Applied Process Design For Chemical and Pertochemical Plants*. 3rd edn. United States of America: Gulf Publishing Company.

Millachine, M. A. T. (2011) 'Guidelines for Optimum Gas Extraction System Selection', p. 54. Available at: https://skemman.is/handle/1946/9062.

Nugroho, A. (2004) 'Uraian Umum tentang Teknologi Desalinasi', *Jurnal Pengembangan Energi Nuklir*, 6(2), pp. 65–75.

Ruangtrakoon, N. *et al.* (2013) 'CFD simulation on the effect of primary nozzle geometries for a steam ejector in refrigeration cycle', *International Journal of Thermal Sciences*, 63, pp. 133–145. doi: 10.1016/j.ijthermalsci.2012.07.009.

Sharifi, N. and Kouhikamali, R. (2009) 'Numerical Simulation and Parametric Study of Steam Jet Ejectors in MED-TVC Plants Numerical Simulation and Parametric Study of Steam Jet Ejectors in MED-TVC Plants', (November 2014).

Shestopalov, K. O. *et al.* (2015) 'Investigation of an experimental ejector refrigeration machine operating with refrigerant R245fa at design and off-design working conditions. Part 1. Theoretical analysis', *International*

UNIVERSITAS
GADJAH MADA
**Analisis Pengaruh Rasio Area Alir Terhadap Parameter Entrainment Ratio Steam Ejector Menggunakan
Computational Fluid Dynamics**
RAHADYAN SETIA MUHAMMAD, Dr. Jayan Sentanuhady, S.T., M.Eng.
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Refrigeration, 55, pp. 201–211. doi: 10.1016/j.ijrefrig.2015.01.016.

Sriveerakul, T., Aphornratana, S. and Chunnanond, K. (2007) 'Performance prediction of steam ejector using computational fluid dynamics: Part 1. Validation of the CFD results', *International Journal of Thermal Sciences*, 46(8), pp. 812–822. doi: 10.1016/j.ijthermalsci.2006.10.014.

Suvarnakuta, N. *et al.* (2020) 'Performance analysis of a two-stage ejector in an ejector refrigeration system using computational fluid dynamics', *Engineering Applications of Computational Fluid Mechanics*, 14(1), pp. 669–682. doi: 10.1080/19942060.2020.1756913.

Tang, Y. *et al.* (2018) 'A novel steam ejector with pressure regulation to dredge the blocked entrained flow for performance improvement in MED-TVC desalination system', *Energy Conversion and Management*, 172(July), pp. 237–247. doi: 10.1016/j.enconman.2018.07.022.

White, F. M. (2011) *Fluid mechanics (seventh ed.)*. seventh ed. New York: McGraw-Hill.

Wu, H. *et al.* (2014) 'Numerical investigation of the influences of mixing chamber geometries on steam ejector performance', *Desalination*, 353, pp. 15–20. doi: 10.1016/j.desal.2014.09.002.

Yang, X., Long, X. and Yao, X. (2012) 'Numerical investigation on the mixing process in a steam ejector with different nozzle structures', *International Journal of Thermal Sciences*, 56, pp. 95–106. doi: 10.1016/j.ijthermalsci.2012.01.021.