

## DAFTAR PUSTAKA

- Amaya, C., Prías-Barragán, J.J., Aperador, W., Hernández-Landaverde, M.A., Ramírez-Cardona, M., Caicedo, J.C., Rodríguez, L.A., Snoeck, E., Gómez, M.E., and Zambrano, G., 2017, Thermal conductivity of yttria-stabilized zirconia thin films with a zigzag microstructure, *J. Appl. Phys.*, 121, 245110.
- Andita, K.R., Kurniawan, R., and Syoufian, A., 2019, Synthesis and characterization of Cu-doped zirconium titanate as a potential visible-light responsive photocatalyst, *Indones. J. Chem.*, 19, 761–766.
- Araujo-Lopez, E., Varilla, L.A., Seriani, N., and Montoya, J.A., 2016, TiO<sub>2</sub> anatase's bulk and (001) surface, structural and electronic properties: A DFT study on the importance of Hubbard and van der Waals contributions, *Surf. Sci.*, 653, 187–196.
- Cohen, A.J., Mori-Sánchez, P., and Yang, W., 2012, Challenges for density functional theory, *Chem. Rev.*, 112, 289–320.
- Dondi, M., Matteucci, F., and Cruciani, G., 2006, Zirconium titanate ceramic pigments: Crystal structure, optical spectroscopy and technological properties, *J. Solid State Chem.*, 179, 233–246.
- Fadlallah, M.M., 2017, Magnetic, electronic, optical, and photocatalytic properties of nonmetal- and halogen-doped anatase TiO<sub>2</sub> nanotubes, *Phys. E Low-Dimensional Syst. Nanostructures*, 89, 50–56.
- Fanicchia, F., Axinte, D.A., Kell, J., McIntyre, R., Brewster, G., and Norton, A.D., 2017, Combustion Flame Spray of CoNiCrAlY & YSZ coatings, *Surf. Coatings Technol.*, 315, 546–557.
- Flores, E.M., Lucio, M., Moreira, L., and Piotrowski, M.J., 2020, Structural and Electronic Properties of bulk ZnX (X = O, S, Se, Te), ZnF<sub>2</sub> and ZnO/ZnF<sub>2</sub>: A DFT Investigation within PBE, PBE+U, and hybrid-HSE Functionals, *J. Phys. Chem. A*, 1–24.
- Fujishima, A., Zhang, X., and Tryk, D., 2008, TiO<sub>2</sub> photocatalysis and related surface phenomena, *Surf. Sci. Rep.*, 63, 515–582.
- George, A., Solomon, S., Thomas, J.K., and John, A., 2012, Characterizations and electrical properties of ZrTiO<sub>4</sub> ceramic, *Mater. Res. Bull.*, 47, 3141–3147.
- Gharaei, S.K., Abbasnejad, M., and Maezono, R., 2018, Bandgap reduction of photocatalytic TiO<sub>2</sub> nanotube by Cu doping, *Sci. Rep.*, 8, 1–10.
- Gilles, M.K., Polak, M.L., and Lineberger, W.C., 1992, Photoelectron spectroscopy of the halogen oxide anions FO<sup>-</sup>, ClO<sup>-</sup>, BrO<sup>-</sup>, IO<sup>-</sup>, OClO<sup>-</sup>, and OIO<sup>-</sup>, *J. Chem. Phys.*, 96, 8012–8020.

- Haider, A.J., Jameel, Z.N., and Al-Hussaini, I.H.M., 2019, Review on: Titanium dioxide applications, *Energy Procedia*, 157, 17–29.
- Hannink, R.H.J., Kelly, P.M., and Muddle, B.C., 2000, Transformation toughening in zirconia-containing ceramics, *J. Am. Ceram. Soc.*, 83, 461–487.
- Heyd, J., Scuseria, G.E., and Ernzerhof, M., 2003, Hybrid functionals based on a screened Coulomb potential, *J. Chem. Phys.*, 118, 8207–8215.
- Janus, M. and Szyma, K., 2021, C-,N- and S-Doped TiO<sub>2</sub> Photocatalysts: A Review, *Catalysts*, 11, 1–56.
- Kubacka, A., Colón, G., and Fernández-García, M., 2009, Cationic (V, Mo, Nb, W) doping of TiO<sub>2</sub>-anatase: A real alternative for visible light-driven photocatalysts, *Catal. Today*, 143, 286–292.
- Kurniawan, R., Sudiono, S., Trisunaryanti, W., and Syoufian, A., 2019, Synthesis of iron-doped zirconium titanate as a potential visible-light responsive photocatalyst, *Indones. J. Chem.*, 19, 454–460.
- Liu, C., Li, X., Wu, Y., Sun, L., Zhang, L., and Chang, X., 2019, Enhanced photocatalytic activity by tailoring the interface in TiO<sub>2</sub>-ZrTiO<sub>4</sub>, *Ceram. Int.*, 45, 17163–17172.
- Low, J., Jiang, C., Cheng, B., Wageh, S., Al-Ghamdi, A.A., and Yu, J., 2017, A Review of Direct Z-Scheme Photocatalysts, *Small Methods*, 1, 1700080.
- Ma, Z.Q., Pan, H., Wang, Z.S., and Wong, P.K., 2015, Effects of non-metal dopants and defects on electronic properties of barium titanate as photocatalyst, *Int. J. Hydrogen Energy*, 40, 4766–4776.
- Mardirossian, N. and Head-Gordon, M., 2017, Thirty years of density functional theory in computational chemistry: An overview and extensive assessment of 200 density functionals, *Mol. Phys.*, 115, 2315–2372.
- Mosey, N.J. and Carter, E.A., 2007, Ab initio evaluation of Coulomb and exchange parameters for DFT + U calculations, *Phys. Rev. B*, 76, 1–13.
- Mulwa, W.M., Ouma, C.N.M., Onani, M.O., and Dejene, F.B., 2016, Energetic, electronic and optical properties of lanthanide doped TiO<sub>2</sub>: An ab initio LDA+U study, *J. Solid State Chem.*, 237, 129–137.
- Newnham, R.E., 1967, Crystal Structure of ZrTiO<sub>4</sub>, *J. Am. Ceram. Soc.*, 50, 216.
- Nishikawa, M., Yuto, S., Nakajima, T., Tsuchiya, T., and Saito, N., 2017, Effect of Lattice Distortion on Photocatalytic Performance of TiO<sub>2</sub>, *Catal. Letters*, 147, 292–300.

- Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., Kontos, A.G., Dunlop, P.S.M., Hamilton, J.W.J., Byrne, J.A., O'Shea, K., Entezari, M.H., and Dionysiou, D.D., 2012, A review on the visible light active titanium dioxide photocatalysts for environmental applications, *Appl. Catal. B Environ.*, 125, 331–349.
- Polliotto, V., Albanese, E., Livraghi, S., Agnoli, S., Pacchioni, G., and Giamello, E., 2020, Structural, electronic and photochemical properties of cerium-doped zirconium titanate, *Catal. Today*, 340, 49–57.
- Polliotto, V., Albanese, E., Livraghi, S., Indyka, P., Sojka, Z., Pacchioni, G., and Giamello, E., 2017, Fifty–Fifty Zr–Ti Solid Solution with a TiO<sub>2</sub>-Type Structure: Electronic Structure and Photochemical Properties of Zirconium Titanate ZrTiO<sub>4</sub>, *J. Phys. Chem. C*, 121, 5487–5497.
- Polliotto, V., Albanese, E., Livraghi, S., Pacchioni, G., and Giamello, E., 2017b, The photoactive nitrogen impurity in nitrogen-doped zirconium titanate (N-ZrTiO<sub>4</sub>): A combined electron paramagnetic resonance and density functional theory study, *J. Mater. Chem. A*, 5, 13062–13071.
- Polliotto, V., Livraghi, S., Agnoli, S., Granozzi, G., and Giamello, E., 2019, Reversible adsorption of oxygen as superoxide ion on cerium doped zirconium titanate, *Appl. Catal. A Gen.*, 580, 140–148.
- Polliotto, V., Livraghi, S., Krukowska, A., Dozzi, M.V., Zaleska-Medynska, A., Selli, E., and Giamello, E., 2018, Copper-Modified TiO<sub>2</sub> and ZrTiO<sub>2</sub>: Cu Oxidation State Evolution during Photocatalytic Hydrogen Production, *ACS Appl. Mater. Interfaces*, 10, 27745–27756.
- Puigdollers, A.R., Illas, F., and Pacchioni, G., 2016, Structure and Properties of Zirconia Nanoparticles from Density Functional Theory Calculations, *J. Phys. Chem. C*, 120, 4392–4402.
- Reddy, B.M. and Khan, A., 2005, Recent advances on TiO<sub>2</sub>-ZrO<sub>2</sub> mixed oxides as catalysts and catalyst supports, *Catal. Rev. - Sci. Eng.*, 47, 257–296.
- Roldán, A., Boronat, M., Corma, A., and Illas, F., 2010, Theoretical confirmation of the enhanced facility to increase oxygen vacancy concentration in TiO<sub>2</sub> by iron doping, *J. Phys. Chem. C*, 114, 6511–6517.
- Schomaker, V. and Stevenson, D.P., 1941, Some Revisions of the Covalent Radii and the Additivity Rule for the Lengths of Partially Ionic Single Covalent Bonds, *J. Am. Chem. Soc.*, 63, 37–40.
- Shayegan, Z., Lee, C.S., and Haghghat, F., 2018, TiO<sub>2</sub> photocatalyst for removal of volatile organic compounds in gas phase – A review, *Chem. Eng. J.*, 334, 2408–2439.

- Shokri, A., Yazdani, A., and Rahimi, K., 2020, Possible bandgap values of graphene-like ZnO in density functional theory corrected by the Hubbard U term and HSE hybrid functional, *Mater. Today Commun.*, 22, 100756.
- Sulaikhah, E.F., Kurniawan, R., Pradipta, M.F., Trisunaryanti, W., and Syoufian, A., 2020, Cobalt Doping on Zirconium Titanate as a Potential Photocatalyst with Visible-Light-Response, *Indones. J. Chem.*, 20, 911.
- Troitzsch, U. and Ellis, D.J., 2005, The ZrO<sub>2</sub>-TiO<sub>2</sub> phase diagram, *J. Mater. Sci.*, 40, 4571–4577.
- Valentin, C. and Pacchioni, G., 2013, Trends in non-metal doping of anatase TiO<sub>2</sub>: B, C, N and F, *Catal. Today*, 206, 12–18.
- Wang, A., Zhao, M., Xi, Y., Wang, X., and Wang, Z., 2013, Spin-polarized zero-energy states in BN/C core-shell quantum dots, *Phys. Lett. Sect. A Gen. At. Solid State Phys.*, 377, 1102–1108.
- Wang, M., Wang, C., Liu, Y., and Zhou, X., 2019, Hybrid density functional theory description of non-metal doping in perovskite BaTiO<sub>3</sub> for visible-light photocatalysis, *J. Solid State Chem.*, 280, 121018.
- Wu, H., Lin, S., and Wu, J., 2012, Effects of nitrogen concentration on N-doped anatase TiO<sub>2</sub>: Density functional theory and Hubbard U analysis, *J. Alloys Compd.*, 522, 46–50.
- Yalç, Y., Murat, K., and Zekiye, Ç., 2010, The Role of Non-Metal Doping in TiO<sub>2</sub> Photocatalysis, *J. Adv. Oxid. Technol.*, 13, 281–296.
- Yang, K., Dai, Y., and Huang, B., 2008, First-principles calculations for geometrical structures and electronic properties of Si-doped TiO<sub>2</sub>, *Chem. Phys. Lett.*, 456, 71–75.
- Yang, K., Dai, Y., Huang, B., and Whangbo, M.H., 2008, Density functional characterization of the band edges, the band gap states, and the preferred doping sites of halogen-doped TiO<sub>2</sub>, *Chem. Mater.*, 20, 6528–6534.
- Yong, X. and Schoonen, M.A.A., 2000, The absolute energy positions of conduction and valence bands of selected semiconducting minerals, *Am. Mineral.*, 85, 543–556.