

DAFTAR PUSTAKA

- Akbar, A. , Bintang, A.K. 2017. Faktor Pencetus Timbulnya Nyeri Kepala Primer pada Mahasiswa Tingkat Akhir Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Hasanuddin. *Skripsi*. Makassar.
- Albers, J.W., Garabrant, D.H., Mattsson, J.L., *et al.*, 2007. Dose-effect analyses of occupational c hlorpyrifos exposure and peripheral nerve electrophysiology. *Toxicological Sciences*, 97(1), pp.196-204.
- Altinyazar, V., Sirin, F.B., Sutcu, R., *et al.*, 2016. The Red Blood Cell Acetylcholinesterase Levels of Depressive Patients with Suicidal Behavior in an Agricultural Area. *Indian J. Clin. Biochem.* 31: 473–479.
- Atmosoeharjo, Suprpto. 1991. Suatu Upaya Pengendalian Penggunaan Pestisida Melalui Pendekatan Ilmu Pengetahuan dan Teknologi. *Pidato Pengukuhan Guru Besar UGM*.
- Bakar, A. , Tanprawate, S., Lambu, G., *et al.*, 2016. Quality of life in primary headache disorders: a review. *Cephalalgia*. 36 (1): 67e91.
- Ceder, K.M., Haanpaa, M., Korhonen, P.E., *et al.*, 2019. The role of psychosocial risk factors in the burden of headache. *Journal of Pain Research*. 12:1733–1741.
- Costa, L.G., Cole, T.B., Vitalone, A., *et al.*, 2005. Measurement of paraoxonase (PON1) status as a potential biomarker of susceptibility to organophosphate toxicity. *Clinica Chimica Acta*. 352(1-2):37–47.
- Dahlan, M.S., 2010. Besar Sampel Untuk Desain Khusus. *Besar Sampel dan Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Ed. 2 Jakarta: Salemba Medika.
- Dasgupta,S.,Meisner,C.,Wheeler,D., *et al.*, 2007. Pesticide poisoning of farm workers : implications of blood test results from Vietnam. *International Journal of Hygiene and Environmental Health*. 210(2):121-132.
- Eckeli, F.D., Teixeira, R.A., Gouvea, A.L. 2016. Neuropathic pain evaluation tools. *J. Rev Dor. São Paulo*,17(Suppl 1):S20-2.
- Friedman, B.W., Grosberg. 2009. Diagnosis and Management of the Primary Headache Disorders in the Emergency Department Setting. *Emerg Med Clin*. 27: 71–87.
- Gomes, J.,Lloyd,O.,Revitt,M.D.,*et al.*, 1998. Morbidity among farm workers in desert country in relation to long-term exposure to pesticides. *Scand J Work Environ Health*. 24(3):213-219.

- Gorelick, P.B., Testai, F.D., Hankey, G.J., *et al.*, 2014. *Hankey's Clinical Neurology*. Edisi ke-2. CRC Press. Florida.
- Grosberg, B.M., Friedman, B.W., Solomon, S. 2013. *Approach to the Patient with Headache*. Hong Kong, Wiley Blackwell: p.16-25.
- Hamada, A.J., Singh, A., Agarwal, A. 2011. Cell Phones and their Impact on Male Fertility: Fact or Fiction. *The Open Reproductive Science Journal*. 5:125-137.
- Hamzah, N.A., Hashim, Z., Husna, N., *et al.*, 2015. Blood Cholinesterase Level and Cognitive Functioning among Primary School Children near Paddy Field in Tanjung Karang, Selangor. *Australian Journal of Basic and Applied Sciences*. P49-55.
- Henn, B.C., McMaster, S., and Padilla, S. 2006. Measuring cholinesterase activity in human saliva. *Journal of Toxicology and Environmental Health A*. 69(19):1805–1818.
- Hongsibsong, S., Sittitoo, N., Sapbamrer, R. 2017. Association of health symptoms with low-level exposure to organophosphates, DNA damage, AChE activity, and occupational knowledge and practice among rice, corn, and double-crop farmers. *Journal of Occupational Health*. 59: 165-176.
- Iliopoulos, P., Damigos, D., Kerezoudi, E., *et al.*, 2015. Trigger factors in primary headaches subtypes: a cross-sectional study from a tertiary centre in Greece. *BMC Res Notes*. 8: 393 - 402.
- International Classification of Headache Disorders (3rd edition - beta version). 2017. Tersedia pada: <https://www.ichd-3.org/>.
- Istriana, E., Kurnia, A., Weijers, A., *et al.*, 2013. Excellent reliability of the Hamilton Depression Rating Scale (HDRS-21) in Indonesia after training. *Asia Pacific Psychiatry*. DOI:10.1111/appy.12083.
- Jokanovic, M. 2018. Neurotoxic effects of organophosphorus pesticides and possible association with neurodegenerative diseases in man: A review. *Toxicology*. 410:125-131
- Karcioglu, O., Topacoglu, H., Dikme, O. 2018. A systematic review of the pain scales in adults: which to use?. *American Journal of Emergency Medicine*. (36):707–714.
- Kelompok studi nyeri kepala, PERDOSSI. 2018. *Konsensus Nasional V. Diagnostik dan penatalaksanaan nyeri kepala*. Airlangga University Press.

Surabaya.

Kelompok studi nyeri, PERDOSSI. 2019. *Diagnosis dan Penatalaksanaan Nyeri*. Airlangga University Press. Surabaya.

Kosinski M., Bayliss M.S., Bjorner J.B. A six-item short-form survey for measuring headache impact: the HIT-6. *Qual Life Res.* 2003. 12: 963–974.

Lance, J.W. 1993. *Mechanism and Management of Headache*. 5 th ed. Butterworth , London.

Leszczynski, D., Joenvaara, S., Reininen,J., *et al.*, 2002. Nonthermal Activation of the Stress Pathway by Mobile Phone Radiation in Human Endothelial Cells: Molecular Mechanism for Cancer and Bloodbrain Barrier-related Effects. *Differentiation*. 70:120-129.

Lotti, M., Moretto, A. 2005. Organophosphate induced delayed polyneuropathy. *Toxicol Rev.* 24 (1): 37-49.

McMahon, S.B, Koltzenburg, M., Tracey, I., *et al.*, 2013. *Wall and Melzack's Textbook of Pain* : Sixth Edition. Elsevier Saunders.

Medina, A.S. , Lizarraga,A.U., Cuevas, M.S.B. , *et al.*, 2019. Neuropsychiatric Disorders in Farmers Associated with Organophosphorus Pesticide Exposure in a Rural Village of Northwest México. *International Journal of Environmental Research and Public Health*. 16:689.

Messlinger, K. 2009. Migraine: where and how does the pain originate?. *Exp.Brain Res.* 196: 179-193.

Mwabulambo SG, Mrema EJ, Ngowi AV, *et al.*, 2018. Health Symptoms Associated with Pesticides Exposure among Flower and Onion Pesticide Applicators in Arusha Region. *Ann Glob Health*. 84(3):369–379.

Naughton, S.X., Alvin, V.T.R. 2018. Neurotoxicity in acute and repeated organophosphate exposure. *Toxicology*. September 01; 408: 101–112.

Nibby, H. 2009. Increased Blood Brain Barrier Permeability in Mammalian Brain 7 days after Exposure to the Radiation from a GSM-900. *Mobile Phone Pathophysiology*. 599.

Noor, HF. 2010. *Ekonomi Media*. Jakarta: PT Raja Grafindo Persada; pp. 12.

Palm, P., Risberg, E.H., Mortimer, M., *et al*, 2007. Computer use, Neck And UpperExtremity Symptoms,Eyestrain And Headache Among Female And Male Upper Secondary School Students. *SJWEH*. Suppl. 3:33–41.

- Pangihutan, J.C., Manalu, D.S.T. 2019. Hubungan Pengetahuan, Sikap dan Tindakan Petani dengan Penggunaan Pestisida di Kabupaten Bandung Barat, Jawa Barat. *Jurnal Penyuluhan Pertanian*. 14:1.
- Pemerintah Daerah Kabupaten Magelang (Pemkab Magelang). 2012. *Buku Putih Kabupaten Magelang 2012*. Pemerintah Daerah Kabupaten Magelang. Kabupaten Magelang.
- Perwitasari, D.A., Prasasti, D., Supadmi, W., *et al.*, 2017. Impact of organophosphate exposure on farmers' health in Kulon Progo, Yogyakarta: Perspectives of physical, emotional and social health. *SAGE open medicine*. 5:1-6.
- Porst, M., Wengler, A., Leddin, J., *et al.*, 2020. Migraine and tension-type headache in Germany. Prevalence and disease severity from the BURDEN 2020 Burden of Disease Study. *Journal of Health Monitoring*. 5(S6).
- Prabowo, K. 2002. Hubungan antara Karakteristik Individu dan Pekerjaan dengan Aktivitas Kholinesterase Darah pada Petani Pengguna Pestisida di Kabupaten Bandung Tahun 2001. *Tesis*. FKM UI. Depok. Indonesia.
- Price, S.A., Wilson, L.M. 2006. *Patofisiologi : Konsep Klinis Proses-Proses Penyakit*. Edisi 6. Volume 1. EGC. Jakarta.
- Prihadi. 2007. *Faktor-faktor yang berhubungan dengan efek kronis keracunan pestisida organofosfat pada petani sayuran di Kecamatan Ngablak Kabupaten Magelang*. Universitas Diponegoro. Semarang.
- Prijanto, T.B. 2009. *Analisis Faktor Risiko Keracunan Pestisida Organofosfat Pada Keluarga Petani Holtikultura di Kecamatan Ngablak Kabupaten Magelang*. Universitas Diponegoro. Semarang.
- Putri, P.N., Gofir, A., Asmedi, A. 2021. Hubungan Penggunaan Alat Pelindung Diri Terhadap Amplitudo Sensory Nerve Action Potential Pada Petani Terpapar Pestisida di Kecamatan Ngablak, Kabupaten Magelang. *Laporan Hasil Penelitian Tesis*. Universitas Gadjah Mada, Indonesia.
- Rahardjo, L.P., Gofir, A., Sutarni, S. 2018. Korelasi Kadar Kholinesterase Darah dengan Gangguan Kognitif pada Petani Terpapar Pestisida di Kabupaten Magelang. *Laporan Hasil Penelitian*. Universitas Gadjah Mada, Indonesia.
- Rahman, A., Sutarni, S., Thursina, C., 2017. Korelasi Kadar Kholinesterase Darah dengan Fungsi Kognitif Anak Usia Sekolah dengan Riwayat Paparan Pestisida di Kecamatan Ngablak, Kabupaten Magelang. *Laporan Hasil Penelitian*. Universitas Gadjah Mada, Indonesia.

- Ramdan, I.M. 2018. Reliability and Validity Test of the Indonesian Version of the Hamilton Anxiety Rating Scale (HAM-A) to Measure Work-related Stress in Nursing. *Jurnal Ners.* 14(1).
- Rasipin, Setiani, O., Hanani, Y. 2011. Faktor-Faktor yang Berhubungan dengan Kejadian Goiter pada Siswa-siswa SD di Wilayah Pertanian (Penelitian di Kecamatan Bulakamba Kab. Brebes). *Tesis.* Universitas Diponegoro. Semarang.
- Rastogi, S.K., Tripathi, S., Ravishanker, D. 2010. A study of neurologic symptoms on exposure to organophosphate pesticides in the children of agricultural workers. *Indian Journal of Occupational and Environmental Medicine.* 14(2):54-57.
- Rori, A.A., Tumboimbela, M.J., Kembuan, M. 2016. Gambaran nyeri kepala pada mahasiswa pemain game komputer di Fakultas Kedokteran Universitas Sam Ratulangi Angkatan 2012. *Jurnal e-Clinic.* 4(1).
- Ross, S.M., Mcmanus, I.C., Harrison, V., *et al.*, 2013. Neurobehavioral problems following low-level exposure to organophosphate pesticides: A systematic and meta-analytic review. *Crit. Rev. Toxicol.* 43: -44.
- Rustia, N., Hana, Sussana, *et al.*, 2009. *Pengaruh Paparan Pestisida Golongan Organofosfat terhadap Penurunan Aktivitas Enzim Cholinesterase dalam Darah Petani Sayuran Penyemprot Pestisida.* Universitas Indonesia. Depok.
- Sastroasmoro, S. 2011. *Dasar-dasar Metodologi Penelitian Klinis Edisi Ke-4.* Jakarta : Sagung Seto.
- Shevel, E., Spiering, E.H. 2004. Cervical Muscles in the Pathogenesis of Migrain Headache. *Headache Pain.* 5:12-14.
- Simarmata, J. 2006. *Pengenalan Teknologi Komputer dan Informasi.* C.V Andi Offset. Yogyakarta. pp. 2-128.
- Sjahrir H. 2008. *Nyeri kepala dan vertigo.* Pustaka Cendekia Press. Yogyakarta.
- Stovner, L.J., Hagen, K., Jensen, K., *et al.*, 2007. The Global Burden of Headache: A Documentation of Prevalence and Disability Worldwide. *Cephalalgia.* 27:193-210.
- Stuart & Sunden. 2001. *Principle and practice of Psichiatric .* Masby Year Book.
- Sutarni, S., Wibowo, S., Lamsudin, R., Soeripto. 2003. Neuropati Akibat Paparan Fenitrothion Pada Penyemprot Vektor Malaria. *Disertasi.* Universitas

Gadjah Mada. Yogyakarta.

- Sutarni, S., Gofir, A., Ghozali, R. 2007. *Sari Neurotoksikologi*. Pustaka Cendekia Press. Yogyakarta.
- Tan, D.H., Peng, S.Q., Wub, Y.L., *et al.*, 2009. Chronic organophosphate (OP)-induced neuropsychiatric disorder is a withdrawal syndrome. *Med. Hypotheses*. 72, 405–406.
- Yuantari ,M.G. 2009. *Studi Ekonomi Lingkungan Penggunaan Pestisida dan Dampaknya Pada Kesehatan Petani di Area Pertanian Holtikultura Desa Sumber Rejo Kecamatan Ngablak Kabupaten Magelang Jawa Tengah*. Universitas Diponegoro. Semarang.
- Yudiyanta, Khoirunnisa, N., Novitasari, R.W. 2015. *Assessment Nyeri*. CDK. 226/vol.42:3.
- Zulaikhah,S., Gofir,A., Sutarni, S. 2019. Uji reliabilitas headache screening questionnaire modifikasi Indonesia (HSQ-Ina) untuk skrining awal nyeri kepala primer dan headache impact test modifikasi Indonesia (HIT-6-Ina) untuk menilai dampak nyeri kepala terhadap kehidupan. *Poster JogjaClan* . Yogyakarta.
- Wicaksono, A.R., Sutarni, S., Gofir, A., 2018. Korelasi Kadar Kholinesterase Darah dengan Gambaran Nerve Conduction Study pada Petani Terpapar Pestisida di Kecamatan Ngablak Kabupaten Magelang Jawa Tengah. *Thesis*. Universitas Gadjah Mada, Indonesia.