

DAFTAR PUSTAKA

- Adebo, O. A., dan Medina-Meza, I. G. (2020). Impact of fermentation on the phenolic compounds and antioxidant activity of whole cereal grains: A mini review. *Molecules*, 25(4), 1–19. <https://doi.org/10.3390/molecules25040927>
- Adie, M. M. (2014). Prospek Kedelai Hitam Varietas Detam-1 dan Detam-2. *Buletin Palawija*, 0(18), 66–72. <https://doi.org/10.21082/bulpalawija.v0n18.2009.p66-72>
- Amarowicz, R., dan Pegg, R. B. (2019). Natural antioxidants of plant origin. In *Advances in Food and Nutrition Research* (1st ed., Vol. 90). Elsevier Inc. <https://doi.org/10.1016/bs.afnr.2019.02.011>
- Apriliani, D. M. (2020). *Pengaruh Konsentrasi Susu Skim terhadap Keasaman Selama Fermentasi Sari Kedelai Hitam (Glycine max (L) Merrit) oleh Bakteri Asam Laktat*.
- Astadi, I. R., Astuti, M., Santoso, U., dan Nugraheni, P. S. (2009). In vitro antioxidant activity of anthocyanins of black soybean seed coat in human low density lipoprotein (LDL). *Food Chemistry*, 112(3), 659–663. <https://doi.org/10.1016/j.foodchem.2008.06.034>
- Battistini, C., Gullón, B., Ichimura, E. S., Gomes, A. M. P., Ribeiro, E. P., Kunigk, L., Moreira, J. U. V., dan Jurkiewicz, C. (2018). Development and characterization of an innovative synbiotic fermented beverage based on vegetable soybean. *Brazilian Journal of Microbiology*, 49(2), 303–309. <https://doi.org/10.1016/j.bjm.2017.08.006>
- Baú, T. R., Garcia, S., dan Ida, E. I. (2015). Changes in soymilk during fermentation with kefir culture: Oligosaccharides hydrolysis and isoflavone aglycone production. *International Journal of Food Sciences and Nutrition*, 66(8), 845–850. <https://doi.org/10.3109/09637486.2015.1095861>
- Bernat, N., Cháfer, M., Chiralt, A., dan González-Martínez, C. (2014). Hazelnut milk fermentation using probiotic *Lactobacillus rhamnosus* GG and inulin. *International Journal of Food Science and Technology*, 49(12), 2553–2562. <https://doi.org/10.1111/ijfs.12585>
- Bernata, N., Cháfera, M., Chiralt, A., dan González-Martínez, C. (2015). Probiotic fermented almond “milk” as an alternative to cow-milk yoghurt. *International Journal of Food Studies*, 4(2), 201–211. <https://doi.org/10.7455/ijfs/4.2.2015.a8>
- Blois, M. S. (1958). Antioxidant determinations by the use of a stable free radical [10]. *Nature*, 181(4617), 1199–1200. <https://doi.org/10.1038/1811199a0>
- Cairns, J. R. K., dan Esen, A. (2010). β -Glucosidases. *Cellular and Molecular Life Sciences*, 67(20), 3389–3405. <https://doi.org/10.1007/s00018-010-0399-2>
- Denkova, Z., Yanakieva, V., Denkova, R., Dobrev, I., dan Kozludzhova, S. (2013). Examining the possibilities for application of pea milk in obtaining fermented probiotic foods. *Scientific Papers of the University of Russia*, 52(January), 8–13.
- Dimitrova, M., Ivanov, G., Mihalev, K., Slavchev, A., Ivanova, I., dan Vlaseva, R. (2019). Investigation of antimicrobial activity of polyphenol-enriched extracts against

- probiotic lactic acid bacteria. *Food Science and Applied Biotechnology*, 2(1), 67.
<https://doi.org/10.30721/fsab2019.v2.i1.57>
- Ding, W. K., dan Shah, N. P. (2010). Enhancing the biotransformation of isoflavones in soymilk supplemented with lactose using probiotic bacteria during extended fermentation. *Journal of Food Science*, 75(3). <https://doi.org/10.1111/j.1750-3841.2010.01526.x>
- Djaafar, T. F. (2013). *Bakteri Asam Laktat Indigenos dan Peranannya dalam Fermentasi Susu Kerandang (Canavalia virosa); Perubahan Oligosakarida dan Isoflavon serta Aktivitas Antioksidan*.
- Djaafar, T. F., Cahyanto, M. N., Santoso, U., dan Rahayu, E. S. (2013). Growth of indigenos lactic acid bacteria *Lactobacillus plantarum*-pentosus T14 and *Lactobacillus plantarum*-pentosus T35 in kerandang (*Canavalia virosa*) milk and changes of raffinose. *Malaysian Journal of Microbiology*, 9(2), 213–218.
<https://doi.org/10.1017/CBO9781107415324.004>
- Endo, A., dan Dicks, L. M. T. (2014). Physiology of the LAB. In W. H. Holzapfer dan B. J. B. Wood (Eds.), *Lactic Acid Bacteria : Biodiversity and Taxonomy* (pp. 13–20). John Wiley and Sons Ltd.
- Ertan, K., Bayana, D., Gökçe, Ö., Alatossava, T., Yılmaz, Y., dan Gürsoy, O. (2017). Total Antioxidant Capacity and Phenolic Content of Pasteurized and UHTTreated Cow Milk Samples Marketed in Turkey. *Akademik Gıda, August*, 103–108.
<https://doi.org/10.24323/akademik-gida.333630>
- Feng, S., Saw, C. L., Lee, Y. K., dan Huang, D. (2008). Novel process of fermenting black soybean [*Glycine max* (L.) Merrill] yogurt with dramatically reduced flatulence-causing oligosaccharides but enriched soy phytoalexins. *Journal of Agricultural and Food Chemistry*, 56(21), 10078–10084. <https://doi.org/10.1021/jf801905y>
- Fitrotin, U., Utami, T., Hastuti, P., dan Santoso, U. (2015). Antioxidant Properties of Fermented Sesame Milk Using *Lactobacillus plantarum* Dad 13. *International Research Journal of Biological Sciences*, 4(6), 56–61. www.isca.me
- Gury, J., Barthelmebs, L., Tran, N. P., Diviès, C., dan Cavin, J. F. (2004). Cloning, Deletion, and Characterization of PadR, the Transcriptional Repressor of the Phenolic Acid Decarboxylase-Encoding padA Gene of *Lactobacillus plantarum*. *Applied and Environmental Microbiology*, 70(4), 2146–2153.
<https://doi.org/10.1128/AEM.70.4.2146-2153.2004>
- Halliwell, B., dan Gutteridge, J. M. C. (1989). *Free Radicals in Biology and Medicine*. Clarendon Press.
- Hati, S., Vij, S., Singh, B. P., dan Mandal, S. (2014). β -Glucosidase activity and bioconversion of isoflavones during fermentation of soymilk. In *Journal of the Science of Food and Agriculture* (Vol. 95, Issue 1, pp. 216–220).
<https://doi.org/10.1002/jsfa.6743>
- Hefnawy, H. T. M., dan Ramadan, M. F. (2011). Physicochemical characteristics of soy protein isolate and fenugreek gum dispersed systems. *Journal of Food Science and Technology*, 48(3), 371–377. <https://doi.org/10.1007/s13197-010-0203-1>
- Hou, A., Chen, P., Shi, A., Zhang, B., dan Wang, Y.-J. (2009). Sugar Variation in Soybean Seed Assessed with a Rapid Extraction and Quantification Method. *International Journal of Agronomy*, 2009, 1–8. <https://doi.org/10.1155/2009/484571>

- Hsiao, Y. H., dan Hsieh, J. F. (2018). The conversion and deglycosylation of isoflavones and anthocyanins in black soymilk process. *Food Chemistry*, 261(March), 8–14. <https://doi.org/10.1016/j.foodchem.2018.03.152>
- Huang, G., Cai, W., dan Xu, B. (2017). Improvement in beta-carotene, vitamin B2, GABA, free amino acids and isoflavones in yellow and black soybeans upon germination. *LWT - Food Science and Technology*, 75, 488–496. <https://doi.org/10.1016/j.lwt.2016.09.029>
- Joshi, J., dan Rahal, A. (2018). Effect of processing method on nutritional quality of black soybean. *Asian Journal of Dairy and Food Research*, 37(02), 162–164. <https://doi.org/10.18805/ajdfr.dr-1338>
- Julio, A. (2019). *Fermentasi Sari Kedelai Hitam (Glycine max (L) Merrit) menggunakan Streptococcus thermophilus Dad 11 dan Lactobacillus plantarum Dad 13 dengan Variasi Penambahan Campuran Sukrosa dan Susu Skim*.
- Kant, R., dan Broadway, A. (2015). The Benefits of Consuming Soya milk- A Review. *Trends in Biosciences*, 8(5), 1159–1162.
- Kartika, I. (2019). *Pengaruh Penambahan Sukrosa pada Fermentasi Sari Koro Pedang Putih (Canavalia ensiformis L.) terhadap Pertumbuhan Bakteri Asam Laktat dan Produksi Asamnya*.
- Kim, G. P., Lee, J., Ahn, K. G., Hwang, Y. S., Choi, Y., Chun, J., Chang, W. S., dan Choung, M. G. (2014). Differential responses of B vitamins in black soybean seeds. *Food Chemistry*, 153, 101–108. <https://doi.org/10.1016/j.foodchem.2013.12.047>
- Kulkarni, U. N. (2019). Physico-chemical properties of black and yellow soybean (*Glycine max* L.) Genotype. ~ 33 ~ *The Pharma Innovation Journal*, 8(7), 33–37. www.thepharmajournal.com
- Kumaran, A., dan Karunakaran, R. J. (2007). Activity-guided isolation and identification of free radical-scavenging components from an aqueous extract of *Coleus aromaticus*. *Food Chemistry*, 100(1), 356–361. <https://doi.org/10.1016/j.foodchem.2005.09.051>
- Lee, J. H., dan Cho, K. M. (2012). Changes occurring in compositional components of black soybeans maintained at room temperature for different storage periods. *Food Chemistry*, 131(1), 161–169. <https://doi.org/10.1016/j.foodchem.2011.08.052>
- Lee, J. H., Kim, B., Hwang, C. E., Haque, M. A., Kim, S. C., Lee, C. S., Kang, S. S., Cho, K. M., dan Lee, D. H. (2018). Changes in conjugated linoleic acid and isoflavone contents from fermented soymilks using *Lactobacillus plantarum* P1201 and screening for their digestive enzyme inhibition and antioxidant properties. *Journal of Functional Foods*, 43(September 2017), 17–28. <https://doi.org/10.1016/j.jff.2018.01.022>
- Lee, K. H., Kim, S. H., Woo, K. S., Kim, H. J., Choi, H. S., Kim, Y. H., dan Song, J. (2016). Functional beverage from fermented soymilk with improved amino nitrogen, β -glucosidase activity and aglycone content using *Bacillus subtilis* starter. *Food Science and Biotechnology*, 25(5), 1399–1405.
- Lee, K. J., Baek, D. Y., Lee, G. A., Cho, G. T., So, Y. S., Lee, J. R., Ma, K. H., Chung, J. W., dan Hyun, D. Y. (2020). Phytochemicals and antioxidant activity of korean black soybean (*Glycine max* l.) landraces. *Antioxidants*, 9(3), 1–12. <https://doi.org/10.3390/antiox9030213>
- Lee, M., Hong, G. E., Zhang, H., Yang, C. Y., Han, K. H., Mandal, P. K., dan Lee, C. H. (2015). Production of the isoflavone aglycone and antioxidant activities in black

- soymilk using fermentation with *Streptococcus thermophilus* S10. *Food Science and Biotechnology*, 24(2), 537–544. <https://doi.org/10.1007/s10068-015-0070-7>
- Leksono, B. Y. (2019). *Fermentasi Sari Kedelai Hitam (Glycine max (L) Merrit) Menggunakan Lactobacillus plantarum WGK 4 dan Lactobacillus paracasei WGK 5 dengan Penambahan Campuran Sukrosa dan Susu Skim*.
- Liu, B., Xiao, X., Zhou, X., Zhou, J., Lan, L., Long, X., Pan, Y., Du, M., dan Zhao, X. (2019). Effects of *Lactobacillus plantarum* CQPC01-fermented soybean milk on activated carbon-induced constipation through its antioxidant activity in mice. In *Food Science and Nutrition* (Vol. 7, Issue 6, pp. 2068–2082). <https://doi.org/10.1002/fsn3.1048>
- Liu, K. (2015). Soybean: Overview. In *Encyclopedia of Food Grains: Second Edition* (2nd ed., Vols. 1–4). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-394437-5.00028-0>
- Lopes, D. B., Queiros, L. D., de Avila, A., Monteiro, N. E. S., dan Macedo, G. A. (2017). Bioconversions of Isoflavones in Bioactive Compounds. In *Food Bioconversion*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-811413-1/00002-4>
- Marazza, J. A., Garro, M. S., dan Savoy de Giori, G. (2009). Aglycone production by *Lactobacillus rhamnosus* CRL981 during soymilk fermentation. *Food Microbiology*, 26(3), 333–339. <https://doi.org/10.1016/j.fm.2008.11.004>
- Mozzi, F. (2015). Lactic Acid Bacteria. *Encyclopedia of Food and Health*, 501–508. <https://doi.org/10.1016/B978-0-12-384947-2.00414-1>
- Myagmardorj, B., Purev, M.-E., dan Batdorj, B. (2018). Functional properties of fermented soymilk by *Lactobacillus fermentum* BM-325. *Mongolian Journal of Chemistry*, 19(45), 32–37. <https://doi.org/10.5564/mjc.v19i45.1087>
- Nishinari, K., Kim, B. S., Fang, Y., Nitta, Y., dan Takemasa, M. (2006). Rheological and related study of gelation of xyloglucan in the presence of small molecules and other polysaccharides. *Cellulose*, 13(4), 365–374. <https://doi.org/10.1007/s10570-005-9041-0>
- Nurrahman, N. (2015). Evaluasi Komposisi Zat Gizi Dan Senyawa Antioksidan Kedelai Hitam Dan Kedelai Kuning. *Jurnal Aplikasi Teknologi Pangan*, 4(3), 89–93. <https://doi.org/10.17728/jatp.v4i3.133>
- Odo, T. (2003). Soy (Soya) Milk. *Encyclopedia of Food Sciences and Nutrition*, 1(1), 5403–5406. <https://doi.org/10.1016/b0-12-227055-x/01114-7>
- Pamungkaningtyas, F. H., Mariyatun, M., Kamil, R. Z., Setyawan, R. H., Hasan, P. N., Wiryohanjoyo, D. V., Nurfiani, S., Zulaichah, E., Utami, I. S., Utami, T., dan Rahayu, E. S. (2018). Sensory Evaluation of Yogurt-like Set and Yogurt-like Drink Produced by Indigenous Probiotic Strains for Market Test. *Indonesian Food and Nutrition Progress*, 15(1), 1. <https://doi.org/10.22146/ifnp.31010>
- Pokorný, J. (2001). Introduction. *Antioxidants in Food*, 1–3. <https://doi.org/10.1016/9781855736160.1>
- Priambudi, I. (2020). *Pengaruh Konsentrasi Sukrosa Terhadap Keasaman Selama Fermentasi Sari Kedelai Hitam (Glycine max (L) Merrit) oleh Bakteri Asam Laktat*.
- Puspasari, D. A. (2019). *Pengaruh Suhu dan Waktu Pengeringan terhadap kktivitas Angiotensin Converting Enzyme (ACE) Inhibitor dan Antioksidan Tepung Tempe Mix Grains Kedelai (Glycine mal L.) - Koro Pedang Putih (Canavalia ensiformis L.)*.

- Rahayu, E. S. (2003). Lactic Acid Bacteria in Fermented Foods of Indonesian Origin. *AgriTECH*, 23(2). <https://doi.org/10.22146/agritech.13515>
- Rekha, C. R., dan Vijayalakshmi, G. (2010a). Bioconversion of isoflavone glycosides to aglycones, mineral bioavailability and vitamin B complex in fermented soymilk by probiotic bacteria and yeast. *Journal of Applied Microbiology*, 109(4), 1198–1208. <https://doi.org/10.1111/j.1365-2672.2010.04745.x>
- Rekha, C. R., dan Vijayalakshmi, G. (2010b). Bioconversion of isoflavone glycosides to aglycones, mineral bioavailability and vitamin B complex in fermented soymilk by probiotic bacteria and yeast. *Journal of Applied Microbiology*, 109(4), 1198–1208. <https://doi.org/10.1111/j.1365-2672.2010.04745.x>
- Rodríguez, H., Curiel, J. A., Landete, J. M., de las Rivas, B., de Felipe, F. L., Gómez-Cordovés, C., Mancheño, J. M., dan Muñoz, R. (2009). Food phenolics and lactic acid bacteria. *International Journal of Food Microbiology*, 132(2–3), 79–90. <https://doi.org/10.1016/j.ijfoodmicro.2009.03.025>
- Saha, S., Gupta, A., Mahajan, V., Kundu, S., dan Gupta, H. S. (2008). Physicochemical and nutritional attributes in 20 black soybean lines (*Glycine Max* L.) of Himalayan region, India. *Journal of Food Quality*, 31(1), 79–95. <https://doi.org/10.1111/j.1745-4557.2007.00185.x>
- Salar, R. K., Certik, M., dan Brezova, V. (2012). Modulation of phenolic content and antioxidant activity of maize by solid state fermentation with *thamnidium elegans* CCF 1456. *Biotechnology and Bioprocess Engineering*, 17(1), 109–116. <https://doi.org/10.1007/s12257-011-0455-2>
- Santoso, U. (2021). *Antioksidan Pangan* (3rd ed.). Gadjah Mada University Press.
- Scalabrini, P., Rossi, M., Spettoli, P., dan Matteuzzi, D. (1998). Characterization of *Bifidobacterium* strains for use in soymilk fermentation. *International Journal of Food Microbiology*, 39(3), 213–219. [https://doi.org/10.1016/S0168-1605\(98\)00005-1](https://doi.org/10.1016/S0168-1605(98)00005-1)
- Setchell, K. D. R., Brown, N. M., Zimmer-Nechemias, L., Brashear, W. T., Wolfe, B. E., Kirschner, A. S., dan Heubi, J. E. (2002). Evidence for lack of absorption of soy isoflavone glycosides in humans, supporting the crucial role of intestinal metabolism for bioavailability. *American Journal of Clinical Nutrition*, 76(2), 447–453. <https://doi.org/10.1093/ajcn/76.2.447>
- Shin, E. C., Lee, J. H., Hwang, C. E., Lee, B. W., Kim, H. T., Ko, J. M., Baek, I. Y., Shin, J. H., Nam, S. H., Seo, W. T., dan Cho, K. M. (2014). Enhancement of total phenolic and isoflavone-aglycone contents and antioxidant activities during Cheonggukjang fermentation of brown soybeans by the potential probiotic *Bacillus subtilis* CSY191. *Food Science and Biotechnology*, 23(2), 531–538. <https://doi.org/10.1007/s10068-014-0073-9>
- Singh, B. P., dan Vij, S. (2018a). α -Galactosidase activity and oligosaccharides reduction pattern of indigenos lactobacilli during fermentation of soy milk. *Food Bioscience*, 22, 32–37. <https://doi.org/10.1016/j.fbio.2018.01.002>
- Singh, B. P., dan Vij, S. (2018b). α -Galactosidase activity and oligosaccharides reduction pattern of indigenos lactobacilli during fermentation of soy milk. *Food Bioscience*, 22, 32–37. <https://doi.org/10.1016/j.fbio.2018.01.002>
- Singleton, V. L., Orthofer, R., dan Lamuela-Raventos, R. M. (1999). Analysis of Total Phenols and Other Oxidation Substrates and Antioxidants by Means of Folin-

- Ciocalteu Reagent. *Methods in Enzymology*, 299(14), 152–178.
<https://doi.org/10.1007/BF02530903>
- Sulistiyowati, E., Martono, S., Riyanto, S., dan Lukitaningsih, E. (2019). Development and validation for free aglycones daidzein and genistein in soybeans (*Glycine max* (L.) Merr.) using RP HPLC method. *International Journal of Applied Pharmaceutics*, 11(2), 138–142. <https://doi.org/10.22159/ijap.2019v11i2.31222>
- Teneva-angelova, T., Hristova, I., dan Pavlov, A. (2018). Lactic Acid Bacteria : Through Food to Health. In *Food Quality: Balancing Health and Disease*. Elsevier Inc.
<https://doi.org/10.1016/B978-0-12-811443-8/00004-9>
- Teusink, B., dan Molenaar, D. (2017). Systems biology of lactic acid bacteria: For food and thought. *Current Opinion in Systems Biology*, 6, 7–13.
<https://doi.org/10.1016/j.coisb.2017.07.005>
- Titiek, F. D., Umar, S., Nur Cahyanto, M., Takuya, S., Endang, S. R., dan Kosuke, N. (2013). Effect of indigenos lactic acid bacteria fermentation on enrichment of isoflavone and antioxidant properties of kerandang (*Canavalia virosa*) extract. *International Food Research Journal*, 20(5), 2945–2950.
- Tsangalis, D., Ashton, J. F., McGill, A. E. J., dan Shah, N. P. (2002). Enzymic transformation of isoflavone phytoestrogens in soymilk by β -glucosidase-producing bifidobacteria. In *Journal of Food Science* (Vol. 67, Issue 8, pp. 3104–3113).
<https://doi.org/10.1111/j.1365-2621.2002.tb08866.x>
- Ulyatu, F., Pudji, H., Tyas, U., dan Umar, S. (2015a). The changes of sesaminol triglucoside and antioxidant properties during fermentation of sesame milk by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, 22(5), 1945–1952.
- Ulyatu, F., Pudji, H., Tyas, U., dan Umar, S. (2015b). The changes of sesaminol triglucoside and antioxidant properties during fermentation of sesame milk by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, 22(5), 1945–1952.
- Utami, A. W. (n.d.). *Pengaruh Penambahan Susu Skim pada Fermentasi Sari Koro Pedang Putih (Canavalia ensiformis (L.) DC) Terhadap Pertumbuhan Bakteri Asam Laktat, Produksi Asam, dan Karakteristik Fisiknya*.
- Utami, T., Cindarbhum, A., Khuangga, M. C., Rahayu, E. S., Cahyanto, M. N., Nurfiyanti, S., dan Zulaichah, E. (2020). Preparation of Indigenos Lactic Acid Bacteria Starter Cultures for Large Scale Production of Fermented Milk. *Digital Press Life Sciences*, 2, 00010. <https://doi.org/10.29037/digitalpress.22327>
- Utami, T., Giyarto, G., Djaafar, T. F., dan Rahayu, E. S. (2014). Growth of *Lactobacillus paracasei* SNP-2 in Peanut Milk and Its Survival in Fermented Peanut Milk Drink During Storage. *Indonesian Food and Nutrition Progress*, 13(1), 11.
<https://doi.org/10.22146/jifnp.116>
- Wang, Y. C., Yu, R. C., Yang, H. Y., dan Chou, C. C. (2003). Sugar and acid contents in soymilk fermented with lactic acid bacteria alone or simultaneously with bifidobacteria. *Food Microbiology*, 20(3), 333–338. [https://doi.org/10.1016/S0740-0020\(02\)00125-9](https://doi.org/10.1016/S0740-0020(02)00125-9)
- Wardani, S. K., Cahyanto, M. N., Rahayu, E. S., dan Utami, T. (2017). The effect of inoculum size and incubation temperature on cell growth, acid production and curd

- formation during milk fermentation by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, 24(3), 921–926.
- Wasik, A., McCourt, J., dan Buchgraber, M. (2007). Simultaneous determination of nine intense sweeteners in foodstuffs by high performance liquid chromatography and evaporative light scattering detection-Development and single-laboratory validation. *Journal of Chromatography A*, 1157(1–2), 187–196.
<https://doi.org/10.1016/j.chroma.2007.04.068>
- Xu, B., dan Chang, S. K. C. (2008). Antioxidant capacity of seed coat, dehulled bean, and whole black soybeans in relation to their distributions of total phenolics, phenolic acids, anthocyanins, and isoflavones. *Journal of Agricultural and Food Chemistry*, 56(18), 8365–8373. <https://doi.org/10.1021/jf801196d>
- Youssef, M., Lafarge, C., Valentin, D., Lubbers, S., dan Husson, F. (2016). Fermentation of cow milk and/or pea milk mixtures by different starter cultures: Physico-chemical and sensorial properties. *LWT - Food Science and Technology*, 69, 430–437.
<https://doi.org/10.1016/j.lwt.2016.01.060>
- Yudianti, N. F., Yanti, R., Cahyanto, M. N., Sujaya, I. N., Rahayu, E. S., dan Utami, T. (2020). Isolation and Characterization of Lactic Acid Bacteria from Legume Soaking Water of Tempeh Productions. *Digital Press Life Sciences 2*.
- Zhang, H., Yu, D., Sun, J., Liu, X., Jiang, L., Guo, H., dan Ren, F. (2014). Interaction of plant phenols with food macronutrients: Characterisation and nutritional-physiological consequences. *Nutrition Research Reviews*, 27(1), 1–15.
<https://doi.org/10.1017/S095442241300019X>
- Zhao, D., dan Shah, N. P. (2014a). Changes in antioxidant capacity, isoflavone profile, phenolic and vitamin contents in soymilk during extended fermentation. *LWT - Food Science and Technology*, 58(2), 454–462. <https://doi.org/10.1016/j.lwt.2014.03.029>
- Zhao, D., dan Shah, N. P. (2014b). Changes in antioxidant capacity, isoflavone profile, phenolic and vitamin contents in soymilk during extended fermentation. *LWT - Food Science and Technology*, 58(2), 454–462. <https://doi.org/10.1016/j.lwt.2014.03.029>
- Zhong, Y., dan Shahidi, F. (2015). Methods for the assessment of antioxidant activity in foods. In *Handbook of Antioxidants for Food Preservation* (Issue 2005). Elsevier Ltd.
<https://doi.org/10.1016/B978-1-78242-089-7.00012-9>
- Zuo, A., Yanying, Y., Li, J., Binbin, X., Xiongying, Y., Yan, Q., dan Shuwen, C. (2011). Study on the relation of structure and antioxidant activity of isorhamnetin, quercetin, phloretin, silybin and phloretin isonicotinyl hydrazone. *Free Radicals and Antioxidants*, 1(4), 39–47. <https://doi.org/10.5530/ax.2011.4.7>