

DAFTAR PUSTAKA

- Ad, M., Muhammad, J., Jk, B., Berghella, V., Ae, C., Rm, G., Jm, D., Akter, S. M., Roy, S. K., Thakur, S. K., Sultana, M., Khatun, W., Rahman, R., Saliheen, S. S., Alam, N., Haider, B. A., Olofin, I., Wang, M., Spiegelman, D., ... Hurrell, R. F. (2013). WHO analysis of causes of maternal death: a systematic review. *BMJ (Clinical Research Ed.)*, 346(6), f3443. <https://doi.org/10.1136/bmj.f3443>
- Alderman, H., Badham, J., Bielsalski, H., Bloem, M., Sforza, T., & Erhardt, J. (2007). *The Guidebook Nutritional Anemia* (J. Badham, M. B. Zimmermann, & K. Kraemer (eds.); 1st ed.). Sight and Life Press.
- Allen, L. H. (2000). Anemia and iron deficiency : effects on pregnancy outcome 1 – 3. *The American of Clinical Nutrition*, 71, 1280–1284.
- Armengaud, J. B., Zydorczyk, C., Siddeek, B., Peyter, A. C., & Simeoni, U. (2021). Intrauterine growth restriction: Clinical consequences on health and disease at adulthood. *Reproductive Toxicology*, 99, 168–176. <https://doi.org/10.1016/j.reprotox.2020.10.005>
- Asbee, S. M., Jenkins, T. R., & Butler, J. R. (2009). *Preventing Excessive Weight Gain During*. 113(2), 305–312.
- Ashwal, E., Hirsch, L., Melamed, N., Bardin, R., Wiznitzer, A., & Yogev, Y. (2014). Does the level of amniotic fluid have an effect on the accuracy of sonographic estimated fetal weight at term? [Http://Dx.Doi.Org/10.3109/14767058.2014.929113](http://Dx.Doi.Org/10.3109/14767058.2014.929113), 28(6), 638–642. <https://doi.org/10.3109/14767058.2014.929113>
- Atrash, H. K., Johnson, K., Mike, M., Cordero, F., & Howse, J. (2006). Preconception Care for Improving Perinatal Outcomes : The Time to Act. *Matern Child Health Journal*, 10, 3–11. <https://doi.org/10.1007/s10995-006-0100-4>
- Badan Penelitian dan Pengembangan Departemen Kesehatan. (2007). *Riset Kesehatan Dasar Laporan Nasional 2007*. http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2007/lap_rkd07.pdf
- Badan Penelitian Dan Pengembangan Kementerian Kesehatan. (2010). *RISSET KESEHATAN DASAR RISKESDAS 2010*.
- Badan Penelitian Dan Pengembangan Kementerian Kesehatan RI. (2013). *RISSET KESEHATAN DASAR RISKESDAS 2013*. <https://pusdatin.kemkes.go.id/resources/download/general/Hasil Riskesdas 2013.pdf>
- Bastani, F. (2012). The Effect of Education on Nutrition Behavioral Intention and Self- Efficacy in Women. 1. *Bastani F. The Effect of Education on Nutrition Behavioral Intention and Self- Efficacy in Women. Heal Scope*. 2012;1(1):12–7. *Health Scope*, 1(1), 12–17. <https://doi.org/10.5812/jhs.4520>
- Bateman, B. T., Berman, M. F., Riley, L. E., & Leffert, L. R. (2010). The epidemiology of postpartum hemorrhage in a large, nationwide sample of deliveries. *Anesthesia and Analgesia*. <https://doi.org/10.1213/ANE.0b013e3181d74898>
- Bayrami, R., Roudsari, R. L., Allahverdi-pour, H., Javadnoori, M., & Esmaily, H. (2016). Experiences of women regarding gaps in preconception care services in the Iranian

reproductive health care system. *Electronic Physicians*, May, 2416–2424.
<https://doi.org/10.14661/1412>

- Bhutta, Z. A. (2013). The Methodology of the INTERGROWTH-21st Project. *BJOG : An International Journal of Obstetrics and Gynaecology*, 120 Suppl(September).
- Biermann, J., Lang, A., Carol, D., Dubin, C., & Brann, A. (2006). Promising Practices in Preconception Care for Women at Risk for Poor Health and Pregnancy Outcomes. *Matern Child Health Journal*, 21–28. <https://doi.org/10.1007/s10995-006-0097-8>
- Brand Id, J. S., Gaillard Id, R., Id, J. W., Mceachan Id, R. R. C., Id, J. W., Voerman, E., Felix Id, J. F., Tilling, K., & Lawlor Id, D. A. (2019). Associations of maternal quitting, reducing, and continuing smoking during pregnancy with longitudinal fetal growth: Findings from Mendelian randomization and parental negative control studies. <https://doi.org/10.1371/journal.pmed.1002972>
- Breathnach, F., & Geary, M. (2008). Uterine Atony: Definition, Prevention, Nonsurgical Management, and Uterine Tamponade. *YSPER*, 33(2), 82–87. <https://doi.org/10.1053/j.semperi.2008.12.001>
- Carroli, G., Cuesta, C., & Abalos, E. (2008). Epidemiology of postpartum haemorrhage : a systematic review. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 22(6), 999–1012. <https://doi.org/10.1016/j.bpobgyn.2008.08.004>
- Centers for Disease Control and Prevention. (2014). *Health Effects Low Birthweight and the Environment - CDC Tracking Network*. CDC. <https://ephtracking.cdc.gov/showIndicatorPages.action?selectedContentAreaAbbreviation=8&selectedIndicatorId=14&selectedMeasureId=>
- Cha, E., Smart, M. J., Braxter, B. J., & Faulkner, M. S. (2021). Preconception Care to Reduce the Risks of Overweight and Obesity in Women of Reproductive Age: An Integrative Review. *Public Health*, 18, 4582. <https://doi.org/10.3390/ijerph>
- Chandranipapongse, W., & Koren, G. (2013). Preconception counseling for preventable risks. *Canadian Family Physician*, 59(7), 737–739.
- Chivers, B. R., Boyle, J. A., Lang, A. Y., Teede, H. J., Moran, L. J., & Harrison, C. L. (2020). Preconception Health and Lifestyle Behaviours of Women Planning a Pregnancy: A Cross-Sectional Study. *Journal of Clinical Medicine*, VI. <https://doi.org/10.3390/jcm9061701>
- Choi Pai, SH, Kim, SK, Ito, M, Park, CS, Cha, YN, J. W. (2002). Iron deficiency anemia increases nitric oxide production in healthy adolescents. In *Annals of Hematology* (Vol. 81, pp. 1–6).
- De-Regil, L., Pena-Rosas, J., Fernandez-Gaxiola, A., & Rayco-Solon, P. (2014). Effects and safety of periconceptional folate supplementaion for preventing birth defects (Review). *Cochrane Database of Systematic Reviews*, 35(12), 1–254. <https://doi.org/10.1002/14651858.CD007950.pub3.www.cochranelibrary.com>
- Dean, S. V, Imam, A. M., Lassi, Z. S., & Bhutta, Z. a. (2012). *Systematic Review of Preconception Risks and Interventions*. https://globalmotherchildresearch.tghn.org/site_media/media/articles/Preconception_Report.pdf

- Dean, S. V, Lassi, Z. S., Imam, A. M., & Bhutta, Z. A. (2014a). Preconception care: closing the gap in the continuum of care to accelerate improvements in maternal, newborn and child health. *Reproductive Health*, 11(Suppl 3), S1. <https://doi.org/10.1186/1742-4755-11-S3-S1>
- Dean, S. V, Lassi, Z. S., Imam, A. M., & Bhutta, Z. A. (2014b). Preconception care: nutritional risks and interventions. *Reproductive Health*, 11 Suppl 3(Suppl 3), S3. <https://doi.org/10.1186/1742-4755-11-S3-S3>
- Deeluea, J., Sirichotiyakul, S., Weerakiet, S., Arora, R., & Patumanond, J. (2013). Fundal Height Growth Curve for Underweight and Overweight and Obese Pregnant Women in Thai Population. *ISRN Obstetrics and Gynecology*, 2013, 1–8. <https://doi.org/10.1155/2013/657692>
- Dhaded, S. M., Hambidge, K. M., Ali, S. A., Somannavar, M., Saleem, S., Pasha, O., Khan, U., Herekar, V., Vernekar, S., Kumar, Y., Westcott, J. E., Thorsten, V. R., Sridhar, A., Das, A., McClure, E., Derman, R. J., Goldenberg, R. L., Koso-Thomas, M., Goudar, S. S., & Krebs, N. F. (2020). Preconception nutrition intervention improved birth length and reduced stunting and wasting in newborns in South Asia: The Women First Randomized Controlled Trial. *PLoS ONE*, 15. <https://doi.org/10.1371/journal.pone.0218960>
- Dimassi, K., Douik, F., Ajroudi, M., Triki, A., & Gara, M. F. (2015). Ultrasound Fetal Weight Estimation: How Accurate Are We Now Under Emergency Conditions? *Ultrasound in Medicine & Biology*, 41(10), 2562–2566. <https://doi.org/10.1016/J.ULTRASMEDBIO.2015.05.020>
- Dinas Kesehatan Kabupaten Bantul. (2016). Profil Kesehatan Kabupaten Bantul Tahun 2016 Data Tahun 2015. *Program*, 1–50. <https://doi.org/10.3406/arch.1977.1322>
- Dinkes. (2013). *Profil Kesehatan Propinsi DIY Tahun 2013*.
- Dundas, R., Ouédraogo, S., Bond, L., Briggs, A. H., Chalmers, J., Gray, R., Wood, R., & Leyland, A. H. (2014). Evaluation of Health in Pregnancy grants in Scotland: a protocol for a natural experiment. *BMJ Open*, 4(10), e006547. <https://doi.org/10.1136/bmjopen-2014-006547>
- Dunlop, A. L., Gardiner, P. M., Shellhaas, C. S., Menard, M. K., & Mcdiarmid, M. A. (2008). *The clinical content of preconception care : among women of reproductive age. December*, 367–372. <https://doi.org/10.1016/j.ajog.2008.07.065>
- Dunlop, A. L., Jack, B. W., Bottalico, J. N., Lu, M. C., James, A., Shellhaas, C. S., Hallstrom, L. H. K., Solomon, B. D., Feero, W. G., Menard, M. K., & Prasad, M. R. (2008). The clinical content of preconception care: women with chronic medical conditions. *American Journal of Obstetrics and Gynecology*, 199(6 SUPPL. B). <https://doi.org/10.1016/j.ajog.2008.08.031>
- Ebrahim, S. H., Lo, S. S., Zhuo, J., Pierre, J. H., & Li, D. (2006). Models of Preconception Care Implementation in Selected Countries. *Matern Child Health Journal*, 100, 37–42. <https://doi.org/10.1007/s10995-006-0096-9>
- Ekhtiari, Y. S., Majlessi, F., Foroushani, A. R., & Shakibazadeh, E. (2014). Effect of a self-care educational program based on the health belief model on reducing low birth weight among pregnant Iranian women. *International Journal of Preventive Medicine*, 5(1), 76–82.
- Elsinga, J., de Jong-Potjer, L. C., van der Pal-de Bruin, K. M., le Cessie, S., Assendelft, W. J. J.,



& Buitendijk, S. E. (2008). The Effect of Preconception Counselling on Lifestyle and Other Behaviour Before and During Pregnancy. *Women's Health Issues*, 18(6 SUPPL.).
<https://doi.org/10.1016/j.whi.2008.09.003>

- Frati, F. (2008). How to Create Effective Written. In *JGH Handbook*.
<https://cdn.ciusscentreouest.ca/documents/hgj/Library/HandbookEngJan20.pdf?1541434891>
- Frayne, D. J. (2017). Preconception care is primary care: A call to action. *American Family Physician*, 96(8), 492–494. https://doi.org/10.1007/978-3-319-04414-9_10
- Frayne, D. J., Verbiest, S., Chelmos, D., Clarke, H., Dunlop, A., Hosmer, J., Kathryn, M., Moos, M. K., Ramos, D., Stuebe, A., & Zephyrin, L. (2016). Health care system measures to advance preconception wellness. *Obstetrics and Gynecology*, 127(5), 863–872.
<https://doi.org/10.1097/AOG.0000000000001379>
- Girard, A. W., & Olude, O. (2012). Nutrition Education and Counselling Provided during Pregnancy: Effects on Maternal, Neonatal and Child Health Outcomes. *Paediatric and Perinatal Epidemiology*, 26(s1), 191–204. <https://doi.org/10.1111/j.1365-3016.2012.01278.x>
- Glanz, K., Rimer, B. K., & Viswanath, K. (2008). *Health Behavior and Health Education. Theory, Research, and Practice* (Fourth Ed). Jossey-Bass.
<http://transformationalchange.pbworks.com/f/HealtBehavior-Education.pdf>
- Gnoth, C., Godehardt, D., Godehardt, E., Frank-Herrmann, P., & Freundl, G. (2003). Time to pregnancy: Results of the German prospective study and impact on the management of infertility. *Human Reproduction*, 18(9), 1959–1966. <https://doi.org/10.1093/humrep/deg366>
- Haider, B. A., Olofin, I., Wang, M., Spiegelman, D., Ezzati, M., & Fawzi, W. W. (2013). Anaemia, prenatal iron use, and risk of adverse pregnancy outcomes: systematic review and meta-analysis. *BMJ (Clinical Research Ed.)*, 346(June), f3443. <https://doi.org/10.1136/bmj.f3443>
- Hall, J. A., Barrett, G., Copas, A., & Stephenson, J. (2017). London Measure of Unplanned Pregnancy: guidance for its use as an outcome measure. *Patient Related Outcome Measures Journal*, 43–56. <https://doi.org/https://doi.org/10.2147/PROM.S122420>
- Henrichs, J., Verfaillie, V., Viester, L., Westerneng, M., Molewijk, B., Franx, A., van der Horst, H., Bosmans, J. E., de Jonge, A., Jellema, P., van Baar, A. L., Bais, J., Bonsel, G. J., van Dillen, J., van Duijnhoven, N. T. L., Grobman, W. A., Groen, H., Hukkelhoven, C. W. P. M., Klomp, T., ... {collab} The IRIS Study Group. (2016). Effectiveness and cost-effectiveness of routine third trimester ultrasound screening for intrauterine growth restriction: Study protocol of a nationwide stepped wedge cluster-randomized trial in The Netherlands (The IRIS Study). *BMC Pregnancy and Childbirth*, 16(1), 1–11. <https://doi.org/10.1186/s12884-016-1104-8>
- Hidayati, M., Hadi, H., & Susilo, J. (2005). Kurang Energi Kronis dan Anemia Ibu Hamil Sebagai Faktor Risiko Kejadian Berat Bayi Lahir Rendah di Kota Mataram Propinsi Nusa Tenggara Barat. *Sains Kesehatan*, 18(4), 483–491. <http://i-lib.ugm.ac.id/jurnal/detail.php?dataId=469>
- Hillemeier, M. M., Downs, D. S., Feinberg, M. E., Weisman, C. S., Chuang, C. H., Parrott, R., Velott, D., Francis, L. A., Baker, S. A., Dyer, A.-M., & Chinchilli, V. M. (2009). Improving Women's Preconceptional Health. *Womens Health Issues*, 18(6 Suppl), S87–S96.

- Jack, B. W., Atrash, H., Coonrod, D. V., Moos, M. K., O'Donnell, J., & Johnson, K. (2008). The clinical content of preconception care: an overview and preparation of this supplement. *American Journal of Obstetrics and Gynecology*, 199(6 SUPPL. B). <https://doi.org/10.1016/j.ajog.2008.07.067>
- Jenny Carl, MD and D. Ashley Hill, M. (2009). Preconception Counseling : Make it part of the annual exam. *The Journal of Family Practice*, 43(2), 189–199. <https://doi.org/10.1016/j.rdc.2016.12.003>
- Johnson, K., Posner, S. F., Biermann, J., & Cordero, J. F. (2006). Recommendations to Improve Preconception Health and Health Care --- United States: A Report of the CDC / ATSDR Preconception Care Work Group and the Select Panel on Preconception Care. *Morbidity and Mortality Weekly Report*, 55(RR06), 1–23.
- Jourabchi, Z., Sharif, S., Lye, M. S., Saeed, A., Khor, G. L., & Tajuddin, S. H. S. (2018). Association Between Preconception Care and Birth Outcomes: <https://doi.org/10.1177/0890117118779808>, 33(3), 363–371. <https://doi.org/10.1177/0890117118779808>
- Kemenkes. (2014a). INFO DATIN KEMENKES RI Kondisi Pencapaian Program Kesehatan Anak Indonesia. *Infodatin*, 53, 160. <https://doi.org/10.1017/CBO9781107415324.004>
- Kemenkes, R. (2014b). *Permenkes nomor 97 tahun 2014*.
- Kerber, K. J., Graft-johnson, J. E. De, Bhutta, Z. A., Okong, P., Starrs, A., & Lawn, J. E. (2007). Continuum of care for maternal , newborn , and child health : from slogan to service delivery. *The Lancet Global Health*, 370. [https://doi.org/10.1016/S0140-6736\(07\)61578-5](https://doi.org/10.1016/S0140-6736(07)61578-5)
- Khanduri, S., Chhabra, S., Yadav, S., Sabharwal, T., Chaudhary, M., Usmani, T., Goyal, A., & Sharma, H. (2017). Role of Color Doppler Flowmetry in Prediction of Intrauterine Growth Retardation in High-Risk Pregnancy. *Cureus*, 9(11). <https://doi.org/10.7759/cureus.1827>
- Khoramabadi, M., Dolatian, M., Hajian, S., Zamanian, M., Taheripanah, R., Sheikhan, Z., Mahmoodi, Z., & Seyedi-Moghadam, A. (2015). Effects of Education Based on Health Belief Model on Dietary Behaviors of Iranian Pregnant Women. *Global Journal of Health Science*, 8(2), 230–239. <https://doi.org/10.5539/gjhs.v8n2p230>
- Kim, M. H., Curtis, M. G., Atrash, H., Jack, B. W., Johnson, K., Coonrod, D. V, Moos, M., Stubblefield, P. G., Cefalo, R., Damus, K., Reddy, U. M., Carson, S. A., Saia, P. J. Di, Gabbe, S. G., Iams, J. D., Jack, B. W., Atrash, H., Coonrod, D. V, Moos, M., ... Johnson, K. (2008). *Associate Editors Contents A D V I S O R Y women with chronic medical conditions psychiatric conditions. December*.
- Kinnunen, T. I., Pasanen, M., Aittasalo, M., Fogelholm, M., Weiderpass, E., & Luoto, R. (2007). *Preventing excessive weight gain during pregnancy – a controlled trial in primary health care*. 884–891. <https://doi.org/10.1038/sj.ejcn.1602602>
- Kirkpatrick, D. L., & Kirkpatrick, J. D. (2007). *Implementing The Four Levels: A Practical Guide for Effective Evaluation of Training Program* (1st ed.). Berret-Koehler.
- Kisuule, I., Kaye, D. K., Najjuka, F., Ssematimba, S. K., Arinda, A., Nakitende, G., & Otim, L.

- (2013). Timing and reasons for coming late for the first antenatal care visit by pregnant women at Mulago hospital, Kampala Uganda. *BMC Pregnancy and Childbirth*, 13(1), 121. <https://doi.org/10.1186/1471-2393-13-121>
- Kodla, C. S. (2015). A study of prevalence, causes, risk factors and outcome of severe obstetrics haemorrhage. *Journal of Scientific and Innovative Research JSIR*, 4(42), 83–87.
- Kozuki, N., Lee, A. C., & Katz, J. (2012). Moderate to Severe , but Not Mild , Maternal Anemia Is Associated with Increased Risk of. 358–362. <https://doi.org/10.3945/jn.111.149237>. There
- Kritzer, Magner, & Warshak. (2014). Increasing maternal body mass index and the accuracy of sonographic estimation of fetal weight near delivery. *Journal of Ultrasound in Medicine : Official Journal of the American Institute of Ultrasound in Medicine*, 33(12), 2173–2179. <https://doi.org/10.7863/ULTRA.33.12.2173>
- Kusfryadi, M. K., Hadi, H., & Fuad, A. (2012). Pendidikan Gizi dan Pesan Gizi Melalui Short Message Service terhadap pengetahuan, perilaku, dan kepatuhan ibu hamil minum tablet besi. *Jurnal Gizi Klinik Indonesia*, 9(2), 87–96.
- Lassi, Z. S., Dean, S. V, Mallick, D., & Bhutta, Z. A. (2014). Preconception care : delivery strategies and packages for care. *Reproductive Health*, 11(Suppl 3), S7. <https://doi.org/10.1186/1742-4755-11-S3-S7>
- Lassi, Z. S., Mansoor, T., Salam, R. A., Das, J. K., & Bhutta, Z. A. (2014). Essential pre-pregnancy and pregnancy interventions for improved maternal , newborn and child health. *Reproductive Health*, 11(Suppl 1), S2. <https://doi.org/10.1186/1742-4755-11-S1-S2>
- Li, Y., S, Z., X, W., Y, H., L, S., X, H., S, W., & H, T. (2015). [Study on the determinants of intrauterine growth restriction]. *Zhonghua Liu Xing Bing Xue Za Zhi = Zhonghua Liuxingbingxue Zazhi*, 36(8), 807–810. <https://europepmc.org/article/med/26714532>
- Livingood, W. C., Brady, C., Pierce, K., Atrash, H., Hou, T., & Bryant, T. (2010). Impact of pre-conception health care: Evaluation of a social determinants focused intervention. *Maternal and Child Health Journal*, 14(3), 382–391. <https://doi.org/10.1007/s10995-009-0471-4>
- Lopes, K. da S., Ota, E., Prakash, S., & Dagvadorj, A. (2017). Effects of nutrition interventions during pregnancy on low birth weight: an overview of systematic reviews. *BMJ Global Health*, 11. <https://doi.org/10.1136/bmjgh-2017-000389>
- Mahmoodi, Z., Karimlou, M., Sajjadi, H., Dejman, M., Vameghi, M., Dolatian, M., & Mahmoodi, A. (2015). Association of maternal working condition with low birth weight: The social determinants of health approach. *Annals of Medical and Health Sciences Research*, 5(6), 385. <https://doi.org/10.4103/2141-9248.177982>
- Mahumud, R. A., Sultana, M., Sarker, A. R., Alam, R., Tajuddin, S., & Sarani, A. (2017). Distribution and Determinants of Low Birth Weight in Developing Countries. *J Prev Med Public Health*, 50. <https://doi.org/10.3961/jpmph.16.087>
- Manandhar, T., Prashad, B., & Nath Pal, M. (2018). *Risk Factors for Intrauterine Growth Restriction and Its Neonatal Outcome*. <https://doi.org/10.4172/2161-0932.1000464>
- Markus, A. R. (2008). Editor's Note. In *Women's Health Issues* (Vol. 18, Issue 6 SUPPL.). <https://doi.org/10.1016/j.whi.2008.10.001>



- McKenna, E., Hure, A., Perkins, A., & Gresham, E. (2017). Dietary Supplement Use during Preconception: The Australian Longitudinal Study on Women's Health. *Nutrients*, 9(10), 1119. <https://doi.org/10.3390/nu9101119>
- Merlo, J., Chaix, B., Ohlsson, H., Beckman, A., Johnell, K., Hjerpe, P., Råstam, L., & Larsen, K. (2006). A brief conceptual tutorial of multilevel analysis in social epidemiology: Using measures of clustering in multilevel logistic regression to investigate contextual phenomena. *Journal of Epidemiology and Community Health*, 60(4), 290–297. <https://doi.org/10.1136/jech.2004.029454>
- Mihaila, C., Schramm, J., Strathmann, F. G., Lee, D. L., Gelein, R. M., & Anne, E. (2011). Identifying a Window of Vulnerability during Fetal Development in a Maternal Iron Restriction Model. *PLoS ONE*, 6(3). <https://doi.org/10.1371/journal.pone.0017483>
- Milman, N. (2011). Anemia — still a major health problem in many parts of the world! *Annals of Hematology*, 369–377. <https://doi.org/10.1007/s00277-010-1144-5>
- Moradi, M., Fazeli, N., khadivzadeh, T., & Esmaily, H. (2019). Evaluation of Knowledge and Attitude of Women Regarding Preconception Care Based on the Health Belief Model. *Journal of Midwifery and Reproductive Health*, 0(0), 1–9. <https://doi.org/10.22038/jmrh.2019.34318.1390>
- Nguyen, P. H., Young, M., Gonzalez-Casanova, I., Pham, H. Q., Nguyen, H., Truong, T. V., Nguyen, S. V., Harding, K. B., Reinhart, G. A., Martorell, R., & Ramakrishnan, U. (2016). Impact of preconception micronutrient supplementation on anemia and iron status during pregnancy and postpartum: A randomized controlled trial in Rural Vietnam. *PLoS ONE*, 11(12), 1–16. <https://doi.org/10.1371/journal.pone.0167416>
- Nimmagadda, H., Kapoor, P., & Ladwal, M. R. (2017). Evaluation of the Diagnostic Criteria of Ultrasonographic Parameters In The Prediction of Intrauterine Growth Restriction. *World Journal of Research and Review*, 3, 28–34. <https://media.neliti.com/media/publications/262756-evaluation-of-the-diagnostic-criteria-of-3a6ddbde.pdf>
- Nizard, J. (2013). Prévention du RCIU vasculaire. *Journal de Gynecologie Obstetrique et Biologie de La Reproduction*, 42(8), 1008–1017. <https://doi.org/10.1016/j.jgyn.2013.09.022>
- Nurdianti, D. S., & Wilopo, S. A. (2010). PENGARUH KENAIKAN BERAT BADAN RATA – RATA PER MINGGU PADA KEHAMILAN TRIMESTER II DAN III TERHADAP RISIKO THE EFFECT OF WEIGHT GAIN RATE PER WEEK IN THE SECOND AND THIRD. *Berita Kedokteran Masyarakat*, 26(1), 40–46. <https://jurnal.ugm.ac.id/bkm/article/view/3481>
- Papageorghiou, A. T., Sarris, I., Ioannou, C., Todros, T., Carvalho, M., Pilu, G., & Salomon, L. J. (2013). Ultrasound methodology used to construct the fetal growth standards in the INTERGROWTH-21st Project. *BJOG: An International Journal of Obstetrics and Gynaecology*, 120(SUPPL. 2), 27–32. <https://doi.org/10.1111/1471-0528.12313>
- Papageorghiou, Aris T, Ohuma, E. O., Gravett, M. G., Hirst, J., Silveira, M. F., Lambert, A., Carvalho, M., Jaffer, Y. A., Altman, D. G., Noble, J. A., Bertino, E., Purwar, M., Pang, R., Ismail, L. C., Victora, C., Bhutta, Z. A., Kennedy, S. H., Villar, J., Fetal, I., & Growth, N. (2016). *International standards for symphysis-fundal height based on serial measurements from the Fetal Growth Longitudinal Study of the INTERGROWTH-21st Project : prospective cohort study in eight countries*. 1–7. <https://doi.org/10.1136/bmj.i5662>

- Pasricha, S., Drakesmith, H., Black, J., Hipgrave, D., & Biggs, B. (2017). *Review Article Control of iron deficiency anemia in low- and middle-income countries*. 121(14), 1–3. <https://doi.org/10.1182/blood-2012-09-453522>.The
- Patel, A., Prakash, A. A., Das, P. K., Gupta, S., Pusdekar, Y. V., & Hibberd, P. L. (2018). Maternal anemia and underweight as determinants of pregnancy outcomes: Cohort study in eastern rural Maharashtra, India. *BMJ Open*. <https://doi.org/10.1136/bmjopen-2018-021623>
- Petrika, Y., Hadi, H., Siti Nurdianti, D., & Indonesia, J. G. D. D. (2014). Tingkat asupan energi dan ketersediaan pangan berhubungan dengan risiko kekurangan energi kronik (KEK) pada ibu hamil Intake of energy and food availability associated with the risk of chronic energy deficiency in pregnant women. *Gizi Dan Dietetik Indonesia*, 2(3), 140–149. <https://ejournal.almaata.ac.id/index.php/IJND/article/view/295/267>
- Phelan, S., Phipps, M. G., Abrams, B., Darroch, F., Schaffner, A., & Wing, R. R. (2011). *Randomized trial of a behavioral intervention to prevent excessive gestational weight gain: the Fit for Delivery Study 1 – 4*. 772–779. <https://doi.org/10.3945/ajcn.110.005306.1>
- Poels, M., van Stel, H. F., Franx, A., & Koster, M. P. H. (2017). Actively preparing for pregnancy is associated with healthier lifestyle of women during the preconception period. *Midwifery*, 50, 228–234. <https://doi.org/10.1016/J.MIDW.2017.04.015>
- Pusat Data dan Informasi Kementerian Kesehatan. (2017). Profil Kesehatan Indonesia 2016. *Data Dan Informasi*.
- Ramakrishnan, U., Grant, F., Goldenberg, T., Zongrone, A., & Martorell, R. (2012). *Effect of Women ' s Nutrition before and during Early Pregnancy on Maternal and Infant Outcomes : A Systematic Review*. 26, 285–301. <https://doi.org/10.1111/j.1365-3016.2012.01281.x>
- Ramakrishnan, U., & Imhoff-kunsch, B. (2008). Anemia and Iron Deficiency in Developing Countries. In C. J. Lammi-Keefe, S. C. Couch, & E. H. Philipson (Eds.), *Nutrition and Health: Handbook of Nutrition and Pregnancy*. Humana Press.
- Robbins, L., Zapata, B., Farr, L., Kroelinger, D., Morrow, B., Ahluwalia, I., D'Angelo, V., Barradas, D., Cox, S., Goodman, D., Williams, L., Grigorescu, V., Barfield, D., & Centers (CDC), (.C.D.C.). (2014). Core state preconception health indicators - pregnancy risk assessment monitoring system and behavioral risk factor surveillance system, 2009. In *Morbidity and mortality weekly report. Surveillance summaries (Washington, D.C. : 2002)* (Vol. 63, Issue 3). <https://www.cdc.gov/mmwr/preview/mmwrhtml/ss6303a1.htm>
- Ronnenberg AG, Wang X, Xing H, Chen C, Chen D, Guang W, et al. (n.d.).
- Saastad, E., Winje, B. A., Pedersen, B. S., & Frøen, J. F. (2011). Fetal movement counting improved identification of fetal growth restriction and perinatal outcomes - a multi-centre, randomized, controlled trial. *PLoS ONE*, 6(12), 1–10. <https://doi.org/10.1371/journal.pone.0028482>
- Steer, C. D., Bolton, P., & Golding, J. (2015). Preconception and prenatal environmental factors associated with communication impairments in 9 Year old children using an exposome-wide approach. *PLoS ONE*, 10(3), 1–26. <https://doi.org/10.1371/journal.pone.0118701>
- Stephens, K., Al-Memar, M., Beattie-Jones, S., Dhanjal, M., Mappouridou, S., Thorne, E., &

- Lees, C. (2019). Comparing the relation between ultrasound-estimated fetal weight and birthweight in cohort of small-for-gestational-age fetuses. *Acta Obstet Gynecol Scand*, 98, 1435–1441. <https://doi.org/10.1111/aogs.13645>
- Stephenson, J., Patel, D., Barrett, G., Howden, B., Copas, A., Ojukwu, O., Pandya, P., & Shawe, J. (2014). How do women prepare for pregnancy? Preconception experiences of women attending antenatal services and views of health professionals. *PLoS ONE*, 9(7). <https://doi.org/10.1371/journal.pone.0103085>
- Strutz, K. L., Richardson, L. J., & Hussey, J. M. (2014). Selected preconception health indicators and birth weight disparities in a national study. *Women's Health Issues*, 24(1), e89–e97. <https://doi.org/10.1016/j.whi.2013.10.001>
- Sungkar, A., & Surya, R. (2020). Antenatal Care for High Risk Pregnancy. *Cermin Dunia Kedokteran*, 47(10), 731–733.
- Tarca, A. L., Hernandez-Andrade, E., Ahn, H., Garcia, M., Xu, Z., Korzeniewski, S. J., Saker, H., Chaiworapongsa, T., Hassan, S. S., Yeo, L., & Romero, R. (2016). *Single and Serial Fetal Biometry to Detect Preterm and Term Small- and Large-for-Gestational-Age Neonates: A Longitudinal Cohort Study*. <https://doi.org/10.1371/journal.pone.0164161>
- Tough, S. C., Clarke, M., Hicks, M., & Clarren, S. (2005). *PRECONCEPTION COUNSELLING AND THE PREVENTION OF FETAL ALCOHOL*. 1–16.
- Uauy, R., Casanello, P., Krause, B., Kuzanovic, J. P., & Corvalan, C. (2013). Conceptual basis for prescriptive growth standards from conception to early childhood: Present and future. *BJOG: An International Journal of Obstetrics and Gynaecology*, 120(SUPPL. 2), 3–8. <https://doi.org/10.1111/1471-0528.12057>
- Unicef. (2013). *Maternal and Newborn Health Disparities*. <https://data.unicef.org/resources/maternal-newborn-health-disparities-country-profiles/>
- US-CDC. (2002). *Pre-Conception/Inter-Conception Care Training Curriculum*. [preconception%2Finterconception+care+training+curriculum.&FORM=SSRE](https://www.cdc.gov/preconceptioncare/preconception%2Finterconception+care+training+curriculum.&FORM=SSRE)
- Valderrama, C. E., Marzbanrad, F., Hall-Clifford, R., Rohloff, P., & Clifford, G. D. (2020). A Proxy for Detecting IUGR Based on Gestational Age Estimation in a Guatemalan Rural Population. *Frontiers in Artificial Intelligence*, 0, 56. <https://doi.org/10.3389/FRAI.2020.00056>
- van den Berg, G., van Eijsden, M., Vrijkotte, T. G. M., & Gemke, R. J. B. J. (2012). Educational inequalities in perinatal outcomes: The mediating effect of smoking and environmental tobacco exposure. *PLoS ONE*, 7(5), 3–8. <https://doi.org/10.1371/journal.pone.0037002>
- Van Dijk, M. R., Koster, M. P., Rosman, A. N., & Steegers-Theunissen, R. P. (2017). Opportunities of mHealth in Preconception Care: Preferences and Experiences of Patients and Health Care Providers and Other Involved Professionals. *JMIR MHealth and UHealth*, 5(8), e123. <https://doi.org/10.2196/mhealth.7834>
- Verbiest, S., McClain, E., & Woodward, S. (2016). Advancing preconception health in the United States: strategies for change. *Upsala Journal of Medical Sciences*, 121(4), 222–226. <https://doi.org/10.1080/03009734.2016.1204395>



UNIVERSITAS
GADJAH MADA

**EFEKTIFITAS PENDAMPINGAN IBU HAMIL SEJAK MASA PRAKONSEPSI SEBAGAI UPAYA
PENCEGAHAN GANGGUAN
PERTUMBUHAN JANIN**

SITI NURUNNIYAH, dr. Detty Siti Nurdianti, MPH, Ph.D. Sp. OG (K); Prof. dr. Madarina Julia. MPH., Ph.D. Sp.A (K); Pro
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Villar, J., Altman, D. G., Purwar, M., Noble, J. A., Knight, H. E., Ruyan, P., Cheikh Ismail, L., Barros, F. C., Lambert, A., Papageorghiou, A. T., Carvalho, M., Jaffer, Y. A., Bertino, E., Gravett, M. G., Bhutta, Z. A., & Kennedy, S. H. (2013). The objectives, design and implementation of the INTERGROWTH-21 st Project. *BJOG: An International Journal of Obstetrics and Gynaecology*, 120(SUPPL. 2), 9–26. <https://doi.org/10.1111/1471-0528.12047>
- Villar, Josë, Ismail, L. C., Victora, C. G., Ohuma, E. O., Bertino, E., Altman, D. G., Lambert, A., Papageorghiou, A. T., Carvalho, M., Jaffer, Y. A., Gravett, M. G., Purwar, M., Frederick, I. O., Noble, A. J., Pang, R., Barros, F. C., Chumlea, C., Bhutta, Z. A., Kennedy, S. H., ... Enquobahrie, D. (2014). International standards for newborn weight, length, and head circumference by gestational age and sex: The Newborn Cross-Sectional Study of the INTERGROWTH-21st Project. *The Lancet*, 384(9946), 857–868. [https://doi.org/10.1016/s0140-6736\(14\)60932-6](https://doi.org/10.1016/s0140-6736(14)60932-6)
- Weisman, C. S. (2011). *Preconception Predictors of Birth Outcomes : Prospective Findings from the Central Pennsylvania Women’s Health Study*. 193(1), 118–125. <https://doi.org/10.1016/j.jneumeth.2010.08.011>. Autogenic
- WHO. (2003). *PROMOTING OPTIMAL FETAL DEVELOPMENT Report of a Technical Consultation*. <https://www.who.int/nutrition/publications/fetomaternal/9241594004/en>
- Williams, L., Zapata, L. B., D’Angelo, D. V., Harrison, L., & Morrow, B. (2011). Associations Between Preconception Counseling and Maternal Behaviors Before and During Pregnancy Associations Between Preconception Counseling and Maternal. *Maternal and Child Health Journal*, October. <https://doi.org/10.1007/s10995-011-0932-4>
- Williams, L., Zapata, L. B., D’Angelo, D. V., Harrison, L., & Morrow, B. (2012). Associations between preconception counseling and maternal behaviors before and during pregnancy. *Maternal and Child Health Journal*, 16(9), 1854–1861. <https://doi.org/10.1007/s10995-011-0932-4>
- Wolff, S., Legarth, J., Vangsgaard, K., Toubro, S., & Astrup, A. (2008). ORIGINAL ARTICLE A randomized trial of the effects of dietary counseling on gestational weight gain and glucose metabolism in obese pregnant women. 495–501. <https://doi.org/10.1038/sj.ijo.0803710>
- Zhang, C., Hediger, M. L., Albert, P. S., Grewal, J., Sciscione, A., Grobman, W. A., Wing, D. A., Newman, R. B., Wapner, R., D’Alton, M. E., Skupski, D., Nageotte, M. P., Ranzini, A. C., Owen, J., Chien, E. K., Craigo, S., Kim, S., Grantz, K. L., & Louis, G. M. B. (2018). Association of maternal obesity with longitudinal ultrasonographic measures of fetal growth: Findings from the nichd fetal growth studies-singletons. *JAMA Pediatrics*, 172(1), 24–31. <https://doi.org/10.1001/jamapediatrics.2017.3785>
- Zhou, Q., Zhang, S., Wang, Q., Shen, H., Tian, W., & Chen, J. (2016). China ’ s community-based strategy of universal preconception care in rural areas at a population level using a novel risk classification system for stratifying couples ’ preconception health status. *BMC Health Services Research*, 1–7. <https://doi.org/10.1186/s12913-016-1930-4>