

REFERENCES

- [1] J. Zhang, Z. Yin, P. Chen, and S. Nichele, "Emotion recognition using multi-modal data and machine learning techniques: A tutorial and review," *Inf. Fusion*, vol. 59, no. March 2019, pp. 103–126, 2020, doi: 10.1016/j.inffus.2020.01.011.
- [2] A. Raheel, M. Majid, and S. M. Anwar, "DEAR-MULSEMEDIA: Dataset for emotion analysis and recognition in response to multiple sensorial media," *Inf. Fusion*, vol. 65, no. August 2020, pp. 37–49, 2021, doi: 10.1016/j.inffus.2020.08.007.
- [3] D. Ayata, Y. Yaslan, and M. Kamasak, "Emotion recognition via galvanic skin response: Comparison of machine learning algorithms and feature extraction methods," *Istanbul Univ. - J. Electr. Electron. Eng.*, vol. 17, no. 1, pp. 3129–3136, 2017.
- [4] M. Egger, M. Ley, and S. Hanke, "Emotion Recognition from Physiological Signal Analysis: A Review," *Electron. Notes Theor. Comput. Sci.*, vol. 343, pp. 35–55, 2019, doi: 10.1016/j.entcs.2019.04.009.
- [5] A. F. Bulagang, N. G. Weng, J. Mountstephens, and J. Teo, "A review of recent approaches for emotion classification using electrocardiography and electrodermography signals," *Informatics Med. Unlocked*, vol. 20, 2020, doi: 10.1016/j.imu.2020.100363.
- [6] H. W. Guo, Y. S. Huang, C. H. Lin, J. C. Chien, K. Haraikawa, and J. S. Shieh, "Heart Rate Variability Signal Features for Emotion Recognition by Using Principal Component Analysis and Support Vectors Machine," *Proc. - 2016 IEEE 16th Int. Conf. Bioinforma. Bioeng. BIBE 2016*, pp. 274–277, 2016, doi: 10.1109/BIBE.2016.40.
- [7] R. M. Mehmood and H. J. Lee, "A novel feature extraction method based on late positive potential for emotion recognition in human brain signal patterns," *Comput. Electr. Eng.*, vol. 53, pp. 444–457, 2016, doi: 10.1016/j.compeleceng.2016.04.009.
- [8] K. N. Minhada, S. H. M. D. Ali, and M. B. I. Reaz, "A design framework for human emotion recognition using electrocardiogram and skin conductance response signals," *J. Eng. Sci. Technol.*, vol. 12, no. 11, pp. 3102–3119, 2017.
- [9] W. Wei, Q. Jia, Y. Feng, and G. Chen, "Emotion Recognition Based on Weighted Fusion Strategy of Multichannel Physiological Signals," *Comput. Intell. Neurosci.*, vol. 2018, no. 1, 2018, doi: 10.1155/2018/5296523.
- [10] N. Ganapathy, Y. R. Veeranki, and R. Swaminathan, "Convolutional neural network based emotion classification using electrodermal activity signals and time-frequency features," *Expert Syst. Appl.*, vol. 159, 2020, doi:

10.1016/j.eswa.2020.113571.

- [11] J. Yang, X. Huang, H. Wu, and X. Yang, "ScienceDirect ScienceDirect EEG-based classification based on Bidirectional International emotion Knowledge in the Long Short-Term Memory Network EEG-based classification based Bidirectional Jinru emotion Wu on Short-Term Memory Network," *Procedia Comput. Sci.*, vol. 174, no. 2019, pp. 491–504, 2020, [Online]. Available: <https://doi.org/10.1016/j.procs.2020.06.117>.
- [12] J. A. Domínguez-Jiménez, K. C. Campo-Landines, J. C. Martínez-Santos, E. J. Delahoz, and S. H. Contreras-Ortiz, "A machine learning model for emotion recognition from physiological signals," *Biomed. Signal Process. Control*, vol. 55, 2020, doi: 10.1016/j.bspc.2019.101646.
- [13] J. Pinto, A. Fred, and H. P. Da Silva, "Biosignal-Based Multimodal Emotion Recognition in a Valence-Arousal Affective Framework Applied to Immersive Video Visualization," *Proc. Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. EMBS*, pp. 3577–3583, 2019, doi: 10.1109/EMBC.2019.8857852.
- [14] S. M. Feraru and M. D. Zbancioc, "Recognition of positive and negative emotions for Romanian language," *2017 E-Health Bioeng. Conf. EHB 2017*, pp. 725–728, 2017, doi: 10.1109/EHB.2017.7995526.
- [15] R. Martinez, A. Salazar-Ramirez, A. Arruti, E. Irigoyen, J. I. Martin, and J. Muguerza, "A Self-Paced Relaxation Response Detection System Based on Galvanic Skin Response Analysis," *IEEE Access*, vol. 7, pp. 43730–43741, 2019, doi: 10.1109/ACCESS.2019.2908445.
- [16] K. N. Minhad, S. H. M. Ali, and M. B. I. Reaz, "Happy-anger emotions classifications from electrocardiogram signal for automobile driving safety and awareness," *J. Transp. Heal.*, vol. 7, no. November, pp. 75–89, 2017, doi: 10.1016/j.jth.2017.11.001.
- [17] T. M. Hess, L. E. Popham, and C. M. Growney, "Age-Related Effects on Memory for Social Stimuli: The Role of Valence, Arousal, and Emotional Responses," *Exp. Aging Res.*, vol. 43, no. 2, pp. 105–123, 2017, doi: 10.1080/0361073X.2017.1276374.
- [18] S. Davila-Montero, S. Parsnejad, and A. J. Mason, "Exploring the Relationship between Speech and Skin Conductance for Real-Time Arousal Monitoring," pp. 1–5, 2020, doi: 10.1109/iscas45731.2020.9180617.
- [19] C. El-Hajj and P. A. Kyriacou, "A review of machine learning techniques in photoplethysmography for the non-invasive cuff-less measurement of blood pressure," *Biomed. Signal Process. Control*, vol. 58, 2020, doi: 10.1016/j.bspc.2020.101870.
- [20] K. Matsumura, S. Toda, and Y. Kato, "RGB and Near-Infrared Light

- Reflectance/Transmittance Photoplethysmography for Measuring Heart Rate during Motion,” *IEEE Access*, vol. 8, pp. 80233–80242, 2020, doi: 10.1109/ACCESS.2020.2990438.
- [21] A. Dzedzickis, A. Kaklauskas, and V. Bucinskas, “Human emotion recognition: Review of sensors and methods,” *Sensors (Switzerland)*, vol. 20, no. 3, pp. 1–41, 2020, doi: 10.3390/s20030592.
- [22] T. Tagnithammou, É. Monacelli, A. Ferszterowski, and L. Trénoras, “Emotional state detection on mobility vehicle using camera: Feasibility and evaluation study,” *Biomed. Signal Process. Control*, vol. 66, no. February, 2021, doi: 10.1016/j.bspc.2021.102419.
- [23] C. Kiran kumar, M. Manaswini, K. N. Maruthy, A. V. Siva Kumar, and K. Mahesh kumar, “Association of Heart rate variability measured by RR interval from ECG and pulse to pulse interval from Photoplethysmography,” *Clin. Epidemiol. Glob. Heal.*, vol. 10, no. December 2020, 2021, doi: 10.1016/j.cegh.2021.100698.
- [24] K. Kalinkov, “Algorithm for peak detection in the Skin Conductance Response component of the EDA signals,” *Proc. Int. Conf. Biomed. Innov. Appl. BIA 2020*, pp. 89–91, 2020, doi: 10.1109/BIA50171.2020.9244510.
- [25] A. K. Eesee, “The suitability of the Galvanic Skin Response (GSR) as a measure of emotions and the possibility of using the scapula as an alternative recording site of GSR,” *2nd Int. Conf. Electr. Commun. Comput. Power Control Eng. ICECCPCE 2019*, pp. 80–84, 2019, doi: 10.1109/ICECCPCE46549.2019.203752.
- [26] E. Jangam, C. Sekhara, and R. Annavarapu, “A stacked ensemble for the detection of COVID-19 with high recall and accuracy,” vol. 135, no. March, 2021.
- [27] H. Alshraideh, E. Del Castillo, and A. Gil Del Val, “Process control via random forest classification of profile signals: An application to a tapping process,” *J. Manuf. Process.*, vol. 58, no. August, pp. 736–748, 2020, doi: 10.1016/j.jmapro.2020.08.043.
- [28] Y. Ao, H. Li, L. Zhu, S. Ali, and Z. Yang, “Identifying channel sand-body from multiple seismic attributes with an improved random forest algorithm,” *J. Pet. Sci. Eng.*, vol. 173, no. August 2018, pp. 781–792, 2019, doi: 10.1016/j.petrol.2018.10.048.
- [29] G. Hudson, “Predicting open-plan office window operating behavior using the random forest algorithm,” vol. 42, no. April, 2021.
- [30] X. Chen, T. Lan, X. Shi, and C. Tong, “A semi-supervised linear–nonlinear least-square learning network for prediction of carbon efficiency in iron ore sintering process,” *Control Eng. Pract.*, vol. 100, no. December 2019, 2020, doi: 10.1016/j.conengprac.2020.104454.

- [31] B. M. Doornenbal, B. R. Spisak, and P. A. van der Laken, "Opening the black box: Uncovering the leader trait paradigm through machine learning," *Leadersh. Q.*, no. xxxx, 2021, doi: 10.1016/j.leaqua.2021.101515.
- [32] G. Algan and I. Ulusoy, "Image classification with deep learning in the presence of noisy labels: A survey," *Knowledge-Based Syst.*, vol. 215, 2021, doi: 10.1016/j.knosys.2021.106771.
- [33] E. J. MacKay and M. D. Stubna, "Understanding Basic Concepts of Supervised Machine Learning Model Development in the Clinical Setting," *J. Cardiothorac. Vasc. Anesth.*, vol. 35, pp. 2336–2337, 2021, doi: 10.1053/j.jvca.2021.04.010.
- [34] W. Huo, W. Li, Z. Zhang, C. Sun, F. Zhou, and G. Gong, "Performance prediction of proton-exchange membrane fuel cell based on convolutional neural network and random forest feature selection," *Energy Convers. Manag.*, vol. 243, no. May, 2021, doi: 10.1016/j.enconman.2021.114367.
- [35] T. He *et al.*, "The detonation heat prediction of nitrogen-containing compounds based on quantitative structure-activity relationship (QSAR) combined with random forest (RF)," *Chemom. Intell. Lab. Syst.*, vol. 213, no. January, pp. 1–7, 2021, doi: 10.1016/j.chemolab.2021.104249.
- [36] M. Singh and J. Kumar Chhabra, "EGIA: A new node splitting method for decision tree generation: Special application in software fault prediction," *Mater. Today Proc.*, no. xxxx, 2021, doi: 10.1016/j.matpr.2021.05.325.
- [37] J. An, G. Nie, and B. Hu, "Area-Wide estimation of seismic building structural types in rural areas by using decision tree and local knowledge in combination," *Int. J. Disaster Risk Reduct.*, vol. 60, no. November 2020, 2021, doi: 10.1016/j.ijdrr.2021.102320.
- [38] L. Chen, M. Wu, W. Pedrycz, and K. Hirota, "Two-Layer Fuzzy Multiple Random Forest for Speech Emotion Recognition," *Stud. Comput. Intell.*, vol. 926, pp. 77–89, 2021, doi: 10.1007/978-3-030-61577-2_6.
- [39] A. De and A. S. Chowdhury, "DTI based Alzheimer's disease classification with rank modulated fusion of CNNs and random forest," *Expert Syst. Appl.*, vol. 169, no. November 2020, 2021, doi: 10.1016/j.eswa.2020.114338.
- [40] T. Jiang, J. L. Gradus, and A. J. Rosellini, "Supervised Machine Learning: A Brief Primer," *Behav. Ther.*, vol. 51, no. 5, pp. 675–687, 2020, doi: 10.1016/j.beth.2020.05.002.
- [41] F. Ning, Z. Cheng, D. Meng, and J. Wei, "A framework combining acoustic features extraction method and random forest algorithm for gas pipeline leak detection and classification," vol. 182, 2021.
- [42] Y. Ao, H. Li, L. Zhu, S. Ali, and Z. Yang, "The linear random forest

algorithm and its advantages in machine learning assisted logging regression modeling,” *J. Pet. Sci. Eng.*, vol. 174, no. November 2018, pp. 776–789, 2019, doi: 10.1016/j.petrol.2018.11.067.

- [43] Y. Zhu, W. XU, G. Luo, H. Wang, J. Yang, and W. Lu, “Random Forest enhancement using improved Artificial Fish Swarm for the medial knee contact force prediction,” *Artif. Intell. Med.*, vol. 103, no. January, 2020, doi: 10.1016/j.artmed.2020.101811.