



DAFTAR PUSTAKA

- Abdel-Aziz, S., Abdelnaem, E., Thapa, S., Salem, Y. and Ismaeil, M. (2013) ‘Electrolyte Disturbances in Neurosurgical Patients’, *Contemporary Neurosurgery*, 35(17), pp. 1–6. doi: 10.1097/01.CNE.0000434100.82633.11.
- Atasever, A. G., Ozcan, P. E., Kasali, K., Abdullah, T., Orhun, G. and Senturk, E. (2018) ‘The frequency, risk factors, and complications of gastrointestinal dysfunction during enteral nutrition in critically ill patients’, *Therapeutics and Clinical Risk Management*, 14, pp. 385–391. doi: 10.2147/TCRM.S158492.
- Barker, L., Gout, B. and Crowe, T. (2011) ‘Hospital Malnutrition: Prevalence, Identification and Impact on Patients and the Healthcare System’, *International Journal of Environmental Research and Public Health*, 8(2), pp. 514–527. doi: 10.3390/ijerph8020514.
- Bjarnason, I., Macpherson, A. and Hollander, D. (1995) ‘Intestinal permeability: An overview’, *Gastroenterology*, 108(5), pp. 1566–1581. doi: 10.1016/0016-5085(95)90708-4.
- Bratton, American Association of Neurological Surgeons, Congress of Neurological Surgeons, Joint Section on Neurotrauma and Critical Care, AANS/CNS, Bratton, S. L., Chestnut, R. M., Ghajar, J., McConnell Hammond, F. F., Harris, O. A., Hartl, R., Manley, G. T., Nemecek, A., Newell, D. W., Rosenthal, G., Schouten, J., Shutter, L., Timmons, S. D., Ullman, J. S., Videtta, W., Wilberger, J. E. and Wright, D. W. (2007) ‘Guidelines for the management of severe traumatic brain injury. VIII. Intracranial pressure thresholds’, *Journal of Neurotrauma*, 24 Suppl 1, pp. S55-58. doi: 10.1089/neu.2007.9988.
- Chapman, M. J., Fraser, R. J., Matthews, G., Russo, A., Bellon, M., Besanko, L. K., Jones, K. L., Butler, R., Chatterton, B. and Horowitz, M. (2009a) ‘Glucose absorption and gastric emptying in critical illness’, *Critical Care*, 13(4), p. R140. doi: 10.1186/cc8021.
- Chapman, M. J., Fraser, R. J., Matthews, G., Russo, A., Bellon, M., Besanko, L. K., Jones, K. L., Butler, R., Chatterton, B. and Horowitz, M. (2009b) ‘Glucose absorption and gastric emptying in critical illness’, *Critical Care*, 13(4), p. R140. doi: 10.1186/cc8021.
- Choi, E. Y., Park, D.-A. and Park, J. (2015) ‘Calorie intake of enteral nutrition and clinical outcomes in acutely critically ill patients: a meta-analysis of randomized controlled trials’, *JPEN. Journal of parenteral and enteral nutrition*, 39(3), pp. 291–300. doi: 10.1177/0148607114544322.



Cottrell, J. E. and Young, W. L. (2010) *Cottrell's neuroanesthesia*. St. Louis, Mo.; London: Mosby.

Dasenbrock, H. H., Liu, K. X., Devine, C. A., Chavakula, V., Smith, T. R., Gormley, W. B. and Dunn, I. F. (2015) 'Length of hospital stay after craniotomy for tumor: a National Surgical Quality Improvement Program analysis', *Neurosurgical Focus*, 39(6), p. E12. doi: 10.3171/2015.10.FOCUS15386.

Debaveye, Y. and Van den Berghe, G. (2006) 'Risks and Benefits of Nutritional Support During Critical Illness', *Annual Review of Nutrition*, 26(1), pp. 513–538. doi: 10.1146/annurev.nutr.26.061505.111307.

Di Bartolomeo, A. E., Chapman, M. J., V Zaknic, A., Summers, M. J., Jones, K. L., Nguyen, N. Q., Rayner, C. K., Horowitz, M. and Deane, A. M. (2012) 'Comparative effects on glucose absorption of intragastric and post-pyloric nutrient delivery in the critically ill', *Critical Care*, 16(5), p. R167. doi: 10.1186/cc11522.

Doig, G. S., Heighes, P. T., Simpson, F. and Sweetman, E. A. (2011) 'Early enteral nutrition reduces mortality in trauma patients requiring intensive care: A meta-analysis of randomised controlled trials', *Injury*, 42(1), pp. 50–56. doi: 10.1016/j.injury.2010.06.008.

Ferrie, S. (no date) *Enteral-nutrition-manual-june-2018-website.pdf*. Available at: <https://daa.asn.au/wp-content/uploads/2018/06/Enteral-nutrition-manual-june-2018-website.pdf> (Accessed: 6 January 2020).

Forbes, A., Valentini, L. and Berlin, C.-U. (2016) 'Formulae for Enteral Nutrition', p. 15.

Grahm, T. W., Zadrozny, D. B. and Harrington, T. (1989) 'The benefits of early jejunal hyperalimentation in the head-injured patient', *Neurosurgery*, p. 729. doi: 10.1097/00006123-198911000-00007.

Gramlich, L., Kichian, K., Pinilla, J., Rodych, N. J., Dhaliwal, R. and Heyland, D. K. (2004) 'Does enteral nutrition compared to parenteral nutrition result in better outcomes in critically ill adult patients? A systematic review of the literature', *Nutrition*, 20(10), pp. 843–848. doi: 10.1016/j.nut.2004.06.003.

Greenwood-Van Meerveld, B., Johnson, A. C. and Grundy, D. (2017) 'Gastrointestinal Physiology and Function', in Greenwood-Van Meerveld, B. (ed.) *Gastrointestinal Pharmacology*. Cham: Springer International Publishing, pp. 1–16. doi: 10.1007/164_2016_118.

Gündogan, K., Bayram, A. and Alp, E. (2015) 'Malnutrition in Intensive Care Units: An Important Risk Factor for Intensive Care Unit-Acquired



Infections', *Turkish Journal of Medical and Surgical Intensive Care*, 5, pp. 36–42. doi: 10.5152/dcbybd.2014.591.

H, F. S. (2018) *Pengaruh Pemberian Nutrisi Enteral Kontinyu Dibandingkan Dengan Bolus Terhadap Skor APACHE II Dan Length of Stay Pada Pasien Geriatri Dengan Sepsis di Ruang Perawatan Intensif RSUD Dr.Moewardi*. other. Universitas Sebelas Maret. Available at: <https://eprints.uns.ac.id/42402/> (Accessed: 22 December 2019).

Hessels, J., Eindhoven, H. H. M., Steggink, J., Roeloffzen, W. W. H., Wu, K., Tan, G., Stadt, J. van de and Bergeijk, L. van (2003) 'Assessment of Hypolactasia and Site-Specific Intestinal Permeability by Differential Sugar Absorption of Raffinose, Lactose, Sucrose and Mannitol', *Clinical Chemistry and Laboratory Medicine*, 41(8). doi: 10.1515/CCLM.2003.163.

Heyland, D., Dhaliwal, R., Drover, J., Gramlich, L. and Dodek, P. (2003) 'Canadian clinical practice guidelines for nutrition support in mechanically ventilated, critically ill adult patients', *Journal of Parenteral and Enteral Nutrition*, 27(5), pp. 355–373. doi: 10.1177/0148607103027005355.

Kalaiselvan, M., Renuka, M. K. and Arunkumar, A. S. (2017) 'Use of nutrition risk in critically ill (NUTRIC) score to assess nutritional risk in mechanically ventilated patients: A prospective observational study', *Indian Journal of Critical Care Medicine*, 21(5), pp. 253–256. doi: 10.4103/ijccm.IJCCM_24_17.

Keur, M. B., Beishuizen, A. and van Bodegraven, A. A. (2010) 'Diagnosing malabsorption in the intensive care unit', *F1000 Medicine Reports*, 2. doi: 10.3410/M2-7.

Kim, H., Stotts, N. A., Froelicher, E. S., Engler, M. M., Porter, C. and Kwak, H. (2012) 'Adequacy of early enteral nutrition in adult patients in the intensive care unit', *Journal of clinical nursing*, 21(0), pp. 2860–2869. doi: 10.1111/j.1365-2702.2012.04218.x.

Knaus, W. A., Draper, E. A., Wagner, D. P. and Zimmerman, J. E. (1985) 'APACHE II: a severity of disease classification system', *Critical Care Medicine*, 13(10), pp. 818–829.

Mahan, K. (no date) *Krause and Mahan's Food & the Nutrition Care Process - 15th Edition*. Available at: <https://www.elsevier.com/books/krause-and-mahans-food-and-the-nutrition-care-process/raymond/978-0-323-63655-1> (Accessed: 6 January 2020).

Naved, S. A., Siddiqui, S. and Khan, F. H. (2011) 'APACHE-II score correlation with mortality and length of stay in an intensive care unit', *Journal of the*



College of Physicians and Surgeons--Pakistan: JCPSP, 21(1), pp. 4–8. doi: 01.2011/JCPSP.0408.

Norton, J. A., Ott, L. G., McClain, C., Adams, L., Dempsey, R. J., Haack, D., Tibbs, P. A. and Young, A. B. (1988) ‘Intolerance to enteral feeding in the brain-injured patient’, *Journal of Neurosurgery*, 68(1), pp. 62–66. doi: 10.3171/jns.1988.68.1.0062.

Okasha, A.S., Fayed, A.M., & Saleh, A.S., 2014. The FOUR Score Predicts Mortality, Endotracheal Intubation and ICU Length of Stay After Traumatic Brain Injury. *Neurocritical Care*, 21(3), 8

OLSEN, A. B., HETZ, R. A., XUE, H., AROOM, K. R., BHATTARAI, D., JOHNSON, E., BEDI, S., COX, C. S. and URAY, K. (2013) ‘Effects of traumatic brain injury on intestinal contractility’, *Neurogastroenterology and motility : the official journal of the European Gastrointestinal Motility Society*, 25(7), pp. 593-e463. doi: 10.1111/nmo.12121.

32

Oudemans-van Straaten, H. M., van der Voort, P. H., Hoek, F. J., Bosman, R. J., van der Spoel, J. I. and Zandstra, D. F. (2002) ‘Pitfalls in gastrointestinal permeability measurement in ICU patients with multiple organ failure using differential sugar absorption’, *Intensive Care Medicine*, 28(2), pp. 130–138. doi: 10.1007/s00134-001-1140-2.

Pappas, P. A., Saudubray, J.-M., Tzakis, A. G., Rabier, D., Carreno, M. R., Gomez-Marin, O., Huijing, F., Gelman, B., Levi, D. M., Nery, J. R., Kato, T., Mittal, N., Nishida, S., Thompson, J. F. and Ruiz, P. (2002) ‘Serum citrulline as a marker of acute cellular rejection for intestinal transplantation’, *Transplantation Proceedings*, 34(3), pp. 915–917. doi: 10.1016/S0041-1345(02)02668-4.

Park, Y. E., Park, S. J., Park, Y., Cheon, J. H., Kim, T. I. and Kim, W. H. (2017) ‘Impact and outcomes of nutritional support team intervention in patients with gastrointestinal disease in the intensive care unit’, *Medicine*, 96(49). doi: 10.1097/MD.0000000000008776.

Peter, J. V., Moran, J. L. and Phillips-Hughes, J. (2005) ‘A metaanalysis of treatment outcomes of early enteral versus early parenteral nutrition in hospitalized patients*’, *Critical Care Medicine*, 33(1), pp. 213–220. doi: 10.1097/01.CCM.0000150960.36228.C0.

Peters, J. H. C., Wierdsma, N. J., Teerlink, T., Van Leeuwen, P. A. M., Mulder, C. J. J. and Van Bodegraven, A. A. (2008) ‘The citrulline generation test: proposal for a new enterocyte function test: CITRULLINE GENERATION TEST FOR ENTEROCYTE FUNCTION’, *Alimentary Pharmacology & Therapeutics*, 27(12), pp. 1300–1310. doi: 10.1111/j.1365-2036.2008.03678.x.



Preiser, J.-C., Ichai, C., Orban, J.-C. and Groeneveld, A. B. J. (2014) ‘Metabolic response to the stress of critical illness’, *British Journal of Anaesthesia*, 113(6), pp. 945–954. doi: 10.1093/bja/aeu187.

Reintam Blaser, A., Malbrain, M. L. N. G., Starkopf, J., Fruhwald, S., Jakob, S. M., De Waele, J., Braun, J.-P., Poeze, M. and Spies, C. (2012) ‘Gastrointestinal function in intensive care patients: terminology, definitions and management. Recommendations of the ESICM Working Group on Abdominal Problems’, *Intensive Care Medicine*, 38(3), pp. 384–394. doi: 10.1007/s00134-011-2459-y.

Roozenbeek, B., Chiu, Y.-L., Lingsma, H. F., Gerber, L. M., Steyerberg, E. W., Ghajar, J. and Maas, A. I. R. (2012) ‘Predicting 14-Day Mortality after Severe Traumatic Brain Injury: Application of the IMPACT Models in the Brain Trauma Foundation TBI-trac® New York State Database’, *Journal of Neurotrauma*, 29(7), pp. 1306–1312. doi: 10.1089/neu.2011.1988.

Sastroasmoro, S. and Ismael, S. (2016) *Dasar-dasar Metodologi Penelitian Klinis*. 5th edn. Jakarta: Sagung Seto.

Strack van Schijndel, R. J. M., Wierdsma, N. J., van Heijningen, E. M. B., Weijs, P. J. M., de Groot, S. D. W. and Girbes, A. R. J. (2006) ‘Fecal energy losses in enterally fed intensive care patients: An explorative study using bomb calorimetry’, *Clinical Nutrition*, 25(5), pp. 758–764. doi: 10.1016/j.clnu.2005.11.012.

Sun, Z., Kong, X.-J., Jing, X., Deng, R.-J. and Tian, Z.-B. (2015) ‘Nutritional Risk Screening 2002 as a Predictor of Postoperative Outcomes in Patients Undergoing Abdominal Surgery: A Systematic Review and Meta-Analysis of Prospective Cohort Studies’, *PLoS ONE*, 10(7). doi: 10.1371/journal.pone.0132857.

Tripathy, S. (2015) ‘Nutrition in the neurocritical care unit’, in. doi: 10.4103/2348-0548.154228.

Weimann, A., Braga, M., Carli, F., Higashiguchi, T., Hübner, M., Klek, S., Laviano, A., Ljungqvist, O., Lobo, D. N., Martindale, R., Waitzberg, D. L., Bischoff, S. C. and Singer, P. (2017) ‘ESPEN guideline: Clinical nutrition in surgery’, *Clinical Nutrition*, 36(3), pp. 623–650. doi: 10.1016/j.clnu.2017.02.013.

Wierdsma, N. J. and van Bodegraven, A. A. (2005) ‘[Energy losses from a short bowel: not only fat]’, *Nederlands Tijdschrift Voor Geneeskunde*, 149(8), pp. 381–384.



Wikantama, A. (2019). Sistem *Revised Trauma Score* (Rts) Sebagai Prediktor Mortalitas Pasien Cedera Otak Traumatik Di Rsup Dr. Sardjito.

Yogyakarta : Fakultas Kedokteran Universitas Gadjahmada,pp. 26-27

Williams, T. A. and Leslie, G. D. (2004) ‘A review of the nursing care of enteral feeding tubes in critically ill adults: part I’, *Intensive and Critical Care Nursing*, 20(6), pp. 330–343. doi: 10.1016/j.iccn.2004.08.002.

Zarbock, S. D., Steinke, D., Hatton, J., Magnuson, B., Smith, K. M. and Cook, A. M. (2008) ‘Successful Enteral Nutritional Support in the Neurocritical Care Unit’, *Neurocritical Care*, 9(2), pp. 210–216. doi: 10.1007/s12028-008-9120-9.