

DAFTAR PUSTAKA

- Adebo, O. A. and Medina-Meza, I. G. 2020. Impact of fermentation on the phenolic compounds and antioxidant activity of whole cereal grains: A mini review', *Molecules*, 25(4), pp. 1–19. doi: 10.3390/molecules25040927.
- Ardiansyah, Wahyudi D, Dody D H, Bram K, Slamet B, Hitoshi S. 2019. Fermented rice bran extract improves blood pressure and glucose in stroke-prone spontaneously hypertensive rats. *Nutrition and Food Science*, 49(5), pp. 844–853. doi: 10.1108/NFS-12-2018-0340.
- Ardiansyah, Fauziyyah A, Rizki M A, Wahyudi D, Dodi D H, Slamet B, and Hitoshi S. 2021. Non-volatile compounds and blood pressure-lowering activity of Inpari 30 and Cempo Ireng fermented and non-fermented rice bran', *AIMS Agriculture and Food*, 6(1), pp. 337–359. doi: 10.3934/agrfood.2021021.
- Ardiansyah, Nada, A, Nuraini T I R, Annisa O, Wahyudi D, Rizki M A, Dody D H, Bram K, Slamet B and Hitoshi S. 2021. Volatile compounds, sensory profile and phenolic compounds in fermented rice bran. *Plants*, 10(6). doi: 10.3390/plants10061073.
- Arsa, S. and Theerakulkait, C. 2018. Preparation, aroma characteristics and volatile compounds of flavorings from enzymatic hydrolyzed rice bran protein concentrate. *Journal of the Science of Food and Agriculture*. doi: 10.1002/jsfa.8972.
- Arsa, S., Theerakulkait, C. and Cadwallader, K. R. 2019. Quantitation of three strecker aldehydes from enzymatic hydrolyzed rice bran protein concentrates as prepared by various conditions. *Journal of Agricultural and Food Chemistry*, 67(29), pp. 8205–8211. doi: 10.1021/acs.jafc.9b02025.
- Astawan and Febrinda, E. 2010. Potensi Dedak dan Bekatul Beras Sebagai Ingredient', *Journal Pangan*, 19(1), pp. 14–21.
- Beck, J. J. Glory B M, Bradley S H, Douglas M L, and Wai S G. 2009. In situ seasonal study of the volatile production of almonds (*prunus dulcis*) var. “nonpareil” and relationship to navel orangeworm. *Journal of Agricultural and Food Chemistry*, 57(9), pp. 3749–3753. doi: 10.1021/jf9003187.
- Bhatia, S. C. 2017. Food biotechnology. *Food Biotechnology*, pp. 1–412. doi: 10.1201/9781315156491.
- Bi, S. Aojidong W, Fei L, Qun S, Xiaojun L, Pangzhen Z, Jihong W. 2021. Effects of frying, roasting and boiling on aroma profiles of adzuki beans (*Vigna angularis*) and potential of adzuki bean and millet flours to improve flavor and sensory characteristics of biscuits', *Food Chemistry*, 339(17), p. 127878. doi: 10.1016/j.foodchem.2020.127878.
- Bocharova, O., Reshta, S. and Eshtokin, V. 2017. Toluene and Benzyl Alcohol Formation in Fruit Juices Containing Benzoates', *Journal of Food Processing and Preservation*, 41(4), pp. 1–9. doi: 10.1111/jfpp.13054.
- Bolarinwa, I. F., Hanis-Syazwani, M. G. and Muhammad, K. 2019. Optimisation of important processing conditions for rice bran sourdough fermentation using *Lactobacillus plantarum*. *Foods and Raw Materials*, 7(1), pp. 131–142. doi: 10.21603/2308-4057-

- Badan Pusat Statistik. 2021. Produksi padi di Indonesia pada tahun 2020. Diakses pada tanggal 3 September 2021 pukul 15:55.
- Brattoli, M. Ezia C, Paolo R D, Gianluigi D G, Pasquale G, Antonio M, Jolanda P and Maria T. 2013. Gas chromatography analysis with olfactometric detection (GC-O) as a useful methodology for chemical characterization of odorous compounds', *Sensors (Switzerland)*, 13(12), pp. 16759–16800. doi: 10.3390/s131216759.
- Budijanto, S. Yanica I A, Didah N F, Santi N. 2018. Karakterisasi Kimia dan Efek Hipoglikemik Beras Analog Berbahan Dasar Jagung, Sorgum, dan Sagu Aren', *Agritech*, 37(4), p. 402. doi: 10.22146/agritech.10383.
- Cai, L. Zhipeng A, Tao T, Fangle T, Zehong W, Fuzhong Y, Yuqing S, Shaojun L, Kangsen M. 2021. Characterization of difference in muscle volatile compounds between triploid and diploid crucian carp', *Aquaculture Reports*, 20, p. 100641. doi: 10.1016/j.aqrep.2021.100641.
- Cayhan, G. G. and Selli, S. 2011. Characterization of the key aroma compounds in cooked grey mullet (*Mugil cephalus*) by application of aroma extract dilution analysis', *Journal of Agricultural and Food Chemistry*, 59(2), pp. 654–659. doi: 10.1021/jf103471h.
- Chinnici, F. Enrique D G, Francesca S, Nadia N, Ramon N, and Claudio R. 2009. Gas chromatography-mass spectrometry (GC-MS) characterization of volatile compounds in quality vinegars with protected European geographical indication. *Journal of Agricultural and Food Chemistry*, 57(11), pp. 4784–4792. doi: 10.1021/jf804005w.
- Culleré, L. Escudero, Juan C, and Vicente F. 2004. Gas Chromatography-Olfactometry and Chemical Quantitative Study of the Aroma of Six Premium Quality Spanish Aged Red Wines. *Journal of Agricultural and Food Chemistry*, 52(6), pp. 1653–1660. doi: 10.1021/jf0350820.
- Delahunty, C. M., Eyres, G. and Dufour, J. P. 2006. Gas chromatography-olfactometry. *Journal of Separation Science*, 29(14), pp. 2107–2125. doi: 10.1002/jssc.200500509.
- Dey, T. B. and Kuhad, R. C. 2014. Enhanced production and extraction of phenolic compounds from wheat by solid-state fermentation with *Rhizopus oryzae* RCK2012. *Biotechnology Reports*, 4(1), pp. 120–127. doi: 10.1016/j.btre.2014.09.006.
- Dias, L. G. Duarte G H B, Mariutti L R B, Bragagnolo N. 2019. Aroma profile of rice varieties by a novel SPME method able to maximize 2-acetyl-1-pyrroline and minimize hexanal extraction', *Food Research International*, 123(December 2018), pp. 550–558. doi: 10.1016/j.foodres.2019.05.025.
- Ditjen BP Holtikultura 2003. Profil komoditas Padi', *Ews.Kemendag.Go.Id.*
- Dong, S. Y. Robbert L S, Kyu-Seong L, and Stanley J K. 2008. Comparison of odor-active compounds from six distinctly different rice flavor types', *Journal of Agricultural and Food Chemistry*, 56(8), pp. 2780–2787. doi: 10.1021/jf072685t.
- Dos, M S O., V Feddern, L Kupski, E P Cipolati, E Badiale-F, and L A de Souza-Soares. 2010. Physico-chemical characterization of fermented rice bran biomass', *CYTA - Journal of Food*, 8(3), pp. 229–236. doi: 10.1080/19476330903450274.



- Dregus, M. and Engel, K. H. 2003. Volatile Constituents of Uncooked Rhubarb (*Rheum rhabarbarum* L.) Stalks. *Journal of Agricultural and Food Chemistry*, 51(22), pp. 6530–6536. doi: 10.1021/jf030399l.
- Ertürk, B. and Meral, R. 2019. The impact of stabilization on functional, molecular and thermal properties of rice bran. *Journal of Cereal Science*, 88(May), pp. 71–78. doi: 10.1016/j.jcs.2019.05.011.
- Feng, X. M., Eriksson, A. R. B. and Schnürer, J. 2005. Growth of lactic acid bacteria and *Rhizopus oligosporus* during barley tempeh fermentation. *International Journal of Food Microbiology*, 104(3), pp. 249–256. doi: 10.1016/j.ijfoodmicro.2005.03.005.
- Flavornet.org. Flavornet and human odor resource. <https://www.flavornet.org/>. Diakses pada 18 Agustus 2021.
- Gao, C., Li, Y., Pan, Q., Fan, M., Wang, L., Qian, H. Analysis of the Key Aroma Volatile Compounds in Rice Bran during Storage and Processing via HS-SPME GC/MS. *Journal of Cereal Science*. 2021; 99:103178.
- Ghosh, D. and Chattopadhyay, P. 2012. Application of principal component analysis (PCA) as a sensory assessment tool for fermented food products', *Journal of Food Science and Technology*, 49(3), pp. 328–334. doi: 10.1007/s13197-011-0280-9.
- Goodner, K. L. 2008. Practical retention index models of OV-101, DB-1, DB-5, and DB-Wax for flavor and fragrance compounds', *LWT - Food Science and Technology*, 41(6), pp. 951–958. doi: 10.1016/j.lwt.2007.07.007.
- Gul, K. Basharat Y, A K Singh, Preeti S, Ali A W. 2015. Rice bran: Nutritional values and its emerging potential for development of functional food - A review', *Bioactive Carbohydrates and Dietary Fibre*, 6(1), pp. 24–30. doi: 10.1016/j.bcdf.2015.06.002.
- Handayani, D. 2016. Kajian Perbandingan Bekatul Dengan Tepung Tempe dan Konsentrasi Maltodekstrin pada Bubur Instan Berbasis Kacang Merah (*Phaseolus vulgaris* L)', *Artikel. Program Studi Teknologi Pangan. Fakultas Teknik. Universitas Pasundan. Bandung.*, pp. 1–14.
- Hang, M. Q. Qing-Qing Z, Hong-Yu T, Bao-Guo S, and Hai-Tao C. 2012. Analysis of volatile components from *Dictyophora rubrovolota* Zang, ji et liou', *Procedia Engineering*, 37(Cems), pp. 240–249. doi: 10.1016/j.proeng.2012.04.234.
- Hau, Y. C. Wing C J M, Joo-Shin K, and Feng C. 2004. Odor-active headspace components in fermented red rice in the presence of a *Monascus* species. *Journal of Agricultural and Food Chemistry*, 52(21), pp. 6557–6563. doi: 10.1021/jf049280i.
- Heckman, J. J., Pinto, R. and Savelyev, P. A. .1967. Flavor chemistry and technology. *Angewandte Chemie International Edition*, 6(11), 951–952.
- Hu, X. Lin L, Zhenling G, Zhiwei Z. 2020. Volatile compounds, affecting factors and evaluation methods for rice aroma: A review', *Trends in Food Science and Technology*, 97(January), pp. 136–146. doi: 10.1016/j.tifs.2020.01.003.
- In, H. C. *et al.* 2006. Characterization of aroma-active compounds in raw and cooked pine-mushrooms (*Tricholoma matsutake* Sing.). *Journal of Agricultural and Food Chemistry*, 54(17), pp. 6332–6335. doi: 10.1021/jf060824l.



- ISO 8586:2012. 2014. International Standard ISO Sensory analysis — General guidelines for the selection, training, and monitoring of selected assessors and expert sensory assessors.
- Pino, J A., Rolando M, and Victor F. 2003. Characterization of Volatiles in Bullock's Heart (*Annona reticulata* L.) Fruit Cultivars from Cuba. *Journal of Agricultural and food chemistry*. 51. pp. 3836–3839.
- Issara, U. and Rawdkuen, S. 2016. Rice bran: A potential of main ingredient in healthy beverage', *International Food Research Journal*, 23(6), pp. 2306–2318.
- Jamil, A. Satoto, Priatna S, Agus G, Suharna. 2016. Description of New Superior Varieties of Rice. p. 84.
- Kusumaningrum, I. C Hanny W, F Kusnandar. 2014. Profil Aroma Dan Mutu Sensori Citarasa Pasta Kakao Unggulan Dari Beberapa Daerah Di Indonesia. IPB Press: Bogor.
- Lee, K. G. Sung-Eun L, Gary R T, Jeong-Han K, and Byeoung-Soo P. 2005. Antioxidant activity and characterization of volatile constituents of beechwood creosote. *Journal of the Science of Food and Agriculture*, 85(9), pp. 1580–1586. doi: 10.1002/jsfa.2156.
- Lee, S. J. and Ahn, B. 2009. Comparison of volatile components in fermented soybean pastes using simultaneous distillation and extraction (SDE) with sensory characterisation', *Food Chemistry*, 114(2), pp. 600–609. doi: 10.1016/j.foodchem.2008.09.091.
- Lee, S. M. Hyeon J L, Ji W C, Byung-Serk H, Young-Suk K. 2018. Investigation on the formations of volatile compounds, fatty acids, and γ -lactones in white and brown rice during fermentation', *Food Chemistry*, 269(February), pp. 347–354. doi: 10.1016/j.foodchem.2018.07.037.
- Lee, S. M. and Bomi A. 2019. Comparison of volatile and nonvolatile compounds in rice fermented by different lactic acid bacteria', *Molecules*, 24(6), pp. 1–15. doi: 10.3390/molecules24061183.
- Li, C. Wei L, Xiaoxia C, Meiqin F, Xin R, Mei J, Mingsheng D. 2014. Microbiological, physicochemical and rheological properties of fermented soymilk produced with exopolysaccharide (EPS) producing lactic acid bacteria strains', *LWT - Food Science and Technology*, 57(2), pp. 477–485. doi: 10.1016/j.lwt.2014.02.025.
- Litbang 2014. Kumpulan Deskripsi Varietas Padi. Badan penelitian dan pengembangan pertanian balai besar pengkajian dan pengembangan teknologi pertanian. Balai pengkajian teknologi pertanian. Agro Industri: Jawa Tengah.
- Liu, M. Jianbin L, Congcong H, Huanlu S, Ye L, Yu Z, Ye W, Jia G, Haiying Y, and Xiaoxia S. 2017. Characterization and comparison of key aroma-active compounds of cocoa liquors from five different areas. *International Journal of Food Properties*, 20(10), pp. 2396–2408. doi: 10.1080/10942912.2016.1238929.
- Lombion, S. Alexandre C, Laurent T, Gerard B, Thierry M, and Jean-Louis M. 2009. Patterns of cerebral activation during olfactory and trigeminal stimulations. *Human Brain Mapping*, 30(3), pp. 821–828. doi: 10.1002/hbm.20548.
- Lukić, I. Marina L, Mirella Z, Marin K, Sara G, and Karolina B B. 2019. Inter-varietal diversity of typical volatile and phenolic profiles of Croatian extra virgin olive oils as revealed by GC-IT-MS and UPLC-DAD analysis', *Foods*, 8(11). doi: 10.3390/foods8110565.



- Miyazawa, N. Akira N, Naomi T, Yasutaka O, Tomoko M, Akira F. 2009. Novel key aroma components of galbanum oil', *Journal of Agricultural and Food Chemistry*, 57(4), pp. 1433–1439. doi: 10.1021/jf803157j.
- Mumpuni, P. D. and Ayustaningwarno, F. 2013. Analisis Kadar Tokoferol, α -Oryzanol Dan B-Karoten Serta Aktivitas Antioksidan Minyak Bekatul Kasar. *Journal of Nutrition College*, 2(3), pp. 350–357. doi: 10.14710/jnc.v2i3.3436.
- Nandi, I. and Ghosh, M. 2015. Studies on functional and antioxidant property of dietary fibre extracted from defatted sesame husk, rice bran and flaxseed. *Bioactive Carbohydrates and Dietary Fibre*, 5(2), pp. 129–136. doi: 10.1016/j.bcdf.2015.03.001.
- Njoroge, S. M., Ukeda, H. and Sawamura, M. 2003. Changes of the volatile profile and artifact formation in daidai (*Citrus aurantium*) cold-pressed peel oil on storage', *Journal of Agricultural and Food Chemistry*, 51(14), pp. 4029–4035. doi: 10.1021/jf021215q.
- Noviasari, S. Feri K, Agus S, dan Slamet B. 2017. Karakteristik Fisik, Kimia, dan Sensori Beras Analog Berbasis Bahan Pangan Non Beras', *Jurnal Pangan*, 26(1), pp. 1–12.
- Ouzouni, P. K. Wolf-Dietrich K, Anastasia V B, and Kyriakos A R. 2009. Volatile compounds from the fruiting bodies of three *Hygrophorus* mushroom species from Northern Greece. *International Journal of Food Science and Technology*, 44(4), pp. 854–859. doi: 10.1111/j.1365-2621.2009.01919.x.
- Pino, J. A., Márquez, E. and Castro, D. 2009. Volatile and non-volatile acids of noni (*Morinda citrifolia* L.) fruit. *Journal of the Science of Food and Agriculture*, 89(7), pp. 1247–1249. doi: 10.1002/jsfa.3560.
- Prasetyo, A. E., Widhi, A. and Widayat, W. 2012. Potensi Gliserol Dalam Pembuatan Turunan Gliserol Melalui Proses Esterifikasi. *Jurnal Ilmu Lingkungan*, 10(1), p. 26. doi: 10.14710/jil.10.1.26-31.
- Pratama, R. I. Heru S, Joko S, dan Winarti Z. 2012. Karakteristik Sensori Beberapa Produk Ikan Asap Khas Daerah di Indonesia dengan Menggunakan Metode Quantitative Descriptive Analysis', *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 7(2), p. 117. doi: 10.15578/jpbkp.v7i2.253.
- Puri, R., Kaushik K, Yogesh K, Ravinder M, H C Devraja. 2016. Quantitative descriptive analysis and principal component analysis for sensory characterization of Indian milk product cham-cham. *Journal of Food Science and Technology*, 53(2), pp. 1238–1246. doi: 10.1007/s13197-015-2089-4.
- Richter, V. B. Tereza C A D A, Sandra H P, Marta D T B. 2010. Proposing a ranking descriptive sensory method. *Food Quality and Preference*, 21(6), pp. 611–620. doi: 10.1016/j.foodqual.2010.03.011.
- Razak, D. L., Rashid, N. Y., Jamaluddin, A., Sharifudin, S. A., dan Long, K. 2015. Enhancement of Phenolic Acid Content and Antioxidant Activity of Rice Bran Fermented with *Rhizopus oligosporus* and *Monascus purpureus*. *Biocatalysis and Agricultural Biotechnology*. 4(1), 33-38.
- Sánchez, C. 2009. Lignocellulosic residues: Biodegradation and bioconversion by fungi. *Biotechnology Advances*, 27(2), pp. 185–194. doi: 10.1016/j.biotechadv.2008.11.001.



- Sanjay, K. R. and Univesity, T. 2011. Health Benefits of Rice Bran - A Review Nutrition & Food Health Benefits of Rice Bran - A Review. doi: 10.4172/2155-9600.1000108.
- Sanz, M. L., Sanz, J. and Martínez-Castro, I. 2004. Presence of some cyclitols in honey. *Food Chemistry*, 84(1), pp. 133–135. doi: 10.1016/S0308-8146(03)00200-0.
- Saputra, T., Ibrahim, M. N. and Faradilla, R. F. 2018. pengaruh penggunaan tepung bekatul dan tepung jagung (*zea mays l.*) pada produk cookies makanan selingan penderita diabetes terhadap penilaian organoleptik dan nilai GI. *J. Sains dan Teknologi Pangan*, 3(6), pp. 1768–1782.
- Schmidt, C.G., L.M Goncalves, L. Prietto. 2014. Antioxidant Activity and Enzyme Inhibition of Phenolic Acids from Fermented Rice Bran with Fungus *Rhizopus oryzae*. *Food Chemistry*, 146 (4):371–377
- Selli S, Rannou C, Prost C, Robin J, Serot T. 2006. Characterization of aroma-active compounds in rainbow trout (*Oncorhynchus mykiss*) eliciting an off-odor', *Journal of Agricultural and Food Chemistry*, 54(25), pp. 9496–9502. doi: 10.1021/jf0619582.
- Sukhonthara, S., Theerakulkait, C. and Miyazawa, M. 2009. Characterization of *volatile* aroma compounds from red and black rice bran. *Journal of Oleo Science*, 58(3), pp. 155–161. doi: 10.5650/jos.58.155.
- Tamura, H., Boonbumrung, S., Yoshizawa, T., & Varanyanond, W.2000. Volatile Components of the Essential Oils in the Pulp of Four Yellow Mangoes (*Mangifera indica L.*) in Thailand', *Food Science and Technology Research*, 6(1), pp. 68–73. doi: 10.3136/fstr.6.68.
- The Good Scents Company. 2020. The Good Scents Company Information System. <http://www.thegoodscentscopy.com/>. Diakses pada 19 Agustus 2021.
- Tang, H., Ma, J.-K., Chen, L., Jiang, L.-W., Xie, J., Li, P. 2018. GC-MS characterization of volatile flavor compounds in stinky tofu brine by optimization of headspace solid-phase microextraction conditions. *Molecules*, 23(12), pp. 1–14. doi: 10.3390/molecules23123155.
- Tuarita, M. Z., Nur F S, Sukarno, Nancy, D Y, dan Slmaet B. 2017. Pengembangan Bekatul sebagai Pangan Fungsional: Peluang, Hambatan, dan Tantangan', *Jurnal Pangan*, 26(2), pp. 167–176.
- Tylewicz, U., Inchingolo, R. and Rodriguez-Estrada, M. T. 2017. *Food aroma* compounds, *Nutraceutical and Functional Food Components: Effects of Innovative Processing Techniques*. Elsevier Inc. doi: 10.1016/B978-0-12-805257-0.00009-0.
- Umano, K., Yukio H, Kazuaki N, Akihiro S, and Takayuki S. 1995. Volatile Chemicals Formed in the Headspace of a Heated D-Glucose/ L-Cysteine Maillard Model System. *Journal of Agricultural and Food Chemistry*, 43(8), pp. 2212–2218. doi: 10.1021/jf00056a046.
- Verma, D. K. and Srivastav, P. P. 2020. A paradigm of volatile aroma compounds in rice and their product with extraction and identification methods: A comprehensive review. *Food Research International*, 130(December 2019), p. 108924. doi: 10.1016/j.foodres.2019.108924.
- Vilanova, M., Masa, A. and Tardaguila, J. 2009. Evaluation of the aroma descriptors variability

- in Spanish grape cultivars by a quantitative descriptive analysis', *Euphytica*, 165(2), pp. 383–389. doi: 10.1007/s10681-008-9801-7.
- Vong, W. C., Hua, X. Y. and Liu, S. Q. 2018. Solid-state fermentation with *Rhizopus oligosporus* and *Yarrowia lipolytica* improved nutritional and flavour properties of okara. *LWT - Food Science and Technology*, 90(December 2017), pp. 316–322. doi: 10.1016/j.lwt.2017.12.050.
- Wang, H., Yaozhou Z, Jingjing Z, Xichang W and Wenzheng S. 2018. Volatile components present in different parts of grass carp', *Journal of Food Biochemistry*, 42(6), pp. 1–19. doi: 10.1111/jfbc.12668.
- Wedge DE, Klun JA, Tabanca N, Demirci B, Ozek T, Baser KH, Liu Z, Zhang S, Cantrell CL, Zhang J. 2009. Bioactivity-guided fractionation and GC/MS fingerprinting of *Angelica sinensis* and *Angelica archangelica* root components for antifungal and mosquito deterrent activity', *Journal of Agricultural and Food Chemistry*, 57(2), pp. 464–470. doi: 10.1021/jf802820d.
- Wei CK, Ni ZJ, Thakur K, Liao AM, Huang JH, Wei ZJ. 2020. Aromatic effects of immobilized enzymatic oxidation of chicken fat on flaxseed (*Linum usitatissimum* L.) derived Maillard reaction products', *Food Chemistry*, 306(May 2019), p. 125560. doi: 10.1016/j.foodchem.2019.125560.
- Wijaya, C.H., Ulrich, D., Lestari, R., Schippel, K., Ebert, G. 2005. Identification of potent odorants in different cultivars of snake fruit (*Salacca zalacca* (Gaert.) Voss) using gas chromatography-olfactometry. *J. Agric. Food Chem.* (53):1637-1641.
- Wu S, Zorn H, Krings U, Berger RG. 2005. Characteristic volatiles from young and aged fruiting bodies of wild *Polyporus sulfureus*. *Journal of Agricultural and Food Chemistry*, 53(11), pp. 4524–4528. doi: 10.1021/jf0478511.
- Wu, Y., Qiuhong P., Wenjun Q, and Changqing D. 2009. Comparison of volatile profiles of nine litchi (*Litchi chinensis* Sonn.) cultivars from Southern China', *Journal of Agricultural and Food Chemistry*, 57(20), pp. 9676–9681. doi: 10.1021/jf902144c.
- Xiaofen, D. U., Finn, C. E. and Qian, M. C. 2010. Bound volatile precursors in genotypes in the pedigree of "Marion" blackberry (*Rubus* Sp.)', *Journal of Agricultural and Food Chemistry*, 58(6), pp. 3694–3699. doi: 10.1021/jf9034089.
- Xu, Y., Fan, W. and Qian, M. C. 2007. Characterization of aroma compounds in apple cider using solvent-assisted flavor evaporation and headspace solid-phase microextraction. *Journal of Agricultural and Food Chemistry*, 55(8), pp. 3051–3057. doi: 10.1021/jf0631732.
- Yi, C., Yisi, L., Hong Z., Yanlan, L., Ke Q. 2021. Effect of *Lactobacillus plantarum* fermentation on the volatile flavors of mung beans. *Lwt*, 146(April), p. 111434. doi: 10.1016/j.lwt.2021.111434.
- Yu H, Xie T, Xie J, Ai L, Tian H. 2019. Characterization of key aroma compounds in Chinese rice wine using gas chromatography-mass spectrometry and gas chromatography-olfactometry. *Food Chemistry*, 293(October 2018), pp. 8–14. doi: 10.1016/j.foodchem.2019.03.071.



- Zeng, M., Zhang, L. and Qin, F. 2012. Analytical Methods Determination of flavor components of rice bran by GC-MS and. doi: 10.1039/c2ay05671b.
- Zhang, Li., Si Mi, Ruo-bing L, Ya-xin S, Xiang-hong W., 2020. Evaluation of Volatile Compounds during the Fermentation Process of Yogurts by *Streptococcus thermophilus* Based on Odor Activity Value and Heat Map Analysis. *International Journal of Analytical Chemistry*, 2020. doi: 10.1155/2020/3242854.
- Zhao, Q., Xue, Y. and Shen, Q. 2020. Changes in the major aroma-active compounds and taste components of Jasmine rice during storage. *Food Research International*, 133(17), p. 109160. doi: 10.1016/j.foodres.2020.109160.
- Zhou, Qi, Shaomin Liu, Ye Liu, and Huanlu Song. 2019. "Comparative Analysis of Volatiles of 15 Brands of Extra-Virgin Olive Oils Using Solid-Phase Micro-Extraction and Solvent-Assisted Flavor Evaporation" *Molecules* 24, no. 8: 1512. <https://doi.org/10.3390/molecules24081512>
- Zhu, J. C. *et al.* 2018. Characterization of the key aroma compounds in mulberry fruits by application of gas chromatography–olfactometry (GC-O), odor activity value (OAV), gas chromatography-mass spectrometry (GC–MS) and flame photometric detection (FPD). *Food Chemistry*, 245(November 2017), pp. 775–785. doi: 10.1016/j.foodchem.2017.11.112.