

## DAFTAR PUSTAKA

Abioye, A. I. *et al.* (2016) 'Iron Supplementation Affects Hematologic Biomarker Concentrations and Pregnancy Outcomes among Iron-Deficient Tanzanian Women', *The Journal of Nutrition*, 146, pp. 1162–71. doi: 10.3945/jn.115.225482.

Abubakari, A., Kynast-Wolf, G. and Jahn, A. (2015) 'Maternal determinants of birth weight in Northern Ghana', *PLoS ONE*, 10(8), pp. 1–15. doi: 10.1371/journal.pone.0135641.

Acuin, C. S. *et al.* (2011) 'Maternal , neonatal , and child health in southeast Asia : towards greater regional collaboration', *Lancet*, 377, pp. 516–525. doi: 10.1016/S0140-6736(10)62049-1.

Agarwal, K. N., Gupta, V. and Agarwal, S. (2013) 'Effect of maternal iron status on placenta , fetus and newborn', *International Journal of Medicine and Medical Sciences*, 5(9), pp. 391–395. doi: 10.5897/IJMMS09.233.

Agrawal, S. *et al.* (2015) 'Adequately Diversified Dietary Intake and Iron and Folic Acid Supplementation during Pregnancy Is Associated with Reduced Occurrence of Symptoms Suggestive of Pre- Eclampsia or Eclampsia in Indian Women', *PLoS ONE*, 10(3), pp. 1–23. doi: 10.1371/journal.pone.0119120.

Agrawal, V., Jain, V. and Sahu, P. (2016) 'Cord Blood Iron Status In Maternal Iron Deficiency Anaemia', *Natl J Integr Res Med*, 7(3), pp. 21–24.

Ahmed, T. *et al.* (2013) 'Global Burden of Maternal and Child Undernutrition and Micronutrient Deficiencies', *Ann Nutr Metab*, 61(suppl 1), pp. 8–17. doi: 10.1159/000345165.

Akahoshi, E. *et al.* (2016) 'Association of maternal pre-pregnancy weight, weight gain during pregnancy, and smoking with small-for-gestational-age infants in Japan', *Early Human Development*, 92, pp. 33–36. doi: 10.1016/j.earlhumdev.2015.10.022.

Akter, S. M. *et al.* (2012) 'Effects of third trimester counseling on pregnancy weight gain , birthweight , and breastfeeding among urban poor women in Bangladesh', *Food and nutrition bulletin*, 33(3), pp. 194–201.

Al-Zirqi, I. *et al.* (2008) 'Prevalence and risk factors of severe obstetric haemorrhage', *BJOG*, 115, pp. 1265–1272. doi: 10.1111/j.1471-0528.2008.01859.x.

Alberico, S. *et al.* (2014) 'The role of gestational diabetes, pre-pregnancy body mass index and gestational weight gain on the risk of newborn macrosomia: results from a prospective multicentre study', *BMC Pregnancy and Childbirth*, 14(1), p. 23. doi: 10.1186/1471-2393-14-23.

Alemu, T. and Umeta, M. (2016) 'Prevalence and Predictors of " Small Size " Babies in Ethiopia : In- depth Analysis of the Ethiopian Demographic and Health Survey , 2011', *Ethiop J Health Sci.*, 26(3), pp. 243–250.

Ali, A. A. *et al.* (2014) 'Factors Associated with Perinatal Mortality in Kassala , Eastern Sudan : A Community-Based Study 2010 – 2011', *Journal of Tropical Pediatrics*, 60(1), pp. 79–82. doi: 10.1093/tropej/fmt075.

Alibekova, R., Huang, J. and Chen, Y. (2013) 'Adequate Prenatal Care Reduces the Risk of Adverse Pregnancy Outcomes in Women with History of Infertility : A Nationwide Population-Based Study', *PLoS ONE*, 8(12), pp. 1–8. doi: 10.1371/journal.pone.0084237.

Alwan, N. A. *et al.* (2015) 'Maternal iron status in early pregnancy and birth outcomes : insights from the Baby ' s Vascular health and Iron in Pregnancy study', *British Journal of Nutrition*, 113, pp. 1985–1992. doi: 10.1017/S0007114515001166.

Aranda, N., Ribot, B., Garcia, E., Viteri, Fernando E, *et al.* (2011) 'Early Human Development Pre-pregnancy iron reserves , iron supplementation during pregnancy , and birth weight ☆', *Early Human Development*, 87(12), pp. 791–797. doi: 10.1016/j.earlhumdev.2011.06.003.

Aranda, N., Ribot, B., Garcia, E., Viteri, Fernando E., *et al.* (2011) 'Pre-pregnancy iron reserves, iron supplementation during pregnancy, and birth weight', *Early Human Development*, 87, pp. 791–797. doi: 10.1016/j.earlhumdev.2011.06.003.

Aranda, N. *et al.* (2013) 'Predictors of haemoconcentration at delivery : association with low birth weight', *Eur J Nutr*, 52, pp. 1631–1639. doi: 10.1007/s00394-012-0468-4.

Armijo-olivo, S. *et al.* (2012) 'Assessment of study quality for systematic reviews : a comparison of the Cochrane Collaboration Risk of Bias Tool and the Effective Public Health Practice Project Quality Assessment Tool : methodological research', *Journal of Evaluation in Clinical Practice*, 18, pp. 12–18. doi: 10.1111/j.1365-2753.2010.01516.x.

Asbee, S. M. *et al.* (2009) 'Preventing Excessive Weight Gain During Pregnancy Through Dietary and Lifestyle Counseling', *Obstet Gynecol*, 113(2), pp. 305–312.

Assefa, N., Berhane, Y. and Worku, A. (2012) 'Wealth status, mid upper arm circumference (MUAC) and Antenatal Care (ANC) are determinants for low birth weight in Kersa, Ethiopia', *PLoS ONE*, 7(6), p. e39957. doi: 10.1371/journal.pone.0039957.

Awadallah, S. M. *et al.* (2004) 'Maternal and Cord Blood Serum Levels of Zinc, Copper, and Iron in Healthy Pregnant Jordanian Women', *Journal of Trace Elements in Experimental Medicine*, 17, pp. 1–8. doi: 10.1002/jtra.10032.

Awoleke, J. O. (2012) 'Maternal risk factors for low birth weight babies in Lagos , Nigeria', *Arch Gynecol Obstet*, 285, pp. 1–6. doi: 10.1007/s00404-011-1885-y.

Badan Penelitian dan Pengembangan Departemen Kesehatan (2007) *Riset Kesehatan Dasar Laporan Nasional 2007*. Jakarta.

Badan Penelitian Dan Pengembangan Kementerian Kesehatan (2010) *RISSET KESEHATAN DASAR RISKESDAS 2010*. Jakarta.

Badan Penelitian Dan Pengembangan Kementerian Kesehatan RI (2013) *RISSET KESEHATAN DASAR RISKESDAS 2013*. Jakarta.

Badham, J., Zimmermann, M. B. and Kraemer, K. (eds) (2007) *The Guidebook Nutritional Anemia*. Sight and Life Press.

Balarajan, Y., Subramanian, S. V and Fawzi, W. W. (2013) 'Maternal Iron and Folic Acid Supplementation Is Associated with Lower Risk of Low Birth Weight', *J. Nutr*, 143, pp. 1309–1315. doi: 10.3945/jn.112.172015.

Barbosa, I. R. C. *et al.* (2015) 'Maternal and fetal outcome in women with hypertensive disorders of pregnancy : the impact of prenatal care', *Ther Adv Cardiovasc Dis*, 9(4), pp. 140–146. doi: 10.1177/1753944715597622.

Bateman, B. T. *et al.* (2010) 'The epidemiology of postpartum hemorrhage in a large, nationwide sample of deliveries', *Anesthesia and Analgesia*, 110, pp. 1368–1373. doi: 10.1213/ANE.0b013e3181d74898.

Baumann, S. *et al.* (2015) 'The long-term effect of screening and lifestyle counseling on changes in physical activity and diet : the Inter99 Study – a randomized controlled trial', *International Journal of Behavioral Nutrition and Physical*, 12, pp. 33–42. doi: 10.1186/s12966-015-0195-3.

Bauserman, M. *et al.* (2015) 'Risk factors for maternal death and trends in maternal mortality in low- and middle-income countries : a prospective longitudinal cohort analysis', *Reproductive Health*, 12(Suppl 2), p. S5. doi: 10.1186/1742-4755-12-S2-S5.

Bayu, H. *et al.* (2015) 'Missed opportunities for institutional delivery and associated factors among urban resident pregnant women in South Tigray Zone, Ethiopia: a community-based follow-up study', *Glob Health Action*, 8. doi: <http://dx.doi.org/10.3402/gha.v8.28082>.

Beard, J. (2008) 'Iron Requirements and Adverse Outcomes', in J. Lammi-Keefe, C., H. Philipson, E., and C. Couch, S. (eds) *Handbook of Nutrition and Pregnancy*. Humana Press, pp. 233–240.

Beauclair, R., Petro, G. and Myer, L. (2014) 'The association between timing of initiation of antenatal care and stillbirths : a retrospective cohort study of pregnant women in Cape Town , South Africa', *BMC Pregnancy and Childbirth Childbirth*,

14, pp. 204–213. doi: 10.1186/1471-2393-14-204.

Beeckman, K. *et al.* (2012) 'The relationship between antenatal care and preterm birth : the importance of content of care', *European Journal of Public Health*, 23(3), pp. 366–371. doi: 10.1093/eurpub/cks123.

Bilimale, A. *et al.* (2010) 'Improving adherence to oral iron supplementation during pregnancy', *Australasian Medical Journal*, 3(5), pp. 281–290. doi: 10.4066/AMJ.2010.291.

Bill, D. E. *et al.* (2009) 'Healthy Start Programa Madrina: A Promotora Home Visiting Outreach and Education Program to Improve Perinatal Health among Latina Pregnant Women', *The Health Educator*, 41(68).

Bird, A. L. *et al.* (2017) 'Maternal health in pregnancy and associations with adverse birth outcomes: Evidence from Growing Up in New Zealand', *The Australian & New Zealand journal of obstetrics & gynaecology*, 57(1), pp. 16–24. doi: 10.1111/ajo.12557.

Block, S. R. *et al.* (2013) 'Maternal pre-pregnancy body mass index and risk of selected birth defects: Evidence of a dose-response relationship', *Paediatric and Perinatal Epidemiology*, 27(6), pp. 521–531. doi: 10.1111/ppe.12084.

Bodnar, L. M. *et al.* (2016) 'Maternal obesity and gestational weight gain are risk factors for infant death', *Obesity (Silver Spring)*, 24(2), pp. 490–498. doi: 10.1021/acsnano.5b07425.

Breathnach, F. and Geary, M. (2008) 'Uterine Atony: Definition, Prevention, Nonsurgical Management, and Uterine Tamponade', *YSPER*, 33(2), pp. 82–87. doi: 10.1053/j.semperi.2008.12.001.

Breyman, C. (2017) 'Iron Deficiency Anemia in Pregnancy', *Seminars in Hematology*, 52(4), pp. 339–347. doi: 10.1053/j.seminhematol.2015.07.003.

Butali, A. *et al.* (2016) 'Characteristics and risk factors of preterm births in a tertiary center in Lagos, Nigeria', *Pan African Medical Journal*, 24(1), pp. 1–8. doi: 10.11604/pamj.2016.24.1.8382.

Campbell, M. K. *et al.* (2012) 'Determinants of small for gestational age birth at term', *Paediatric and Perinatal Epidemiology*, 26(6), pp. 525–533. doi: 10.1111/j.1365-3016.2012.01319.x.

Cappellini, M. D. *et al.* (2017) 'Iron deficiency across chronic inflammatory conditions: International expert opinion on definition, diagnosis, and management', *American Journal of Hematology*, 92, pp. 1068–1078. doi: 10.1002/ajh.24820.

Casas, M. *et al.* (2013) 'Maternal pre-pregnancy overweight and obesity, and child neuropsychological development: Two southern european birth cohort

studies', *International Journal of Epidemiology*, 42(2), pp. 506–517. doi: 10.1093/ije/dyt002.

Castillo, H., Santos, I. S. and Matijasevich, A. (2016) 'Maternal pre-pregnancy BMI, gestational weight gain and breastfeeding', *European Journal of Clinical Nutrition*, 70(4), pp. 431–436. doi: 10.1038/ejcn.2015.232.

Chandra, S. *et al.* (2012) 'Physiological Changes in Hematological Parameters During Pregnancy', *Indian J Hematol Blood Transfus*, 28(3), pp. 144–146. doi: 10.1007/s12288-012-0175-6.

Choi, J. W. *et al.* (2002) 'Iron deficiency anemia increases nitric oxide production in healthy adolescents', *Annals of Hematology*. doi: 10.1007/s00277-001-0409-4.

Cinelli, G. *et al.* (2016) 'Influence of maternal obesity and gestational weight gain on maternal and foetal lipid profile', *Nutrients*, 8(6), pp. 1–13. doi: 10.3390/nu8060368.

Crane, R. J., Jones, K. D. J. and Berkley, J. A. (2015) 'Environmental enteric dysfunction: An overview', *Food and Nutrition Bulletin*, 36(10), pp. S76–S87. doi: 10.1177/15648265150361S113.

Crozier, S. R. *et al.* (2009) 'Do women change their health behaviours in pregnancy? Findings from the Southampton Women's Survey', *Paediatric and Perinatal Epidemiology*, 23(5), pp. 446–453. doi: 10.1111/j.1365-3016.2009.01036.x.

Cuco, G. *et al.* (2006) 'Association of maternal protein intake before conception and throughout pregnancy with birth weight', *Acta Obstetrica et Gynecologica*, 85, pp. 413–421. doi: 10.1080/00016340600572228.

Cuervo, M. *et al.* (2014) 'Dietary and Health Profiles of Spanish Women in Preconception, Pregnancy and Lactation', *Nutrient*, 6, pp. 4434–4451. doi: 10.3390/nu6104434.

Dean, S. V *et al.* (2014) 'Preconception care : nutritional risks and interventions', *Reproductive Health*, 11(Suppl 3), p. S3. doi: 10.1186/1742-4755-11-S3-S3.

Debelew, G. T., Afework, M. F. and Yalew, A. W. (2014) 'Determinants and Causes of Neonatal Mortality in Jimma Zone , Southwest Ethiopia : A Multilevel Analysis of Prospective Follow Up Study', *PLoS ONE*, 9(9). doi: 10.1371/journal.pone.0107184.

Demelash, H. *et al.* (2015) 'Risk factors for low birth weight in Bale zone hospitals , South-East Ethiopia : a case – control study', *BMC Pregnancy and Childbirth*, 15, pp. 264–273. doi: 10.1186/s12884-015-0677-y.

Dibley, M. J. *et al.* (2015) 'Iron and folic acid supplements in pregnancy improve child survival', *American Journal of Clinical Nutrition*, 95, pp. 220–230. doi:

10.3945/ajcn.111.022699.

Dickey, R. P. *et al.* (2013) 'Effect of maternal height and weight on risk for preterm singleton and twin births resulting from IVF in the United States, 2008-2010', *American Journal of Obstetrics and Gynecology*, 209(4), pp. 349.e1-349.e6. doi: 10.1016/j.ajog.2013.05.052.

Elsinga, J. *et al.* (2008) 'The Effect of Preconception Counselling on Lifestyle and Other Behaviour Before and During Pregnancy', *Women's Health Issues*, 18(6 SUPPL.). doi: 10.1016/j.whi.2008.09.003.

Etheredge, A. J. *et al.* (2015) 'Iron Supplementation among Iron-Replete and Non-Anemic Pregnant Women: A Randomized Placebo-Controlled Trial in Tanzania', *JAMA Pediatr.*, 169(10), pp. 947–955. doi: 10.1001/jamapediatrics.2015.1480.

Falahi, E. *et al.* (2011) 'Impact of prophylactic iron supplementation in healthy pregnant women on maternal iron status and birth outcome', *Food and nutrition bulletin*, 32(3), pp. 213–217.

Farias, D. R. *et al.* (2016) 'Lipid changes throughout pregnancy according to pre-pregnancy BMI: Results from a prospective cohort', *BJOG: An International Journal of Obstetrics and Gynaecology*, 123(4), pp. 570–578. doi: 10.1111/1471-0528.13293.

Feresu, S. A., Harlow, S. D. and Woelk, G. B. (2015) 'Risk Factors for Low Birthweight in Zimbabwean Women : A Secondary Data Analysis', *PLoS ONE*, 10(6), pp. 1–17. doi: 10.1371/journal.pone.0129705.

Florida, M. *et al.* (2014) 'Rate, Predictors, and Consequences of Late Antenatal Booking in a National Cohort Study of Pregnant Women With HIV in Italy', *HIV Clin Trials*, 15(3), pp. 104–115. doi: 10.1310/hct1503-104.

Fouelifack, F. Y. *et al.* (2015) 'Associations of body mass index and gestational weight gain with term pregnancy outcomes in urban Cameroon: a retrospective cohort study in a tertiary hospital', *BMC Research Notes*, 8(1), p. 806. doi: 10.1186/s13104-015-1765-9.

Fukuda, S. *et al.* (2017) 'High Maternal Age and Low Pre-Pregnancy Body Mass Index Correlate with Lower Birth Weight of Male Infants', *Tohoku J. Exp. Med.*, 241, pp. 117–123. doi: 10.1620/tjem.241.117.

Garg, A. and Kashyap, S. (2006) 'Effect of counseling on nutritional status during pregnancy', *Indian Journal of Pediatrics*, 73(8), pp. 687–692. doi: 10.1007/BF02898446.

Gebremedhin, S. *et al.* (2014) 'Coverage , compliance and factors associated with utilization of iron supplementation during pregnancy in eight rural districts of Ethiopia : a cross-sectional study', *BMC Public Health*, 14, pp. 607–614.

Gesche, J. and Nilas, L. (2015) 'Pregnancy outcome according to pre-pregnancy body mass index and gestational weight gain', *International Journal of Gynecology & Obstetrics*, 129(3), pp. 240–243. doi: 10.1016/j.ijgo.2014.12.013.

Ghaderi, N. *et al.* (2017) 'Effect of Education Based on the Health Belief Model ( HBM ) on Anemia Preventive Behaviors among Iranian Girl Students', *International Journal of Pediatrics*, 5(42), pp. 5043–5052. doi: 10.22038/ijp.2017.22051.1844.

Girard, A. W. and Olude, O. (2012) 'Nutrition education and counselling provided during pregnancy: Effects on maternal, neonatal and child health outcomes', *Paediatric and Perinatal Epidemiology*, 26(SUPPL. 1), pp. 191–204. doi: 10.1111/j.1365-3016.2012.01278.x.

Glanz, K., Rimer, B. K. and Viswanath, K. (2008) *Health Behavior and Health Education. Theory, Research, and Practice*. Fourth Edi. California: Jossey-Bass.

Godefay, H. *et al.* (2015) 'Risk Factors for Maternal Mortality in Rural Tigray , Northern Ethiopia : A Case-Control Study', *PLoS ONE*, 10(12), pp. 1–12. doi: 10.1371/journal.pone.0144975.

Grieger, J. A., Grzeskowiak, L. E. and Clifton, V. L. (2014) 'Preconception Dietary Patterns in Human Pregnancies Are Associated with Preterm Delivery', *Journal of Nutrition*, 144(7), pp. 1075–1080. doi: 10.3945/jn.114.190686.

Guilloty, N. I. *et al.* (2015) 'Diet, Pre-pregnancy BMI, and Gestational Weight Gain in Puerto Rican Women', *Matern Child Health J.*, 19(11), pp. 2453–2461. doi: 10.1007/s10995-015-1764-4.

Haider, B. A., Olofin, I. and Wang, M. (2013) 'Anaemia , prenatal iron use , and risk of adverse pregnancy outcomes : systematic review and meta-analysis', *BMJ*, 346, pp. 1–19. doi: 10.1136/bmj.f3443.

Haines, A. *et al.* (2007) 'Achieving child survival goals: potential contribution of community health workers', *Lancet*, 369(9579), pp. 2121–2131. doi: 10.1016/S0140-6736(07)60325-0.

Harita, N. *et al.* (2012) 'Gestational bodyweight gain among underweight Japanese women related to small-for-gestational-age birth', *Journal of Obstetrics and Gynaecology Research*, 38(9), pp. 1137–1144. doi: 10.1111/j.1447-0756.2012.01848.x.

Harville, E. W., Viikari, J. S. A. and Raitakari, O. T. (2011) 'Preconception cardiovascular risk factors and pregnancy outcome.', *Epidemiology (Cambridge, Mass.)*, 22(5), pp. 724–30. doi: 10.1097/EDE.0b013e318225c960.

Haugen, M. *et al.* (2014) 'Associations of pre-pregnancy body mass index and gestational weight gain with pregnancy outcome and postpartum weight retention: a prospective observational cohort study', *BMC Pregnancy and*

*Childbirth*, 14(1), p. 201. doi: 10.1186/1471-2393-14-201.

Heaman, M. *et al.* (2013) 'Risk factors for preterm birth and small-for-gestational-age births among canadian women', *Paediatric and Perinatal Epidemiology*, 27(1), pp. 54–61. doi: 10.1111/ppe.12016.

Heerman, W. J. *et al.* (2014) 'Interaction between maternal prepregnancy body mass index and gestational weight gain shapes infant growth', *Academic Pediatrics*, 14(5), pp. 463–470. doi: 10.1016/j.acap.2014.05.005.

Hernández-Martínez, C. *et al.* (2011) 'Effects of iron deficiency on neonatal behavior at different stages of pregnancy', *Early Human Development*. doi: 10.1016/j.earlhumdev.2010.12.006.

Heude, B. *et al.* (no date) 'Pre-pregnancy body mass index and weight gain during pregnancy : relations with gestational diabetes and hypertension , and birth outcomes', *Matern Child Health J.*, pp. 1–9.

Hoffmann, T. C. *et al.* (2014) 'Better reporting of interventions: Template for intervention description and replication (TIDieR) checklist and guide', *BMJ (Online)*, 348(March), pp. 1–12. doi: 10.1136/bmj.g1687.

Hollis, N. D. *et al.* (2013) 'Preconception folic acid supplementation and risk for chromosome 21 nondisjunction: A report from the National Down Syndrome Project', *Am J Med Genet A*, 161(3), pp. 438–444. doi: 10.1002/ajmg.a.35796.

Hunt, K. J. *et al.* (2013) 'Maternal pre-pregnancy weight and gestational weight gain and their association with birthweight with a focus on racial differences', *Matern Child Health J.*, 17(1), pp. 85–94. doi: 10.1007/s10995-012-0950-x.

Hussein, N., Kai, J. and Qureshi, N. (2016) 'The effects of preconception interventions on improving reproductive health and pregnancy outcomes in primary care: A systematic review', *European Journal of General Practice*, 22(1), pp. 42–52. doi: 10.3109/13814788.2015.1099039.

Islam, M. M. and Elsayed, M. K. (2015) 'Pattern and determinants of birth weight in Oman', *Public Health*, 129, pp. 1618–1626. doi: 10.1016/j.puhe.2015.07.011.

Jafree, S. R., Zakar, R. and Zakar, M. Z. (2015) 'Factors Associated with Low Birth Weight of Children Among Employed Mothers in Pakistan', *Maternal and Child Health Journal*, 19, pp. 1993–2002. doi: 10.1007/s10995-015-1708-z.

Jeric, M. *et al.* (2013) 'Maternal pre-pregnancy underweight and fetal growth in relation to institute of medicine recommendations for gestational weight gain', *Early Human Development*, 89(5), pp. 277–281. doi: 10.1016/j.earlhumdev.2012.10.004.

De Jongh, B. E. *et al.* (2014) 'Effects of pre-pregnancy obesity, race/ethnicity and prematurity', *Maternal and Child Health Journal*, 18(3), pp. 511–517. doi:

10.1007/s10995-013-1296-8.

Kaboré, R. *et al.* (2016) 'Factors associated with very early neonatal mortality in Burkina Faso : A matched case – control study', *International Journal of Gynecology and Obstetrics*, 135, pp. S93–S97. doi: 10.1016/j.ijgo.2016.08.017.

Kazemian, E. *et al.* (2014) 'Maternal obesity and energy intake as risk factors of pregnancy-induced hypertension among Iranian women', *J Health Popul Nutr*, 32(3), pp. 486–493. doi: 10.4172/2167-0420.1000116.

KC, A. *et al.* (2015) 'Risk factors for antepartum stillbirth : A case- control study in Nepal Risk factors for antepartum stillbirth : a case-control study in Nepal', *BMC Pregnancy & Childbirth*, 15, pp. 146–155. doi: 10.1186/s12884-015-0567-3.

Kemenkes, R. (2014) *infodatin-ibu*. Jakarta.

Kementerian Kesehatan RI (2016) *Profil Kesehatan Indonesia 2015*. Jakarta: Kementerian Kesehatan RI. doi: 351.077 Ind.

Kementerian Kesehatan RI (2019) *Laporan Nasional RISKESDAS 2018, Badan Penelitian dan Pengembangan Kesehatan*. Available at: [http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan\\_Nasional\\_RKD2018\\_FINAL.pdf](http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf).

Kerber, K. J. *et al.* (2007) 'Continuum of care for maternal , newborn , and child health : from slogan to service delivery', 370.

Kikuchi, K. *et al.* (2015) 'Effective linkages of continuum of care for improving neonatal, perinatal, and maternal mortality: A systematic review and meta-analysis', *PLoS ONE*, 10(9), pp. 1–27. doi: 10.1371/journal.pone.0139288.

Kinnunen, T. I. *et al.* (2007) 'Preventing excessive weight gain during pregnancy – a controlled trial in primary health care', *European journal of clinical nutrition*, 61, pp. 884–891. doi: 10.1038/sj.ejcn.1602602.

Kirkpatrick, D. L. and Kirkpatrick, J. D. (2006) *Evaluating Training Programs. Third Edition*. San Francisco: Berret-Koehler Publishers.

Kirkpatrick, D. L. and Kirkpatrick, J. D. (2007) *Implementing The Four Levels. A Practical Guide for Effective Evaluation of Training Programs*. San Francisco: Berret-Koehler Publishers.

Kisuule, I. *et al.* (2013) 'Timing and reasons for coming late for the first antenatal care visit by pregnant women at Mulago hospital, Kampala Uganda', *BMC Pregnancy and Childbirth*, 13(1), p. 121. doi: 10.1186/1471-2393-13-121.

Kodla, C. S. (2015) 'A study of prevalence, causes, risk factors and outcome of severe obstetrics haemorrhage', *Journal of Scientific and Innovative Research JSIR*, 4(42), pp. 83–87.

- Koh, H. *et al.* (2013) 'Predictors and adverse outcomes of inadequate or excessive gestational weight gain in an Asian population', *Journal of Obstetrics and Gynaecology Research*, 39(5), pp. 905–913. doi: 10.1111/j.1447-0756.2012.02067.x.
- Kominiarek, M. A. and Peaceman, A. M. (2017) 'Gestational Weight Gain', *Am J Obstet Gynecol*, 217(6), pp. 642–651. doi: 10.1016/j.ajog.2017.05.040.
- Kosa, J. L. *et al.* (2011) 'The association between pre-pregnancy BMI and preterm delivery in a diverse Southern California population of working women', *Maternal and Child Health Journal*, 15(6), pp. 772–781. doi: 10.1007/s10995-010-0633-4.
- Kraemer, K. and Zimmermann, M. B. (2007) *Nutritional Anemia*. Switzerland: Sight and Life Press.
- Lambert, S. D. and Loiselle, C. G. (2007) 'Health Information Seeking Behavior', *Qualitative Health Research*, 17(8), pp. 1006–1019. doi: 10.1177/1049732307305199.
- Leal, C. *et al.* (2016) 'Prevalence and risk factors related to preterm birth in Brazil', *Reproductive Health*, 13(Suppl 3). doi: 10.1186/s12978-016-0230-0.
- Lee, E. *et al.* (2009) 'Reducing Low Birth Weight Through Home Visitation', *AMEPRE*, 36(2), pp. 154–160. doi: 10.1016/j.amepre.2008.09.029.
- Lee, N. M. and Saha, S. (2011) 'Nausea and Vomiting of Pregnancy', *Gastroenterology Clinics of North America*, 40(2), pp. 309–334. doi: 10.1016/j.gtc.2011.03.009.
- Lee, S. H. *et al.* (2016) 'Differences in pregnancy outcomes, prenatal care utilization, and maternal complications between teenagers and adult women in Korea', *Medicine*, 95, p. 34.
- Leonard, S. A. *et al.* (2015) 'Prepregnancy Risk Factors for Preterm Birth and the Role of Maternal Nativity in a Low-Income, Hispanic Population', *Maternal and Child Health Journal*, 19(10), pp. 2295–2302. doi: 10.1007/s10995-015-1748-4.
- Lewin, S. *et al.* (2006) 'Lay health workers in primary and community health care: A systematic review of trials', *World Health Organization*, (November), pp. 1–85. Available at: [http://www.who.int/rpc/meetings/LHW\\_review2.pdf](http://www.who.int/rpc/meetings/LHW_review2.pdf).
- Li, C. *et al.* (2015) 'Predictors for neonatal death in the rural areas of Shaanxi Province of Northwestern China : a cross-sectional study', *BMC Public Health*, 15, pp. 387–394. doi: 10.1186/s12889-015-1738-x.
- Li, C., Liu, Y. and Zhang, W. (2015) 'Joint and independent associations of gestational weight gain and pre-pregnancy body mass index with outcomes of pregnancy in Chinese women: A retrospective cohort study', *PLoS ONE*, 10(8),

pp. 1–15. doi: 10.1371/journal.pone.0136850.

Li, N. *et al.* (2013) 'Maternal Prepregnancy Body Mass Index and Gestational Weight Gain on Offspring Overweight in Early Infancy', *PLoS ONE*, 8(10), pp. 1–9. doi: 10.1371/journal.pone.0077809.

Liu, C., Chang, S. and Cheng, P. (2012) 'Relationship between prenatal care and maternal complications in women with preeclampsia : Implications for continuity and discontinuity of prenatal care', *Taiwanese Journal of Obstetrics & Gynecology*, 51(4), pp. 576–582. doi: 10.1016/j.tjog.2012.09.013.

Liu, X. *et al.* (2014) 'Maternal Preconception Body Mass Index and Offspring Cord Blood DNA Methylation: Exploration of Early Life Origins of Disease', *Environ Mol Mutagen*, 55(3), pp. 223–230. doi: 10.1002/em.21827.

Liu, X. *et al.* (2016) 'Folic acid supplementation, dietary folate intake and risk of preterm birth in China', *European Journal of Nutrition*, 55(4), pp. 1411–1422. doi: 10.1007/s00394-015-0959-1.

Loftus, C. T. *et al.* (2015) 'A Longitudinal Study of Changes in Prenatal Care Utilization Between First and Second Births and Low Birth Weight', *Maternal and Child Health Journal*, 19(12), pp. 2627–2635. doi: 10.1007/s10995-015-1783-1.

Lozoff, B. *et al.* (2006) 'Long-Lasting Neural and Behavioral Effects of Iron Deficiency in Infancy', *Nutrition Reviews*, 64, pp. S34–S91.

Lu, L. *et al.* (2015) 'Risk factors associated with late preterm births in the underdeveloped region of China : A cohort study and systematic review', *Taiwanese Journal of Obstetrics & Gynecology*, 54, pp. 647–653. doi: 10.1016/j.tjog.2014.05.011.

Lund, S. *et al.* (2014) 'Mobile phones improve antenatal care attendance in Zanzibar: a cluster randomized controlled trial', *BMC Pregnancy and Childbirth*, 14, p. 29. doi: 10.1186/1471-2393-14-29.

Macheku, G. S. *et al.* (2015) 'Frequency , risk factors and fetomaternal outcomes of abruptio placentae in Northern Tanzania : a registry-based retrospective cohort study', *BMC Pregnancy and Childbirth*, pp. 1–10. doi: 10.1186/s12884-015-0678-x.

Merkx, A. *et al.* (2015) 'Weight gain in healthy pregnant women in relation to pre-pregnancy BMI, diet and physical activity', *Midwifery*, 31(7), pp. 693–701. doi: 10.1016/j.midw.2015.04.008.

Milman, N. (2011) 'Anemia — still a major health problem in many parts of the world !', *Ann Hematol*, 90, pp. 369–377. doi: 10.1007/s00277-010-1144-5.

Mitchell, E. W., Levis, D. M. and Prue, C. E. (2010) 'Preconception Health : Awareness , Planning , and Communication Among a Sample of US Men and

Women', *Maternal and Child Health Journal*, 16, pp. 31–39. doi: 10.1007/s10995-010-0663-y.

Mithra, P. *et al.* (2013) 'Compliance with iron-folic acid (IFA) therapy among pregnant women in an urban area of south India', *African Health Sciences*, 13(4), pp. 880–885. doi: 10.4314/ahs.v13i4.3.

Monterrosa, E. C. *et al.* (2015) 'Maternal pre-pregnancy body mass index is not associated with infant and young child feeding in low-income Mexican children 1-24 months old', *Maternal and Child Nutrition*, 11(2), pp. 215–228. doi: 10.1111/j.1740-8709.2012.00461.x.

Neupane, N., Sharma, S. and Kaphle, H. P. (2015) 'Factors affecting compliance of iron and folic acid among pregnant women attending Western Regional Hospital, Pokhara, Nepal', *International Journal of Research and Current Development*, 1(1), pp. 43–47. Available at: <http://www.journalijrcd.com>.

Neupane, S. and Teye, D. (2012) 'Determinants of Time of Start of Prenatal Care and Number of Prenatal Care Visits During Pregnancy Among Nepalese Women', *Journal of Community Health*, 37, pp. 865–873. doi: 10.1007/s10900-011-9521-0.

Nimi, T. *et al.* (2016) 'Prenatal care and pregnancy outcomes : A cross-sectional study in Luanda, Angola', *International Journal of Gynecology and Obstetrics*, 135, pp. S72–S78. doi: 10.1016/j.ijgo.2016.08.013.

Nisar, Y. Bin and Dibley, M. J. (2014a) 'Antenatal iron – folic acid supplementation reduces risk of low birthweight in Pakistan : secondary analysis of Demographic and Health Survey 2006 – 2007', *Maternal and Child Nutrition*, 12, pp. 85–98. doi: 10.1111/mcn.12156.

Nisar, Y. Bin and Dibley, M. J. (2014b) 'Earlier Initiation and Use of a Greater Number of Iron-Folic Acid Supplements during Pregnancy Prevents Early Neonatal Deaths in Nepal and Pakistan', *PLoS ONE*, 9(11). doi: 10.1371/journal.pone.0112446.

Nisar, Y. Bin, Dibley, Michael J and Aguayo, V. M. (2016) 'Iron-Folic Acid Supplementation During Pregnancy Reduces the Risk of Stunting in Children Less Than 2 Years of Age : A Retrospective Cohort Study from Nepal'. doi: 10.3390/nu8020067.

Nisar, Y. Bin, Dibley, Michael J. and Aguayo, V. M. (2016) 'Iron-folic acid supplementation during pregnancy reduces the risk of stunting in children less than 2 years of age: A retrospective cohort study from Nepal', *Nutrients*, 8, p. 67. doi: 10.3390/nu8020067.

Ntui, A. N. *et al.* (2014) 'Antenatal care attendance, a surrogate for pregnancy outcome? The case of Kumasi, Ghana', *Matern Child Health J.*, 18(5), pp. 1085–1094. doi: 10.1007/s10995-013-1338-2.

- Ouyang, F. *et al.* (2014) 'Preconception serum 1,1,1-trichloro-2,2,bis(p-chlorophenyl)ethane and B-vitamin status : independent and joint effects on women's reproductive outcomes', *Am J Clin Nutr*, 100, pp. 1470–1478. doi: 10.3945/ajcn.114.088377.
- Paiva, A. de A. *et al.* (2007) 'Relationship between the iron status of pregnant women and their newborn', *Rev Saúde Pública*, 41(3), pp. 321–7.
- Papachatz, E. *et al.* (2016) 'Pre-pregnancy maternal obesity in Greece: A case-control analysis', *Early Human Development*, 93, pp. 57–61. doi: 10.1016/j.earlhumdev.2015.12.006.
- Papadopoulou, E. *et al.* (2013) 'The effect of high doses of folic acid and iron supplementation in early-to-mid pregnancy on prematurity and fetal growth retardation: The mother-child cohort study in Crete, Greece (Rhea study)', *European Journal of Nutrition*. doi: 10.1007/s00394-012-0339-z.
- Paratmanitya, Y. *et al.* (2020) 'Assessing preconception nutrition readiness among women of reproductive age in Bantul, Indonesia: findings from baseline data analysis of a cluster randomized trial', *Jurnal Gizi dan Dietetik Indonesia (Indonesian Journal of Nutrition and Dietetics)*, 8(2), pp. 68–79. doi: 10.21927/ijnd.2020.8(2).68-79.
- Paratmanitya, Y. *et al.* (2021) 'The effect of a maternal mentoring program on the timing of first antenatal care visit among pregnant women in Bantul , Indonesia : Results of a cluster randomized trial', *Health Promotion Perspectives*, 11(3), pp. 307–315. doi: 10.34172/hpp.2021.39.
- Pasricha, S. *et al.* (2016) 'Control of iron deficiency anemia in low- and middle-income countries', *Blood*, 121(14), pp. 1–3. doi: 10.1182/blood-2012-09-453522.
- Passerini, L. *et al.* (2012) 'Increased birth weight associated with regular pre-pregnancy deworming and weekly iron-folic acid supplementation for vietnamese women', *PLoS Neglected Tropical Diseases*, 6(4), pp. 2–6. doi: 10.1371/journal.pntd.0001608.
- Perdana, W. Y. and Jacobus, D. J. (2015) 'Hepcidin dan Anemia Defisiensi Besi', *Cermin Dunia Kedokteran*, 42(12), pp. 919–926.
- Phelan, S. *et al.* (2011) 'Randomized trial of a behavioral intervention to prevent excessive gestational weight gain : the Fit for Delivery Study', *Am J Clin Nutr*, 93, pp. 772–779. doi: 10.3945/ajcn.110.005306.1.
- Piirainen, T. *et al.* (2006) 'Impact of dietary counselling on nutrient intake during pregnancy: a prospective cohort study', *British Journal of Nutrition*, 96, pp. 1095–1104. doi: 10.1017/BJN20061952.
- Pizzi, C. *et al.* (2014) 'Prenatal influences on size, velocity and tempo of infant growth: Findings from three contemporary cohorts', *PLoS ONE*, 9(2), pp. 1–10.

doi: 10.1371/journal.pone.0090291.

Pongcharoen, T. *et al.* (2016) 'Pre-pregnancy body mass index and gestational weight gain in Thai pregnant women as risks for low birth weight and macrosomia', *Asia Pacific Journal of Clinical Nutrition*, 25(4), pp. 810–817. doi: 10.6133/apjcn.092015.41.

Priani, I. F., Afiyanti, Y. and Kurniawati, W. (2019) 'Preparing pregnancy through Preconception Education Training', *Enferm Clin*, 29(S2), pp. 304–309. doi: <https://doi.org/10.1016/j.enfcli.2019.04.140>.

Putra, G. T. . and Yuliatni, P. C. . (2016) 'GAMBARAN PENGETAHUAN DAN KINERJA KADER POSYANDU DI WILAYAH KERJA UPT PUSKESMAS MENGWI I KABUPATEN BADUNG PADA BULAN JULI- AGUSTUS 2015', *E-Jurnal Medika*, 5(10), pp. 1–9.

El Rafei, R. *et al.* (2016) 'Association of Pre-Pregnancy Body Mass Index and Gestational Weight Gain with Preterm Births and Fetal Size: An Observational Study from Lebanon', *Paediatric and Perinatal Epidemiology*, 30(1), pp. 38–45. doi: 10.1111/ppe.12249.

Rahman, M. *et al.* (2016) 'Maternal anemia and risk of adverse birth and health outcomes in low- and middle-income countries : systematic review and', pp. 495–504. doi: 10.3945/ajcn.115.107896.

Ramakrishnan, U. *et al.* (2012) 'Effect of women's nutrition before and during early pregnancy on maternal and infant outcomes: A systematic review', *Paediatric and Perinatal Epidemiology*. doi: 10.1111/j.1365-3016.2012.01281.x.

Ramakrishnan, U. and Imhoff-kunsch, B. (2008) 'Anemia and Iron Deficiency in Developing Countries', in Lammi-Keefe, C. J., Couch, S. C., and Philipson, E. H. (eds) *Nutrition and Health: Handbook of Nutrition and Pregnancy*. Humana Press.

Ribot, B. *et al.* (2013) 'Effect of different doses of iron supplementation during pregnancy on maternal and infant health', *Ann Hematol*, 92, pp. 221–229. doi: 10.1007/s00277-012-1578-z.

Rios-Castillo, I. *et al.* (2015) 'Risk factors during the prenatal period and the first year of life associated with overweight in 7-year-old low-income Chilean children', *Maternal and Child Nutrition*, 11(4), pp. 595–605. doi: 10.1111/mcn.12024.

Ronnenberg, A. G. *et al.* (2003) 'Low Preconception Body Mass Index Is Associated with Birth Outcome in a Prospective Cohort of Chinese Women', *J Nutr*, 133, pp. 3449–3455.

Ronnenberg, A. G. *et al.* (2004) 'Preconception Hemoglobin and Ferritin Concentrations Are Associated with Pregnancy Outcome in a Prospective Cohort of Chinese Women', *J. Nutr*, 134, pp. 2586–2591.

Ronsmans, C. and Graham, W. J. (2006) 'Maternal Survival 1 Maternal mortality: who, when, where, and why on behalf of The Lancet Maternal Survival Series steering group\*', *www.thelancet.com*, 368, pp. 1189–200. doi: 10.1016/S0140.

Rosenthal, E. L. *et al.* (2010) 'Community health workers: Part of the solution', *Health Affairs*, 29(7), pp. 1338–1342. doi: 10.1377/hlthaff.2010.0081.

Sadiq, A. *et al.* (2016) 'Factors associated with adverse pregnancy outcomes and perceptions of risk factors among reproductive age women in Soba LGA, Kaduna State 2013', *The Pan African medical journal*, 25(111), pp. 1–8. doi: 10.11604/pamj.2016.25.111.8739.

Say, L. *et al.* (2014) 'Global causes of maternal death: A WHO systematic analysis', *The Lancet Global Health*. doi: 10.1016/S2214-109X(14)70227-X.

Schlaff, R. A. *et al.* (2014) 'Associations among gestational weight gain, physical activity, and pre-pregnancy body size with varying estimates of pre-pregnancy weight', *Midwifery*, 30(11), pp. 1124–1131. doi: 10.1016/j.midw.2014.03.014.

Sebayang, S. K. *et al.* (2012) 'Determinants of low birthweight, small-for-gestational-age and preterm birth in Lombok, Indonesia: Analyses of the birthweight cohort of the SUMMIT trial', *Tropical Medicine and International Health*, 17(8), pp. 938–950. doi: 10.1111/j.1365-3156.2012.03039.x.

Sekhavat, L. and Fallah, R. (2013) 'Could maternal pre-pregnancy body mass index affect Apgar score?', *Archives of Gynecology and Obstetrics*, 287(1), pp. 15–18. doi: 10.1007/s00404-012-2503-3.

Senanayake, H. M. *et al.* (2010) 'Simple educational intervention will improve the efficacy of routine antenatal iron supplementation', *Journal of Obstetrics and Gynaecology Research*, 36(3), pp. 646–650. doi: 10.1111/j.1447-0756.2010.01197.x.

Shah, R. *et al.* (2014) 'Incidence and risk factors of preterm birth in a rural Bangladeshi cohort', *BMC Pediatrics*, 14, p. 112. doi: 10.1186/1471-2431-14-112.

Sheen, J. J. *et al.* (2018) 'Maternal age and risk for adverse outcomes', *American Journal of Obstetrics and Gynecology*, 219(4), pp. 390.e1-390.e15. doi: 10.1016/j.ajog.2018.08.034.

Shin, D. and Song, W. O. (2015) 'Prepregnancy body mass index is an independent risk factor for gestational hypertension, gestational diabetes, preterm labor, and small- and large-for-gestational-age infants', *The Journal of Maternal-Fetal & Neonatal Medicine*, 28(14), pp. 1679–1686. doi: 10.3109/14767058.2014.964675.

Siddappa, A. M. *et al.* (2007) 'The assessment of newborn iron stores at birth: A review of the literature and standards for ferritin concentrations', *Neonatology*. doi: 10.1159/000100805.

Siega-Riz, A. M. *et al.* (2009) 'A systematic review of outcomes of maternal weight gain according to the Institute of Medicine recommendations: birthweight, fetal growth, and postpartum weight retention', *American Journal of Obstetrics and Gynecology*. doi: 10.1016/j.ajog.2009.07.002.

Singh, K., Story, W. T. and Moran, A. C. (2016) 'Assessing the Continuum of Care pathway for maternal health in South Asia and Sub-Saharan Africa', *Matern Child Health J.*, 20(2), pp. 281–89. doi: 10.1007/s10995-015-1827-6.

Stephenson, J. *et al.* (2014) 'How Do Women Prepare for Pregnancy ? Preconception Experiences of Women Attending Antenatal Services and Views of Health Professionals', *PLoS ONE*, 9(7), p. e103085. doi: 10.1371/journal.pone.0103085.

Stephenson, J. *et al.* (2018) 'Before the beginning : nutrition and lifestyle in the preconception period and its importance for future health', *The Lancet*, 391(10132), pp. 1830–1841. doi: 10.1016/S0140-6736(18)30311-8.

Sukrat, B. *et al.* (2013) 'Hemoglobin Concentration and Pregnancy Outcomes : A Systematic Review and Meta-Analysis', *BioMed Research International*, 2013.

Suzuki, K. *et al.* (2016) 'Combination of parity and pre-pregnancy BMI and low birth weight infants among Japanese women of reproductive age.', *Industrial health*, pp. 515–520. doi: 10.2486/indhealth.2016-0088.

Tan, H. C. *et al.* (2015) 'Mother's pre-pregnancy BMI is an important determinant of adverse cardiometabolic risk in childhood', *Pediatr Diabetes*, 16(6), pp. 419–426. doi: 10.1002/nbm.3369.

Tang, L. *et al.* (2013) 'Pre-pregnancy body mass index moderates the effect of maternal depressive symptoms on small-for-gestational-age infants.', *Archives of gynecology and obstetrics*, 288(1), pp. 15–21. doi: 10.1007/s00404-013-2720-4.

Tayebi, T. *et al.* (2014) 'Relationship between Revised Graduated Index ( R-GINDEX ) of Prenatal Care Utilization & Preterm Labor and Low Birth Weight', *Global Journal of Health Science*, 6(3), pp. 131–137. doi: 10.5539/gjhs.v6n3p131.

Teixeira, M. P. C., Queiroga, T. P. R. and Mesquita, M. dos A. (2016) 'Frequency and risk factors for the birth of small-for-gestational-age newborns in a public maternity hospital', *Einstein*, 14(3), pp. 317–323. doi: 10.1590/S1679-45082016AO3684.

Temel, S. *et al.* (2014) 'Evidence-Based Preconceptional Lifestyle Interventions', *Epidemiologic Reviews*, 36, pp. 19–30. doi: 10.1093/epirev/mxt003.

Thomas, B. H. *et al.* (2004) 'A Process for Systematically Reviewing the Literature : Providing the Research Evidence for Public Health Nursing Interventions', *Worldviews on Evidence-Based Nursing*, 1(3), pp. 176–184.

Thompson, L. A. *et al.* (2013) 'The association of maternal pre-pregnancy body mass index with breastfeeding initiation', *Maternal and Child Health Journal*, 17(10), pp. 1842–1851. doi: 10.1007/s10995-012-1204-7.

Titilayo, A., Palamuleni, M. E. and Omisakin, O. (2016) 'Sociodemographic factors influencing adherence to antenatal iron supplementation recommendations among pregnant women in Malawi : Analysis of data from the 2010 Malawi Demographic and Health Survey', *Malawi Medical Journal*, 28(1), pp. 1–5. doi: <http://dx.doi.org/10.4314/mmj.v28i1.1>.

Torloni, M. R. *et al.* (2012) 'Ethnic disparity in spontaneous preterm birth and maternal pre-pregnancy body mass index', *Archives of Gynecology and Obstetrics*, 285(4), pp. 959–966. doi: 10.1007/s00404-011-2102-8.

Tsai Ms, I.-H. *et al.* (2012) 'Associations of the pre-pregnancy body mass index and gestational weight gain with pregnancy outcomes in Taiwanese women', *Asia Pac J Clin Nutr*, 21(1), pp. 82–87.

United Nations (2016) *Health - United Nations Sustainable Development*. Available at: <http://www.un.org/sustainabledevelopment/health/>.

Ververs, M. *et al.* (2013) 'Which Anthropometric Indicators Identify a Pregnant Woman as Acutely Malnourished and Predict Adverse Birth Outcomes in the Humanitarian Context?', *PLoS Curr*, 5(June 7). doi: 10.1371/currents.dis.54a8b618c1bc031ea140e3f2934599c8.

Vidanalage, C. J. K. *et al.* (2016) 'Effects of initial body mass index on development of gestational diabetes in a rural Sri Lankan population: A case-control study', *Diabetes & metabolic syndrome*, 10(2), pp. S110–S113. doi: 10.1016/j.dsx.2016.03.006.

Vierron, E. and Giraudeau, B. (2009) 'Design effect in multicenter studies: Gain or loss of power?', *BMC Medical Research Methodology*, 9(1), pp. 1–9. doi: 10.1186/1471-2288-9-39.

Viteri, F. E. and Berger, J. (2005) 'Importance of Pre-Pregnancy and Pregnancy Iron Status : Can Long-Term Weekly Preventive Iron and Folic Acid Supplementation Achieve Desirable and Safe Status?', *Nutrition Reviews*, 63(12), pp. S65–S76.

Wang, M. E. *et al.* (2016) 'Risk factors for possible serious bacterial infection in a rural cohort of young infants in central India', *BMC Public Health*, pp. 1–10. doi: 10.1186/s12889-016-3688-3.

Wendt, A. *et al.* (2015) 'Individual and Facility-Level Determinants of Iron and Folic Acid Receipt and Adequate Consumption among Pregnant Women in Rural Bihar, India', *PLoS ONE*, 10(3), pp. 1–25. doi: 10.1371/journal.pone.0120404.

Wessling-Resnick, M. (2010) 'Iron homeostasis and the inflammatory response',

*Annual Review of Nutrition*, 30, pp. 105–122. doi: 10.1146/annurev.nutr.012809.104804.

WHO (2011) *PMNCH Fact Sheet: RMNCH Continuum of care, The Partnership for Maternal, Newborn, & Child Health*. Available at: [https://www.who.int/pmnch/about/continuum\\_of\\_care/en/](https://www.who.int/pmnch/about/continuum_of_care/en/) (Accessed: 17 August 2021).

WHO (2020) *WHO Guideline on Use of Ferritin Concentrations to Assess Iron Status in Individuals and Populations*. Geneva.

WHO (2021) *PMNCH operational principles. The Partnership continues to promote the Continuum of Care, The Partnership for Maternal, Newborn, & Child Health*. Available at: [https://www.who.int/pmnch/activities/strategy/operational\\_principles/en/index3.html](https://www.who.int/pmnch/activities/strategy/operational_principles/en/index3.html) (Accessed: 17 August 2021).

Widagdo, L. and Husodo, B. T. (2009) 'PEMANFAATAN BUKU KIA OLEH KADER POSYANDU : STUDI PADA KADER POSYANDU DI WILAYAH KERJA PUSKESMAS KEDUNGADEM KABUPATEN BOJONEGORO', *Makara, kesehatan*, 13(1), pp. 39–47.

Wijaya-Erhardt, M., Muslimatun, S. and Erhardt, J. G. (2013) 'Effect of an educational intervention related to health and nutrition on pregnant women in the villages of Central Java Province, Indonesia', *Health Education Journal*, (October), p. 0017896913485741. doi: 10.1177/0017896913485741.

Williams, L. *et al.* (2011) 'Associations Between Preconception Counseling and Maternal Behaviors Before and During Pregnancy Associations Between Preconception Counseling and Maternal', *Maternal and Child Health Journal*, (October). doi: 10.1007/s10995-011-0932-4.

Wirapusita, R. (2013) 'Insentif Dan Kinerja Kader Posyandu', *Jurnal Kesehatan Masyarakat*, 9(1), pp. 58–65. Available at: <http://journal.unnes.ac.id/nju/index.php/kemas/article/view/2831>.

Wolff, S. *et al.* (2008) 'A randomized trial of the effects of dietary counseling on gestational weight gain and glucose metabolism in obese pregnant women', *International Journal of Obesity*, 32, pp. 495–501. doi: 10.1038/sj.ijo.0803710.

World Health Organization (2013a) *Meeting to develop a global consensus on preconception care to reduce maternal and childhood mortality and morbidity, WHO Headquarters, Geneva Meeting report*. Geneva. Available at: [https://www.who.int/maternal\\_child\\_adolescent/documents/concensus\\_preconception\\_care/en/](https://www.who.int/maternal_child_adolescent/documents/concensus_preconception_care/en/).

World Health Organization (2013b) *Preconception care: Maximizing the gains for maternal and child health*.

Xaverius, P. K. *et al.* (2014) 'Predictors of Size for Gestational Age in St . Louis City and County', 2014. doi: 10.1155/2014/515827.

Yang, S. *et al.* (2015) 'Parental Body Mass Index, Gestational Weight Gain, and Risk of Macrosomia: A Population-Based Case-Control Study in China', *Paediatric and Perinatal Epidemiology*, 29(5), pp. 462–471. doi: 10.1111/ppe.12213.

Yazdanpanah, M., Eslami, M. and Nakhaee, N. (2014) 'Effectiveness of the Premarital Education Programme in Iran', 2014. doi: 10.1155/2014/964087.

Yego, F. *et al.* (2014) 'Risk factors for maternal mortality in a Tertiary Hospital in Kenya : a case control study', *BMC Pregnancy and Childbirth*, 14, p. 38. doi: 10.1186/1471-2393-14-38.

Yeo, S., Crandell, J. L. and Jones-vessey, K. (2016) 'Adequacy of Prenatal Care and Gestational Weight Gain', *Journal of Women's Health*, 25(2), pp. 117–123. doi: 10.1089/jwh.2015.5468.

You, X. (2015) 'Effects of preconception counseling on maternal health care of migrant women in China : a community-based , cross-sectional survey', *BMC Pregnancy and Childbirth*, 15, p. 55. doi: 10.1186/s12884-015-0485-4.

Young, M. F. *et al.* (2015) 'The relative influence of maternal nutritional status before and during pregnancy on birth outcomes in Vietnam', *European Journal of Obstetrics Gynecology and Reproductive Biology*, 194, pp. 223–227. doi: 10.1016/j.ejogrb.2015.09.018.

Zeng, L. *et al.* (2013) 'Effect of Iron De fi ciency Anemia in Pregnancy on Child Mental Development in Rural China', *Pediatrics*, 131(3), pp. e755–e763. doi: 10.1542/peds.2011-3513.

Zhao, G. *et al.* (2015) 'Prenatal Iron Supplementation Reduces Maternal Anemia , Iron Deficiency , and Iron Deficiency Anemia in a Randomized Clinical Trial in Rural China , but Iron Deficiency Remains Widespread in Mothers and Neonates', *J. Nutr*, 145, pp. 1916–1923. doi: 10.3945/jn.114.208678.

Ziaei, S., Hatefnia, E. and Togeh, G. (2003) 'Iron Status in Newborns Born to Iron-Deficient Mothers', *Iranian Journal of Medical Sciences*, 28(2), pp. 62–64.