

DAFTAR PUSTAKA

- Al-Ghazzewi, F.H., Khanna, S., Tester, R.F., Piggott, J., 2007. The potential use of hydrolysed konjac glucomannan as a prebiotic. *J Sci Food Agric* 9.
- Al-Ghazzewi, F.H., Tester, R.F., Alvani, K., 2012. The synbiotic effects of konjac glucomannan hydrolysates (GMH) and lactobacilli on the growth of *Staphylococcus aureus* and *Salmonella typhimurium*. *Nutr. Food Sci.* 42, 97–101. <https://doi.org/10.1108/00346651211212051>
- Al-Sheraji, S.H., 2013. Prebiotics as functional foods: A review. *J. Funct. FOODS* 12.
- Anderson, J.W., Baird, P., Davis, R.H., Ferreri, S., Knudtson, M., Koraym, A., Waters, V., Williams, C.L., 2009. Health benefits of dietary fiber. *Nutr. Rev.* 67, 188–205. <https://doi.org/10.1111/j.1753-4887.2009.00189.x>
- Apolinário, A.C., de Lima Damasceno, B.P.G., de Macêdo Beltrão, N.E., Pessoa, A., Converti, A., da Silva, J.A., 2014. Inulin-type fructans: a review on different aspects of biochemical and pharmaceutical technology. *Carbohydr. Polym.* 101, 368–378. <https://doi.org/10.1016/j.carbpol.2013.09.081>
- Ariestanti, C.A., Seechamnaturakit, V., Harmayani, E., Wichienchot, S., 2019. Optimization on production of konjac oligo-glucomannan and their effect on the gut microbiota. *Food Sci. Nutr.* 7, 788–796. <https://doi.org/10.1002/fsn3.927>
- Arumugam, M., Raes, J., Pelletier, E., Le Paslier, D., Yamada, T., Mende, D.R., Fernandes, G.R., Tap, J., Bruls, T., Batto, J.-M., Bertalan, M., Borruel, N., Casellas, F., Fernandez, L., Gautier, L., Hansen, T., Hattori, M., Hayashi, T., Kleerebezem, M., Kurokawa, K., Leclerc, M., Levenez, F., Manichanh, C., Nielsen, H.B., Nielsen, T., Pons, N., Poulain, J., Qin, J., Sicheritz-Ponten, T., Tims, S., Torrents, D., Ugarte, E., Zoetendal, E.G., Wang, J., Guarner, F., Pedersen, O., de Vos, W.M., Brunak, S., Doré, J., Weissenbach, J., Ehrlich, S.D., Bork, P., 2011. Enterotypes of the human gut microbiome. *Nature* 473, 174–180. <https://doi.org/10.1038/nature09944>
- Aydin, S., 2015. A short history, principles, and types of ELISA, and our laboratory experience with peptide/protein analyses using ELISA. *Peptides* 72, 4–15. <https://doi.org/10.1016/j.peptides.2015.04.012>
- Baothman, O.A., Zamzami, M.A., Taher, I., Abubaker, J., Abu-Farha, M., 2016. The role of Gut Microbiota in the development of obesity and Diabetes. *Lipids Health Dis.* 15, 108. <https://doi.org/10.1186/s12944-016-0278-4>
- Barczynska, R., Bandurska, K., Slizewska, K., Litwin, M., Szalecki, M., Libudzisz, Z., Kapusniak, J., 2015. Intestinal microbiota, obesity and prebiotics. *Pol. J. Microbiol.* 64, 93–100. <https://doi.org/10.33073/pjm-2015-014>
- Baxter, N.T., Schmidt, A.W., Venkataraman, A., Kim, K.S., Waldron, C., Schmidt, T.M., 2019. Dynamics of Human Gut Microbiota and Short-Chain Fatty Acids in Response to Dietary Interventions with Three Fermentable Fibers. *mBio* 10, e02566-18. <https://doi.org/10.1128/mBio.02566-18>

- Behera, S., Ray, R., 2016. Nutritional and Potential Health Benefits of Konjac Glucomannan, a Promising Polysaccharide of Elephant Foot Yam, *Amorphophallus konjac* K. Koch: Review. *Food Rev. Int.* 33. <https://doi.org/10.1080/87559129.2015.1137310>
- Behera, S.S., Ray, R.C., 2017. Nutritional and potential health benefits of konjac glucomannan, a promising polysaccharide of elephant foot yam, *Amorphophallus konjac* K. Koch: A review. *Food Rev. Int.* 33, 22–43. <https://doi.org/10.1080/87559129.2015.1137310>
- Behjati, S., Tarpey, P.S., 2013. What is next generation sequencing? *Arch. Dis. Child. Educ. Pract. Ed.* 98, 236–238. <https://doi.org/10.1136/archdischild-2013-304340>
- Belzer, C., Chia, L.W., Aalvink, S., Chamlagain, B., Piironen, V., Knol, J., de Vos, W.M., 2017. Microbial Metabolic Networks at the Mucus Layer Lead to Diet-Independent Butyrate and Vitamin B12 Production by Intestinal Symbionts. *mBio* 8, e00770-17. <https://doi.org/10.1128/mBio.00770-17>
- Birketvedt, G.S., F, M.S., Cd, E.T., F, J.F., 2005. Experiences with three different fiber supplements in weight reduction. *Med. Sci. Monit.* 11, 5–9.
- Bornet, F.R.J., 2000. Fructo-Oligosaccharides and Other Fructans: Chemistry, Structure and Nutritional Effects, in: *Advanced Dietary Fibre Technology*. John Wiley & Sons, Ltd, pp. 480–493. <https://doi.org/10.1002/9780470999615.ch41>
- C, N., M, C., Cm, B., C, G., M, H., T, K., E, B., Mh, A., P, B., N, Ø., T, L., A, W., 2015. The effect of short-chain fatty acids on human monocyte-derived dendritic cells. *Sci. Rep.* 5. <https://doi.org/10.1038/srep16148>
- Cancello, R., Turrone, S., Rampelli, S., Cattaldo, S., Candela, M., Cattani, L., Mai, S., Vietti, R., Scacchi, M., Brigidi, P., Invitti, C., 2019. Effect of Short-Term Dietary Intervention and Probiotic Mix Supplementation on the Gut Microbiota of Elderly Obese Women. *Nutrients* 11, 3011. <https://doi.org/10.3390/nu11123011>
- Canfora, E.E., Goossens, G.H., Jocken, J.W.E., Holst, J.J., van Eijk, H.M., Venema, K., Smidt, H., Zoetendal, E.G., Dejong, C.H.C., Lenaerts, K., Blaak, E.E., 2017. Supplementation of Diet With Galacto-oligosaccharides Increases Bifidobacteria, but Not Insulin Sensitivity, in Obese Prediabetic Individuals 153, 14.
- Cavaglieri, C.R., Nishiyama, A., Fernandes, L.C., Curi, R., Miles, E.A., Calder, P.C., 2003. Differential effects of short-chain fatty acids on proliferation and production of pro- and anti-inflammatory cytokines by cultured lymphocytes. *Life Sci.* 73, 1683–1690. [https://doi.org/10.1016/s0024-3205\(03\)00490-9](https://doi.org/10.1016/s0024-3205(03)00490-9)
- Cerf-Bensussan, N., Gaboriau-Routhiau, V., 2010. The immune system and the gut microbiota: friends or foes? *Nat. Rev. Immunol.* 10, 735–744. <https://doi.org/10.1038/nri2850>
- Chambers, E.S., Byrne, C.S., Morrison, D.J., Murphy, K.G., Preston, T., Tedford, C., Garcia-Perez, I., Fountana, S., Serrano-Contreras, J.I., Holmes, E., Reynolds, C.J., Roberts, J.F., Boyton, R.J., Altmann, D.M., McDonald, J.A.K., Marchesi, J.R., Akbar, A.N., Riddell, N.E., Wallis, G.A., Frost,

- G.S., 2019. Dietary supplementation with inulin-propionate ester or inulin improves insulin sensitivity in adults with overweight and obesity with distinct effects on the gut microbiota, plasma metabolome and systemic inflammatory responses: a randomised cross-over trial. *Gut* 68, 1430–1438. <https://doi.org/10.1136/gutjnl-2019-318424>
- Changchien, C.-H., Han, Y.-C., Chen, H.-L., 2020. Konjac glucomannan polysaccharide and inulin oligosaccharide enhance the colonic mucosal barrier function and modulate gut-associated lymphoid tissue immunity in C57BL/6J mice. *Br. J. Nutr.* 123, 319–327. <https://doi.org/10.1017/S000711451900285X>
- Chen, H.-L., Lin, Y.-M., Wang, Y.-C., 2010. Comparative effects of cellulose and soluble fibers (pectin, konjac glucomannan, inulin) on fecal water toxicity toward Caco-2 cells, fecal bacteria enzymes, bile acid, and short-chain fatty acids. *J. Agric. Food Chem.* 58, 10277–10281. <https://doi.org/10.1021/jf102127k>
- Connolly, M.L., Lovegrove, J.A., Tuohy, K.M., 2010. Konjac glucomannan hydrolysate beneficially modulates bacterial composition and activity within the faecal microbiota. *J. Funct. Foods* 2, 219–224. <https://doi.org/10.1016/j.jff.2010.05.001>
- Connolly, M.L., Tzounis, X., Tuohy, K.M., Lovegrove, J.A., 2016. Hypocholesterolemic and Prebiotic Effects of a Whole-Grain Oat-Based Granola Breakfast Cereal in a Cardio-Metabolic “At Risk” Population. *Front. Microbiol.* 7, 1675. <https://doi.org/10.3389/fmicb.2016.01675>
- Cooper, P.D., Rajapaksha, K.H., Barclay, T.G., Ginic-Markovic, M., Gerson, A.R., Petrovsky, N., 2015. Inulin crystal initiation via a glucose-fructose cross-link of adjacent polymer chains: Atomic force microscopy and static molecular modelling. *Carbohydr. Polym.* 117, 964–972. <https://doi.org/10.1016/j.carbpol.2014.10.022>
- Costabile, A., 2017. Effects of Soluble Corn Fiber Alone or in Synbiotic Combination with *Lactobacillus rhamnosus* GG and the Pilus-Deficient Derivative GG-PB12 on Fecal Microbiota, Metabolism, and Markers of Immune Function: A Randomized, Double-Blind, Placebo-Controlled, Crossover Study in Healthy Elderly (Saimes Study). *Front. Immunol.* 8, 13.
- Costabile, A., Fava, F., Röytiö, H., Forssten, S., Airaksinen, K., Klievink, J., Rowland, I., Ouwehand, A., Rastall, R., Gibson, G., Walton, G., 2011. Impact of polydextrose on the faecal microbiota: A double-blind, crossover, placebo-controlled feeding study in healthy human subjects. *Br. J. Nutr.* 108, 471–81. <https://doi.org/10.1017/S0007114511005782>
- Cummings, J.H., Pomare, E.W., Branch, W.J., Naylor, C.P., Macfarlane, G.T., 1987. Short chain fatty acids in human large intestine, portal, hepatic and venous blood. *Gut* 28, 1221–1227. <https://doi.org/10.1136/gut.28.10.1221>
- Daffonchio, D., Cherif, A., Brusetti, L., Rizzi, A., Mora, D., Boudabous, A., Borin, S., 2003. Nature of Polymorphisms in 16S-23S rRNA Gene Intergenic Transcribed Spacer Fingerprinting of *Bacillus* and Related Genera. *Appl. Environ. Microbiol.* 69, 5128–5137. <https://doi.org/10.1128/AEM.69.9.5128-5137.2003>

- den Besten, G., van Eunen, K., Groen, A.K., Venema, K., Reijngoud, D.-J., Bakker, B.M., 2013. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *J. Lipid Res.* 54, 2325–2340. <https://doi.org/10.1194/jlr.R036012>
- Denji, K.A., Mansour, M.R., Akrami, R., Ghobadi, S., Jafarpour, S.A., Mirbeygi, S.K., 2015. Effect of dietary prebiotic mannan oligosaccharide (MOS) on growth performance, intestinal microflora, body composition, haematological and blood serum biochemical parameters of rainbow trout (*Oncorhynchus mykiss*) juveniles. *J. Fish. Aquat. Sci.* 10, 255–265.
- Depommier, C., Everard, A., Druart, C., Plovier, H., Van Hul, M., Vieira-Silva, S., Falony, G., Raes, J., Maiter, D., Delzenne, N.M., de Barse, M., Loumaye, A., Hermans, M.P., Thissen, J.-P., de Vos, W.M., Cani, P.D., 2019. Supplementation with *Akkermansia muciniphila* in overweight and obese human volunteers: a proof-of-concept exploratory study. *Nat. Med.* 25, 1096–1103. <https://doi.org/10.1038/s41591-019-0495-2>
- Desai, M.S., Seekatz, A.M., Koropatkin, N.M., Kamada, N., Hickey, C.A., Wolter, M., Pudlo, N.A., Kitamoto, S., Terrapon, N., Muller, A., Young, V.B., Henrissat, B., Wilmes, P., Stappenbeck, T.S., Núñez, G., Martens, E.C., 2016. A Dietary Fiber-Deprived Gut Microbiota Degrades the Colonic Mucus Barrier and Enhances Pathogen Susceptibility. *Cell* 167, 1339–1353.e21. <https://doi.org/10.1016/j.cell.2016.10.043>
- Dewulf, E.M., Cani, P.D., Claus, S.P., Fuentes, S., Puylaert, P.G.B., Neyrinck, A.M., Bindels, L.B., de Vos, W.M., Gibson, G.R., Thissen, J.-P., Delzenne, N.M., 2013. Insight into the prebiotic concept: lessons from an exploratory, double blind intervention study with inulin-type fructans in obese women. *Gut* 62, 1112–1121. <https://doi.org/10.1136/gutjnl-2012-303304>
- Duncan, S.H., Louis, P., Thomson, J.M., Flint, H.J., 2009. The role of pH in determining the species composition of the human colonic microbiota. *Environ. Microbiol.* 11, 2112–2122. <https://doi.org/10.1111/j.1462-2920.2009.01931.x>
- Ejtahed, H.-S., 2019. Targeting obesity management through gut microbiota modulation by herbal products_ A systematic review. *Complement. Ther. Med.* 21.
- Engvall, E., 2010. The ELISA, enzyme-linked immunosorbent assay. *Clin. Chem.* 56, 319–320. <https://doi.org/10.1373/clinchem.2009.127803>
- Everard, A., Lazarevic, V., Gaïa, N., Johansson, M., Ståhlman, M., Backhed, F., Delzenne, N.M., Schrenzel, J., François, P., Cani, P.D., 2014. Microbiome of prebiotic-treated mice reveals novel targets involved in host response during obesity. *ISME J.* 8, 2116–2130. <https://doi.org/10.1038/ismej.2014.45>
- Fang, W., Wu, P., 2004. Variations of Konjac glucomannan (KGM) from *Amorphophallus konjac* and its refined powder in China. *Food Hydrocoll.* 4.
- Fisher, M.M., Triplett, E.W., 1999. Automated approach for ribosomal intergenic spacer analysis of microbial diversity and its application to freshwater

- bacterial communities. *Appl. Environ. Microbiol.* 65, 4630–4636. <https://doi.org/10.1128/AEM.65.10.4630-4636.1999>
- Fujio-Vejar, S., Vasquez, Y., Morales, P., Magne, F., Vera-Wolf, P., Ugalde, J.A., Navarrete, P., Gotteland, M., 2017. The Gut Microbiota of Healthy Chilean Subjects Reveals a High Abundance of the Phylum Verrucomicrobia. *Front. Microbiol.* 8. <https://doi.org/10.3389/fmicb.2017.01221>
- Garrett, W.S., Gordon, J.I., Glimcher, L.H., 2010. Homeostasis and inflammation in the intestine. *Cell* 140, 859–870. <https://doi.org/10.1016/j.cell.2010.01.023>
- Giarnetti, M., Paradiso, V.M., Caponio, F., Summo, C., Pasqualone, A., 2015. Fat replacement in shortbread cookies using an emulsion filled gel based on inulin and extra virgin olive oil. *LWT - Food Sci. Technol.* 63, 339–345. <https://doi.org/10.1016/j.lwt.2015.03.063>
- González, A., Fernandez, N., Sahagún Prieto, A.M., Garcia, J., Diez, M., Castro, L., Sierra, M., 2004. Effect of glucomannan and the dosage form on ethinylestradiol oral absorption in rabbits. *Contraception* 70, 423–7. <https://doi.org/10.1016/j.contraception.2004.07.008>
- Gorvitovskaia, A., Holmes, S.P., Huse, S.M., 2016. Interpreting Prevotella and Bacteroides as biomarkers of diet and lifestyle. *Microbiome* 4, 15. <https://doi.org/10.1186/s40168-016-0160-7>
- Gutiérrez-Díaz, I., Fernández-Navarro, T., Sánchez, B., Margolles, A., González, S., 2016. Mediterranean diet and faecal microbiota: a transversal study. *Food Funct.* 7, 2347–2356. <https://doi.org/10.1039/C6FO00105J>
- Harmayani, E., Aprilia, V., Marsono, Y., 2014. Characterization of glucomannan from *Amorphophallus oncophyllus* and its prebiotic activity in vivo. *Carbohydr. Polym.* 112, 475–479. <https://doi.org/10.1016/j.carbpol.2014.06.019>
- Haskey, N., Campbell, K., 2018. Gut Microbiota in Health and Disease, in: *Gut Microbiota*. pp. 57–90. <https://doi.org/10.1016/B978-0-12-810541-2.00004-X>
- Hiel, S., Bindels, L.B., Pachikian, B.D., Kalala, G., Broers, V., Zamariola, G., Chang, B.P.I., Kambashi, B., Rodriguez, J., Cani, P.D., Neyrinck, A.M., Thissen, J.-P., Luminet, O., Bindelle, J., Delzenne, N.M., 2019. Effects of a diet based on inulin-rich vegetables on gut health and nutritional behavior in healthy humans. *Am. J. Clin. Nutr.* 109, 1683–1695. <https://doi.org/10.1093/ajcn/nqz001>
- Hildebrandt, M.A., Hoffmann, C., Sherrill-Mix, S.A., Keilbaugh, S.A., Hamady, M., Chen, Y.-Y., Knight, R., Ahima, R.S., Bushman, F., Wu, G.D., 2009. High-fat diet determines the composition of the murine gut microbiome independently of obesity. *Gastroenterology* 137, 1716-1724.e1–2. <https://doi.org/10.1053/j.gastro.2009.08.042>
- Holmes, Z.C., Silverman, J.D., Dressman, H.K., Wei, Z., Dallow, E.P., Armstrong, S.C., Seed, P.C., Rawls, J.F., David, L.A., 2020. Short-Chain Fatty Acid Production by Gut Microbiota from Children with Obesity Differs According to Prebiotic Choice and Bacterial Community Composition. *mBio* 11. <https://doi.org/10.1128/mBio.00914-20>

- Holscher, H.D., 2017. Dietary fiber and prebiotics and the gastrointestinal microbiota. *GUT MICROBES* 8, 172–184. <https://doi.org/10.1080/19490976.2017.1290756>
- Hooper, L.V., Macpherson, A.J., 2010. Immune adaptations that maintain homeostasis with the intestinal microbiota. *Nat. Rev. Immunol.* 10, 159–169. <https://doi.org/10.1038/nri2710>
- Hornbeck, P., 2001. Enzyme-linked immunosorbent assays. *Curr. Protoc. Immunol.* Chapter 2, Unit 2.1. <https://doi.org/10.1002/0471142735.im0201s01>
- Hosono, A., Ozawa, A., Kato, R., Ohnishi, Y., Nakanishi, Y., Kimura, T., Nakamura, R., 2003. Dietary fructooligosaccharides induce immunoregulation of intestinal IgA secretion by murine Peyer's patch cells. *Biosci. Biotechnol. Biochem.* 67, 758–764. <https://doi.org/10.1271/bbb.67.758>
- Ito, H., Takemura, N., Sonoyama, K., Kawagishi, H., Topping, D.L., Conlon, M.A., Morita, T., 2011. Degree of polymerization of inulin-type fructans differentially affects number of lactic acid bacteria, intestinal immune functions, and immunoglobulin A secretion in the rat cecum. *J. Agric. Food Chem.* 59, 5771–5778. <https://doi.org/10.1021/jf200859z>
- Iversen, R., Snir, O., Stensland, M., Kroll, J.E., Steinsbø, Ø., Korponay-Szabó, I.R., Lundin, K.E.A., de Souza, G.A., Sollid, L.M., 2017. Strong Clonal Relatedness between Serum and Gut IgA despite Different Plasma Cell Origins. *Cell Rep.* 20, 2357–2367. <https://doi.org/10.1016/j.celrep.2017.08.036>
- Katrolia, P., Zhou, P., Zhang, P., Yan, Q., Li, Y., Jiang, Z., Xu, H., 2012. High level expression of a novel β -mannanase from *Chaetomium* sp. exhibiting efficient mannan hydrolysis. *Carbohydr. Polym.* 87, 480–490. <https://doi.org/10.1016/j.carbpol.2011.08.008>
- Kaur, A.P., Bhardwaj, S., Dhanjal, D.S., Nepovimova, E., Cruz-Martins, N., Kuča, K., Chopra, C., Singh, R., Kumar, H., Şen, F., Kumar, V., Verma, R., Kumar, D., 2021. Plant Prebiotics and Their Role in the Amelioration of Diseases. *Biomolecules* 11, 440. <https://doi.org/10.3390/biom11030440>
- Kawashima, T., Ikari, N., Kouchi, T., Kowatari, Y., Kubota, Y., Shimojo, N., Tsuji, N.M., 2018. The molecular mechanism for activating IgA production by *Pediococcus acidilactici* K15 and the clinical impact in a randomized trial. *Sci. Rep.* 8, 5065. <https://doi.org/10.1038/s41598-018-23404-4>
- Khan, S., Waliullah, S., Godfrey, V., Khan, M.A.W., Ramachandran, R.A., Cantarel, B.L., Behrendt, C., Peng, L., Hooper, L.V., Zaki, H., 2020. Dietary simple sugars alter microbial ecology in the gut and promote colitis in mice. *Sci. Transl. Med.* 12, eaay6218. <https://doi.org/10.1126/scitranslmed.aay6218>
- Khanifah, K., Suthama, N., Wahyuni, H.I., 2018. The effect of adding glucomannan derived from porang tuber extract (*Amorphophallus onchophyllus*) on dietary protein utilization in broiler chicken. *J. Ilmu Ternak Dan Vet.* 23, 77. <https://doi.org/10.14334/jitv.v23i2.1834>

- Kim, K.N., Yao, Y., Ju, S.Y., 2019. Short Chain Fatty Acids and Fecal Microbiota Abundance in Humans with Obesity: A Systematic Review and Meta-Analysis. *Nutrients* 11, 2512. <https://doi.org/10.3390/nu11102512>
- King, C.H., Desai, H., Sylvetsky, A.C., LoTempio, J., Ayanyan, S., Carrie, J., Crandall, K.A., Fochtman, B.C., Gasparyan, L., Gulzar, N., Howell, P., Issa, N., Krampis, K., Mishra, L., Morizono, H., Pisegna, J.R., Rao, S., Ren, Y., Simonyan, V., Smith, K., VedBrat, S., Yao, M.D., Mazumder, R., 2019. Baseline human gut microbiota profile in healthy people and standard reporting template. *PLOS ONE* 14, e0206484. <https://doi.org/10.1371/journal.pone.0206484>
- Koh, A., De Vadder, F., Kovatcheva-Datchary, P., Bäckhed, F., 2016. From Dietary Fiber to Host Physiology: Short-Chain Fatty Acids as Key Bacterial Metabolites. *Cell* 165, 1332–1345. <https://doi.org/10.1016/j.cell.2016.05.041>
- Kolida, S., Gibson, G.R., 2011. Synbiotics in Health and Disease. *Annu. Rev. Food Sci. Technol.* 2, 373–393. <https://doi.org/10.1146/annurev-food-022510-133739>
- Kraemer, W.J., Vingren, J.L., Silvestre, R., Spiering, B.A., Hatfield, D.L., Ho, J.Y., Fragala, M.S., Maresh, C.M., Volek, J.S., 2007. Effect of adding exercise to a diet containing glucomannan. *Metabolism* 56, 1149–1158. <https://doi.org/10.1016/j.metabol.2007.04.010>
- Lecerf, J.-M., Dépeint, F., Clerc, E., Dugenet, Y., Niamba, C.N., Rhazi, L., Cayzele, A., Abdelnour, G., Jaruga, A., Younes, H., Jacobs, H., Lambrey, G., Abdelnour, A.M., Pouillart, P.R., 2012. Xylo-oligosaccharide (XOS) in combination with inulin modulates both the intestinal environment and immune status in healthy subjects, while XOS alone only shows prebiotic properties. *Br. J. Nutr.* 108, 1847–1858. <https://doi.org/10.1017/S0007114511007252>
- Lee, S.M., Donaldson, G.P., Mikulski, Z., Boyajian, S., Ley, K., Mazmanian, S.K., 2013. Bacterial colonization factors control specificity and stability of the gut microbiota. *Nature* 501, 426–429. <https://doi.org/10.1038/nature12447>
- Ley, R.E., Turnbaugh, P.J., Klein, S., Gordon, J.I., 2006. Microbial ecology: human gut microbes associated with obesity. *Nature* 444, 1022–1023. <https://doi.org/10.1038/4441022a>
- Liebisch, G., Ecker, J., Roth, S., Schweizer, S., Öttl, V., Schött, H.-F., Yoon, H., Haller, D., Holler, E., Burkhardt, R., Matysik, S., 2019. Quantification of Fecal Short Chain Fatty Acids by Liquid Chromatography Tandem Mass Spectrometry—Investigation of Pre-Analytic Stability. *Biomolecules* 9, 121. <https://doi.org/10.3390/biom9040121>
- Lin, A., Bik, E.M., Costello, E.K., Dethlefsen, L., Haque, R., Relman, D.A., Singh, U., 2013. Distinct distal gut microbiome diversity and composition in healthy children from Bangladesh and the United States. *PloS One* 8, e53838. <https://doi.org/10.1371/journal.pone.0053838>
- Louis, P., Flint, H.J., 2017. Formation of propionate and butyrate by the human colonic microbiota. *Environ. Microbiol.* 19, 29–41. <https://doi.org/10.1111/1462-2920.13589>

- Louis, P., Young, P., Holtrop, G., Flint, H.J., 2010. Diversity of human colonic butyrate-producing bacteria revealed by analysis of the butyryl-CoA:acetate CoA-transferase gene. *Environ. Microbiol.* 12, 304–314. <https://doi.org/10.1111/j.1462-2920.2009.02066.x>
- Luck, H., Khan, S., Kim, J.H., Copeland, J.K., Revelo, X.S., Tsai, S., Chakraborty, M., Cheng, K., Tao Chan, Y., Nøhr, M.K., Clemente-Casares, X., Perry, M.-C., Ghazarian, M., Lei, H., Lin, Y.-H., Coburn, B., Okrainec, A., Jackson, T., Poutanen, S., Gaisano, H., Allard, J.P., Guttman, D.S., Conner, M.E., Winer, S., Winer, D.A., 2019. Gut-associated IgA+ immune cells regulate obesity-related insulin resistance. *Nat. Commun.* 10, 3650. <https://doi.org/10.1038/s41467-019-11370-y>
- Lührs, H., Gerke, T., Müller, J.G., Melcher, R., Schaubert, J., Boxberge, F., Scheppach, W., Menzel, T., 2002. Butyrate inhibits NF-kappaB activation in lamina propria macrophages of patients with ulcerative colitis. *Scand. J. Gastroenterol.* 37, 458–466. <https://doi.org/10.1080/003655202317316105>
- Lyon, M.R., Reichert, R.G., 2010. The Effect of a Novel Viscous Polysaccharide along with Lifestyle Changes on Short-Term Weight Loss and Associated Risk Factors in Overweight and Obese Adults: An Observational Retrospective Clinical Program Analysis. *Altern. Med. Rev.* 15, 68–75.
- Macfarlane, S., Macfarlane, G.T., 2003. Regulation of short-chain fatty acid production. *Proc. Nutr. Soc.* 62, 67–72. <https://doi.org/10.1079/PNS2002207>
- Maeda, H., Yamamoto, R., Hirao, K., Tochikubo, O., 2005. Effects of agar (kanten) diet on obese patients with impaired glucose tolerance and type 2 diabetes. *Diabetes Obes. Metab.* 7, 40–46. <https://doi.org/10.1111/j.1463-1326.2004.00370.x>
- Magne, F., Gotteland, M., Gauthier, L., Zazueta, A., Pesoa, S., Navarrete, P., Balamurugan, R., 2020. The Firmicutes/Bacteroidetes Ratio: A Relevant Marker of Gut Dysbiosis in Obese Patients? *Nutrients* 12, 1474. <https://doi.org/10.3390/nu12051474>
- Marie France de La Cochetiere, Carole, R., Dominique, D., Jean Christophe Roze, Gilles, P., Christele Gras Leguen, 2007. Intestinal Microbiota in Neonates and Preterm Infants: A Review. *Curr. Pediatr. Rev.* 3, 21–34.
- Markowiak-Kopeć, P., Śliżewska, K., 2020. The Effect of Probiotics on the Production of Short-Chain Fatty Acids by Human Intestinal Microbiome. *Nutrients* 12, 1107. <https://doi.org/10.3390/nu12041107>
- Montalto, M., D'Onofrio, F., Gallo, A., Cazzato, A., Gasbarrini, G., 2009. Intestinal microbiota and its functions. *Dig. Liver Dis. Suppl., Bacteria, gas and functional gastrointestinal disorders* 3, 30–34. [https://doi.org/10.1016/S1594-5804\(09\)60016-4](https://doi.org/10.1016/S1594-5804(09)60016-4)
- Muhomah, T.A., Nishino, N., Katsumata, E., Haoming, W., Tsuruta, T., 2019. High-fat diet reduces the level of secretory immunoglobulin A coating of commensal gut microbiota. *Biosci. Microbiota Food Health* 38, 55–64. <https://doi.org/10.12938/bmfh.18-027>
- Nawaz, A., Bakhsh Javaid, A., Irshad, S., Hoseinifar, S.H., Xiong, H., 2018. The functionality of prebiotics as immunostimulant: Evidences from trials on

- terrestrial and aquatic animals. *Fish Shellfish Immunol.* 76, 272–278. <https://doi.org/10.1016/j.fsi.2018.03.004>
- Nguyen, N.-P., 2016. A perspective on 16S rRNA operational taxonomic unit clustering using sequence similarity. *Npj Biofilms Microbiomes* 8.
- Nogal, A., Valdes, A.M., Menni, C., 2021. The role of short-chain fatty acids in the interplay between gut microbiota and diet in cardio-metabolic health. *Gut Microbes* 13, 1897212. <https://doi.org/10.1080/19490976.2021.1897212>
- O'Flaherty, S., Saulnier, D., Pot, B., Versalovic, J., 2010. How can probiotics and prebiotics impact mucosal immunity? *Gut Microbes* 1, 293–300. <https://doi.org/10.4161/gmic.1.5.12924>
- Okazaki, Y., Katayama, T., 2017. Glucosamin consumption elevates colonic alkaline phosphatase activity by up-regulating the expression of IAP-I, which is associated with increased production of protective factors for gut epithelial homeostasis in high-fat diet-fed rats. *Nutr. Res.* 43, 43–50. <https://doi.org/10.1016/j.nutres.2017.05.012>
- Oliveira, R.P. de S., Perego, P., Oliveira, M.N. de, Converti, A., 2011. Effect of inulin as prebiotic and synbiotic interactions between probiotics to improve fermented milk firmness. *J. Food Eng.* 107, 36–40. <https://doi.org/10.1016/j.jfoodeng.2011.06.005>
- Pabst, O., Slack, E., 2020. IgA and the intestinal microbiota: the importance of being specific. *Mucosal Immunol.* 13, 12–21. <https://doi.org/10.1038/s41385-019-0227-4>
- Park, J.-S., Lee, E.-J., Lee, J.-C., Kim, W.-K., Kim, H.-S., 2007. Anti-inflammatory effects of short chain fatty acids in IFN-gamma-stimulated RAW 264.7 murine macrophage cells: involvement of NF-kappaB and ERK signaling pathways. *Int. Immunopharmacol.* 7, 70–77. <https://doi.org/10.1016/j.intimp.2006.08.015>
- Perrin, R.J., Woods, W.S., Clayton, D.F., George, J.M., 2001. Exposure to long chain polyunsaturated fatty acids triggers rapid multimerization of synucleins. *J. Biol. Chem.* 276, 41958–41962. <https://doi.org/10.1074/jbc.M105022200>
- Pietrzak, B., Tomela, K., Olejnik-Schmidt, A., Mackiewicz, A., Schmidt, M., 2020. Secretory IgA in Intestinal Mucosal Secretions as an Adaptive Barrier against Microbial Cells. *Int. J. Mol. Sci.* 21, 9254. <https://doi.org/10.3390/ijms21239254>
- Pokusaeva, K., Fitzgerald, G.F., van Sinderen, D., 2011. Carbohydrate metabolism in Bifidobacteria. *Genes Nutr.* 6, 285–306. <https://doi.org/10.1007/s12263-010-0206-6>
- Qin, J., Li, R., Raes, J., Arumugam, M., Burgdorf, K.S., Manichanh, C., Nielsen, T., Pons, N., Levenez, F., Yamada, T., Mende, D.R., Li, J., Xu, J., Li, Shaochuan, Li, D., Cao, J., Wang, B., Liang, H., Zheng, H., Xie, Y., Tap, J., Lepage, P., Bertalan, M., Batto, J.-M., Hansen, T., Le Paslier, D., Linneberg, A., Nielsen, H.B., Pelletier, E., Renault, P., Sicheritz-Ponten, T., Turner, K., Zhu, H., Yu, C., Li, Shengting, Jian, M., Zhou, Y., Li, Y., Zhang, X., Li, Songgang, Qin, N., Yang, H., Wang, Jian, Brunak, S., Doré, J., Guarner, F., Kristiansen, K., Pedersen, O., Parkhill, J., Weissenbach, J.,

- Bork, P., Ehrlich, S.D., Wang, Jun, 2010. A human gut microbial gene catalog established by metagenomic sequencing. *Nature* 464, 59–65. <https://doi.org/10.1038/nature08821>
- Rajesh, T., Jaya, M., 2017. Next-Generation Sequencing Methods, in: *Current Developments in Biotechnology and Bioengineering*. Elsevier, pp. 143–158. <https://doi.org/10.1016/B978-0-444-63667-6.00007-9>
- Ramirez-Farias, C., Slezak, K., Fuller, Z., Duncan, A., Holtrop, G., Louis, P., 2009. Effect of inulin on the human gut microbiota: stimulation of *Bifidobacterium adolescentis* and *Faecalibacterium prausnitzii*. *Br. J. Nutr.* 101, 541–550. <https://doi.org/10.1017/S0007114508019880>
- Rechkemmer, G., Rönnau, K., Engelhardt, W.V., 1988. Fermentation of polysaccharides and absorption of short chain fatty acids in the mammalian hindgut. *Comp. Biochem. Physiol. A Physiol.* 90, 563–568. [https://doi.org/10.1016/0300-9629\(88\)90668-8](https://doi.org/10.1016/0300-9629(88)90668-8)
- Rescigno, M., 2014. Intestinal microbiota and its effects on the immune system. *Cell. Microbiol.* 16, 1004–1013. <https://doi.org/10.1111/cmi.12301>
- Rinninella, E., Raoul, P., Cintoni, M., Franceschi, F., Miggiano, G., Gasbarrini, A., Mele, M., 2019. What is the Healthy Gut Microbiota Composition? A Changing Ecosystem across Age, Environment, Diet, and Diseases. *Microorganisms* 7, 14. <https://doi.org/10.3390/microorganisms7010014>
- Roberfroid, M., 2007. Prebiotics: the concept revisited. *J. Nutr.* 137, 830S–7S. <https://doi.org/10.1093/jn/137.3.830S>
- Rodríguez, J.M., Murphy, K., Stanton, C., Ross, R.P., Kober, O.I., Juge, N., Avershina, E., Rudi, K., Narbad, A., Jenmalm, M.C., Marchesi, J.R., Collado, M.C., 2015. The composition of the gut microbiota throughout life, with an emphasis on early life. *Microb. Ecol. Health Dis.* 26. <https://doi.org/10.3402/mehd.v26.26050>
- Roller, M., Rechkemmer, G., Watzl, B., 2004. Prebiotic Inulin Enriched with Oligofructose in Combination with the Probiotics *Lactobacillus rhamnosus* and *Bifidobacterium lactis* Modulates Intestinal Immune Functions in Rats. *J. Nutr.* 134, 153–156. <https://doi.org/10.1093/jn/134.1.153>
- Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S., Matteuzzi, D., 2005. Fermentation of Fructooligosaccharides and Inulin by *Bifidobacteria*: a Comparative Study of Pure and Fecal Cultures. *Appl. Environ. Microbiol.* 71, 6150–6158. <https://doi.org/10.1128/AEM.71.10.6150-6158.2005>
- Salazar, N., Arboleya, S., Valdés, L., Stanton, C., Ross, P., Ruiz, L., Gueimonde, M., de los Reyes-Gavilán, C.G., 2014. The human intestinal microbiome at extreme ages of life. Dietary intervention as a way to counteract alterations. *Front. Genet.* 5. <https://doi.org/10.3389/fgene.2014.00406>
- Scholten, P.A.M.J., Alliet, P., Raes, M., Alles, M.S., Kroes, H., Boehm, G., Knippels, L.M.J., Knol, J., Vandenplas, Y., 2008. Fecal Secretory Immunoglobulin A Is Increased in Healthy Infants Who Receive a Formula with Short-Chain Galacto-Oligosaccharides and Long-Chain Fructo-Oligosaccharides. *J. Nutr.* 138, 1141–1147. <https://doi.org/10.1093/jn/138.6.1141>

- Schröder, N.W.J., Schumann, R.R., 2005. Single nucleotide polymorphisms of Toll-like receptors and susceptibility to infectious disease. *Lancet Infect. Dis.* 5, 156–164. [https://doi.org/10.1016/S1473-3099\(05\)01308-3](https://doi.org/10.1016/S1473-3099(05)01308-3)
- Seifert, S., Watzl, B., 2007. Inulin and oligofructose: review of experimental data on immune modulation. *J. Nutr.* 137, 2563S-2567S. <https://doi.org/10.1093/jn/137.11.2563S>
- Shen, J., Obin, M.S., Zhao, L., 2013. The gut microbiota, obesity and insulin resistance. *Mol. Aspects Med.* 34, 39–58. <https://doi.org/10.1016/j.mam.2012.11.001>
- Shi, X.-D., Yin, J.-Y., Cui, S.W., Wang, Q., Wang, S.-Y., Nie, S.-P., 2020. Comparative study on glucomannans with different structural characteristics: Functional properties and intestinal production of short chain fatty acids. *Int. J. Biol. Macromol.* 164, 826–835. <https://doi.org/10.1016/j.ijbiomac.2020.07.186>
- Shoab, M., Shehzad, A., Omar, M., Rakha, A., Raza, H., Sharif, H.R., Shakeel, A., Ansari, A., Niazi, S., 2016. Inulin: Properties, health benefits and food applications. *Carbohydr. Polym.* 147, 444–454. <https://doi.org/10.1016/j.carbpol.2016.04.020>
- Shokryazdan, P., Faseleh Jahromi, M., Navidshad, B., Liang, J.B., 2017. Effects of prebiotics on immune system and cytokine expression. *Med. Microbiol. Immunol. (Berl.)* 206, 1–9. <https://doi.org/10.1007/s00430-016-0481-y>
- Shortt, C., Hasselwander, O., Meynier, A., Nauta, A., Fernández, E.N., Putz, P., Rowland, I., Swann, J., Türk, J., Vermeiren, J., Antoine, J.-M., 2018. Systematic review of the effects of the intestinal microbiota on selected nutrients and non-nutrients. *Eur. J. Nutr.* 57, 25–49. <https://doi.org/10.1007/s00394-017-1546-4>
- Sivamaruthi, B.S., Kesika, P., Suganthy, N., Chaiyasut, C., 2019. A Review on Role of Microbiome in Obesity and Antiobesity Properties of Probiotic Supplements. *BioMed Res. Int.* 2019, 1–20. <https://doi.org/10.1155/2019/3291367>
- SNI, 1994. Jelly Agar - Free Download PDF [WWW Document]. URL https://kupdf.net/download/jelly-agar_5a8bc06de2b6f56f3f7f4f40_pdf (accessed 6.28.21).
- Steed, H., Macfarlane, S., 2009. Mechanisms of Prebiotic Impact on Health. *Prebiotics Probiotics Sci. Technol.* 135. https://doi.org/10.1007/978-0-387-79058-9_5
- Sudarma, I.M., Suprpta, D.N., Sudana, I.M., Temaja, I.G.R.M., 2012. APLIKASI POLYMERASE CHAIN REACTION-RIBOSOMAL INTERGENIC SPACER ANALYSIS (PCR-RISA) UNTUK MENENTUKAN KERAGAMAN MIKROBA TANAH PADA HABITAT TANAMAN PISANG DENGAN DAN TANPA GEJALA LAYU FUSARIUM. *Bumi Lestari J. Environ.* 12.
- Sutherland, D.B., Fagarasan, S., 2012. IgA synthesis: a form of functional immune adaptation extending beyond gut. *Curr. Opin. Immunol.* 24, 261–268. <https://doi.org/10.1016/j.coi.2012.03.005>

- Takeuchi, T., Miyauchi, E., Kanaya, T., Kato, T., Nakanishi, Y., Watanabe, T., Kitami, T., Taida, T., Sasaki, T., Negishi, H., Shimamoto, S., Matsuyama, A., Kimura, I., Williams, I.R., Ohara, O., Ohno, H., 2021. Acetate differentially regulates IgA reactivity to commensal bacteria. *Nature* 595, 560–564. <https://doi.org/10.1038/s41586-021-03727-5>
- Tan, C., Wei, H., Ao, J., Long, G., Peng, J., 2016. Inclusion of Konjac Flour in the Gestation Diet Changes the Gut Microbiota, Alleviates Oxidative Stress, and Improves Insulin Sensitivity in Sows. *Appl. Environ. Microbiol.* 82, 5899–5909. <https://doi.org/10.1128/AEM.01374-16>
- Tomova, A., Bukovsky, I., Rembert, E., Yonas, W., Alwarith, J., Barnard, N.D., Kahleova, H., 2019. The Effects of Vegetarian and Vegan Diets on Gut Microbiota. *Front. Nutr.* 6, 47. <https://doi.org/10.3389/fnut.2019.00047>
- Topping, D.L., Clifton, P.M., 2001. Short-Chain Fatty Acids and Human Colonic Function: Roles of Resistant Starch and Nonstarch Polysaccharides. *Physiol. Rev.* 81, 1031–1064. <https://doi.org/10.1152/physrev.2001.81.3.1031>
- Tseng, C.-H., Wu, C.-Y., 2019. The gut microbiome in obesity. *J. Formos. Med. Assoc.* 118, S3–S9. <https://doi.org/10.1016/j.jfma.2018.07.009>
- Tungland, B., 2018. Short-Chain Fatty Acid Production and Functional Aspects on Host Metabolism, in: *Human Microbiota in Health and Disease*. pp. 37–106. <https://doi.org/10.1016/B978-0-12-814649-1.00002-8>
- Turnbaugh, P.J., Ley, R.E., Mahowald, M.A., Magrini, V., Mardis, E.R., Gordon, J.I., 2006. An obesity-associated gut microbiome with increased capacity for energy harvest. *Nature* 444, 1027–1031. <https://doi.org/10.1038/nature05414>
- Tuson, H.H., Foley, M.H., Koropatkin, N.M., Biteen, J.S., 2018. The Starch Utilization System Assembles around Stationary Starch-Binding Proteins. *Biophys. J.* 115, 242–250. <https://doi.org/10.1016/j.bpj.2017.12.015>
- Umu, Ö.C.O., Rudi, K., Diep, D.B., 2017. Modulation of the gut microbiota by prebiotic fibres and bacteriocins. *Microb. Ecol. Health Dis.* 28, 1348886. <https://doi.org/10.1080/16512235.2017.1348886>
- Vanegas, S.M., Meydani, M., Barnett, J.B., Goldin, B., Kane, A., Rasmussen, H., Brown, C., Vangay, P., Knights, D., Jonnalagadda, S., Koecher, K., Karl, J.P., Thomas, M., Dolnikowski, G., Li, L., Saltzman, E., Wu, D., Meydani, S.N., 2017. Substituting whole grains for refined grains in a 6-wk randomized trial has a modest effect on gut microbiota and immune and inflammatory markers of healthy adults. *Am. J. Clin. Nutr.* 105, 635–650. <https://doi.org/10.3945/ajcn.116.146928>
- Vemuri, R., Gundamaraju, R., Shastri, M.D., Shukla, S.D., Kalpurath, K., Ball, M., Tristram, S., Shankar, E.M., Ahuja, K., Eri, R., 2018. Gut Microbial Changes, Interactions, and Their Implications on Human Lifecycle: An Ageing Perspective. *BioMed Res. Int.* 2018, 4178607. <https://doi.org/10.1155/2018/4178607>
- Vogt, L., Meyer, D., Pullens, G., Faas, M., Smelt, M., Venema, K., Ramasamy, U., Schols, H.A., De Vos, P., 2015. Immunological Properties of Inulin-Type

- Fructans. *Crit. Rev. Food Sci. Nutr.* 55, 414–436. <https://doi.org/10.1080/10408398.2012.656772>
- Vulevic, J., Juric, A., Tzortzis, G., Gibson, G.R., 2013. A mixture of transgalactooligosaccharides reduces markers of metabolic syndrome and modulates the fecal microbiota and immune function of overweight adults. *J. Nutr.* 143, 324–331. <https://doi.org/10.3945/jn.112.166132>
- Walsh, D.E., Yaghoobian, V., Behforooz, A., 1984. Effect of glucomannan on obese patients: a clinical study. *Int. J. Obes.* 8, 289–293.
- Wardhani, D.H., Rahayu, L.H., Cahyono, H., Ulya, H.L., 2020. Purification of Glucomannan of Porang (*Amorphophallus oncophyllus*) Flour using Combination of Isopropyl Alcohol and Ultrasound-Assisted Extraction. *Reaktor* 20, 203–209. <https://doi.org/10.14710/reaktor.20.4.203-209>
- Weitkunat, K., Schumann, S., Petzke, K.J., Blaut, M., Loh, G., Klaus, S., 2015. Effects of dietary inulin on bacterial growth, short-chain fatty acid production and hepatic lipid metabolism in gnotobiotic mice. *J. Nutr. Biochem.* 26, 929–937. <https://doi.org/10.1016/j.jnutbio.2015.03.010>
- Wexler, A.G., Goodman, A.L., 2017. An insider's perspective: Bacteroides as a window into the microbiome. *Nat. Microbiol.* 2, 17026. <https://doi.org/10.1038/nmicrobiol.2017.26>
- WHO, 2000. Obesity: preventing and managing the global epidemic. Report of a WHO consultation - PubMed [WWW Document]. URL <https://pubmed.ncbi.nlm.nih.gov/11234459/> (accessed 6.22.21).
- Wichienchot, S., Thammarutwasik, P., Jongjareonrak, A., Chansuwan, W., Hmadhlu, P., Hongpattarakere, T., Itharat, A., Ooraikul, B., 2011. Extraction and analysis of prebiotics from selected plants from southern Thailand 7.
- Woof, J.M., Kerr, M.A., 2006. The function of immunoglobulin A in immunity. *J. Pathol.* 208, 270–282. <https://doi.org/10.1002/path.1877>
- Woof, J.M., Russell, M.W., 2011. Structure and function relationships in IgA. *Mucosal Immunol.* 4, 590–597. <https://doi.org/10.1038/mi.2011.39>
- Wu, W., Sun, M., Chen, F., Cao, A.T., Liu, H., Zhao, Y., Huang, X., Xiao, Y., Yao, S., Zhao, Q., Liu, Z., Cong, Y., 2017. Microbiota metabolite short-chain fatty acid acetate promotes intestinal IgA response to microbiota which is mediated by GPR43. *Mucosal Immunol.* 10, 946–956. <https://doi.org/10.1038/mi.2016.114>
- Wu, W.-T., Yang, L.-C., Chen, H.-L., 2014. Effects of konjac glucomannan, inulin and cellulose on acute colonic responses to genotoxic azoxymethane. *Food Chem.* 155, 304–310. <https://doi.org/10.1016/j.foodchem.2014.01.065>
- Xu, H., Cupples, L.A., Stokes, A., Liu, C.-T., 2018. Association of Obesity With Mortality Over 24 Years of Weight History. *JAMA Netw. Open* 1, e184587. <https://doi.org/10.1001/jamanetworkopen.2018.4587>
- Yanuriati, A., Marseno, D.W., Rochmadi, Harmayani, E., 2017. Characteristics of glucomannan isolated from fresh tuber of Porang (*Amorphophallus muelleri* Blume). *Carbohydr. Polym.* 156, 56–63. <https://doi.org/10.1016/j.carbpol.2016.08.080>

- Yaqoob, P., Newsholme, E.A., Calder, P.C., 1999. Comparison of cytokine production in cultures of whole human blood and purified mononuclear cells. *Cytokine* 11, 600–605. <https://doi.org/10.1006/cyto.1998.0471>
- Yasmin, A., Butt, M.S., Afzaal, M., van Baak, M., Nadeem, M.T., Shahid, M.Z., 2015. Prebiotics, gut microbiota and metabolic risks: Unveiling the relationship. *J. Funct. Foods* 17, 189–201. <https://doi.org/10.1016/j.jff.2015.05.004>
- Zaki, M.H., Boyd, K.L., Vogel, P., Kastan, M.B., Lamkanfi, M., Kanneganti, T.-D., 2010. The NLRP3 inflammasome protects against loss of epithelial integrity and mortality during experimental colitis. *Immunity* 32, 379–391. <https://doi.org/10.1016/j.immuni.2010.03.003>
- Zhang, C., Chen, J., Yang, F.-Q., 2014. Konjac glucomannan, a promising polysaccharide for OCDDS. *Carbohydr. Polym.* 104, 175–181. <https://doi.org/10.1016/j.carbpol.2013.12.081>
- Zhang, T., Li, Q., Cheng, L., Buch, H., Zhang, F., 2019. *Akkermansia muciniphila* is a promising probiotic. *Microb. Biotechnol.* 12, 1109–1125. <https://doi.org/10.1111/1751-7915.13410>
- Zhao, L., 2013. The gut microbiota and obesity: from correlation to causality. *Nat. Rev. Microbiol.* 11, 639–647. <https://doi.org/10.1038/nrmicro3089>