

## DAFTAR PUSTAKA

- Ahmad, M.S., Isa, I.M., Hashim, N., Rosmi, M.S., and Mustafar, S., 2018, Electrochemical detection of hydroquinone by square wave voltammetry using a Zn layered hydroxide-ferulate (ZLH-F) modified MWCNT paste electrode, *Int. J. Electrochem. Sci.*, 13, 373–383.
- Alhamed, Y.A. and Daous, M.A., 2016, Improving the performance of a graphite electrode by Using polyaniline coated graphite and its application in batch electrooxidation of oxalic acid, *Int. J. Electrochem. Sci.*, 11, 486–497.
- Alizadeh, T., Ganjali, M.R., and Akhoundian, M., 2012, Fabrication of an extra sensitive voltammetric sensor using nanoparticles of molecularly imprinted polymer for determination of ultra-trace promethazine in plasma sample, *Int. J. Electrochem. Sci.*, 7, 10427–10441.
- Alshahrani, L.A., Li, X., Luo, H., Yang, L., Wang, M., Yan, S., Liu, P., Yang, Y., and Li, Q., 2014, The simultaneous electrochemical detection of catechol and hydroquinone with [Cu(Sal-β-Ala)(3,5-DMPz)<sub>2</sub>]/SWCNTs/GCE, *Sensors*, 14, 22274–22284.
- Andrieux, C.P., Audebert, P., Hapiot, P., Nechtschein, M., and Odin, C., 1991, Fast scan rate cyclic voltammetry for conducting polymers electropolymerized on ultramicroelectrodes, *J. Electroanal. Chem.*, 305, 153–162.
- Anonim, 2015, Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia tentang Persyaratan Teknis Bahan Kosmetika, BPPOM RI, Jakarta.
- Arvand, M., Zamani, M., and Sayyar Ardaki, M., 2017, Rapid electrochemical synthesis of molecularly imprinted polymers on functionalized multi-walled carbon nanotubes for selective recognition of sunset yellow in food samples, *Sens. Actuators, B*, 243, 927–939.
- Aslam, M., Kalyar, M.A., and Raza, Z.A., 2018, Polyvinyl alcohol: A review of research status and use of polyvinyl alcohol based nanocomposites, *Polym. Eng. Sci.*, 58, 2119–2132.
- Aziz, S.B., Abdullah, O.G., Hussein, S.A., and Ahmed, H.M., 2017, Effect of PVA blending on structural and ion transport properties of CS:AgNt-based polymer electrolyte membrane, *Polymers (Basel)*, 9, 1–18.
- Bang, S.H., Han, S.J., and Kim, D.H., 2008, Hydrolysis of arbutin to hydroquinone by human skin bacteria and its effect on antioxidant activity, *J. Cosmet. Dermatol.*, 7, 189–193.
- Bard, A.J. and Faulkner, L.R., 2001, *Electrochemical methods fundamentals and applications*, 2nd edition, Harris, D. (ed) New York.
- Bitas, D. and Samanidou, V., 2018, Molecularly imprinted polymers as extracting

media for the chromatographic determination of antibiotics in milk, *Molecules*, 23, 4–6.

- Blanco-López, M.C., Gutiérrez-Fernández, S., Lobo-Castañón, M.J., Miranda-Ordieres, A.J., and Tuñón-Blanco, P., 2004, Electrochemical sensing with electrodes modified with molecularly imprinted polymer films, *Anal. Bioanal. Chem.*, 378, 1922–1928.
- Bojorge, N. and Alhadeff, E., 2011, Graphite-composites alternatives for electrochemical biosensor,. In, Coppuletti, J. (ed), *Metal, Ceramic and Polymeric Composites for Various Uses*. IntechOpen, London, pp. 597–620.
- Bolto, B., Tran, T., Hoang, M., and Xie, Z., 2009, Crosslinked poly(vinyl alcohol) membranes, *Prog. Polym. Sci.*, 34, 969–981.
- Burger, P., Landreau, A., Azoulay, S., Michel, T., and Fernandez, X., 2016, Skin whitening cosmetics: feedback and challenges in the development of natural skin lighteners, *Cosmetics*, 3, 1–24.
- Ceolin, G., Orbán, Á., Kocsis, V., Gyuresányi, R.E., Kézsmárki, I., and Horváth, V., 2013, Electrochemical template synthesis of protein-imprinted magnetic polymer microrods, *J. Mater. Sci.*, 48, 5209–5218.
- Chan, C.C., 2011, Principles and practices of analytical method validation: validation of analytical methods is time-consuming but essential, *Qual. Assur. J.*, 14, 61–64.
- Chandra, U., Swamy, B.E.K., Gilbert, O., Pandurangachar, M., and Sherigara, B.S., 2009, Voltammetric resolution of dopamine in presence of ascorbic acid at polyvinyl alcohol modified carbon paste electrode, *Int. J. Electrochem. Sci.*, 4, 1479–1488.
- Chen, L., Wang, X., Lu, W., Wu, X., and Li, J., 2016, Molecular imprinting: Perspectives and applications, *Chem. Soc. Rev.*, 45, 2137–2211.
- Chen, T.W., Palanisamy, S., Chen, S.M., Velusamy, V., Liu, Y.H., Tseng, T.W., Yu, M.C., Lee, S.Y., Chang, W.H., and Liu, X., 2017, Sensitive and low-potential electrochemical detection of hydroquinone using a nanodiamond modified glassy carbon electrode, *Int. J. Electrochem. Sci.*, 12, 8021–8032.
- Chetankumar, K., Swamy, B.E.K., and Sharma, S.C., 2019, Poly (benzoguanamine) modified sensor for catechol in presence of hydroquinone: A voltammetric study, *J. Electroanal. Chem.*, 849, 1–8.
- Chetankumar, K. and Swamy, K., 2019, Electrochemical investigation of catechol and hydroquinone at poly(o-phenylenediamine) modified carbon paste electrode: a voltammetric study, *Anal. Bioanal. Chem.*, 11, 1638–1650.
- Chillawar, R.R., Tadi, K.K., and Motghare, R. V., 2015, Voltammetric techniques at chemically modified electrodes, *J. Anal. Chem.*, 70, 399–418.
- Choong, C.L. and Milne, W.I., 2010, Dynamic modulation of detection window in conducting polymer based biosensors, *Biosens. Bioelectron.*, 25, 2384–2388.

- Ciszewski, A. and Milczarek, G., 1999, Polyeugenol-modified platinum electrode for selective detection of dopamine in the presence of ascorbic acid, *Anal. Chem.*, 71, 1055–1061.
- Ciszewski, A. and Milczarek, G., 2001, Preparation and general properties of chemically modified electrodes based on electrosynthesized thin polymeric films derived from eugenol, *Electroanalysis*, 13, 860–867.
- Couteau, C. and Coiffard, L., 2016, Overview of skin whitening agents : drugs and cosmetic products, *Cosmetics*, 3, 1–16.
- Darmokoesoemo, H., Widayanti, N., Khasanah, M., and Kusuma, H., 2017, Analysis of uric acid using carbon paste electrodes modified by molecularly imprinted polymer as potentiometry sensor, *Rasayan J. Chem.*, 10, 54–58.
- Djunaidi, C.M., Jumina, Siswanta, D., and Ulbricht, M., 2015, Synthesis of Fe onic-imprinted polyeugenol using polyethylene glycol diglycidylether as cross-linking agent for sorption of Fe(III), *Indones. J. Chem.*, 15, 305–314.
- Djunaidi, C.M., Lusiana, R., Wibawa, P., Siswanta, D., and Jumina, 2010, Sintesis turunan polieugenol sebagai carrier bagi recovery logam berat dengan teknik membran cair, *Reaktor*, 13, 16–23.
- Djunaidi, M.C. and Astuti, Y., 2019, Synthesis, characterization and selectivity of molecularly imprinted polymer (MIP) glucose using polyeugenol as a functional polymer, *Rasayan J. Chem.*, 12, 809–821.
- Elgrishi, N., Rountree, K.J., McCarthy, B.D., Rountree, E.S., Eisenhart, T.T., and Dempsey, J.L., 2018, A practical beginner's guide to cyclic voltammetry, *J. Chem. Educ.*, 95, 197–206.
- Eradati, N., Tajabadi, F., Ahmadi-Ashtiani, H.R., Rezazadeh, S., Taherian, M., and Rastegar, H., 2021, Optimization of cleaning and analytical method for determination of arbutin, hydroquinone and kojic acid in cosmetic products, *J. Med. Plants*, 20, 50–59.
- Eslami, M.R. and Alizadeh, N., 2016, Nanostructured conducting molecularly imprinted polypyrrole based quartz crystal microbalance sensor for naproxen determination and its electrochemical impedance study, *RSC Adv.*, 2016, 9387–9395.
- Espinoza, E.M., Clark, J.A., Soliman, J., Derr, J.B., Morales, M., and Vullev, V.I., 2019, Practical aspects of cyclic voltammetry: how to estimate reduction potentials when irreversibility prevails, *J. Electrochem. Soc.*, 166, H3175–H3187.
- Feier, B., Blidar, A., Pusta, A., Carciuc, P., and Cristea, C., 2019, Electrochemical sensor based on molecularly imprinted polymer for the detection of cefalexin, *Biosensors*, 9, 1–17.
- Fomo, G., Waryo, T., Feleni, U., and Baker, P., 2019, Electrochemical Polymerization,. In, Mazumder, M.A.J. (ed), *Electrochemical Polymerization*. Springer Nature Switzerland, Cape Town, pp. 105–131.

- Ganesh, P.S. and Swamy, B.E.K., 2015, Simultaneous electroanalysis of norepinephrine, ascorbic acid and uric acid using poly(glutamic acid) modified carbon paste electrode, *J. Electroanal. Chem.*, 752, 17–24.
- Garcia, P.L., Buffoni, E., Gomes, F.P., and Quero, J.L.V., 2011, Analytical Method Validation,. In, *Wide Spectra of Quality Control*. IntechOpen, London, pp. 165–185.
- Gomes, E.S., Leite, F.R.F., Ferraz, B.R.L., and Mour, H.A.J.L., 2019, Voltammetric sensor based on cobalt-poly ( methionine )-modified glassy carbon electrode for determination of estriol hormone in pharmaceuticals and urine, *J.Pharm.Anal.*, 9, 347–357.
- Gonzales, A.G. and Herrador, M.A., 2007, A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles, *TrAC - Trends Anal. Chem.*, 26, 227–238.
- Günzler, H. and Williams, A., 2002, *Handbook of Analytical Techniques*, 2nd edition, Gunzler,H. and William,A. (eds) Wiley-VCH, Weinheim.
- Guo, Y., He, D., Xie, A., Qu, W., Tang, Y., Zhou, L., and Zhu, R., 2019, The electrochemical oxidation of hydroquinone and catechol through a novel poly-geminal dicationic ionic liquid (PGDIL)-TiO<sub>2</sub> composite film electrode, *Polymers (Basel)*, 11, 1–17.
- Harmita, H., 2004, Petunjuk pelaksanaan validasi metode dan cara perhitungannya, *Majalah Ilmu Kefarmasian*, 1, 117–135.
- Harvey, D., 2000, *Modern Analytical Chemistry*, 1st edition, Harvey,D., Bensink,J.L., and Peterson,K.A. (eds) James M. Smith, New York.
- Hossain, M.U., Rahman, M.T., and Ehsan, M.Q., 2015, Simultaneous detection and estimation of catechol, hydroquinone, and resorcinol in binary and ternary mixtures using electrochemical techniques, *Int. J. Anal. Chem.*, 2015, 1–8.
- Huber, L., 2010, *Validation of Analytical Methods*, 1st edition, Huber,L. (ed) Interpharm, New York.
- Hussam, A., 2006, Voltammetry: Dynamic electrochemical techniques,. In, Ahuja,S. and Jespersen,N. (eds), *Comprehensive Analytical Chemistry*. Elsevier B.V., Amsterdam, pp. 661–689.
- Jeon, J.S., Kim, B.H., Lee, S.H., Kwon, H.J., Bae, H.J., Kim, S.K., Park, J.A., Shim, J.H., Abd El-Aty, A.M., and Shin, H.C., 2015, Simultaneous determination of arbutin and its decomposed product hydroquinone in whitening creams using high-performance liquid chromatography with photodiode array detection: Effect of temperature and pH on decomposition, *Int. J. Cosmet. Sci.*, 37, 567–573.
- Kalra, K., 2011, Method development and validation of analytical procedures,. In, Shoyama,Y. (ed), *Quality control of herbal medicines and related areas*. In Tech, Shanghai, pp. 3–16.

- Kamatou, G.P., Vermaak, I., and Viljoen, A.M., 2012, Eugenol—From the remote Maluku Islands to the international market place: A review of a remarkable and versatile molecule, *Molecules*, 17, 6953–6981.
- Kan, X., Geng, Z., Wang, Z., and Zhu, J., 2009, Core–shell molecularly imprinted polymer nanospheres for the recognition and determination of hydroquinone, *J. Nanosci. Nanotechnol.*, 9, 2008–2013.
- Kan, X., Zhao, Q., Zhang, Z., Wang, Z., and Zhu, J., 2008, Molecularly imprinted polymers microsphere prepared by precipitation polymerization for hydroquinone recognition, *Talanta*, 75, 22–26.
- Libánský, M., Zima, J., Barek, J., and Dejmková, H., 2011, Voltammetric determination of arbutin on carbon paste electrode, *Sens. Electroanal.*, 6, 281–288.
- Lin, X., Ni, Y., and Kokot, S., 2014, Electrochemical mechanism of eugenol at a Cu doped gold nanoparticles modified glassy carbon electrode and its analytical application in food samples, *Electrochim. Acta*, 133, 484–491.
- Liu, M., Li, X., Li, J., Wu, Z., Wang, F., Liu, L., Tan, X., and Lei, F., 2017, Selective separation and determination of glucocorticoids in cosmetics using dual-template magnetic molecularly imprinted polymers and HPLC, *J. Colloid Interface. Sci.*, 15, 124–133.
- Lorenzo, R.A., Carro, A.M., Alvarez-Lorenzo, C., and Concheiro, A., 2011, To remove or not to remove? The challenge of extracting the template to make the cavities available in molecularly imprinted polymers (MIPs), *Int. J. Mol. Sci.*, 12, 4327–4347.
- Madikizela, L.M., Mdluli, P.S., and Chimuka, L., 2016, Experimental and theoretical study of molecular interactions between 2-vinyl pyridine and acidic pharmaceuticals used as multi-template molecules in molecularly imprinted polymer, *React. Funct. Polym.*, 103, 33–43.
- Malinski, T., 1991, Characterization of conductive polymeric nickel(II) tetrakis(3-methoxy-4-hydroxy-phenyl) porphyrin as an anodic material for electrocatalysis, *J. Electrochem. Soc.*, 138, 2008.
- Mello, H.J.N.P.D. and Mulato, M., 2018, Effect of aniline monomer concentration on PANI electropolymerization process and its influence for applications in chemical sensors, *Synth Met*, 239, 66–70.
- Monti, P., Calia, G., Marceddu, S., Dettori, M.A., Fabbri, D., Jaoua, S., O’Neill, R.D., Migheli, Q., Delogu, G., and Serra, P.A., 2017, Low electro-synthesis potentials improve permselectivity of polymerized natural phenols in biosensor applications, *Talanta*, 162, 151–158.
- Mulyasuryani, A. and Savitri, A., 2015, Penentuan hidrokuinon dalam sampel Krim pemutih wajah secara voltametri menggunakan *screen printed carbon electrode* ( SPCE ), *Jurnal Kimia Valensi*, 1, 97–102.
- Naghieb, S.M., Parnian, E., Keshvari, H., Omidinia, E., and Eshghan-Malek, M.,

- 2018, Synthesis, characterization and electrochemical evaluation of polyvinylalcohol/graphene oxide/silver nanocomposites for glucose biosensing application, *Int. J. Electrochem. Sci.*, 13, 1013–1026.
- Naik, T.S.S.K. and Swamy, B.E.K., 2017, Modification of carbon paste electrode by electrochemical polymerization of neutral red and its catalytic capability towards the simultaneous determination of catechol and hydroquinone: A voltammetric study, *J. Electroanal. Chem.*, 804, 78–86.
- Ndunda, E.N., 2020, Molecularly imprinted polymers—A closer look at the control polymer used in determining the imprinting effect: A mini review, *J. Mol. Recognit.*, 33, 1–11.
- Nezhadali, A., Mehri, L., and Shadmehri, R., 2018, Determination of methimazole based on electropolymerized-molecularly imprinted polypyrrole modified pencil graphite sensor, *Mater. Sci. Eng., C*, 85, 225–232.
- Ogur, E., 2005, Polyvinyl alcohol : materials, processing and applications, *Rapra. Rev. Rep.*, 16, 1–22.
- Omar, F.S., Duraisamy, N., Ramesh, K., and Ramesh, S., 2016, Conducting polymer and its composite materials based electrochemical sensor for nicotinamide adenine dinucleotide (NADH), *Biosens. Bioelectron.*, 79, 763–775.
- Özcan, L., Sahin, M., and Sahin, Y., 2008, Electrochemical preparation of a molecularly imprinted polypyrrole-modified pencil graphite electrode for determination of ascorbic acid, *Sensors*, 8, 5792–5805.
- Özkorucuklu, S.P., Şahin, Y., and Alsancak, G., 2008, Voltammetric behaviour of sulfamethoxazole on electropolymerized- molecularly imprinted overoxidized polypyrrole, *Sensors*, 8, 8463–8478.
- Panzella, L. and Napolitano, A., 2019, Natural and bioinspired phenolic compounds as tyrosinase inhibitors for the treatment of skin hyperpigmentation: Recent advances, *Cosmetics*, 6, 1–33.
- Paul, D.W., Prajapati, I., and Reed, M.L., 2013, Electropolymerized eugenol: Evaluation as a protective film for oxygen sensing, *Sens. Actuators, B*, 183, 129–135.
- Peeters, M.M., Van Grinsven, B., Foster, C.W., Cleij, T.J., and Banks, C.E., 2016, Introducing thermal wave transport analysis (TWTA): A thermal technique for dopamine detection by screen-printed electrodes functionalized with Molecularly Imprinted Polymer (MIP) particles, *Molecules*, 21, 1–14.
- Power, C.A. and Morrin, A., 2013, Electroanalytical sensor technology,. In, Khalid, M.A. (ed), *Electrochemistry*. InTech, Dublin Ireland.
- Protti, P., 2001, Introduction to modern voltammetric and polarographic analysis techniques,. In, *Electrochemistry*. Amel Srl, Milano Italy, pp. 1–37.
- Puranto, P., 2010, Pengembangan instrumen pengkarakterisasi sensor elektrokimia

menggunakan metode voltametri siklik, *Jurnal Ilmu Pengetahuan dan Teknologi: Telaah*, 28, 20–28.

Regasa, M.B., Soreta, T.R., Femi, O.E., Ramamurthy, P.C., and Subbiahraj, S., 2020, Novel multifunctional molecular recognition elements based on molecularly imprinted poly (aniline-co-itaconic acid) composite thin film for melamine electrochemical detection, *Sens. Bio-Sensing Res.*, 27, 1–10.

Rychlińska, I. and Nowak, S., 2012, Quantitative determination of arbutin and hydroquinone in different plant materials by HPLC, *Not. Bot. Horti. Agrobi.*, 40, 109–113.

Sadki, S., Schottland, P., Brodie, N., and Sabouraud, G., 2000, The mechanisms of pyrrole electropolymerization, *Chem. Soc. Rev.*, 29, 283–293.

Saglam, Ö., Dilgin, D.G., Ertek, B., and Dilgin, Y., 2016, Differential pulse voltammetric determination of eugenol at a pencil graphite electrode, *Mater. Sci. Eng., C*, 60, 156–162.

Scholz, F., 2010, *Electroanalytical methods*, 2nd edition, Scholz, F. (ed) Springer, Berlin.

Sengupta, R., Bhattacharya, M., Bandyopadhyay, S., and Bhowmick, A.K., 2011, A review on the mechanical and electrical properties of graphite and modified graphite reinforced polymer composites, *Prog. Polym. Sci.*, 36, 638–670.

Seo, D.H., Jung, J.H., Lee, J.E., Jeon, E.J., Kim, W., and Park, C.S., 2012, Biotechnological production of arbutins ( $\alpha$ - and  $\beta$ -arbutins), skin-lightening agents, and their derivatives, *Appl. Microbiol. Biotechnol.*, 95, 1417–1425.

Shahamirifard, S.A. and Ghaedi, M., 2019, A new electrochemical sensor for simultaneous determination of arbutin and vitamin C based on hydroxyapatite-ZnO-Pd nanoparticles modified carbon paste electrode, *Biosens. Bioelectron.*, 141, 111474.

Shaikh, A.A., Saha, S.K., Bakshi, P.K., Hussain, A., and Ahammad, A.J.S., 2013, poly(brilliant cresyl blue)-modified electrode for highly sensitive and simultaneous determination of hydroquinone and catechol, *J. Electrochem. Soc.*, 160, B37–B42.

Sharma, P.S., Pietrzyk-le, A., D'souza, F., and Kutner, W., 2012, Electrochemically synthesized polymers in molecular imprinting for chemical sensing, *Anal. Bioanal. Chem.*, 402, 3177–3204.

Shih, Y. and Zen, J.-M., 2000, An electrochemical sensor based on a clay-coated screen-printed electrode for determination of arbutin, *Anal. Chim. Acta*, 412, 63–68.

Si, B. and Song, E., 2018, Molecularly imprinted polymers for the selective detection of multi-analyte neurotransmitters, *Microelectron. Eng.*, 187–188, 58–65.

Siddique, S., Parveen, Z., Ali, Z., and Zaheer, M., 2012, Qualitative and quantitative

- estimation of hydroquinone in skin whitening cosmetics, *J. Cosmet. Dermatol. Sci. Appl.*, 2012, 224–228.
- Silva, A.L., Corrêa, M.M., de Oliveira, G.C., Florez-Rodriguez, P.P., Rodrigues Costa, C.A., Semaan, F.S., and Ponzio, E.A., 2017, Development of graphite/silicone composites for use as flexible electrode materials, *J. Alloy. Compd.*, 691, 220–229.
- Skoog, D.A., Holler, F.J., and Crouch, S.R., 2007, *Principles of instrumental analysis*, 6th edition, Kiselica, S. (ed) David Harris, Belmont.
- Sreenivasan, K., 2007, Synthesis and evaluation of multiply templated molecularly imprinted polyaniline, *J. Mater. Sci.*, 42, 7575–7578.
- Stetter, J.R., Penrose, W.R., and Yao, S., 2003, Sensors, chemical sensors, electrochemical sensors, and ECS, *J. Electrochem. Soc.*, 150, S11–S16.
- Suryanarayanan, V., Wu, C.-T., and Ho, K.-C., 2010, Molecularly imprinted electrochemical sensors, *Electroanalysis*, 22, 1795–1811.
- Tadi, K.K. and Motghare, R. V., 2016, Voltammetric determination of pindolol in biological fluids using molecularly imprinted polymer based biomimetic sensor, *J. Electrochem. Soc.*, 163, B286–B292.
- Tang, S.C. and Yang, J.H., 2018, Dual effects of alpha-hydroxy acids on the skin, *Molecules*, 23, 1–12.
- Tantis, I., Psarras, G.C., and Tasis, D., 2012, Functionalized graphene–poly(vinyl alcohol) nanocomposites: Physical and dielectric properties, *Express Polym. Lett.*, 6, 283–292.
- Tehrani, M.S., Vardini, M.T., Azar, P.A., and Husain, S.W., 2010, Molecularly imprinted polymer based PVC-membrane-coated graphite electrode for the determination of metoprolol, *Int. J. Electrochem. Sci.*, 5, 88–104.
- Tiwari, M.P., Madhuri, R., Kumar, D., Jauhari, D., and Prasad, B.B., 2011, Double imprinting in a single molecularly imprinted polymer format for the determination of ascorbic acid and dopamine, *Adv. Mat. Lett.*, 2, 276–280.
- Tiğ, G.A., 2017, Gold nanoparticle and poly(arginine) modified GCE for simultaneous determination of hydroquinone and catechol, *J. Biol. Chem.*, 45, 443–451.
- Towaha, J., 2012, Manfaat eugenol cengkeh dalam berbagai industri di Indonesia, *Perspektif*, 11, 79–90.
- Vasapollo, G., Sole, R. Del, Mergola, L., Lazzoi, M.R., Scardino, A., Scorrano, S., and Mele, G., 2011, Molecularly imprinted polymers: Present and future prospective, *Int. J. Mol. Sci.*, 12, 5908–5945.
- Venkatesh, A., Chopra, N., and Krupadam, R.J., 2014, Removal of acutely hazardous pharmaceuticals from water using multi-template imprinted polymer adsorbent, *Environ. Sci. Pollut. Res.*, 21, 6603–6611.
- Wang, J., 2006, *Analytical electrochemistry*, 3rd edition, Wang, J. (ed) John Wiley

& Sons, Inc., New Jersey.

- Wang, L., Huang, P., Bai, J., Wang, H., Zhang, L., and Zhao, Y., 2007, Direct simultaneous electrochemical determination of hydroquinone and catechol at a poly(glutamic acid) modified glassy carbon electrode, *Int. J. Electrochem. Sci.*, 2, 123–132.
- Wang, L., Huang, P., Wang, H., Bai, J., Zhang, L., and Zhao, Y., 2007, Electrocatalytic response of hydroquinone and catechol at polyglycine modified glassy carbon electrode, *Int. J. Electrochem. Sci.*, 2, 216–225.
- Wang, S.M., Su, W.Y., and Cheng, S.H., 2010, A simultaneous and sensitive determination of hydroquinone and catechol at anodically pretreated screen-printed carbon electrodes, *Int. J. Electrochem. Sci.*, 5, 1649–1664.
- Wang, Y., Cao, Y., Fang, C., and Gong, Q., 2010, Electrochemical sensor for parabens based on molecular imprinting polymers with dual-templates, *Anal. Chim. Acta*, 673, 145–150.
- Xie, C., Gao, S., Guo, Q., and Xu, K., 2010, Electrochemical sensor for 2,4-dichlorophenoxy acetic acid using molecularly imprinted polypyrrole membrane as recognition element, *Microchim. Acta.*, 169, 145–152.
- Xu, G., Tang, B., Jing, S., and Tao, J., 2015, Simultaneous determination of hydroquinone, catechol and resorcinol at poly (3-thiophenemalonic acid) modified glassy carbon electrode, *Int. J. Electrochem. Sci.*, 10, 10659–10667.
- Yan, H. and Row, K.H., 2006a, Characteristic and synthetic approach of molecularly imprinted polymer, *Int. J. Mol. Sci.*, 7, 155–178.
- Yemis, F., Alkan, P., Yenigül, B., and Yenigül, M., 2013, Molecularly imprinted polymers and their synthesis by different methods, *Polym. Polym. Compos.*, 21, 145–150.
- Zhang, C., She, Y., Li, T., Zhao, F., Jin, M., Guo, Y., Zheng, L., Wang, S., Jin, F., Shao, H., and Liu, H., 2017, A highly selective electrochemical sensor based on molecularly imprinted polypyrrole-modified gold electrode for the determination of glyphosate in cucumber and tap water, *Anal. Bioanal. Chem.*, October, 1–2.
- Zheng, M., Zhu, J., Fan, R., Wang, Y., Lv, Z., Han, Y., Peng, J., Zhen, X., and Lin, R., 2020, Determination of catechol and hydroquinone by using perilla frutescens activated carbon modified glassy carbon electrode, *J. Braz. Chem. Soc*, 31, 25–32.
- Zheng, W., Zhao, M., Liu, Weifen, Yu, S., Niu, L., Li, G., Li, H., and Liu, Weilu, 2018, Electrochemical sensor based on molecularly imprinted polymer/reduced graphene oxide composite for simultaneous determination of uric acid and tyrosine, *J. Electroanal. Chem.*, 813, 75–82.
- Zhu, P. and Zhao, Y., 2017, Effects of electrochemical reaction and surface morphology on electroactive surface area of porous copper manufactured by Lost Carbonate, *RSC Adv.*, 7, 26392–26400.

Ziyatdinova, G., Kozlova, E., and Budnikov, H., 2015, Electropolymerized eugenol-MWNT-based electrode for voltammetric evaluation of wine antioxidant capacity, *Electroanalysis*, 27, 1660–1668.