



## DAFTAR PUSTAKA

- Abdallah, E.A.A., Said, R.N., Mosallam, D.S., Moawad, E.M.I., Kamal, N.M. & Fathallah, M.G.E.D. 2016. Serial serum alkaline phosphatase as an early biomarker for osteopenia of prematurity. *Medicine*,95(37):1–5.
- Abrams, S.A., Bhatia, J.J.S., Corkins, M.R.,de Ferranti, S.D., Golden, N.H. Silverstain, J. 2013. Committee on Nutrition. Calcium and vitamin D requirements of enterally fed preterm infants. *Pediatrics*, 131(5): e1676–e1683.
- Agostoni, C., Buonocore, G., Carnielli, V.P., De Curtis, M., Darmaun, D., Decsi, T. *et al.* 2010. Enteral nutrient supply for preterm infants:Commentary from the european society of paediatric gastroenterology, hepatology and nutrition committee on nutrition. *J Pediatr Gastroenterol Nutr*, 50:85–91.
- Ahankari, A., Bapat, S., Myles, P., Fogarty, A. &Tata, L. 2017. Factors associated with preterm delivery and low birth weight: a study from rural Maharashtra, India.*F1000Research*,72:1-11.<http://doi.org/10.12688/f1000research.10659>.
- Akcakus, M., Koklu, E., Budak, N., Kula, M., Kurtoglu, S., Koklu. S. 2006. The relationship between birthweight, 25-hydroxyvitamin D concentration and bone mineral status in neonates. *Ann Trop Paediatr*, 26(4):267-75.
- Aly, H., Moustafa, M.F., Amer, H.A., Hassanein, S., Keeves, C., Patel, K., 2005. Gestational Age, Sex and Maternal Parity Correlate with Bone Turnover in Premature Infants, *Pediatr Research*, 57: 708–711.
- Ali, E., Rockman-Greenberg, C., Moffatt, M., Narvey, M., Reed, M. & Jiang, D. 2018. Caffeine is a risk factor for osteopenia of prematurity in preterm infants: A cohort study. *BMC Pediatrics*,18(1): 1–7.
- Anderson, H.C. 1985. Matrix vesicle calcification: review and update. In: Peck WA, ed. Bone and mineral research 3. Amsterdam: *Elsevier* :109-49.
- Arslanoglu, S., Moro, G.E. & Ziegler, E.E. 2010. The WAPM Working Group On Nutrition.Optimization of human milk fortification for preterm infants: new concepts and recommendations.*JPerinatMed*,38:233–8.  
doi:10.1515/jpm.2010.064
- Aryastami, N.K., Shankar, A., Kusumawardani, N., Besral, B.& Jahari, A.B. 2017. Low birth weight was the most dominant predictor associated with stunting among children aged 12-23 months in Indonesia. *BMC Nutr*, 3(16):1-6.  
doi:10.1186/s40795-017-0130-x
- Assefa, N., Berhane,Y. & Worku, A.2012.Health status, mid upper arm circumference (MUAC) and antenatal care (ANC) are determinants for low birth weight in Kersa, Ethiopia. *Plos One*,7(6):e39957.10:66-8.
- Atkinson, S.A. 1994. Calcium and phosphorus needs of premature infants. *Nutrition*,10:66-8.
- Australian Radiation Protection and Nuclear Safety agency (ARPANSA). 2005. Code of Practice for the Exposure of Human to Ionizing Radiation for Research Purposes, Radiation Protection Series, No.8,Commonwealth of Australia, Barton.
- Awad, H.A., Farid, T.M., Khafagy, S.M.& Nofal, R.I.2010.Bone mineral



- content measured by DEXA scan in preterm neonates receiving total parenteral nutrition with and without phosphorus supplementation. *Pak J Biol Sci*, 13(18):891-895.doi:10.3923/pjbs.2010.891-895
- Backstro, M.C. & Bone, M. 2000. Bone isoenzyme of serum alkaline phosphatase and serum inorganic phosphate in metabolic bone disease of prematurity. *Acta Paediatr*, 89(8): 867–873.
- Baim,S., Leonard, M.B. & Bianchi, M.L. 2008. Official positions of the International Society for Clinical Densitometry and executive summary of the 2007 ISCD Pediatric Position Development Conference. *J Clin Densitom*, 11:6
- Balitbang Kemenkes RI. 2016. Riset Kesehatan Dasar; RISKERDAS. Jakarta: Balitbang Kemenkes RI
- Balitbang Kemenkes RI. 2018. Riset Kesehatan Dasar; RISKERDAS. Jakarta; Balitbang Kemenkes RI.
- Bärebring, L., Bullarbo, M., Glantz, A., Hulthén, L., Ellis, J., Jagner, Å. *et al.* 2018. Trajectory of vitamin D status during pregnancy in relation to neonatal birth size and fetal survival: a prospective cohort study: 1–7.
- Barrera, D., Díaz, L., Noyola-Martínez, N. & Halhali, A. 2015. Vitamin D and Inflammatory Cytokines in Healthy and Preeclamptic Pregnancies. *Nutrients*, 7:6465-90.
- Bhatia, J., Griffin, I., Anderson, D., Kler, N. & Domellof, M. 2013. Selected macro/micronutrient needs of the routine preterm infant. *J Pediatr*, 162:S48–55. Doi:10.1016/j.jpeds.2012.11.053
- Bidlingmaier, F., Strom, T.M., Dorr, H.G., Eisenmenger, W. & Knorr, D. 1987. Estrone and estradiol concentrations in human ovaries, testes, and adrenals during the first two years of life. *J Clin Endocrinol Metab*, 65: 862-867
- Bikle, D.D., Haloran, B.P., McGalliard Cone, C. & Holton, M. E.1990. Different response of trabecular and cortical bone to 1,25(OH)<sub>2</sub>D<sub>3</sub> infusion. *Am J Physiol*, 259: E715-E722
- Bozzetti, V. & Tagliabue, P. 2009. Metabolic Bone Disease in preterm newborn: an update on nutritional issues. *Ital J Pediatr*. 35: 1–8. doi:10.1186/1824-7288-35-20
- Bramer, G.R. 1988. International statistical classification of diseases and related health problems. Tenth revision. *World Health Stat Q*, 41 (1): 32-36
- Brodehl, J., Gellissen, K., & Weber, H.P. 1982. Postnatal development of tubular phosphate reabsorption. *Clin Nephrol*, 17:163–171.
- Bronsky, J., Campoy, C. & Braegger, C. the ESPGHAN/ESPN/ESPR/CSPEN working group on pediatric parenteral nutrition. 2018. ESPGHAN/ESPN/ESPR guidelines on pediatric parenteral nutrition: vitamins. *Clin Nutr*. xxx:1-13
- Brandt, I., Sticker, E.J. & Lentze, M.J. 2003. Catch-up growth of head circumference of very low birth weight, small for gestational age preterm infants and mental development to adulthood. *J Pediatr*, 142:463–8. doi:10.1067/mpd.2003.149.



- Bronner F, Salle BL, Putet G, Rigo J & Senterre J.1992. Net calcium absorption in premature infants: results of 103 metabolic balance studies. *Am J Clin Nutr* 56: 1037-1044
- Brooke, O.G., Brown, I.R.F. & Bone, C.D.M. 1980. Vitamin D pregnant Asian women: effects on calcium status and fetal growth. *Br Med J*, 280:751-4.
- Brown, J.V., Embleton, N.D., Harding, J.E. & McGuire, W. 2016. Multi nutrient fortification of human milk for preterm infants. *Cochrane Database Syst Rev*, (5): CD000343. doi:10.1002/14651858. CD000343.pub3
- Brunton, J.A., Weiler, H.A. & Atkinson, S.A. 1997. Improvement in the accuracy of dual energy X-ray absorptiometry for whole body and regional analysis of body composition: validation using piglets and methodologic considerations in infants. *Pediatr Res*, 41:590-6.
- Burris, H.H., Marter, L.J. Van, Mcelrath, T.F., Tabatabai, P., Litonjua, *et al*, 2013. Vitamin D status among preterm and full-term infants at birth. *Pediatr Research*, 75:75-80 doi:10.1038/pr.2013.174
- Calmarza Calmarza, P., Montaner Ramón, A., Rite Gracia, S., Oliván del Cacho, M.J. & Fernández Espuelas, C. 2017. Factores de riesgo y marcadores bioquímicos de la enfermedad metabólica ósea del recién nacido prematuro. *Revista chilena de pediatría*, 88(4): 487–494.
- Callenbach, J.C., Sheehan, M.B., Abramson, S.J. & Hall, R.T. 1981. Etiology factors in rickets of very low-birth-weight infants. *J Pediatr*, 98:800-5.
- Catache, M. & Leone, C.R. 2003. Role of plasma and urinary calcium and phosphorus measurements in early detection of phosphorus deficiency in very low birthweight infants. *Acta Paediatr*, 92:76–80. doi: 10.1111/j.1651-2227.2003.tb00473
- Chan, G.M. 1992. Performance of dual-energy x-ray absorptiometry in evaluating bone, lean body mass, and fat in pediatric subjects. *J Bone Miner Res* 1992; 7:369-74
- Chan, G.M., Armstrong, C., Moyer-Mileur, L. & Hoff, C. 2008. Growth and bone mineralization in children born prematurely. *J Perinatol*, 28:619–23.
- Chen, J.Y., Ling, U.P., Chiang, W.L., Liu,C.B.& Chanlai, S.P. 1995. Total body bone mineral content in small for gestational age, appropriate for gestational for age, large for gestational for age term infants and appropriate for gestational age preterm infants. *Zhonghua Yi Xue Za Zhi*,56:109-14. PMID 755417
- Congdon, P.J., Horsman, A., Ryan, S.W., Truscott, J.G. & Durward, H. 1990. Spontaneous resolution of bone mineral depletion in preterm infants. *Arch Dis Child*, 65:1038-42
- Cooper, C., Harvey, N., C, Bishop, N.J., Kennedy, S., Papageorghiou, A.T., Schoenmakers, I. *et al*. 2016. Maternal gestational vitamin D supplementation and offspring bone health (MAVIDOS): a multicentre, double blind, randomized placebo controlled trial, *Lancet Diabetes Endocrinol*, 4(5):393-402
- Czech-kowalska, J., Czekuc-kryskiewicz, E., Pludowski, P., Zaniuk, K., Jaworski, M., Łuba, A. *et al*. 2016. The Clinical and Biochemical Predictors of Bone Mass in Preterm Infants. *Plos One*, 11(11): 1–13.



doi:10.1371/journal.pone.0165727

- Czech-Kowalska J, Pludowski P, Dobrzanska A, Kryskiewicz E, Karczmarewicz E, Gruszczyńska D *et al.* 2012. Impact of vitamin D supplementation on markers of bone mineral metabolism in term infants. *Bone*, 51(4): 781–786.
- Dahlan, S.M. 2016. Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. *Epidemiologi Indonesia*, Edisi 4: 187-193.
- Davidson, L.M. & Berkelhamer, S.K. 2017. Bronchopulmonary Dysplasia: chronic lung disease of infancy and long-term pulmonary outcomes. *J Clin Med*, 6(1):4-7
- Denne, S.C. & Poindexter, B.B. 2007. Evidence supporting early nutritional support with parenteral amino acid infusion. *Semin Perinatol*,31:56-60
- Ehrenkranz, R.A. 2010. Early nutritional support and outcomes in ELBW infants. *Early Hum Dev*, 86(1):21-26
- ESPGHAN Committee on Nutrition, Agostoni, C., Braegger, C., Decsi, T, Kolacek, S.,Koletzko, B *et al.* 2011. Role of dietary factors and food habits in the development of childhood obesity: a commentary by the ESPGHAN Committee on Nutrition. *J Pediatr Gastroenterol Nutr*, 56:662-9. doi:10.1097/MPG.0b013e3182169253
- Faerk, J., Petersen, S., Peitersen, B. & Michaelsen, K.F. 2000. Diet and bone mineral content at term in premature infants. *Pediatr Res* 47:148-56.
- Faienza, M., Amanto, E, Natale, M.P., Grano, M., Chiarito, M., Brunetti, G. *et al.* 2019. Metabolic bone disease of prematurity: diagnosis and management. *Frontiers in Pediatrics*,7:1-8. doi:10.3389/fped.2019.00143
- Fewtrell, M.S. 2011. Does early nutrition program later bone health in preterm infants? *Am J Clin Nutr*, 94:1870S-3S
- Figueras-Aloy, J., Álvarez-Domínguez, E., Pérez-Fernández, J.M., Moretones-Suñol, G. & Vidal-Sicart, S. 2014. Metabolic Bone Disease and Bone Mineral Density in Very Preterm Infants. *The Journal of Pediatrics*, 164(3): 499–504. doi:10.1016/j.jpeds.2013.10.089
- Food and Nutrition Board, Institute of Medicine. 2000. Dietary reference intakes for calcium and vitamin D. Washington D.C: *National Academy Press*
- Funke, S., Morava, E., Czako, M., Vida, G., Ertl, T. & Kosztolanyi, G. 2006. Influence of genetic polymorphism on bone disease of preterm infants. *Pediatr Res*, 60: 607-612) doi:10.1203/01.0dr.0000242340.4567.5d
- Gallo, S., Comeau, K., & Vanstone C. 2013. Effect of different dosages of oral vitamin D supplementation on vitamin D status in healthy, breastfed infants: a randomized trial. *JAMA*, 309: 1785-1792.
- Ghoshal, A.K & Soldin, S.J. Evaluation of the Dade Behring Dimension RxL: integrated chemistry system-pediatric reference ranges. *Clin Chim Acta* 2003; 331:135–146.
- Giapros, V.I., Schiza, V., Challa, A.S., Cholevas, V.K., Theocharis, P.D., Kolios, G, *et al.* 2012. Vitamin D and parathormone levels of late-preterm formula fed infants during the first year of life. *Eur J Clin Nutr*, 224–230. doi:10.1038/ejcn.2011.158
- Gibbs, R.S. & Duff, P. 1991. Progress in pathogenesis and management of clinical intraamniotic infection. *Am J Obstet Gynecol*, 1317-21



- Glass, E. J., Hume, R., Hendry, G.M., Strange, R.C. & Forfar, J.O. 1982. Plasma alkaline phosphatase activity in rickets of prematurity. *Arch Dis Child*, 57(5):373-376.
- Greer, F.R. & Tsang, R.G.1985. Calcium, phosphorus and vitamin D requirements for the preterm infants. In: Vitamin and minerals requirements in preterm infants. *Tsang RC* (ed). NY: Marcel Deer, 99-136.
- Greer, F.G. 2016. Calcium, Phosphorus, and the Preterm Infant. *Neoreview*,17:e195- e201
- Godang, K., Qvigstad, E., Voldner, N., Isaksen, G.A. & Frøslie, K.F. 2010. Assessing body composition in healthy newborn infants: reliability of dual-energy x-ray absorptiometry. *J Clin Densitom*,13(2):151-60.doi: 10.1016/j.jocd.2010.01.121. PMID: 20378381
- Gregory, K.E., DeForge, C. F., Natale, K.M., Phillips, M. & Van Marter, L. J. 2011. Necrotizing enterocolitis in premature infant. *Adv Neonatal Care*,11(3):155- 166
- Griffin, I. J. & Cooke, R.J. 2012. Development of whole body adiposity in preterm infants. *Early Hum Dev* ,88 (suppl 1):19-24
- Grover, S.R. & Morley, R. 2001. Vitamin D deficiency in veiled or dark-skinned pregnant women. *Med J Aust*, 175:251-2
- Habek, D. 1998. Effect of smoking on the fetoplacental unit. *Lijec Vjesn*, 120:215–219
- Hammami, M., Koo, W.W. & Hockman, E.M. 2003. Body composition of neonates from fan beam dual energy X-ray absorptiometry measurement. *J Parenter Enteral Nutr*, 27:423- 426
- Harrast, S.D. & Kalkwarf, H.J. 1998. Effects of gestational age, maternal diabetes, and intrauterine growth retardation on markers of fetal bone turnover in amniotic fluid. *Calcified Tissue International*, 62:205–208
- Harrison, C.M., Johnson, K. & Mckechnie, E. 2008. Osteopenia of prematurity : a national survey and review of practice. *Acta Paediatr*, 97: 407–413
- Harrison, C.M. & Gibson, A.T. 2012. Osteopenia in preterm infants. *Arch Dis Child Fetal Neonatal*, 98:F272–F275
- Hedstrom, E. M., Svensson, O., Bergstrom, U. & Michno, P. 2010 Epidemiology of fractures in children and adolescents. *Acta Orthop*, 81:148
- Hitrova, S., Slancheva, B. & Popivanova, A. 2012. Osteopenia of prematurity, prophylaxis, Diagnostics and treatment. *Akush Ginekol (Sofia)*, 51(7):24-30 PMID 23610914
- Horsman, A., Ryan, S.W., Congdon, P.J., Truscott, J.G. & James, J. R.1989. Osteopenia in extremely low birthweight infants. *Arch Dis Child*,89;64:485 8.
- Huh, S.Y. & Feldman, H.A. 2009. Prevalence of transient hyperphosphatasemia among healthy infants and toddlers. *Pediatrics*,124:703– 709
- Hung, Y.L., Chen, P.C., Jeng, S.F., Hsieh, C.J., Peng, S.S., Yen, R.F. *et al*. 2011. Serial measurements of serum alkaline phosphatase for early prediction of osteopenia in preterm infants. *J Paediatr Child Health*, 47(3):134–9. doi: 10.1111/j.1440-754.2010.01901. PMID: 21091586
- Ikatan Dokter Anak Indonesia. 2016. *Konsensus asuhan nutrisi pada bayi*



- prematuur*. Edisi 1: 42-43
- Institute of Medicine. 2011. Dietary reference intake for calcium and vitamin D. Washington, DC: The International Academies Press
- International Atomic Energy Agency.2013. Body Composition Assessment from Years of Age. *IAEA Human Health Series* No 22. Vienna. Austria
- Faerk,J., Peitersen, B. & Peterson, S. 2002. Bone mineralisation in premature infants cannot be predicted from serum alkaline phosphatase or serum phosphate. *Arch Dis Child Neonatal Ed*, 87: 133–136.
- Javaid, M.K., Crozier, S.R., Harvey, N.C., Gale, C.R., Dennison, E.M., Boucher, B.J. *et al.* 2006. Princess Anne Hospital Study Group, Maternal vitamin D status during pregnancy and childhood bone mass at age 9 years: a longitudinal study, *Lancet*, 367:36–43, [http://dx.doi.org/10.1016/S0140-6736\(06\)67922-1](http://dx.doi.org/10.1016/S0140-6736(06)67922-1).
- Jensen, E.A., White, A.M., Liu, P., Yee, K., Waber, B., Monk, H.M. & Zhang, H. 2015. Determinants of Severe Metabolic Bone Disease in Very Low-Birth-Weight Infants with Severe Bronchopulmonary Dysplasia Admitted to a Tertiary Referral Center. *American J of Perinatol*, 33(1): 107– 113.
- Johnson, M.J., Wootton, S.A., Leaf, A.A., & Jackson, A.A. 2012. Preterm Birth and Body Composition at Term Equivalent Age: A Systematic Review and Meta-analysis. *Pediatrics*, 130(3):e640-9.doi:10.1542/peds.2011-3379.
- Jones G, Riley, M & Dwyer, T. 1999. Maternal smoking during pregnancy, growth, and bone mass in prepubertal children. *J Bone Miner Res*, 14: 146–151
- Kalkwarf, H.J., Zemel, B.S., Yolton, K.,& Heubi, J.E. 2013 Bone mineral content and density of the lumbar spine of infants and toddlers: influence of age, sex, race, growth and human milk feeding. *J Bone Miner Res*, 28:206-212
- Karpen, H.E., 2017. Mineral Homeostasis and Effects on Bone Mineralization in the Preterm Neonate. *Clin Perinatol*, 45(1): 129-141 doi:10.1016/j.clp.2017.11.005
- Keiver, K., Herbert, L. & Weinberg, J. 1996. Effect of maternal ethanol consumption on maternal and fetal calcium metabolism. *Alcoholism Clinical and Experimental Research*, 20: 1305–1312.
- Kelly, A., Kovatch, K.J. & Garber, S.J. 2014. Metabolic bone disease screening practices among U.S. neonatologists. *Clin Pediatr (Phila)*, 53(11):1077–83.
- King, F.J., Bishop, N.J. & Lucas, A. 1993. Increased bone mineral content of preterm infants fed with a nutrient enriched formula after discharge from hospital. *Arch Dis Child*, 68:573-8
- Kitazawa, S., Itabashi, K., Umeda, Y., Inoue, M., & Nishioka, T. 2014. Growth and bone mineralization in small for gestational age preterm infants. *Pediatr Int*, 56(1):67-71. doi: 10.1111/ped.12189
- Klingenberg, C., Embleton, N.D., Jacobs, S.E., O’Connell, L.A. & Kuschel, C.A. 2012. Enteral feeding practices in very preterm infants: An international survey. *Arch Dis Child Fetal Neonatal Ed*. 2012, 97, F56–F61
- Koo, W.W., Chesney, R.W., & Carslon, S.E. 1996. Dual-energy X-ray absorptiometry studies of bone mineral status in newborn infants. *J Bone*



*Miner Res*,11:997-1002.

- Koo, W.W., Walters, J.C., & Hockman, E.M. 2000. Body composition in human infants at birth and postnatally. *J Nutr*, 130: 2188–2194
- Koo, W.W., & Hockman, E.M. 2000. Physiologic predictors of lumbar spine bone mass in neonates. *Pediatr Res* 48:485-489.
- Koo, W.W., & Warren, L. 2003. Calcium and bone health in infants. *Neonatal Netw*, 22(5): 23–37. 51
- Körnmann, M.N., Christmann, V., Gradussen, C.J.W., Rodwell, L., Gotthardt, M., Goudoever, *et al.* 2017. Growth and Bone Mineralization of Very Preterm Infants at Term Corrected Age in Relation to Different Nutritional Intakes in the Early Postnatal Period. *Nutrients*, 13: 1–17.
- Kovacs, C.S. 2008. Vitamin D in pregnancy and lactation: maternal, fetal, and neonatal outcomes from human and animal studies. *Am J Clin Nutr*,88:520S– 528S.
- Kovacs, C.S. 2011. Bone development in the fetus and neonate: role of the calciotropic hormones. *Curr Osteoporos Rep*, 9(4): 274–283.
- Kovacs, C.S. 2014. Bone development and mineral homeostasis in the fetus and neonate: roles of the calciotropic and phosphotropic hormones. *Physiol Rev*, 94:1143–218. doi: 10.1152/physrev.00014.2014
- Kovacs, C.S. 2015. Calcium, phosphorus, and bone metabolism in the fetus and newborn. *Early Hum Dev*, 91:623–8. doi: 10.1016/j.earlhumdev.2015.08.007
- Kovacs, C.S, 2015. Mineral Homeostasis and Effects calcium, phosphorus, and bone metabolism in the fetus and newborn. *Early Hum. Dev.* doi:10.1016/j.clp.2017.11.005
- Kovar, I., Mayne, P. & Barltrop, D. 1982. Plasma alkaline phosphatase activity: a screening test for rickets in preterm neonates. *Lancet*, 1:308-310.
- Kumar, P. & Sundaram, V. 2011. Protein supplementation of human milk for promoting growth in preterm infants. <http://extranet.who.int/rh./topics/newborn-health/newborn-nutrition-and-feeding/protein-supplementation-human-milk-promoting-growth-preterm-infant>
- Kurt, S., Heinonen, K. & Lansimies, E. 2000. Effect of prematurity, intrauterine growth status, and early dexamethasone treatment on postnatal bone mineralization. *Arch Dis Child Fetal Neonatal*, 83(2):F109-11
- Kuschel, C.A. & Harding, J.E. 2004. Multicomponent fortified human milk for promoting growth in preterm infants. *Cochrane Database Syst Rev* CD000343. doi:10.1002/14651858.CD000343.pub2
- Lawn, J.E., Cousens, S. & Zupan, J. 2005. 4 million neonatal deaths: when? Where?Why? *Lancet*, 365(9462):891-900
- Lee, H.H., Jung, J.M., Nam, S.H., Lim, G. & Chung, M.L. 2016. Risk factor analysis of parenteral nutrition-associated cholestasis in extremely low birth weight infants. *International J Paediatr*, 105(7): e313–e319.
- Lee, S.M., Namgung, R., Park, M.S., Eun, H.S., Park, K.I. & Lee, C. 2012. High incidence of rickets in extremely low birth weight infants with severe parenteral nutrition-associated cholestasis and bronchopulmonary



- dysplasia. *J Korean Med Sci*.2012;27(12):1552–5.  
doi:10.3346/jkms.2012.27.12.1552
- Lapillonne, A., Braillon, P.M., Delmas, P.D. & Salle, B.L. 1997. Dual-energy X-ray absorptiometry in early life. *Horm Res*, 48 (1):43-9.
- Lapillonne, A., Picaud J.C., Glorieux, F.H. & Salle, B.L. 2000. Bone turnover assessment in infants. *Acta Paediatr*, 89(7):772–4. PMID: 10943955
- Litmanovitz, I., Dolfín, T., Regev, R., Arnon, S., Friedland, O., Shainkin-Kestenbaum, R. *et al*. 2004. Bone turnover markers and bone strength during the first weeks of life in very low birth weight premature infants. *J Perinat Med*, 32(1):58–61. doi: 10.1515/JPM.2004.010 PMID: 15008388
- Litmanovitz, I., Dolfín, T., Regev, R., Arnon, S., Friedland, O., Shainkin, *et al*. 2004. A: Bone turnover markers and bone strength during the first weeks of life in very low birth weight premature infants. *J Perinat Med*. 32(1):58-61.
- Lothe, A., Sinn, J. & Stone, M. 2011. Metabolic bone disease of prematurity and secondary hyperparathyroidism. *J Paediatr Child Heal*,47:550-3.
- Lucas, A., Brooke, O.G., Baker, B.A., Bishop, N. & Morley, R. 1989. High alkaline phosphatase activity and growth in preterm neonates. *Arch Dis Child*, 64(7):902- 909.
- Lucas, A., Bishop, N.J., King, F.J. & Cole, T.J. 1992. Randomized trial of nutrition for preterm infants after discharge. *Arch Dis Child*, 67:324-7.
- Lucas, E.O. & O'Mara. 2018. Impact of early versus late diuretic exposure on metabolic bone disease and growth in premature neonates. *J Pediatr Pharmacol Ther*, 23 (1):26-33
- Luciano, A., Bolognani, M., Biondani, P., Ghizzi, C., Zoppi, G. & Signori. E.1998 The influence of maternal passive and light active smoking on intrauterine growth and body composition of the newborn. *Eur J Clin Nutr* 52:760–763.
- Lukaski, H.C. 1993. Soft tissue composition and bone mineral status: evaluation by dual-energy X-ray absorptiometry. *J. Nutr*,123 (2):438-43. PMID 8429400
- Macdonald-wallis, C., Tobias, J.H., Smith, G.D. & Lawlor, D.A. 2010. Relation of maternal prepregnancy body mass index with offspring bone mass in childhood: is there evidence for an intrauterine effect? *Am J Clin Nutr*,92:872-80 doi:10.3945/ajcn.2010.29501.1
- Mahumud, R.A., Sultana, M. & Sarker, A.R. 2017. Distribution and determinant of low birth weight in developing countries. *J Prev Med Public Heal*,50 (1):18-28
- Manfredini, V.A., Cerini, C., Giovanettoni, C., Brazzoduro, E.A. & Rezzonico, R.M. 2015. Metabolic Bone Disease of Prematurity : A Review of Minerals Supplementation and Disease Monitoring. *J Neonatal Biol*, 4:1–4. doi:10.4172/2167-0897.1000187
- Martinez-Mesa, J., Restrepo-Mendez, M.C., Gonzalez, D.A., Wehrmeister, F.C., Horta, B.L., Domingues, M.R., *et al*. 2013. Life-course evidence of birth weight effects on bone mass: systematic review and meta-analysis. *Osteoporos Int*. 24(1):7–18. doi: 10.1007/s00198-012-2114-7.PMID: 22930242



- Mayne, P.D. & Kovar, I.Z. 1991. Calcium and phosphorus metabolism in premature infant. *Ann Clin Biochem*, 28:131-142
- Mayranpaa, M.K., Makitie, O. & Kallio, P.E. 2010. Decreasing incidence and changing pattern of childhood fractures: a population-based study. *J Bone Miner Res* 25:2752-58
- Mazouri, A., Khosravi, N., Bordbar, A, *et al.* 2017. Does adding intravenous phosphorus to parenteral nutrition has any effect on calcium and phosphorus metabolism and bone mineral content in preterm neonates? *Acta Med Iran*, 55(6):395-398
- McCarthy, R.A., Mckenna, M.J., Oyefeso, O., Uduma, O., Murray, B.F., Brady, J.J. *et al.* 2013. Vitamin D nutritional status in preterm infants and response to supplementation. *Br J Nutr*, 110(1):156-163.doi:10.1017/S0007114512004722.
- McCormick, M.C.1985.The contribution of low birth weight to infant mortality and childhood morbidity. *N Engl J Med*, 312:82-90
- Melhus, H., Michalsson, K., Holmberg, L, Wolk, A. & Ljunghall, S. 1999. Smoking, antioxidant vitamins, and the risk of hip fracture. *J Bone Min Research*, 14:129–135.
- Messina, C., Lastella, G., Sorce, S., Piodi, L.P., Rodari, G., Goavoli, C, *et al.* 2018. Pediatric dual-energy X-ray absorptiometry in clinical practice:What the clinicians need to know. *Eur J Radiol*,105:153-161
- Metgud, C.S., Naik, V.A. & Mallapur, M.D. 2012. Factors affecting birth weight of newborn a community based study in rural Katanaka, India.*Plos One*,7(7):e40040
- Michaud, J., Luu, T.M., Leblac, J., Healy-Profitos, J., Ayoub, A., Auger, N. 2020. Preterm birth and the future risk of orthopedic fracture (published online a head of print, 2020 Jan 22). *Pediatr Res*, doi:10.1038/s41390-020-0771-3
- Mimouni, F.B., Mandel, D. & Lubetzky, R. 2014. Calcium, phosphorus, magnesium and vitamin D requirements of the preterm infant. *World Rev Nutr Diet*,110:140–5
- Mitchell, D.M. & Jüppner, H. 2010. Regulation of calcium homeostasis and bone metabolism in the fetus and neonate. *Curr Opin Endocrinol Diabetes Obes*, 17(1): 25–30.
- Mitchell, S.M., Rogers, S.P., Hicks, P.D., Hawthorne, K.M., Parker, B.R. & Abrams, S.A. 2009. High frequencies of elevated alkaline phosphatase activity and rickets exist in extremely low birth weight infants despite current nutritional support. *BMC Pediatrics*, 9(47): 1–7.
- Moreira, A., Jacob, R. & Lavender, L.E.E. 2015. Metabolic Bone Disease of Prematurity. *Neoreviews* 16:631–639. doi:10.1016/B978-0-12-286551-0.50025-7
- Morgan, C., McGowan, P., Herwitker, S., Hart, A.E. & Turner, M.A. 2014. Postnatal head growth in preterm infants: a randomized controlled parenteral nutrition study. *Pediatrics*,133:e120–8. doi:10.1542/peds.2013-2207
- Montagnoli, C. & Larciprete, G. 2014. Preeclampsia: Definitions, screening tools and diagnostic criteria in the supersonic era. *World J Obstet Gynecol*,



3(3):98-108

- Moreira, A., February, M. & Geary C. 2013. Parathyroid hormone levels in neonates with suspected osteopenia. *J Paediatr Child Health*, 49:E12e6. doi: 10.1111/jpc.12052
- Moreira, A., Swischuk, L., Malloy, M., Mudd, D., Blanco, C., Geary, C. 2014. Parathyroid hormone as a marker for metabolic bone disease of prematurity. *J Perinatol.* 34:787-91
- Moreira, A., Jacob, R., Lavender, L. & Escaname, E. 2015. Metabolic Bone Disease of Prematurity. *NeoReviews*, 16: e631–41.
- Munns, C.F., Shaw, N., Kiely, M., Specker, B.L., Thacher, T.D., Ozono, K, *et al.*, 2016. Global Consensus Recommendation on Prevention and Management of Nutrition Rickets. *Horm Res Paediatr*, 85:83-106.
- Munshi, U.K., Graziano, P. D., Meunier, K., Ludke, J. & Rios, A. 2018. Serum 25 Hydroxy vitamin D levels in very low birth weight infants receiving oral vitamin D. *J Pediatr Gastroenterol Nutr*, 66(4): 676-679
- Olmos-Ortiz, A., Avila, E., Durand-Carbajal, M. & Díaz, L. 2015. Regulation of calcitriol biosynthesis and activity: Focus on gestational vitamin D deficiency and adverse pregnancy outcomes. *Nutrients*, 7:443-80
- Perera, K.P.N. & Manzur, K. 2014. Socio Economic and Nutritional Determinants of Low Birth Weight in India. *North American Journal of Medical Sciences*, 6 (7):302–308.
- Pieltain, C., De Halleux, V. & Senterre, T. 2013. Prematurity and bone health. *World Rev Nutr Diet*, 106:181–8
- Pilz, S., Pilz, S., Zittermann, A., Trummer, C., Theiler-schwetz, V., Lerchbaum, E. *et al*, 2019. Vitamin D testing and treatment : a narrative review of current evidence. *Endocrine Connections* :27–43.
- Qin, L.L., Lu, F.G., Yang, S.H., Xu, H.L. & Luo, B.A. 2016. Does maternal vitamin D deficiency increase the risk of preterm birth: a meta-analysis of observational studies. *Nutrients*, 16;8-15.
- Ran, N., Tsang, R.C. & Specker, B.L. 1993. Reduced serum osteocalcin and 1, 25-dihydroxyvitamin D concentrations and low bone mineral content in small for gestational age infants : Evidence of decreased bone formation rates. *J Pediatr*, 122: 269–75.
- Ran, N. & Tsang, R.C. 2000. Factors affecting newborn bone mineral content: in utero effects on newborn bone mineralization. *Proceedings of the Nutrition Society* 59:55–63
- Ramot, R., Kachhawa, G., Kulshershta, V., Varshney, S. & Sankar, M.J. 2019. Bone mass in newborns assessed by DXA-A systematic review and metaanalysis. *Indian J Endocrinol Metab*, 23(2):198-2015
- Rauch, F. & Schoenau, E., 2002. Skeletal development in premature infants: a review of bone physiology beyond nutritional aspects. *Arch Dis Child Fetal Neonatal*, 86(2): F82–8.
- Rezende Chrisman J, Mattos, I.E., Koifman, R.J, Koifman, S., Moraes Mello Bocolini, P., Meyer, A. 2016. Prevalence of very low birth weight, malformation, and low Apgar Score among newborn in Brazil according to maternal urban or rural residence at birth. *J Obstet Gynaecol Res*,



42(5):496-504

- Rigo, J., Nyamugabo, K., Picaud, J.C., Gerard, P. & Pieltain, C. 1998. Reference values of body composition obtained by dual energy X-ray absorptiometry in preterm and term neonates. *J Pediatr Gastroenterol Nutr*, 27(2): 184-90 PMID:9702651 doi: 10.1097/00005176-199808000-00011
- Rigo, J., De Curtis, M., Pieltain C, Picaud, J.C., Salle, B.L., Senterre, J. 2000. Bone mineral metabolism in the micropremie. *Clin Perinatol*. 27(1):147– 70.
- Robinson, C.J., Wagner, C.L., Hollis, B.W., Baatz, J.E. & Johnson, D.D. 2011. Maternal vitamin D and fetal growth in early-onset severe preeclampsia. *Am J Obstet Gynecol*, 204:556.e1-4.
- Rohana, J., Hasmawati, J. & Zulkifli, S.Z. 2007. Risk factors associates with low bone mineral content in very low birth weight infants. *Singapore Med J*, 48(3):191-94
- Rustico, S.E., Calabria, A.C. & Garber, S.J. 2014. Metabolic bone disease of prematurity. *J Clin Trans Endocrinol*, 1: 85–91.
- Sachdev, H.P. 2001. Low birth weight in South Asia. *Int J Diabetes Dev Ctries*, 21 (1):13-31
- Sampson, H.W. 1998. Effect of alcohol consumption on adult and aged bone: a histomorphometric study of the rat animal model. *Alcoholism Clinical and Experimental Research*, 22: 2029–2034.
- Sampson, H.W, Hebert, V.A., Booe, H. L. & Champney, T. H. 1998. Effect of alcohol consumption on adult and aged bone: composition, morphology, and hormone levels of a rat animal model. *Alcoholism Clinical and Experimental Research*, 22:1746–1753.
- Sampson, H.W., Perks, N., Champney, T. H. & DeFee, B. 1996 Alcohol consumption inhibits bone growth and development in young actively growing rats. *Alcoholism Clinical and Experimental Research*, 20: 1375–1384.
- Schulzke, S.M., Kaempfen. S., Trachsel, D. & Patole, S.K. 2014. Physical activity programs for promoting bone mineralization and growth in preterm infants. *CochraneDatabaseSystRev*.CD005387.doi:10.1002/14651858.CD005387.
- pubSeller, M.J. & Bnait, K.S. 1995. Effects of tobacco smoke inhalation on the developing mouse embryo and fetus. *Reproductive Toxicology*, 9:449–459.
- So, N.P., Osorio, A.V., Simon, S.D. & Alon, U.S. 2001. Normal urinary calcium/creatinine ratios in African–American and Caucasian children. *Pediatr Nephro*,16:133–139
- Stalnaker, K.A., Poskey, G.A. 2016. Osteopenia of prematurity: does physical activity improve bone mineralization in preterm infants?. *Neonatal Netw*, 35:95-104. doi:10.1891/0730-0832.35.2.95
- Taylor, S.N., Wahlquist, A., Wagner, C.L., Ramakrishnan, V., Ebeling, M., Hollis, B.W. 2018. Functional indicators of vitamin D adequacy for very low birth weight infants. *J Perinatol*, 38 (5):550-556
- Teoh, Y.S., Doan, J., Simm, P.J., Chin, L.K., Stewart, A. & Forrest, P. 2018. Outcomes of standardised approach to metabolic bone disease of prematurity. *Journal of Paediatrics and Child Health*, 54(6): 665–670.



- Tinnion, R.J. & Embleton, N.D. 2012. How to use alkaline phosphatase in neonatology. *Arch Dis Child Educ Pract.*157–163. doi:10.1136/archdischild-2012-301633
- Tremblay, G., Boudreau, C., Bélanger, S., St-Onge, O., Pronovost, E., Simonyan, D. *et al.* 2017. Body composition in very preterm infants: role of neonatal characteristics and nutrition in achieving growth similar to term infants. *Neonatology*,111:214–221. doi: 10.1159/000450882
- Ukarapong, S., Kumar, S., Venkatarayappa, B., Navarrete, C. & Berkovitz, G. 2017. Risk factors of metabolic bone disease of prematurity. *Early Hum Dev*, 112:29–34. doi: 10.1016/j.earlhumdev.2017.06.010
- Underwood, M.A. 2013. Human milk for premature infant. *Pediatr Clin North Am*, 60:189-2017.
- UNICEF.2018.Low birthweight-UNICEF Data. <http://data.unicef.org/topic/nutrition/low-birth-weight>
- van de Lagemaat, M., Rotteveel, J., van Weissenbruch, M.M. & Lafeber, H.N. 2012. Small for gestational age preterm born infants already have lower bone mass during early infancy. *Bone*, 51(3):441–446. doi: 10.1016/j.bone.2012.06.017 PMID: 22750451
- Vicka, O., 2018. The burden of acute respiratory infections in Indonesian children and the association with vitamin D deficiency. *Thesis*. University of Melbourne, Australia.
- Visser, F., Sprij, A.J & Brus, F. 2012. The validity of biochemical markers in metabolic bone disease in preterm infants: a systematic review. *Acta Paediatr.* 101(6):562–8. doi: 10.1111/j.651-2227.012.02626.x Epub 2012 Mar 6. PMID: 22313336
- Viswanathan, S., Khasawneh, W, McNelis, K., Dykstra, C., Amstadt, R., Super, D.M., *et al.* 2014. Metabolic bone disease: a continued challenge in extremely low birth weight infants. *J Parenter Enteral Nutr.* 201:38(8):982– 90. doi: 10.1177/0148607113499590 PMID: 23963689
- Walker, S.P., Wachs, T.D, Meeks Gardner, J., Lozoff, B, Wasserman, G.A, Pollitt, E *et al.* 2007. Child development: risk factors for adverse outcome in developing countries. *Lancet*, 369:145-57.
- Webber CE, Beaumont LF, & Morrison J. 2007 Age-predicted values for lumbar spine, proximal femur, and whole-body bone mineral density: results from a population of normal children aged 3 to 18 years. *Can Assoc Radiol J*, 58:37
- Yadav, D.K., Chaudhary, U., Shrestha, N . 2011. Risk factors associated with low birth weight. *J Nepal Health Res Coun*, 9(19):159-164
- Young L, Morgan J, Felicia M, Mc Cormick, McGuire W, 2012. Nutrient enriched formula versus standard term formula for preterm infants following hospital discharge.*CochrDatabaseSyst* doi.101.1002/14651858.CD004696.pub4
- Young, L., Embleton, N.D., McCormick, F.M. & McGuire, W. 2013. Multinutrient fortification of human breast milk for preterm infants following hospital discharge (Review). *Cochr Database Syst.*(2013): CD004866. doi: 10.1002/14651858.CD004866.pub4



- World Health Organization. 2006. Newborn: reducing mortality. <http://www.who.int/mediacentre/factsheets/fs333/en/>
- World Health Organization. 2010. Born too soon: the global action report on preterm birth. [http://www.who.int/pmnch/media/news/2012/201204\\_borntoosoon-report.pdf](http://www.who.int/pmnch/media/news/2012/201204_borntoosoon-report.pdf)
- World Health Organization. 2014. Preterm birth fact sheet. <http://www.who.int/mediacentre/factsheets/fs363/en/>
- Ziegler, E.E. 2001. Breast milk fortification. *Acta Paediatr*, 90:720-723



UNIVERSITAS  
GADJAH MADA

**FAKTOR PREDIKTOR GANGGUAN MINERALISASI TULANG PADA BAYI BERAT LAHIR RENDAH**  
SUCI HARINI, Dr.dr. Tunjung Wibowo MPH,SpA(K), Dr.dr. Ekawaty Lutfia Haksari, MPH, SpA(K)

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>