

BAB VI

DAFTAR PUSTAKA

- Alizadeh, A..A., Eisen, M.B., Davis, R.E., Ma, C., Lossos, I.S., Rosenwald, 2000, Distinct types of diffuse large B-cell lymphoma identified by gene expression profiling. *Nature*. 403:503-511
- Amjad Alkodsi, Alejandra Cervera, Kaiyang Zhang, Riku Louhimo, Leo Meriranta, 2019, Distinct subtypes of diffuse large B-cell lymphoma defined by hypermutated genes, *Leukemia*, June 2019, <https://doi.org/10.1038/s41375-019-0509-6>
- Armitage, J.O., 2005, Non-Hodgkin Lymphoma: Diagnosis and Treatment , Mayo Clin Proc., August 2005;80(8):1087-1097
- Antonia M. S. Müller, Gabriele Ihorst, Roland Mertelsmann, Monika Engelhardt, 2005, Epidemiology of non-Hodgkin's lymphoma (NHL): trends, geographic distribution, and etiology, *Annals of Hematology*, January 2005, Volume 84, Issue 1, pp 1–12
- Burkhardt, B., Zimmermann, M., Oschlies, I., Niggli, F., Mann, G., Parwaresch, R., Riehm, H., Schrappe, M., Reiter, A. The impact of age and gender on biology, clinical features and treatment outcome of non-Hodgkin lymphoma in childhood and adolescence. *Br J Haematol*. 2005 Oct;131(1):39-49.
- Chen, Y., Han, T., Iqbal, J., Irons, R., Chan, W.C., Zhu, X., Fu, K., 2010. Diffuse large B-cell lymphoma in Chinese patients: immunophenotypic and cytogenetic analyses of 124 cases. *Am J Clin Pathol*;133(2):305-13
- Choi, W.W., Weisenburger, D.D., Greiner, T.C., Piris, M.A., Banham, A.H., Delabie, 2009 A new immunostain algorithm classifies diffuse large B-cell lymphoma into molecular subtypes with high accuracy. *Clin Cancer Res* ;15(17):5494-502
- Chulin Sha, PhD, Sharon Barrans, PhD, Francesco Cucco, Ph.D, Michael A. Bentley, DPhil; Matthew A. Care, PhD, 2019, Molecular High-Grade B-Cell Lymphoma: Defining a Poor-Risk Group That Requires Different Approaches to Therapy, American Society of Clinical Oncology, *Journal of Clinical Oncology* volume 37 : 202-2014
- Christof Schneider, MD, Laura Pasqualucci, MD, Riccardo Dalla-Favera, MD, 2011, Molecular pathogenesis of diffuse large B-cell lymphoma, *Seminars in Diagnostic Pathology* 28, 167-177
- Clarke, C.A., Undurraga, D.M., Harasty, P.J., Glaser, S.L., Morton, L.M., Holly, E.A., 2006 Changes in cancer registry coding for lymphoma subtypes: reliability over time and relevance for surveillance and study. *Cancer Epidemiol Biomarkers Prev* ;15:630–8
- Cook, M.B., Dawsey, S.M., Freedman, N.D., Inskip, P.D., Wichner, S.M., Quraishi, S.M., Devesa, S.S., McGlynn, K.A., 2009 Sex disparities in cancer incidence by period and age. *Cancer Epidemiol Biomarkers Prev* ;18(4):1174-82



- Costas, L., Casabonne, D., Benavente, Y., Becker, N., Boffetta, P., Brennan, P., Cocco, P., Foretova, L., Maynadié, M., Staines, A., Kane, E., Nieters, A., de Sanjosé, S., 2012 Reproductive factors and lymphoid neoplasms in Europe: findings from the EpiLymph case-control study. *Cancer Causes Control*.;23(1):195-206
- Deans, C., Rose-Zerilli, M., Wigmore, S., Ross, J., Howell, M., Alan Jackson, A., Grimble, R., Fearon, K. 2006 Host Cytokine Genotype is Related to Adverse Prognosis and Systemic Inflammation in Gastro-Oesophageal Cancer. *Annals of Surgical Oncology* : 14 (2) : 329-339
- Fu, K., Weisenburger, D.D., Choi, W.W., Perry, K.D., Smith, L.M., Shi, X., 2008 Addition of rituximab to standard chemotherapy improves the survival of both the germinal center B-cell-like and non-germinal center B-cell-like subtypes of diffuse large B-cell lymphoma. *J Clin Oncol* ;26(28):4587-94.
- Good, DJ & Gascoyne, RD 2008, 'Classification of Non-Hodgkin's Lymphoma' *Hematology/Oncology Clinics of North America*, vol. 22, no. 5, pp. 781–805, doi: 10.1016/j.hoc.2008.07.008.
- Guilia De Falco, Ph.D, Emily A, Rogena, MD, Lorenzo Leoncini, MD, 2011, Infectious agents and lymphoma Seminars in Diagnostic Pathology (2011) 28, 178-187
- Hee Sang Hwang , Chan-Sik Park, Dok Hyun Yoon, Cheolwon Suh, Jooryung Huh, 2014, High concordance of gene expression profiling-correlated immunohistochemistry algorithms in diffuse large B-cell lymphoma, not otherwise specified, *Am J Surg Pathol* Aug;38(8):1046-57
- Hendrik Nogai, Bernd Doerken, G.Lenz, 2011, Pathogenesis of Non-Hodgkyn Lymphoma, *Journal of Clinical Oncology*, 26, 138-155
- Hu, X, Zeng, M, Yang, S, Liang, X, Ding, S, Guo, L, Li, S, & Wen, S 2017, 'Efficacy of rituximab combined with CHOP for treating patients with diffuse large B-cell lymphoma.' *Medicine*, vol. 96, no. 45, p. e8494, doi: 10.1097/MD. 08494.
- Huan-You Wang, MD, PhD; Youli Zu, MD, Ph, 2017, Diagnostic Algorithm of Common Mature B-Cell Lymphomas by Immunohistochemistry, College of American Pathologists, doi: 10.5858/arpa.2016-0521-RA
- Huang, H.H., Xiao, F., Chen, F.Y., Wang, T., Li, J.M., Wang, J.M., 2012. Reassessment of the prognostic value of the International Prognostic Index and the revised International Prognostic Index in patients with diffuse large B-cell lymphoma: A multicentre study. *Exp Ther Med*. 4(3):475-480
- Ilić I, Mitrović Z, Aurer I, et al. (2009) Lack of prognostic significance of the germinal-center phenotype in diffuse large B-cell lymphoma patients treated with CHOP-like chemotherapy with and without rituximab. *International Journal of Hematology* 90(1): 74–80.



- Iqbal, J., Greiner, T.C., Patel, K., Dave, B.J., Smith, L., Ji, J., 2007 Distinctive patterns of BCL6 molecular alterations and their functional consequences in different subgroups of diffuse large B-cell lymphoma. *Leukemia* ;21(11):2332-43.
- Jemal, A., Bray, F., Center, M.M., Ferlay, J., Ward, E., Forman, D. 2011 Global cancer statistics. *CA Cancer J Clin.*;61(2):69-90.
- Jennifer L. Cultrera, MD, and Samir M. Dalia, MD, 2012, Diffuse Large B-Cell Lymphoma: Current Strategies and Future Directions , *Cancer Control*, July Vol. 19, No. 3, halaman 201-213
- Johnson, N.A., Slack, G.W., Savage, K.J., Connors, J.M., Ben-Neriah, S., Rogic, S., Scott, D.W., 2012. Concurrent expression of MYC and BCL2 in diffuse large Bcell lymphoma treated with rituximab plus cyclophosphamide, doxorubicin, vincristine, and prednisone. *J Clin Oncol.* 30(28):3452-9
- Keni Gu, Dennis D Weisenburger, Kai Fu, Wing C Chan, Timothy C Greiner, 2012, Origin Fails to Predict Survival in patients with Diffuse Large B Cell Lymphoma treated with Autologous Hematopoietic Stem cell Transplantation, *Hematol Oncol.* 2012 September ; 30(3): 143–149. doi:10.1002/hon.1017.
- Khaldon Bodoor, Ismail Matalaka, Rami Hayajneh, Yazan Haddad, Waleed Gharaibeh, 2012, Evaluation of BCL-6, CD10, CD138 and MUM1 expression in diffuse large Bcell lymphoma patients: CD138 is a marker of poor prognosis, *Asian Pacific J Cancer Prev*, 13 2012, 3037-3046
- Lee, M.Y., Tan, T.D., 2005. Clinicopathological analysis of malignant lymphoma in Taiwan, defined according to the World Health Organization classification .*Haematologica* . 90:1703-1705
- Lu, T., X., Miao, Y., Wu, J.Z., Gong, Q.X., Liang, J.H., Wang, Z., 2016, The distinct clinical features and prognosis of the CD10⁺MUM1⁺ and CD10⁻BCL6⁻MUM1⁻ diffuse large B-cell lymphoma. *Sci Rep* ; 6 : 20465
- Martelli, M., Ferreri, A.J., Agostinelli, C., Di Rocco, A., Pfreundschuh, M., Pileri, S.A., 2013, Diffuse large B-cell lymphoma. *Crit Rev Oncol Hematol.* ;87(2):146-71
- Min-Chul Cho, MD, PhD, Yousun Chung, MD, Seongsoo Jang, MD, PhD, Chan-Jeoung Park, MD, PhD, Hyun-Sook Chi, MD, PhD, Jooryung Huh, MD, PhD, 2018, Prognostic impact of germinal center B-cell-like and non-germinal center B-cell-like subtypes of bone marrow involvement in patients with diffuse large B-cell lymphoma treated with R-CHOP, *Medicine* (2018) 97:45(e13046)
- Morton, L.M., Wang, S.S., Devesa, S.S., Hartge, P., Weisenburger, D.D., Linnet, M.S. 2006 Lymphoma incidence patterns by WHO subtype in the United States, 1992-2001. *Blood* 2006; 107, 265–76.
- Muller, AMS, Ihorst, G, Mertelsmann, R, & Engelhardt, M 2005, ‘Epidemiology of non-Hodgkin’s lymphoma (NHL): trends, geographic distribution, and etiology’ *Annals of Hematology*, vol. 84, no. 1, pp. 1–12, doi: 10.1007/s00277-004-0939-7.
- Noiwattanakul J, Assanasen T, Rojnuckarin P, et al. (2017) Shorter Overall Survival in Non-



Germinal Center of Diffuse Large B-Cell Lymphoma Based on Hans ' Criteria among Thai Patients. *Journal of Hematology and Transfusion Medicine* 27(4).

- Perry AM, Cardesa-Salzmman TM, Meyer PN, et al. A new biologic prognostic model based on immunohistochemistry predicts survival in patients with diffuse large B-cell lymphoma., *Blood* 2012, vol. 12011(pg. 2290-2296)
- Rosenwald, A, Wright, G, Leroy, K, Yu, X, Gaulard, P, Gascoyne, RD, Chan, WC, 2003, 'Molecular Diagnosis of Primary Mediastinal B Cell Lymphoma Identifies a Clinically Favorable Subgroup of Diffuse Large B Cell Lymphoma Related to Hodgkin Lymphoma' *The Journal of Experimental Medicine*, vol. 198, no. 6, pp. 851–862, doi: 10.1084/jem.20031074.
- Sahni, C.S., Desai, S.B., 2007. Distribution and clinicopathologic characteristics of non-Hodgkin's lymphoma in India: a study of 935 cases using WHO classification of lymphoid neoplasms (2000). *Leuk Lymphoma*. 48(1):122-33
- Shiozawa, E., Yamochi Onizuka, T., Takimoto, M., Ota, H., 2007 The GCB subtype of diffuse large B cell lymphoma is less frequent in Asian countries. *Leuk Res*. ;31(11):1579-83.
- Sydney Dubois, Pierre-Julien Viailly, Sylvain Mareschal, Elodie Bohers, Philippe Bertrand, Philippe Ruminy, 2016, Next-Generation Sequencing in Diffuse Large B-Cell Lymphoma Highlights Molecular Divergence and Therapeutic Opportunities: a LYSA Study *Clin Cancer Research*;22:2919-2928. Published Online First January 27, 2016.
- Sjö, L.D., Poulsen, C.B., Hansen, M., Møller, M.B., Ralfkiaer, E., 2007. Profiling of diffuse large B-cell lymphoma by immunohistochemistry: identification of prognostic subgroups. *Eur J Haematol*. 79:501–7.
- Sun, J., Yang, Q., Lu, Z., He, M., Gao, L., Zhu, M., Sun, L., Wei, L., Li, M., Liu, C., Zheng, J., Liu, W., Li, G., Chen, J., 2012. Distribution of Lymphoid Neoplasms in China Analysis of 4,638 Cases According to the World Health Organization Classification American. *J Clin Pathol*. 138 : 429-434
- Swerdlow SH, Campo E, Pileri SA, Harris NL, Stein H, Siebert R, Advani R, Ghielmini M, Salles GA, Zelenetz AD, Jaffe ES, 2016, The 2016 revision of the World Health Organization classification of lymphoid neoplasms. *Blood*. May 19;127(20):2375-90
- Tarek Christoffer El-Galaly, Diego Villa, MDMPH, Musa Alzahrani, Jakob Werner Hansen, MD, Laurie H. Sehn, 2014, Prognostic Impact of Extranodal Diffuse Large B-Cell Lymphoma in the Era of Immunochemotherapy and PET/CT Staging, *Blood* (2014) 124 (21): 1630.
- Ting-Xun Lu, Yi Miao, Jia-Zhu Wu, Qi-Xing Gong, Jin-Hua Liang, Zhen Wang, 2016, The distinct clinical features and prognosis of the CD10+MUM1+ and CD10–Bcl6–MUM1– diffuse large B-cell lymphoma, 09 February 2016, Scientific Report.
- Usman Hassan, Sheeba Ishtiaq and Mudassar Hussain, 2014, Immunohistochemical Expression of CD-10, BCL-6 and MUM-1 Antibodies and Immediate Clinical



- Response in Patients of Diffuse Large B-Cell Lymphomas after Six Cycles of Chemotherapy, *Journal of the College of Physicians and Surgeons Pakistan* 2014, Vol. 24 (10): 722-727
- Vincent T. Devita, Theodore S. Lawrence, Steven A. Rosenberg, 2016, *Lymphomas and Leukemias: From Cancer Principles and Practice of Oncology* 10th edition, pp. 449-530
- Vipul Shukla, Runqing Lu, 2014 IRF4 and IRF8: governing the virtues of B lymphocytes, *Molecular Neurobiology*, August 2014, Volume 9, pp 269–282|
- Wang, X, Li, Z, Naganuma, A, & Ye, BH 2002, 'Negative autoregulation of BCL-6 is bypassed by genetic alterations in diffuse large B cell lymphomas' *Proceedings of the National Academy of Sciences*, vol. 99, no. 23, pp. 15018–15023, doi: 10.1073/pnas.232581199.
- Xia ZG, Xu ZZ, Zhao WL, et al. (2010) The prognostic value of immunohistochemical subtyping in Chinese patients with de novo diffuse large B-cell lymphoma undergoing CHOP or R-CHOP treatment. *Annals of Hematology* 89(2): 171–177.
- Xuejiao Yin, Aoshuang Xu, Fengjuan Fan, Zhenli Huang, Qianwen Chen, Lu Zhang, 2019, Chunyan Sun and Yu Hu Incidence and Mortality Trends and Risk Prediction Nomogram for Extranodal Diffuse Large B-Cell Lymphoma: An Analysis of the Surveillance, Epidemiology, and End Results Database, 12 November 2019, volume 9, doi: 10.3389/fonc.2019.01198
- Yin Huang, Sheng Ye, Yabing Cao, Zhiming Li, Jiajia Huang, He Huang, 2012, Outcome of R-CHOP or CHOP Regimen for Germinal Center and Non germinal Center Subtypes of Diffuse Large B-Cell Lymphoma of Chinese Patients, *The Scientific World Journal* Volume 2012, Article ID 897178, <https://doi.org/10.1100/2012/897178>
- Yoon, S.O., Suh, C., Lee, D.H., Chi, H.S., Park, C.J., Jang, S.S., Shin, H.R., Park, B.H., Huh, J. 2010 Distribution of lymphoid neoplasms in the Republic of Korea: analysis of 5318 cases according to the World Health Organization classification. *Am J Hematol.*;85(10):760-4
- Ziepert Marita, Dirk Hasenclever, Evelyn Kuhnt, Bertram Glass, Norbert Schmitz, Michael Pfreundschuh, 2010, Standard international prognostic index remains a valid predictor of outcome for patients with aggressive CD20+ B-cell lymphoma in the rituximab era, *J Clin Oncol.* 2010 May 10;28(14):2373-80.