

DAFTAR PUSTAKA

- Antunes, R., Couto, N., Vitorino, A., Monteiro, D., Marinho, D. A., & Cid, L. (2020). Physical activity and affect of the elderly: Contribution to the validation of the Positive and Negative Affect Schedule (PANAS) in the Portuguese population.
- Aartolahti, E., Tolppanen, A., Lönnroos, E., & Hartikainen, S. (2015). Health condition and physical function as predictors of adherence in long-term strength and balance training among community-dwelling older adults. *Archives of Gerontology and Geriatrics* 61(3): 452-457.
- Arrospide, A., Machón, M., Ramos-Goñi, J. M., Ibarrondo, O., & Mar, J. (2019). Inequalities in health-related quality of life according to age, gender, educational level, social class, body mass index and chronic diseases using the Spanish value set for Euroqol 5D-5L questionnaire. *Health and quality of life outcomes*, 17(1), 69.
- Abooe, A., Sahaf, R., Ali, A., Kamrani, A., Lotfi, M. H., Heidari, F., & Shahmansouri, N. (2017). Original Article The Effect of Psychoeducation on Quality of Life and Dependency in Elderlies, 3(2), 107–112.
- Acree, L. S., Longfors, J., Fjeldstad, A. S., Fjeldstad, C., Schank, B., Nickel, K. J., Gardner, A. W. (2006). Physical activity is related to quality of life in older adults. *Health and quality of life outcomes*, 4(1), 37.
- Ahmad, M. H., Shahar, S., Teng, N. I. M. F., Manaf, Z. A., Sakian, N. I. M., & Omar, B. (2014). Applying theory of planned behavior to predict exercise maintenance in sarcopenic elderly. *Clinical interventions in aging*, 9, 1551.
- Anderson, C.M., Gerard, E., Hogarty, G.E., Reiss, D.J. (1980). Family treatment of adult schizophrenic patients: a psycho-educational approach. *Schizophr Bull* ;6490–505. [PubMed]
- Andrade, F. C. D., Corona, L. P., Lebrão, M. L., & de Oliveira Duarte, Y. A. (2014). Life expectancy with and without cognitive impairment among Brazilian older adults. *Archives of gerontology and geriatrics*, 58(2), 219-225.
- Allerhand, M., Gale, C. R., & Deary, I. J. (2014). The dynamic relationship between cognitive function and positive well-being in older people: A prospective study using the English Longitudinal Study of Aging. *Psychology and aging*, 29(2), 306.

- Ajzen I. (1991). The theory of planned behavior. *Organ Behav Hum Dec.* 50(2), 179-211.
- Badan Kependudukan dan Keluarga Berencana Nasional (BKKBN). (2018). *Profil Keluarga Indonesia. Tahun 2017*. Jakarta: BKKBN
- Badan Pusat Statistik (BPS). (2014). *Laporan Bulanan Data Sosial Ekonomi, Mei 2014*. Jakarta: Badan Pusat Statistik RI
- Badan Pusat Statistik (BPS). (2019). *Perkembangan Beberapa Indikator Utama Sosial-Ekonomi Indonesia, Februari 2019*. Jakarta: Badan Pusat Statistik RI.
- Bai, X., Yang, S., & Knapp, M. (2018). Sources and directions of social support and life satisfaction among solitary Chinese older adults in Hong Kong: The mediating role of sense of loneliness. *Clinical Interventions in Aging*, 13, 63–71.
- Banda, M. M. (2016). Upaya kearifan lokal dalam menghadapi tantangan perubahan kebudayaan. *Makalah Konferensi Internasional. Medan: Fakultas Pascasarjana USU*.
- Bandura, A. (1997). The anatomy of stages of change. *American journal of health promotion: AJHP*, 12(1), 8-10.
- Bandura, A. (1999). Social cognitive theory of personality. *Handbook of personality*, 2, 154-96.
- Barker, R.L. (2003). *The Social Work Dictionary*. NASW Press, Washington D.C.
- Battaglia, G., Bellafore, M., Alesi, M., Paoli, A., Bianco, A., & Palma, A. (2016). Effects of an adapted physical activity program on psychophysical health in elderly women. *Clinical interventions in aging*, 11, 1009.
- Bäumel J, Froböse. T, Kraemer, S, Rentrop, M, Pitschel-Walz, G.(2006). Psychoeducation: A basic psychotherapeutic intervention for patients with schizophrenia and their families. *Schizophr Bull*; 32(1) : S1-S9.
- Berg, G. V., Hedelin, B. and Sarvimaki, A. (2005). A holistic approach to the promotion of older hospital patients' health. *International Nursing Review*, 52, 73–80.
- Benjamin, K., Edwards, N. C., & Bharti, V. K. (2005). Attitudinal, perceptual, and normative beliefs influencing the exercise decisions of community-dwelling physically frail seniors. *Journal of Aging and Physical Activity*, 13(3), 276-293.

- Bernard, Dirawan, G. D., & Nurlita. (2018). Social Interactions and Elderly Quality of Life in Makassar , South Sulawesi , Indonesia. *IOSR Journal Of Humanities And Social Science (IOSR-JHSS)*, 23(2), 77–83. <https://doi.org/10.9790/0837-2302107783>.
- Bielderman, A. (2016). *Active Ageing and Quality of Life Community-dwelling older adults in deprived neighbourhoods* (1st ed.). Groningen: The Netherlands Organization for Health Research and Development. <https://doi.org/978-90-367-8657-7>.
- Birren, J. E., Lubben, J. E., Rowe, J. C., & Deutchman, D. E. (Eds.). (2014). *The concept and measurement of quality of life in the frail elderly*. Academic
- Bond, J., & Corner, L. (2004). *Quality of Life and Older People*. Berkshire: Open University Press.Press.
- Bottiroli, S., Cavallini, E., Ceccato, I., Vecchi, T., & Lecce, S. (2016). Theory of Mind in aging: Comparing cognitive and affective components in the faux pas test. *Archives of Gerontology and Geriatrics*, 62, 152-162.
- Brown, B., Hernandez, V. R., & Villarreal, Y. (2011). Connections: A 12-session psychoeducational shame resilience curriculum. In R. L. Dearing & J. P. Tangney (Eds.), *Shame in the therapy hour* (p. 355–371). American Psychological Association. <https://doi.org/10.1037/12326-015>
- Buchman, A. S., Wilson, R. S., Yu, L., James, B. D., Boyle, P. A., & Bennett, D. A. (2014). Total daily activity declines more rapidly with increasing age in older adults. *Archives of gerontology and geriatrics*, 58(1), 74-79.
- Buco, C. E. A. M., Buenviaje, K. A. C., Bulan, R. B. C., Cabaña, R. J. L., Cabuhat, M. K. S., Bongar, M. V. V., & Macindo, J. R. B. (2018). Developing and testing a model of quality of life among chronically-ill, community-dwelling older adults: A structural equation model. *Archives of gerontology and geriatrics*, 78, 261-268.
- Bullo, V., Bergamin, M., Gobbo, S., Sieverdes, J. C., Zaccaria, M., Neunhaeuserer, D., & Ermolao, A. (2015). The effects of Pilates exercise training on physical fitness and wellbeing in the elderly: A systematic review for future exercise prescription. *Preventive medicine*, 75, 1-11.
- Burton, E., Farrier, K., Hill.K.D., Codde, J., Airey,P & Hill.A.M., (2017). Effectiveness of peers in delivering programs or motivating older people to increase their participation in physical activity: Systematic review and meta-analysis. *Journal of Sports Sciences*, DOI: 10.1080/02640414.2017.1329549.

- Caillouet, K. A., & Cosio-Lima, L. (2019). Association of health empowerment and handgrip strength with intention to participate in physical activity among community-dwelling older adults. *Experimental gerontology*, *121*, 99-105
- Cannon, Melissa Lynn. 2015. "What Is Aging?" *journal homepage: www.elsevier.com/locate/disamonth* 1-6. Retrieved (<http://dx.doi.org/10.1016/j.disamonth.2015.09.002>).
- Casey, D. (2007). Findings from non-participant observational data concerning health promoting nursing practice in the acute hospital setting focusing on generalist nurses. *Journal of Clinical Nursing*, *16*, 580-592.
- Cezaretto, A., Barros, C.R., Almeida-Pititto, B., Siqueira-Catania, A., Monfort-Pires, M. Folchetti, L.G. & Ferreira. S.R. (2017). Lifestyle intervention using the psychoeducational approach is associated with greater cardiometabolic benefits and retention of individuals with worse health status. *The Archives of Endocrinology and Metabolism*, *61*(1), 36-44. DOI: 10.1590/2359-3997000000185.
- Cha, S. M., Shin, H. D., Kim, K. C., & Park, E. (2012). Treatment of unstable distal ulna fractures associated with distal radius fractures in patients 65 years and older. *The Journal of hand surgery*, *37*(12), 2481-2487.
- Chae, W., Park, E.-C., & Jang, S.-I. (2020). The Association Between the Changes in General, Family, and Financial Aspects of Quality of Life and Their Effects on Cognitive Function in an Elderly Population: The Korean Longitudinal Study of Aging, 2008-2016. *International Journal of Environmental Research and Public Health*, *17*(3), E1106. doi: 10.3390/ijerph17031106.
- Chambres, D. and Thompson, S. (2009) Empowerment and its application in health promotion in acute care settings: nurses' perceptions. *Journal of Advanced Nursing*, *65*, 130-138.
- Chang, P. S., Knobf, T., Oh, B., & Funk, M. (2019). Physical and psychological health outcomes of Qigong exercise in older adults: a systematic review and meta-analysis. *The American Journal of Chinese Medicine*, *47*(02), 301-322.
- Chase, J. A. D. (2013). Physical activity interventions among older adults: a literature review. *Research and Theory for Nursing Practice*, *27*(1), 53-80.
- Chou, C. H., Hwang, C. L., & Wu, Y. T. (2012). Effect of exercise on physical function, daily living activities, and quality of life in the frail older adults:

a meta-analysis. *Archives of physical medicine and rehabilitation*, 93(2), 237-244.

Ciprandi, D., Zago, M., Bertozzi, F., Sforza, C., & Galvani, C. (2018). Pengaruh biaya energi dan kebugaran fisik pada kecepatan berjalan dan variabilitas gaya berjalan yang disukai pada wanita lanjut usia. *Jurnal elektromiografi dan kinesiologi*, 43, 1-6.

Clifford, A., Rahardjo, T. B., Bandelow, S., & Hogervorst, E. (2014). A cross-sectional study of physical activity and health-related quality of life in an elderly Indonesian cohort. *British Journal of Occupational Therapy*, 77(9), 451-456.

Colom, F., Vieta, E., Reinares, M., Martinez-Aran, A., Torrent, C, Goikolea, J.M., et al. (2003). Psychoeducation efficacy in bipolar disorders: beyond compliance enhancement. *J Clin Psychiatry*; 64: 1101.

Colom F, Vieta E, Sánchez-Moreno J, Martínez-Aran A, Reinares M, Goikolea J, et al. (2005). Stabilizing the stabilizer: group psychoeducation enhances the stability of serum lithium levels. *Bipolar Disord*; 7 (Suppl 5): 32–6.

Colom, F. (2011). Keeping therapies simple: psychoeducation in the prevention of relapse in affective disorders. *The British Journal of Psychiatry*, 198: 338-340.

Creswell, J. W. (2016). *Research Design: Pendekatan Metoda Kualitatif, Kuantitatif dan Campuran*. Edisi keempat. Pustaka Pelajar. ISBN-13: 978-1-4522-2610-1.

Crowley, K. (2011). Sleep and sleep disorders in older adults. Retrieved 28/2/2016, from <http://web.ebscohost.com/ehost/pdfviewer/sid=b76f647>.

Cummings, N. A., & Cummings, J. L. (2008). Psychoeducation in conjunction with psychotherapy practice. *Evidence-based adjunctive treatments*, 41-59.

Da Fonte, E., Feitosa, P. H., de Oliveira Neto, L. T., de Araújo, C. L., Figueiroa, J. N., & Alves, J. G. (2016). Effects of a physical activity program on the quality of life among elderly people in Brazil. *Journal of family medicine and primary care*, 5(1), 139.

Dahlan, A., Ibrahim, S., & Anwar, S. (2014). Engagement in activity of interest and quality of life amongst institutionalized elderly people in Malaysia. *Indian Journal of Health & Wellbeing*, 5(2).

- Dahlberg, L., Andersson, L., McKee, K. J., & Lennartsson, C. (2015). Predictors of loneliness among older women and men in Sweden: A national longitudinal study. *Aging & mental health, 19*(5), 409-417.
- Dantas, R. G., Perracini, M. R., Guerra, R. O., Ferriolli, E., Dias, R. C., & Padula, R. S. (2017). What are the sociodemographic and health determinants for older adults continue to participate in work?. *Archives of Gerontology and Geriatrics, 71*, 136-141.
- Dauwan, M., Begemann, M. J., Slot, M. I., Lee, E. H., Scheltens, P., & Sommer, I. E. (2019). Physical exercise improves quality of life, depressive symptoms, and cognition across chronic brain disorders: a transdiagnostic systematic review and meta-analysis of randomized controlled trials. *Journal of neurology, 1-25*.
- Davis, J. C., Bryan, S., Best, J. R., Li, L. C., Hsu, C. L., Gomez, C., ... & Liu-Ambrose, T. (2015). Mobility predicts change in older adults' health-related quality of life: evidence from a Vancouver falls prevention prospective cohort study. *Health and quality of life outcomes, 13*(1), 101.
- De Oliveira, L. D. S. S. C. B., Souza, E. C., Rodrigues, R. A. S., Fett, C. A., & Piva, A. B. (2019). The effects of physical activity on anxiety, depression, and quality of life in elderly people living in the community. *Trends in psychiatry and psychotherapy, 41*(1), 36-42.
- De Labra, C., Guimaraes-Pinheiro, C., Maseda, A., Lorenzo, T., & Millán-Calenti, J. C. (2015). Effects of physical exercise interventions in frail older adults: A systematic review of randomized controlled trials Physical functioning, physical health and activity. *BMC Geriatrics, 15*(1). <http://doi.org/10.1186/s12877-015-0155-4>.
- DeVellis, R. F. (2012). *Scale Development : Theory and Applications*. SAGE Publications, Inc. Third edition. ISBN 978-1-4129-8044-9.
- Dias, G.N.F, Couceiro,M.S, Silva, P.S, Castro,M.A, Branquinho,M.A, Mendes,R and Carvalho, I.C.R. 2017. New Paradigms of Active Ageing. In Dias, G.N/F and Couceiro, M.S (2017). *Active Ageing and Physical Activity: Guidelines, Functional Exercises and Recommendations (pp.1-16)*. ISBN 978-3-319-52063-6Springer Nature. Gewerbestrasse 11, 6330 Cham, Switzerland.
- DiPietro, L., Singh, M.F., Fielding, R., & Nose, H. (2012). Successful Aging Editorial. *Journal of Aging Research Article ID, 438537*(2)..

- Dolifah, D., Yamin, A., & Hernawaty, T. (2018). Pengaruh Intervensi Psikoedukasi Terhadap Depresi Pada Lansia Di Kelurahan Situ Kabupaten Sumedang. *Jurnal Kesehatan Kartika*, 8(2), 68-91.
- Douglas, H., Georgiou, A., & Westbrook, J. (2017). Social participation as an indicator of successful aging: an overview of concepts and their associations with health. *Australian Health Review*, 41(4), 455-462.
- Downs, D. S., & Hausenblas, H. A. (2005). The theories of reasoned action and planned behavior applied to exercise: A meta-analytic update. *Journal of Physical Activity and Health*, 2(1), 76-97.
- Duan, Y., Wagner, P., Zhang, R., Wulff, H., & Brehm, W. (2018). Physical activity areas in urban parks and their use by the elderly from two cities in China and Germany. *Landscape and Urban Planning*, 178, 261-269.
- Dubas-Jakóbczyk, K., Kocot, E., Kissimova-Skarbek, K., Huter, K., & Rothgang, H. (2017). Economic evaluation of health promotion and primary prevention actions for older people—a systematic review. *The European Journal of Public Health*, 27(4), 670-679.
- Duplaga, M., Grysztar, M., Rodzinka, M., & Kopec, A. (2016). Scoping review of health promotion and disease prevention interventions addressed to elderly people. *BMC health services research*, 16(5), 278.
- Dziechciaż M and Filip R., 2014, Biological psychological and social determinants of old age: Bio-psycho-social aspects of human aging. *Ann Agric Environ Med.*; 21(4): 835–838. doi: 10.5604/12321966.1129943.
- Efficace, F., Bottomley, A., Coens, C., Van Steen K., Conroy, T., Schöffski P, Köhne, C.H. (2006). Does a patient's self-reported health-related quality of life predict survival beyond key biomedical data in advanced colorectal cancer? *European Journal of Cancer*, 42(1), 42–49.
- Ekhtiari, H., Rezapour, T., Aupperle, R. L., & Paulus, M. P. (2017). Neuroscience-informed psychoeducation for addiction medicine: A neurocognitive perspective. *Brain Research in Addiction*, 239–264. doi:10.1016/bs.pbr.2017.08.013.
- Eloranta, S., Arve, S., Isoaho, H., Lehtonen, A., & Viitanen, M. (2015). Loneliness of older people aged 70: A comparison of two Finnish cohorts born 20 years apart. *Archives of Gerontology and Geriatrics*, 61(2), 254-260.
- Evenson, K. R., Rosamond, W. D., Cai, J., Diez-Roux, A. V., & Brancati for the Atherosclerosis Risk in Communities Study Investigators, F. L. (2002).

Influence of retirement on leisure-time physical activity: the atherosclerosis risk in communities study. *American Journal of Epidemiology*, 155(8), 692-699.

Farquhar, M. (1995). Elderly people's definitions of quality of life. *Social Science and Medicine* 41, 1439-1446.

Fauzan, M., Gani, A., & Syukri, M. (2017). Penerapan model problem based learning pada pembelajaran materi sistem tata surya untuk meningkatkan hasil belajar siswa. *Jurnal Pendidikan Sains Indonesia (Indonesian Journal of Science Education)*, 5(1), 27-35.

Feldman, D. B., & Kubota, M. (2015). Hope, self-efficacy, optimism, and academic achievement: Distinguishing constructs and levels of specificity in predicting college grade-point average. *Learning and Individual Differences*, 37, 210-216.

Ferreira, M. C. G., Tura, L. F. R., Silva, R. C. D., & Ferreira, M. D. A. (2017). Social representations of older adults regarding quality of life. *Revista brasileira de enfermagem*, 70(4), 806-813.

Fertman, C. I. & Allensworth, D.D. (2010). *Health Promotion Program From Theory To Practice Society For Public Health Education*, 75.

Fishbein, M., & Ajzen, I. (1977). *Belief, attitude, intention, and behavior: An introduction to theory and research*.

Franco, M. R., Tong, A., Howard, K., Sherrington, C., Ferreira, P. H., Pinto, R. Z., & Ferreira, M. L. (2015). Older people's perspectives on participation in physical activity: a systematic review and thematic synthesis of qualitative literature. *Br J Sports Med*, 49(19), 1268-1276.

Frändin, K., Grönstedt, H., Helbostad, J. L., Bergland, A., Andresen, M., Puggaard, L., Hellström, K. (2016). Long-term effects of individually tailored physical training and activity on physical function, well-being and cognition in Scandinavian nursing home residents: a randomized controlled trial. *Gerontology*, 62(6), 571-580.

Fu, C., Wang, C., Yang, F., Cui, D., Wang, Q., & Mao, Z. (2018). Association between social capital and physical activity among community-dwelling elderly in Wuhan, China. *International Journal of Gerontology*, 12(2), 155-159.

Fung, LCW Lam. 2013. "Spiritual Activity Is Associated with Better Cognitive Function in Old Age." *East Asian Arch Psychiatry* 23(April):102-10.

- Gharaveis, A. (2020). A systematic framework for understanding environmental design influences on physical activity in the elderly population. *Facilities*, Vol. 38 No. 9/10, pp. 625-649. <https://doi.org/10.1108/F-08-2018-0094>
- Gill, D. L., Chang, Y. K., Murphy, K. M., Speed, K. M., Hammond, C. C., Rodriguez, E. A., ... & Shang, Y. T. (2011). Quality of life assessment for physical activity and health promotion. *Applied research in quality of life*, 6(2), 181-200.
- Gill, D. L., Hammond, C. C., Reifsteck, E. J., Jehu, C. M., Williams, R. A., Adams, M. M., ... & Shang, Y. T. (2013). Physical activity and quality of life. *Journal of Preventive Medicine and Public Health*, 46(Suppl 1), S28.
- Glanz, K., Rimer, B.K., Vismanath, K. (2008). *Health behavior and health education, theory, research, and practice*. 4th edition. Jossey-Bass, Awiley Imprint, San Fransisco.
- Goldberg, D. S. (2017). *Public Health Ethics and the Social Determinants of Health*. (1st ed.). Cham, Switzerland: Springer International Publishing AG. <https://doi.org/https://doi.org/10.1007/978-3-319-51347-8>.
- Golinowska, S., Groot, W., Baji, P., & Pavlova, M. (2016). Health promotion targeting older people. *BMC Health Services Research*, 16(S5), 345. <https://doi.org/10.1186/s12913-016-1514-3>.
- Goodman, C., Davies, S. L., Dinan, S., Tai, S. S., & Iliffe, S. (2011). Activity promotion for community-dwelling older people: a survey of the contribution of primary care nurses. *British journal of community nursing*, 16(1), 12-17.
- Gourlan, M., Bernard, P., Bortolon, C., Romain, A. J., Lareyre, O., Carayol, M., & Boiché, J. (2016). Efficacy of theory-based interventions to promote physical activity. A meta-analysis of randomised controlled trials. *Health psychology review*, 10(1), 50-66.
- Grawe, K., Donati, R., Bernauer, F. (2004). *Psychotherapie im Wandel. Von der Konfession zur Profession*. Göttingen, Germany: Hogrefe.
- Guiney, H., Lucas, S. J., Cotter, J. D., & Machado, L. (2019). Investigating links between habitual physical activity, cerebrovascular function, and cognitive control in healthy older adults. *Neuropsychologia*, 125, 62-69.
- Gyasi, R. M. (2019). Social support, physical activity and psychological distress among community-dwelling older Ghanaians. *Archives of Gerontology and Geriatrics*, 81, 142-148.

- Halaweh, H., Willen, C., Grimby-Ekman, A., & Svantesson, U. (2015). Physical activity and health-related quality of life among community dwelling elderly. *Journal of clinical medicine research*, 7(11), 845.
- Halvorsrud, L. (2010). Measuring Quality of Life among Older Adults: Validation of the Norwegian WHOQOL-Old. *Dissertation*, Faculty of Medicine, University of Oslo, ISBN 978-82-8072-392-5.
- Harithasan, D., Mukari, S. Z.-M. S., Ishak, W. S., Shahar, S., & Yeong, W. L. (2020). The impact of sensory impairment on cognitive performance, quality of life, depression, and loneliness in older adults. *International journal of geriatric psychiatry*, 35(4), 358-364. doi: 10.1002/gps.5237.
- Hasworth, S. B., & Cannon, M. L. (2015). Social theories of aging: A review. *Disease-a-month: DM*, 61(11), 475-479.
- Hausenblas, H. A., Hall, C. R., Rodgers, W. M., & Munroe, K. J. (1999). Exercise imagery: Its nature and measurement. *Journal of Applied Sport Psychology*, 11(2), 171-180.
- Henry, Julie D., Louise H. Phillips, Ted Ruffman, and Phoebe E. Bailey. 2013. "A Meta-Analytic Review of Age Differences in Theory of Mind." 28(3):826–39.
- Hui, L. (2015). Aging and chronic disease as independent causative factors for death and a programmed onset for chronic disease. *Archives of gerontology and geriatrics*, 60(1), 178-182.
- Heydarnejad, S., & Dehkordi, A. H. (2010). The effect of an exercise program on the health-quality of life in older adults. *Dan Med Bull*, 57(4), 113-7.
- Ho, E. C., Hawkey, L., Dale, W., Waite, L., & Huisinigh-Scheetz, M. (2018). Social capital predicts accelerometry-measured physical activity among older adults in the US: a cross-sectional study in the National Social Life, Health, and Aging Project. *BMC public health*, 18(1), 804.
- Hobbs N, Godfrey A, Lara J, Errington L, Meyer TD, Rochester L, *et al.* (2013) Are behavioral interventions effective in increasing physical activity at 12 to 36 months in adults aged 55 to 70 years? A systematic review and meta-analysis. *BMC Med*; 11:75. PubMed Central PMCID: PMC3681560. doi: 10.1186/1741-7015-11-75 PMID: 23506544.
- Hopia, H., Paavilainen, E. and A°stedt-Kurki, P. (2004). Promoting health for families of children with chronic conditions. *Journal of Advanced Nursing*, 48, 575–583.

- Huang, C. Y., Hsu, M. C., & Chen, T. J. (2012). An exploratory study of religious involvement as a moderator between anxiety, depressive symptoms and quality of life outcomes of older adults. *Journal of Clinical Nursing, 21*(5- 6), 609-619.
- Ige-Elegbede, J., Pilkington, P., Gray, S., & Powell, J. (2019). Barriers and facilitators of physical activity among adults and older adults from Black and Minority Ethnic groups in the UK: A systematic review of qualitative studies. *Preventive medicine reports, 15*, 100952.
- Indrayani, I., & Ronoatmodjo, S. (2018). Faktor-Faktor Yang Berhubungan Dengan Kualitas Hidup Lansia Di Desa Cipasung Kabupaten Kuningan Tahun 2017. *Jurnal Kesehatan Reproduksi, 9*(1), 69-78.
- Irvine, F. (2007). Examining the correspondence of theoretical and real interpretations of health promotion. *Journal of Clinical Nursing, 16*, 593–602.
- Jariah, A., & Kusbaryanto, K. (2019). Efektivitas Program Pendidikan Lanjut Usia Terhadap Kualitas Hidup Lansia di Komunitas: A LITERATUR REVIEW. *Jurnal Keperawatan Muhammadiyah, 4*(2).
- Jessen, J. D., & Lund, H. H. (2017). Study protocol: effect of playful training on functional abilities of older adults-a randomized controlled trial. *BMC geriatrics, 17*(1), 27.
- Jonasson, L. S., Nyberg, L., Kramer, A. F., Lundquist, A., Riklund, K., & Boraxbekk, C. J. (2017). Aerobic exercise intervention, cognitive performance, and brain structure: results from the physical influences on brain in aging (PHIBRA) study. *Frontiers in aging neuroscience, 8*, 336.
- Jansons, P. S., Robins, L., Haines, T. P., & O'Brien, L. (2018). Barriers and enablers to ongoing exercise for people with chronic health conditions: Participants' perspectives following a randomized controlled trial of two interventions. *Archives of gerontology and geriatrics, 76*, 92-99.
- Jalil, N. I. A., & Mahfar, M. (2016). The validity and reliability of rational emotive behavioural therapy module development for university support staff. *Asian Soc Sci, 12*, 129.
- Jin, Y., Sumsuzzman, DM, Choi, J., Kang, H., Lee, SR, & Hong, Y. (2018). Interaksi molekuler dan fungsional dari myokine irislin dengan latihan fisik dan penyakit Alzheimer. *Molekul, 23* (12), 1–13. <https://doi.org/10.3390/molecules23123229>

- Ju, H. (2017). "The relationship between physical activity, meaning in life, and subjective vitality in community-dwelling older adults." *Archives of Gerontology and Geriatrics* 73: 120-124.
- Justine, M., Azizan, A., Hassan, V., Salleh, Z., & Manaf, H. (2013). Barriers to participation in physical activity and exercise among middle-aged and elderly individuals. *Singapore Medical Journal*, 54(10), pp.581–586.
- Kalish, V. B. (2016). *Obesity in Older Adults. Primary Care: Clinics in Office Practice*, 43(1), 137–144. doi:10.1016/j.pop.2015.10.002
- Kao, C. W., Chen, M. Y., Chen, T. Y., & Lin, P. H. (2016). Effect of psycho-educational interventions on quality of life in patients with implantable cardioverter defibrillators: a meta-analysis of randomized controlled trials. *Health and quality of life outcomes*, 14(1), 138.
- Karssemeijer, E. E., Aaronson, J. J., Bossers, W. W., Smits, T. T., & Kessels, R. R. (2017). Positive effects of combined cognitive and physical exercise training on cognitive function in older adults with mild cognitive impairment or dementia: A meta-analysis. *Ageing research reviews*, 40, 75-83.
- Karmiyati, D., & Amalia, S. (2018, July). The Influence of Javanese Cultural Internalization on the Happiness of the Elderly. In *2018 3rd International Conference on Education, Sports, Arts and Management Engineering (ICESAME 2018)*. Atlantis Press.
- Katz, S. (1983). Assessing self- maintenance: activities of daily living, mobility, and instrumental activities of daily living. *Journal of the American Geriatrics Society*, 31(12), 721-727.
- Katz, S., Downs, T. D., Cash, H. R., & Grotz, R. C. (1970). Progress in development of the index of ADL. *The gerontologist*, 10(1_Part_1), 20-30.
- Kelly, M. E., Loughrey, D., Lawlor, B. A., Robertson, I. H., Walsh, C., & Brennan, S. (2014). The impact of exercise on the cognitive functioning of healthy older adults: a systematic review and meta-analysis. *Ageing research reviews*, 16, 12-31
- Kementerian Kesehatan RI. (2016). Situasi lanjut usia (lansia) di Indonesia. *Jakarta: Pusat Data dan Informasi Kementerian Kesehatan RI*.
- Kementerian Kesehatan RI. (2013). Gambaran kesehatan lanjut usia di Indonesia. *Jakarta: Pusat Data dan Informasi Kementerian Kesehatan RI*.

- Kementerian Kesehatan RI. (2013). *Buletin jendela data dan informasi kesehatan: Gambaran kesehatan lanjut usia di Indonesia*. Jakarta: Pusat data dan informasi kesehatan Kementerian Kesehatan RI .
- Kim, J., Chun, S., Heo, J., Lee, S., & Han, A. (2016). Contribution of leisure-time physical activity on psychological benefits among elderly immigrants. *Applied Research in Quality of Life*, *11*(2), 461-470.
- Kim, H., Lee, S., Ku, B. D., Ham, S. G., & Park, W.-S. (2019). Associated factors for cognitive impairment in the rural highly elderly. *Brain and behavior*, *9*(5), e01203-e01203. doi: 10.1002/brb3.1203.
- King, A. C., & Guralnik, J. M. (2010). Maximizing the Potential of an Aging Population. *JAMA*, *304*(17), 1944–1945.
- King, D. E., Matheson, E., Chirina, S., Shankar, A., & Broman-Fulks, J. (2013). The status of baby boomers' health in the United States: the healthiest generation?. *JAMA internal medicine*, *173*(5), 385-386.
- Kirkpatrick, D., & Kirkpatrick, J. (2007). *Implementing the four levels* (first edit). San Francisco, California: Berrett-Koehler Publishers, Inc.
- Kirkwood, T. B. (2017). Why and how are we living longer?. *Experimental physiology*, *102*(9), 1067-1074.
- Ko, H., Park, Y. H., Cho, B., Lim, K. C., Chang, S. J., Yi, Y. M., Noh, Y. E., & Ryu, S. I. (2019). Gender differences in health status, quality of life, and community service needs of older adults living alone. *Archives of gerontology and geriatrics*, *83*, 239-245.
- Kosma, M. (2014). An expanded framework to determine physical activity and falls risks among diverse older adults. *Research on aging*, *36*(1), 95-114.
- Konopack, J. F., & McAuley, E. (2012). Efficacy-mediated effects of spirituality and physical activity on quality of life: A path analysis. *Health and quality of life outcomes*, *10*(1), 57.
- Kryla-Lighthall, N., & Mather, M. (2009). The role of cognitive control in older adults' emotional well-being.
- Lærum-Onsager, E., Brovold, T., Bergland, A., Pripp, A. H., & Bye, A. (2020). Associations between health-related quality of life, body mass index, health status and sociodemographic variables in geriatric patients and non-hospitalized older people: A comparative cross-sectional study. *Nutrition and health*, *26*(2), 141-150.

- Lai, Ming-ming, Shi-ying Lein, Siok-hwa Lau, and Ming-ling Lai. 2016. "Modeling Age-Friendly Environment, Active Aging, and Social Connectedness in an Emerging Asian Economy." *Journal of Aging Research* 2016: 1–14.
- Langlois, F., Vu, T. T. M., Chassé, K., Dupuis, G., Kergoat, M. J., & Bherer, L. (2013). Benefits of physical exercise training on cognition and quality of life in frail older adults. *The Journals of Gerontology: Series B*, 68(3), 400-404.
- Law, L. L., Barnett, F., Yau, M. K., & Gray, M. A. (2014). Effects of combined cognitive and exercise interventions on cognition in older adults with and without cognitive impairment: a systematic review. *Ageing research reviews*, 15, 61-75.
- Lee, I. M., Shiroma, E. J., Lobelo, F., Puska, P., Blair, S. N., Katzmarzyk, P. T., & Lancet Physical Activity Series Working Group. (2012). Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *The lancet*, 380(9838), 219-229.
- Lee, B., & Howard, E. P. (2019). Physical Activity and Positive Psychological Well-Being Attributes Among US Latino Older Adults. *Journal of gerontological nursing*, 45(6), 44-56.
- Lehne, G., & Bolte, G. (2017). Impact of universal interventions on social inequalities in physical activity among older adults: an equity-focused systematic review. *International Journal of Behavioral Nutrition and Physical Activity*, 14(1), 20.
- Li, J., Theng, Y.-L., & Foo, S. (2014). Game-Based Digital Interventions for Depression Therapy: A Systematic Review and Meta-Analysis. *Cyberpsychology, Behavior, and Social Networking*, 17(8), 519–527. <http://doi.org/10.1089/cyber.2013.048>.
- Liffiton, J. A., Horton, S., Baker, J., & Weir, P. L. (2012). Successful aging: how does physical activity influence engagement with life?. *European Review of Aging and Physical Activity*, 9(2), 103-108.
- Lim, S. E. R., Cox, N. J., Tan, Q. Y., Ibrahim, K., & Roberts, H. C. (2020). Volunteer-led physical activity interventions to improve health outcomes for community-dwelling older people: a systematic review. *Aging clinical and experimental research*.
- Lim, L. L., & Kua, E.H. (2011). Living alone, loneliness, and psychological well-being of older persons in Singapore. *Curr Gerontol Geriatr Res*, 2011:6731-81.

Lin, J. S., Chan, F. Y. F., Leung, J., Yu, B., Lu, Z. H., Woo, J., ... & Lau, K. K. L. (2020). Longitudinal Association of Built Environment Pattern with Physical Activity in a Community-Based Cohort of Elderly Hong Kong Chinese: A Latent Profile Analysis. *International journal of environmental research and public health*, 17(12), 4275.

Lindberg, (2010). Excessive fluid Overload Among Haemodialysis Patient: Prevalence, Individual Characteristics And Self Regulation Fluid Intake, *Acta, Universitatis Upsaliensis Uppsala*, 9–7

Lindwall, M., Cimino, C. R., Gibbons, L. E., Mitchell, M. B., Benitez, A., Brown, C. L., & MacDonald, S. W. (2012). Dynamic associations of change in physical activity and change in cognitive function: Coordinated analyses of four longitudinal studies. *Journal of Aging Research*, 2012: 1-12.

Lipsky, M.S & King, M. 2015. “Biological Theories of Aging.” *journal homepage: www.elsevier.com/locate/disamonth Biological* 13(2):1–7. Retrieved (<http://dx.doi.org/10.1016/j.disamonth.2015.09.005>).

Lluesma, M. V., Murgui, S. P., & Carmona, J. S. (2019). Nutritional status regarding the quality of life and sleep pattern in community-dwelling older adults with cognitive dysfunction. *Nutricion hospitalaria*, 36(2), 303-308.

Lobelo, F., & de Quevedo, I. G. (2016). The evidence in support of physicians and health care providers as physical activity role models. *American journal of lifestyle medicine*, 10(1), 36-52.

Lok, N., Lok, S., & Canbaz, M. (2017). The effect of physical activity on depressive symptoms and quality of life among elderly nursing home residents: Randomized controlled trial. *Archives of gerontology and geriatrics*, 70, 92-98.

Lubans, D., Richards, J., Hillman, C., Faulkner, G., Beauchamp, M., Nilsson, M., & Biddle, S. (2016). Physical activity for cognitive and mental health in youth: a systematic review of mechanisms. *Pediatrics*, 138(3), e20161642.

Luchesi, B. M., de Oliveira, N. A., de Moraes, D., de Paula Pessoa, R. M., Pavarini, S. C. I., & Chagas, M. H. N. (2018). Factors associated with happiness in the elderly persons living in the community. *Archives of Gerontology and Geriatrics*, 74(August 2017), 83–87. <http://doi.org/10.1016/j.archger.2017.10.006>.

Luptáková G, Antala B. (2017). Collaborative learning with application of screen-based technology in physical education. *Montenegrin Journal of Sports Science and Medicine*, 6(2), 49–56.

- Majumdar S R, Tsuyuki R T, Rolfson D B, Tahir A, Rockwood K.(2006). Validity and reliability of the Edmonton Frail Scale. *Age Ageing* [cited 2013 Jan 14]; 35(5): 526-9.
- Mauk, K. L., 2014. *Gerontological Nursing : Competencies for Care*. 3rd ed. Wall Street Burlington, MA 01803 978-443-5000: Jones & Bartlett Learning, LLC, an Ascend Learning Company All.
- Mašanovic, B., Gardašević, J., & Bjelica, D. (2019). The Effects of Three-month and Six-month Physical Activity on Social Inclusion of Elderly. [researchgate.net](https://www.researchgate.net)
- Mason, R. C., Horvat, M., & Nocera, J. (2016). The effects of exercise on the physical fitness of high and moderate-low functioning older adult women. *Journal of aging research*, 2016.
- Mawaddah, N., Syurandhari, D. H., & Basahi, H. (2018). Optimalisasi Posyandu Lansia Sebagai Upaya Peningkatan Partisipasi Dan Kualitas Hidup Lansia *Medica Majapahit*, 10(2), 100-110.
- McAuley, E., Elavsky, S., Jerome, G. J., Konopack, J. F., & Marquez, D. X. (2005). Physical activity-related well-being in older adults: social cognitive influences. *Psychology and Aging*, 20(2), 295.
- McDonald, E. (1998). The role of Project 2000 educated nurses in health promotion within the hospital setting. *Nurse Education Today*, 18, 213–220.
- McHorney, C. A. (1999). Health status assessment methods for adults: past accomplishments and future challenges. *Annual Review of Public Health*, 20, 309–335.
- Meneghini, V., Barbosa, A. R., Mello, A. L. S. F. D., Bonetti, A., & Guimarães, A. V. (2016). Perception of the elderly regarding participation in exergaming-based exercise: a qualitative study. *Ciencia & saude coletiva*, 21(4), 1033-1041.
- Michellini, E. (2015). *The role of sport in health-related promotion of physical activity: the perspective of the health system*. Springer.
- Middleton, L. E., Ventura, M. I., Santos-Modesitt, W., Poelke, G., Yaffe, K., & Barnes, D. E. (2018). The Mental Activity and eXercise (MAX) trial: Effects on physical function and quality of life among older adults with cognitive complaints. *Contemporary clinical trials*, 64, 161-166.

- Miranda, L. C. V., Soares, S. M., & Silva, P. A. B. (2016). Quality of life and associated factors in elderly people at a Reference Center. *Ciência & Saúde Coletiva*, 21(11), 3533–3544. <https://doi.org/10.1590/1413-812320152111.21352015>.
- Moniaga, V. (2013). Pengaruh Senam Bugar Lansia Terhadap Tekanan Darah Penderita Hipertensi Di BPLU Senja Cerah Paniki Bawah. *Jurnal e-Biomedik*, 1(2).
- Montiel-Luque, A., Núñez-Montenegro, A. J., Martín-Aurioles, E., Canca-Sánchez, J. C., Toro-Toro, M. C., González-Correa, J. A., & Polipresact Research Group. (2017). Medication-related factors associated with health-related quality of life in patients older than 65 years with polypharmacy. *PloS one*, 12(2), e0171320.
- Moore, M., Warburton, J., O'Halloran, P. D., Shields, N., & Kingsley, M. (2016). Effective community-based physical activity interventions for older adults living in rural and regional areas: A systematic review. *Journal of Aging and Physical Activity*, 24(1), 158–167. <http://doi.org/10.1123/japa.2014-0218>.
- Mortenson, W. B., Sixsmith, A., & Kaufman, D. (2017). Non-digital game playing by older adults. *Canadian Journal on Aging/La Revue canadienne du vieillissement*, 36(3), 342-350.
- Mosallanezhad, Z., Sotoudeh, G. R., Jutengren, G., Salavati, M., Harms-Ringdahl, K., Wikmar, L. N., & Frändin, K. (2017). A structural equation model of the relation between socioeconomic status, physical activity level, independence and health status in older Iranian people. *Archives of Gerontology and Geriatrics*, 70, 123-129.
- Mufarokhah, H., & Hastuti, A. P. (2019, November). Effect of health coaching based on health belief model theory to physical activity in elderly with hypertension. In *Proceeding the 4th International Nursing Conference* (pp. 93-101).
- Muhes, Aldo. (2018). Re: What is local wisdom?. Retrieved from: https://www.researchgate.net/post/What_is_local_wisdom/5abc280120183963bb3f4fb5/citation/download. Diakses 18/11/2019
- Müller, A. M., & Khoo, S. (2014). Non-face-to-face physical activity interventions in older adults: a systematic review. *International Journal of Behavioral Nutrition and Physical Activity*, 11(1), 35.
- Musleh, Mohammed. (2018). Re: What is local wisdom?. Retrieved from: https://www.researchgate.net/post/What_is_local_wisdom/5ad6f8b5c1c6b1118c757414/citation/download. Diakses 18/11/2019

- Nagai, K., Miyamoto, T., Okamae, A., Tamaki, A., Fujioka, H., Wada, Y., ... & Domen, K. (2018). Physical activity combined with resistance training reduces symptoms of frailty in older adults: A randomized controlled trial. *Archives of gerontology and geriatrics*, 76, 41-47.
- National Physical Activity Plan Coordinating Committee (NPAP). (2015). National physical activity plan for the United States. Columbia, SC: National Physical Activity Plan Alliance. <http://www.physicalactivityplan.org/NationalPhysicalActivityPlan.pdf>. diakses tanggal 4 Maret 2019.
- Navarro-Bravo, B., Latorre, J. M., Jiménez, A., Cabello, R., & Fernández-Berrocal, P. (2019). Ability emotional intelligence in young people and older adults with and without depressive symptoms, considering gender and educational level. *PeerJ*, 7, e6595.
- Neidrick, T. J., Fick, D. M., & Loeb, S. J. (2012). Physical activity promotion in primary care targeting the older adult. *Journal of the American Academy of Nurse Practitioners*, 24(7), 405-416.
- Netuveli, G. and Blane, D. (2008). Quality of life in older ages. *British Medical Bulletin*, 85, 113–126
- Netz, Y., Wu, M. J., Becker, B. J., & Tenenbaum, G. (2005). Physical activity and psychological well-being in advanced age: A meta-analysis of intervention studies. *Psychology and Aging*, 20, 272–284. doi:10.1037/0882-7974.20.2.272.
- Newsom, J. T., Shaw, B. A., August, K. J., & Strath, S. J. (2018). Physical activity-related social control and social support in older adults: cognitive and emotional pathways to physical activity. *Journal of health psychology*, 23(11), 1389-1404.
- Ng, N., Hakimi, M., Byass, P., Wilopo, S., & Wall, S. (2010). Health and quality of life among older rural people in Purworejo District, Indonesia. *Global health action*, 3(1), 2125.
- Nigdelis, M. P., Martínez-Domínguez, S. J., Goulis, D. G., & Pérez-López, F. R. (2018). Effect of programmed exercise on perceived stress in middle-aged and old women: A meta-analysis of randomized trials. *Maturitas*, 114, 1-8.
- Northey, J. M., Cherbuin, N., Pampa, K. L., Smee, D. J., & Rattray, B. (2018). Exercise interventions for cognitive function in adults older than 50: a systematic review with meta-analysis. *British Journal of Sports Medicine*, 52(3), 154-160.

Nugroho.W.H. (2012). Keperawatan Gerontik & Geriatrik. Jakarta : EGC.Nursa,

D. G. (2008). Pengukuran Aktfitas Fisik pada Usia Lanjut. *Jurnal Kesehatan Masyarakat Andalas*, 3(1), 38-42.

Nurhayati, N., & Widowati, L. (2017). The use of traditional health care among Indonesian Family. *Health Science Journal of Indonesia*, 8(1), 70300.

Okubo, Y., Seino, S., Yabushita, N., Osuka, Y., Jung, S., Nemoto, M., ... & Tanaka, K. (2015). Longitudinal association between habitual walking and fall occurrences among community-dwelling older adults: analyzing the different risks of falling. *Archives of gerontology and geriatrics*, 60(1), 45-51.

Olanrewaju, O., Kelly, S., Cowan, A., Brayne, C., & Lafortune, L. (2016). Physical activity in community-dwelling older people: a review of systematic reviews of interventions and context. *The Lancet*, 388, S83.

Olsson, L. A., Hurtig-Wennlöf, A., & Nilsson, T. K. (2014). Subjective well-being in Swedish active seniors and its relationship with physical activity and commonly available biomarkers. *Clinical interventions in aging*, 9, 1233.

Ong-artborirak, P., & Seangpraw, K. (2019). Association Between Self-Care Behaviors and Quality of Life Among Elderly Minority Groups on the Border of Thailand. *Journal of Multidisciplinary Healthcare*, 12, 1049.

Orley, J., Saxena, S., & Herrman, H. (1998). Quality of life and mental illness. Reflections from the perspective of the WHOQOL. *The British Journal of Psychiatry*, 172, 291–293.

Owari, Y., Miyatake, N., & Kataoka, H. (2018). Relationship between social participation, physical activity and psychological distress in apparently healthy elderly people: A pilot study. *Acta Medica Okayama*, 72(1), 31-37.

Pan, C. W., Cong, X. L., Zhou, H. J., Wang, X. Z., Sun, H. P., Xu, Y., & Wang, P. (2018). Evaluating health-related quality of life impact of chronic conditions among older adults from a rural town in Suzhou, China. *Archives of gerontology and geriatrics*, 76, 6-11.

Popovic, S., & Masanovic, B. (2019). Effects of Physical Activity and Social Activity on Physical Health and Social Inclusion of Elderly People. *Iranian Journal of Public Health*, 48(10), 1922-1923

- Pappnk, P.E & Lange, J.W. (2011). *Staying Physically Fit as We Age*, in Lange, J. W. *The nurse's role in promoting optimal health of older adults: Thriving in the wisdom years*. pp 161-173. FA Davis.
- Parra-Rizo, M. A. (2018). Impact of Physical Activity on the Psychological Health of the Elderly. *Psychology and Behavioral Sciences*, 7(4), 77.
- Park, S. H., Han, K. S., & Kang, C. B. (2014). Effects of exercise programs on depressive symptoms, quality of life, and self-esteem in older people: A systematic review of randomized controlled trials. *Applied nursing research*, 27(4), 219-226.
- Pender, N. J. (2015). *Health Promotion in Nursing Practice* (7rd edition). South Carolina: Pearson Education, Inc.
- Penedo, F. J., & Dahn, J. R. (2005). Exercise and well-being: a review of mental and physical health benefits associated with physical activity. *Current opinion in psychiatry*, 18(2), 189-193.
- Pernambuco, C. S., Rodrigues, B. M., Bezerra, J. C. P., Carrielo, A., Fernandes, A. D. D. O., Vale, R., & Dantas, E. (2012). Quality of life, elderly and physical activity. *Health*, 4(2), 88-93.
- Perry, A., Tarrier, N., Morris, R., McCarthy, E., Limb, K.(1999). Randomised controlled trial of efficacy of teaching patients with bipolar disorder to identify early symptoms of relapse and obtain treatment. *BMJ*; 318: 149–53.
- Pettersen, G., Rosenvinge, J. H., & Wynn, R. 2011. Eating disorders and psychoeducation - patients' experiences of healing processes. *Scandinavian Journal Of Caring Sciences*, 25(1), 12-18. DOI: 10.1111/j.1471-6712.2010.00783.x.
- Phillips, S. M., Wójcicki, T. R., & McAuley, E. (2013). Physical activity and quality of life in older adults: an 18-month panel analysis. *Quality of Life Research*, 22(7), 1647-1654.
- Pibernik-Okanović, M., Hermanns, N., Ajduković, D., Kos, J., Prašek, M., Šekerija, M., & Lovrenčić, M. V. (2015). Does treatment of subsyndromal depression improve depression-related and diabetes-related outcomes? A randomised controlled comparison of psychoeducation, physical exercise and enhanced treatment as usual. *Trials*, 16(1), 305.
- de Souza Fernandes, D. P., Duarte, M. S. L., Pessoa, M. C., Franceschini, S. D. C. C., & Ribeiro, A. Q. (2017). Evaluation of diet quality of the elderly and associated factors. *Archives of gerontology and geriatrics*, 72, 174-180.

- Piper, S. (2008). A qualitative study exploring the relationship between nursing and health promotion language, theory and practice. *Nurse Education Today*, 28, 186–193.
- Pitschel-Walz, G., & Bäuml, J. (2007). Psychotherapie bei Schizophrenien-Ergebnisse von Metaanalysen zur Wirksamkeit. *Psychiatrische Praxis*, 34(S 1), S28-S32.
- Povlsen, L. and Borup, I. K. (2011). Holism in nursing and health promotion: distinct or related perspectives?: a literature review. *Scandinavian Journal of Caring Sciences*, 25, 798–805.
- Pramesona, B. A., & Taneepanichskul, S. (2018). Prevalence and risk factors of depression among Indonesian elderly: a nursing home-based cross-sectional study. *Neurology, Psychiatry and Brain Research*, 30, 22-27.
- Puciato, D., Rozpara, M., & Borysiuk, Z. (2018). Physical Activity as a Determinant of Quality of Life in Working-Age People in Wrocław, Poland. *International journal of environmental research and public health*, 15(4), 623.
- Puciato, D., Borysiuk, Z., & Rozpara, M. (2017). Quality of life and physical activity in an older working-age population. *Clinical interventions in aging*, 12, 1627.
- Purba, F. D., Hunfeld, J. A. M., Iskandarsyah, A., Fitriana, T. S., Sadarjoen, S. S., Passchier, J., & Busschbach, J. J. V. (2018). Quality of life of the Indonesian general population: Test-retest reliability and population norms of the EQ-5D-5L and WHOQOL-BREF. *PLoS ONE*, 13(5), 1–20. <http://doi.org/10.1371/journal.pone.0197098>.
- Puspitosari, A., Soemanto, R. B., & Wijaya, M. (2016). Factors associated with exercise among elderly in Boyolali, Indonesia. *Journal of Health Promotion and Behavior*, 1(1), 41-45.
- Queiroz, L. L., Silveira de Brito, C., Gomes de Almeida, F., Martins Pereira, N., de Almeida Silva, H., Pena Porto, J., & Marques Ribas, R. (2016). Quality of life and impact of physical activity time in the health of elderly. *Revista da Faculdade de Ciências Médicas de Sorocaba*, 18(1).
- Rachmah, Q., Setyaningtyas, S. W., Rifqi, M. A., Indriani, D., Nindya, T. S., Megatsari, H., ... & Kriengsinyos, W. (2019). Self-efficacy to engage in physical activity and overcome barriers, sedentary behavior, and their

relation to body mass index among elderly Indonesians with diabetes. *Journal of Preventive Medicine and Public Health*, 52(4), 242.

Rahayu, S., Daulima, N. H. C., & Putri, Y. S. E. (2018). The experience of older people living in an elderly residential home (Panti Sosial Tresna Werdha): a phenomenology. *Enfermeria clinica*, 28, 79-82.

Rambod, M., Ghodsbin, F., & Moradi, A. (2020). The Association Between Body Mass Index and Comorbidity, Quality of Life, and Cognitive Function in the Elderly Population. *International Journal of Community Based Nursing & Midwifery*, 8(1), 45-54

Rapley, M. (2003). *Quality of life research: A critical introduction*. London: Sage Publications

Reijnders, J. S., Geusgens, C. A., Ponds, R. W., & van Boxtel, M. P. (2017). "Keep your brain fit!" Effectiveness of a psychoeducational intervention on cognitive functioning in healthy adults: A randomised controlled trial. *Neuropsychological rehabilitation*, 27(4), 455-471.

Renzaho, A. M., Mellor, D., Boulton, K., & Swinburn, B. (2010). Effectiveness of prevention programmes for obesity and chronic diseases among immigrants to developed countries—a systematic review. *Public health nutrition*, 13(3), 438-450.

Rétsági, E., Prémusz, V., Makai, A., Melczer, C., Betlehem, J., Lampek, K., ... & Hock, M. (2020). Association with subjective measured physical activity (GPAQ) and quality of life (WHOQoL-BREF) of ageing adults in Hungary, a cross-sectional study. *BMC Public Health*, 20(1), 1-11.

Rey, L., Extremera, N., & Sánchez-Álvarez, N. (2019). Clarifying the links between perceived emotional intelligence and well-being in older people: Pathways through perceived social support from family and friends. *Applied Research in Quality of Life*, 14(1), 221-235.

Richards, E. A. (2015). The evolution of physical activity promotion. *AJN The American Journal of Nursing*, 115(8), 50-54.

Richard, L., Gendron, S., Beaudet, N., Boisvert, N., Sauve, M. S. and Garceau-Brodeur, M. H. (2010). Health promotion and disease prevention among nurses working in local public health organizations in Montreal, Quebec. *Public Health Nursing*, 27, 450–458.

Robinson, S. and Hill, Y. (1998). The health promoting nurse. *Journal of Clinical Nursing*, 7, 232–238.

- Romero, N., Sturm, J., Bekker, T., Valk, L. De, & Kruitwagen, S. (2010). Playful persuasion to support older adults' social and physical activities. *Interacting with Computers*, 22(6), 485–495. <http://doi.org/10.1016/j.intcom.2010.08.006>.
- Rowe, J. W., & Kahn, R. L. (1997). Successful aging. *The gerontologist*, 37(4), 433-440.
- Runciman, P., Watson, H., McIntosh, J. and Tolson, D. (2006). Community nurses' health promotion work with older people. *Journal on Advanced Nursing*, 55, 46–57.
- Ruppar, T. M., & Conn, V. S. (2010). Interventions to promote physical activity in chronically ill adults. *AJN The American Journal of Nursing*, 110(7), 30-37.
- Şahin, D. S., Özer, Ö., & Yanardağ, M. Z. (2019). Perceived social support, quality of life and satisfaction with life in elderly people. *Educational Gerontology*, 45(1), 69-77.
- Sakashita, T., & Oyama, H. (2016). Overview of community-based studies of depression screening interventions among the elderly population in Japan. *Aging & mental health*, 20(2), 231-239. Retrieved (<http://www.tandfonline.com/doi/full/10.1080/13607863.2015.1068740>).
- Saleem, R., & Sajid, A. K. (2015). Impact of spirituality on well-being among old age people. *Int J Indian Psychol*, 2(3), 172-81.
- Salim OC, Sudharma NI, Rina K, Kusumaratna RK, Hidayat A. (2007). Validity and reliability of World Health Organization Quality of Life-BREF to assess the quality of life in the elderly (in Bahasa Indonesia). *Univerca Medicina*; 26:27–38.
- Samarasinghe, K., Fridlund, B. and Arvidsson, B. (2010). Primary health care nurses' promotion of involuntary migrant families' health. *International Nursing Review*, 57, 224–231.
- Sampaio, P. Y. S., Ito, E., & Sampaio, R. A. C. (2013). The association of activity and participation with quality of life between Japanese older adults living in rural and urban areas. *Journal of Clinical Gerontology and Geriatrics*, 4(2), 51-56.
- Schorr, A. V., & Khalaila, R. (2018). Aging in place and quality of life among the elderly in Europe: A moderated mediation model. *Archives of gerontology and geriatrics*, 77, 196-204.

- Seo, K. H., Eun, Y., & Jeon, M. Y. (2016). Sports injuries and the changes in physical activity, perceived health state and exercise self-efficacy according to the sports injuries of the elderly who participate in physical activities. *Journal of Korean Biological Nursing Science*, 18(2), 102-109.
- Sertel, M., Arslan, S. A., Kurtoglu, F., & Yildirim, T. S. (2017). Physical activity, depression and quality of life in aging process. *Biomedical Research*, 28(9), 4165-4170.
- Shuval, K., Leonard, T., Drope, J., Katz, D. L., & Patel, A. V. (2017). Physical Activity Counseling in Primary Care : Insights From Public Health and Behavioral Economics, 67(3), 233–244. <http://doi.org/10.3322/caac.21394>.
- Sibarani, R. (2012). Kearifan lokal, hakikat, peran, dan metode tradisi lisan [Local wisdom, essence, role, and methods of oral tradition]. *Jakarta: Oral Tradition Association (ATL)*.
- Sibarani, R. (2013). Folklor sebagai Media dan Sumber Pendidikan: Sebuah rancangan Kurikulum dalam Pembentukan Siswa Berbasis Nilai Budaya Batak Toba. Yogyakarta: Penerbit Lontar.
- Sink, K. M., Espeland, M. A., Castro, C. M., Church, T., Cohen, R., Dodson, J. A., ... & Lopez, O. L. (2015). Effect of a 24-month physical activity intervention vs health education on cognitive outcomes in sedentary older adults: the LIFE randomized trial. *Jama*, 314(8), 781-790.
- Smith, R. A., & Biddle, S. J. (1999). Attitudes and exercise adherence: Test of the theories of reasoned action and planned behaviour. *Journal of Sports Sciences*, 17(4), 269-281.
- So, E. S. (2019). The impacts of weight change and weight change intention on health-related quality of life in the Korean elderly. *Journal of aging and health*, 31(7), 1106-1120.
- Steptoe, A., Deaton, A., & Stone, A. A. (2015). Psychological wellbeing, health and ageing. *Lancet*, 385(9968), 640.
- Stevens, Z., Barlow, C., Kendrick, D., Masud, T., Skelton, D. A., Dinan-Young, S., & Iliffe, S. (2014). Effectiveness of general practice-based physical activity promotion for older adults: systematic review. *Primary health care research & development*, 15(2), 190-201.
- Steves CJ, Spector TD, Jackson SH. (2012). Ageing, genes, environment and epigenetics: what twin studies tell us now, and in the future. *Age Ageing*. 2012 Sep;41(5):581–6. doi: <http://dx.doi.org/10.1093/ageing/afs097> PMID: 22826292

- Svantesson, U., Jones, J., Wolbert, K., & Alricsson, M. (2015). Impact of physical activity on the self-perceived quality of life in non-frail older adults. *Journal of clinical medicine research*, 7(8), 585.
- Sun F, Norman IJ, While AE. (2013). Physical activity in older people: a systematic review. *BMC Public Health*. 2013;13(449):1–17.
- Sudja, N., & Meirina, M. (2017). Psychoeducation Intervention Increase on the Ability of the Pre-senile Hypertension Management. *Jurnal Ners*, 9(1), 66-73.
- Syed, M. A., McDonald, L., Smirle, C., Lau, K., Mirza, R. M., & Hitzig, S. L. (2017). Social isolation in Chinese older adults: Scoping review for age-friendly community planning. *Canadian Journal on Aging/La Revue Canadienne du Vieillissement*, 36(2), 223-245.
- Svantesson, U., Jones, J., Wolbert, K., & Alricsson, M. (2015). Impact of physical activity on the self-perceived quality of life in non-frail older adults. *Journal of clinical medicine research*, 7(8), 585.
- Swastika, S., Rahardjo, S. S., & Soemanto, R. B. (2017). Biopsychosocial Determinants of Quality of Life in the Elderly at Tresna Werdha Social Nursing Home, Yogyakarta. *Journal of Epidemiology and Public Health*, 2(1), 82-92.
- Tambağ, H., & Öz, F. (2013). Evaluation of the psychoeducation given to the elderly at nursing homes for a healthy lifestyle and developing life satisfaction. *Community mental health journal*, 49(6), 742-747.
- Tomioka, K., Kurumatani, N., & Hosoi, H. (2017). Positive and negative influences of social participation on physical and mental health among community-dwelling elderly aged 65–70 years: a cross-sectional study in Japan. *BMC geriatrics*, 17(1), 111.
- Ugarte, A.U., López-Peña, P., Vangeneberg, C.S., Royo, J.G.T., Ugarte, M.A.A., Compains, M. T. Z., Medrano, M.P.R., Toyos, N.M., Lamo, E.A., Duenas, M.B.B. & González-Pinto, A. (2017). Psychoeducational preventive treatment for women at risk of postpartum depression: study protocol for a randomized controlled trial, PROGEA. *BMC psychiatry*, 17(1), 1-7.
- Unayah, N., & Sabarisman, M. (2016). Identifikasi Kearifan Lokal Dalam Pemberdayaan Komunitas Adat Terpencil. *Sosio Informa*, 2(1).
- United Nation, (2015), *World Population Ageing 2015: Highlights*. Sales No. E.16.XIII.5, ISBN 978-92-1-151538-1.

- Vagetti, G. C., Barbosa Filho, V. C., Moreira, N. B., Oliveira, V. D., Mazzardo, O., & Campos, W. D. (2014). Association between physical activity and quality of life in the elderly: a systematic review, 2000-2012. *Revista Brasileira de Psiquiatria*, 36(1), 76-88.
- Vahedian-Shahroodi, M., Moshki, M., Esmaily, H., Moradi Gholezo, S., Lael-Monfared, E., & Damirchi, M. (2019). Predicting the intention to perform physical activity in the elderly based on the theory of planned behavior. *Journal of Research and Health*, 9(4), 324-329.
- Van Cauwenberg, J., Cerin, E., Timperio, A., Salmon, J., Deforche, B., & Veitch, J. (2015). Park proximity, quality and recreational physical activity among mid-older aged adults: moderating effects of individual factors and area of residence. *International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 46.
- Vasto S, Scapagnini G, Bulati M, Candore G, Castiglia L, Colonna-Romano G. Biomarkes of aging. *Front Biosci (Schol Ed)*. 2010;2(1):392–402.doi: <http://dx.doi.org/http://dx.doi.org/> PMID: 20036955.
- Wagiran, B., (2010). "Pengembangan Model Pendidikan Kearifan Lokal di Wilayah Provinsi DIY dalam Mendukung Perwujudan Visi Pembangunan DIY menuju Tahun 2025 (Tahun Kedua)". *Penelitian*. Yogyakarta: Biro Administrasi Pembangunan.
- Wagiran, W., (2012). Pengembangan Karakter Berbasis Kearifan Lokal Hamemayu Hayuning Bawana (Identifikasi Nilai-Nilai Karakter Berbasis Budaya). *Jurnal Pendidikan Karakter*, (3).
- Waldman-levi, A., Erez, A.B. & Katz, N. (2015). Healthy aging is reflected in well-being, participation, playfulness, and cognitive-emotional functioning. *Healthy Aging Research*, pp.1–7. Available at: <http://www.har-journal.com/archives/1154> [Accessed June 22, 2015].
- Wang, L., Crawford, J. D., Reppermund, S., Trollor, J., Campbell, L., Baune, B. T., & Smith, E. (2018). Body mass index and waist circumference predict health-related quality of life, but not satisfaction with life, in the elderly. *Quality of Life Research*, 27(10), 2653-2665.
- Washburn, R. A., McAuley, E., Katula, J., Mihalko, S. L., & Boileau, R. A. (1999). The physical activity scale for the elderly (PASE): evidence for validity. *Journal of clinical epidemiology*, 52(7), 643-651.
- Wen, C. P., Wai, J. P. M., Tsai, M. K., Yang, Y. C., Cheng, T. Y. D., Lee, M. C., & Wu, X. (2011). Minimum amount of physical activity for reduced mortality and extended life expectancy: a prospective cohort study. *The*

Lancet, 378(9798), 1244-1253.

Wernher, I., & Lipsky, M. S. (2015). Psychological theories of aging. *Disease-a-Month*, 11(61), 480-488.

White, S. M., Wójcicki, T. R., & McAuley, E. (2009). Physical activity and quality of life in community dwelling older adults. *Health and Quality of life outcomes*, 7(1), 10.

Whitehead, D. (2006) The health promoting prison (HPP) and its imperative for nursing. *International Journal of Nursing Studies*, 43, 123–131.

WHOQOL Group. (1995). The World Health Organization quality of life assessment (WHOQOL): position paper from the World Health Organization. *Social science & medicine*, 41(10), 1403-1409.

WHOQOL Group. (1997). Measuring quality of life. Division of Mental Health and Prevention of Substance Abuse. *World Health Organization*.

Wiranto, B. (2012). Tradisi Jumat Kliwonan Sebagai Kearifan Lokal Masyarakat Nelayan Di Kabupaten Cilacap, Jawa Tengah. *Sabda: Jurnal Kajian Kebudayaan*, 13(1), 27-33.

World Health Organization. (1946). WHO definition of Health. Preamble to the Constitution of the World Health Organization as adopted by the International Health Conference, New York, 19-22 June; signed on 22 July 1946 by the representatives of 61 States (Official Records of the World Health Organization, no. 2, p. 100) and entered into force on 7 April 1948. 1946 [cited 30-11-2018]. Available from: <http://www.who.int/about/definition/en/print.html>

WHO. (1998). Development of the World Health Organization WHOQOL-BREF Quality of Life Assessment. *Psychological Medicine*, 28, 551–558. <http://doi.org/10.1017/S0033291798006667>.

WHO. (2002). “Active Ageing A Policy Framework.” : 1–160. http://www.who.int/ageing/active_ageing/en/. di unduh tanggal 1/11/2017.

WHO, (2015), *World report on ageing and health*, WHO Press, ISBN. 978924 069481 1 (PDF), website: www.who.int, 20 Avenue Appia, 1211 Geneva 27, Switzerland.

WHO (2016). Life expectancy. Global Health Observatory (GHO) data. http://www.who.int/gho/mortality_burden_disease/life_tables/situation_trends/en/. Diakses 6/11/2018.

- WHO, 2018. *Penuaan dan kesehatan*. <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health>. Retrieved 10 Februari 2019.
- Withall, J., Stathi, A., Davis, M., Coulson, J., Thompson, J. L., & Fox, K. R. (2014). Objective indicators of physical activity and sedentary time and associations with subjective well-being in adults aged 70 and over. *International journal of environmental research and public health*, *11*(1), 643-656.
- Wu, Y., Zhang, D., & Kang, S. (2013). Physical activity and risk of breast cancer: a meta-analysis of prospective studies. *Breast cancer research and treatment*, *137*(3), 869-882.
- Wu, F., & Sheng, Y. (2019). Social support network, social support, self-efficacy, health-promoting behavior and healthy aging among older adults: A pathway analysis. *Archives of gerontology and geriatrics*, *85*, 103934.
- Yadav, S., & Kumar, S. (2014). Models of Psychoeducation: an Indian Perspective. *Indian Journal of Applied Research*, *4*(7).
- Yang, D. C., Lee, J. D., Huang, C. C., Shih, H. I., & Chang, C. M. (2015). Association between multiple geriatric syndromes and life satisfaction in community-dwelling older adults: a nationwide study in Taiwan. *Archives of gerontology and geriatrics*, *60*(3), 437-442.
- You, H., Li, X. L., Jing, K. Z., Li, Z. G., Cao, H. M., Wang, J., & Gu, H. (2018). Association between body mass index and health-related quality of life among Chinese elderly—evidence from a community-based study. *BMC public health*, *18*(1), 1174.
- Young, D. K. W., Ng, P. Y. N., & Cheng, D. (2017). Psychoeducation Group on Improving Quality of Life of Mild Cognitive Impaired Elderly. *Research on Social Work Practice*, 1049731517732420.
- Yuan, Y., Li, J., Jing, Z., Yu, C., Zhao, D., Hao, W., & Zhou, C. (2020). The role of mental health and physical activity in the association between sleep quality and quality of life among rural elderly in China: A moderated mediation model. *Journal of Affective Disorders*.
- Yuliati, A., Baroya, N., & Ririanty, M. (2014). The Different Of Quality Of Life Among The Elderly Who Living at Community And Social Services. *Journal Sociaty American*, *88*.
- Zhang, J., Xu, L., Li, J., Sun, L., Qin, W., Ding, G., & Zhou, C. (2019). Gender differences in the association between body mass index and health-related quality of life among adults: a cross-sectional study in Shandong,

China. *BMC public health*, 19(1), 1021.

Zhu, X., Yin, S., Lang, M., He, R., & Li, J. (2016). The more the better? A meta-analysis on effects of combined cognitive and physical intervention on cognition in healthy older adults. *Ageing research reviews*, 31, 67-79.

Zubritsky, C., Abbott, K. M., Hirschman, K. B., Bowles, K. H., Foust, J. B., & Naylor, M. D. (2012). Health-related quality of life: Expanding a conceptual framework to include older adults who receive long-term services and supports. *The Gerontologist*, 53(2), 205-210.