

DAFTAR PUSTAKA

- Ali, D.Y, Darmadji, P., dan Pranoto, Y. 2014. Optimasi Nanoenkapsulasi Asap Cair Tempurung Kelapa Dengan Response Surface Methodology dan Karakterisasi Nanokapsul. *Jurnal Teknologi dan Industri Pangan*, **6**(1): 71-82
- Aranaz, I., Harris, R., and Heras, A., 2010. Chitosan amphiphilic derivatives. Chemistry and applications. *Current Organic Chemistry*. **5**(14): 308-315.
- Avadi, M. R., Sadeghi, A. M. M., Mohammadpour, N., Abedin, S., Atyabi, F., Dinarvand, R., and Rafiee-Tehrani, M. (2010). Preparation and characterization of insulin nanoparticles using chitosan and Arabic gum with ionic gelation method. *Nanomedicine: Nanotechnology, Biology, and Medicine*, **6**(1): 58-63.
- Biorata, A.M. 2012. Optimasi produksi selulase dari *Bacillus* sp. BPPT CC RK 2 menggunakan metode respon permukaan dengan variasi rasio C/N dan waktu fermentasi. Skripsi. Program Studi Teknologi Bioproses. FT UI.
- Buzea, C., Pacheco, I.I., and Robbie, K. 2007. Nanomaterials and nanoparticles: sources and toxicity. *Biointerphases* **2**, MR17–MR71. Chemist. Washington
- Burgess, D. J., & Singh, O. N. (1993). Spontaneous Formation of Small Sized Albumin/acacia Coacervate Particles. *Journal of Pharmacy and Pharmacology*, **45**(7): 586-591.
- Caliskan, G., dan Nur Dirim, S. (2013). The effects of the different drying conditions and the amounts of maltodextrin addition during spray drying of sumac extract. *Food Bioproduct Process*. <http://dx.doi.org/10.1016/j.fbp.2013.06.004>
- Chang, Y. C., Lee, C. L., and Pan, T. M. (2006). Stastical Optimization of Media Component for The Production of *Antrodia cinnamomea* AC0623 in Submerged Cultures. *Applied Microbia Biotechnology*. **72**:654-661.
- Chong, W. T., Tan, C. P., Cheah, Y. K., Lajis, A. F. B., Dian, N. L. H. M., Kanagaratnam, S., & Lai, O. M. (2018). Optimization of process parameters in preparation of tocotrienol-rich red palm oil-based nanoemulsion stabilized by Tween80-Span 80 using response surface methodology. *PLoS ONE*, **13**(8), 1–22. <https://doi.org/10.1371/journal.pone.0202771>
- Chouljenko, A., Chotiko, A., Reyes, V., Alfaro, L., Liu, C., Dzandu, B., and Sathivel, S., 2016. Application of water-soluble chitosan to shrimp for quality retention. *LWT - Food Science and Technology*. **74**: 571–579.

- Cornelsen, P.A., Quintanilha, C.R., Vidotti, M., Gorin, P.A.J., Simas-Tosin, F.F., and Riegel-Vidotti, I.C. 2015. Native and Structurally Modified Gum Arabic: Exploring the Effect of the Gum's Microstructure in Obtaining Electroactive Nanoparticles. *Carbohydrate Polymers* **119**: 35-43.
- Couvreur, P., Barrat, G., Fattal, E., P Legrand dan Vauthier, C. 2002, Nanocapsule Technology: A Review, *Crit. Rev. Ther. Drug Carrier Syst.*, 19(2):99-134
- Crucho, C.I.C. dan Barros, M.T., 2017. Polymeric nanoparticles: A study on the preparation variables and characterization methods. *Materials Science & Engineering. C, Materials for Biological Applications*, **80**: 771–784.
- Cui, H., Siva, S., and Lin, L. 2019. Ultrasound processed cuminaldehyde/2-hydroxypropyl- β - cyclodextrin inclusion complex: Preparation, characterization and antibacterial activity, *Ultrasonics Sonochemistry*. **56**: 84–93, <https://doi.org/10.1016/j.ultsonch.2019.04.001>.
- Delgado, A.V., Gonzales-Caballero, E., Hunter, R.J., Koopal, L., and Lyklema, J. 2005, Measurement and Interpretation of Elektrokinetic Phenomena (IUPAC technical Report), *Pure Appl. Chem.*, 77(10):1753-1805
- Dewandari, K. T., Yuliani, S., & Yasni, S. (2017). Ekstraksi Dan Karakterisasi Nanopartikel Ekstrak Sirih Merah (*Piper crocat um*) (Extraction and Characterization of Nanoparticles of Red Betel Leaves (*Piper crocatum*)). In *Jurnal Penelitian Pascapanen Pertanian* 10(2): 58. <https://doi.org/10.21082/jpasca.v10n2.2013.58-65>
- Dickinson, E. (2009). Hydrocolloids as emulsifiers and emulsion stabilizers. *Food Hydrocolloids*, 23(6), 1473-1482.
- Donsi, F., Annuziata, M., Sessa, Ma, and Ferrari, G. 2011. Nanoencapsulation of essential oils to enhance their antimicrobial activity in foods. *Journal Food Science and Technology*. **44**:1908-1914.
- Dutta, Sajal Kanti., Halder, Gopinath., Mandal, Mrinal, Kanti. (2014). Modelling and Optimization of Bi-Directional Delignification of Rice Straw for Production of Bio-Fuel Feedstock Using Central Composite Design Approach. *Journal Energy* **71**:579-587.
- Ernawati, 2012, Identifikasi Pengaruh Variabel Proses dan Penentuan Kondisi Optimal Dekomposisi Katalitik Metana dengan Metode Respon Permukaan, Skripsi, Fakultas Teknik Program Studi Eksistensi Teknik Kimia, Universitas Indonesia, Depok.

- Esfanjani, A. F., Jafari, S. M., Assadpour, E., & Mohammadi, A. (2015). Nano-encapsulation of saffron extract through double-layered multiple emulsions of pectin and whey protein concentrate. *Journal of Food Engineering*, *165*, 149–155. <https://doi.org/10.1016/j.jfoodeng.2015.06.022>
- Esfanjani, A. F., Jafari, S. M., & Assadpour, E. (2017). Preparation of a multiple emulsion based on pectin-whey protein complex for encapsulation of saffron extract nanodroplets. *Food Chemistry*, *221*:1962–1969. <https://doi.org/10.1016/j.foodchem.2016.11.149>
- Espinosa-Andrews, H., Sandoval-Castilla, O., Vázquez-Torres, H., Vernon-Carter, E. J., & Lobato-Calleros, C. (2010). Determination of the gum Arabic-chitosan interactions by Fourier Transform Infrared Spectroscopy and characterization of the microstructure and rheological features of their coacervates. *Carbohydrate Polymers*, *79*(3), 541–546. <https://doi.org/10.1016/j.carbpol.2009.08.040>
- Fan, W., Yan, W., Xu, Z., & Ni, H. (2012). Formation mechanism of monodisperse, low molecular weight chitosan nanoparticles by ionic gelation technique. *Colloids and Surfaces B: Biointerfaces*, *90*(1), 21–27. <https://doi.org/10.1016/j.colsurfb.2011.09.042>
- Focher, B., Marzetti, A., Beltrame, P.L., dan Avella, M., 1998. Steam exploded biomass for the preparation of conventional and advanced biopolymer-based materials. *BioM. BioE.* *14*, 187–194
- Grabnar, P.A. and Kristl, J., 2011. The manufacturing techniques of drug-loaded polymeric nanoparticles from preformed polymers. *Journal of Microencapsulation*, *28*: 323–335.
- Gou, M., Men, K., Shi, H., Xiang, M., Zhang, J., Song, J., Long, J., Wan, Y., Luo, F., Zhao, X., & Qian, Z. (2011). Curcumin-Loaded Biodegradable Polymeric Micelles for Colon Cancer Therapy in Vitro and in Vivo. *Nanoscale*. *3*(4), 1558–1567.
- Gupta, R.B. dan Kompella, U., 2006. *Nanoparticle Technology For Drug Delivery (Drug And The Pharmaceutical Sciences)*. Taylor and Francis.
- Hamid AA., Aiyelaagbe OO, and Usman LA. 2011. Essential oils: its medicinal and pharmacological uses. *International Journal of Current Research*, *3*: 86-98.
- Hartlig, S. M., Carlesso, G., Davidson, J. M., & Prokop, A. (2007). Development of improve nanoparticle polyelectrolyte complex physicochemistry by nonstoichiometric mixing of polyions with similar molecular weights. *Biomacromolecules*, *8*(1): 265-272

- Harris, R., Lecumberri, E., Mateos-Aparicio, I., Mengibar, M., & Heras, A. (2011). Chitosan nanoparticles and microspheres for the encapsulation of natural antioxidants extracted from *Ilex paraguariensis*. *Carbohydrate Polymers*, *84*(2), 803–806. <https://doi.org/10.1016/j.carbpol.2010.07.003>
- Hermanto, R.F., Khasanah, L.U., Kawiji, Atmaka, W., Manuhara, G.J., and Utami, R., 2016. Physical characteristics of cinnamon oil microcapsule. IOP Conference Series: Materials Science and Engineering. **24**(2): 102-107.
- Hosseini, A., Jafari, S. M., Mirzaei, H., Asghari, A., & Akhavan, S. (2015). Application of image processing to assess emulsion stability and emulsification properties of Arabic gum. *Carbohydrate Polymers*, **126**: 1–8. <https://doi.org/10.1016/j.carbpol.2015.03.020>
- Hosseini, S. F., Zandi, M., Rezaei, M., & Farahmandghavi, F. (2013). Two-step method for encapsulation of oregano essential oil in chitosan nanoparticles: Preparation, characterization and in vitro release study. *Carbohydrate Polymers*, **95**(1): 50–56. <https://doi.org/10.1016/j.carbpol.2013.02.031>
- Il'ina, A.V., and Varlamov, V.P. 2005. Chitosan-based polyelectrolyte complexes: A review. *Applied Biochemistry and Microbiology*, **41**(1) : 9-16.
- Iswandana, R., Anwar, E., dan Jufri, M. 2013. Formulasi Nanopartikel Hidroklorida dari Kitosan dan Natrium Tripolifosfat dengan Metode Gelasi Ionik. *Jurnal Farmasi Indonesia*. **6**(4): 101-107.
- Jafari, S. M., Assadpoor, E., He, Y., & Bhandari, B. (2008). Encapsulation efficiency of food flavours and oils during spray drying. *Drying Technology*, *26*(7), 816–835. <https://doi.org/10.1080/07373930802135972>
- Jamil, B., Abbasi, R., Abbasi, S., Imran, M., Khan, S. U., Ihsan, A., Javed, S., & Bokhari, H. (2016). Encapsulation of cardamom essential oil in chitosan nanocomposites: In-vitro efficacy on antibiotic-resistant bacterial pathogens and cytotoxicity studies. *Frontiers in Microbiology*, *7*(OCT), 1–10. <https://doi.org/10.3389/fmicb.2016.01580>
- Jansson, D., 2010. Development and characterisation of chitosan-plasmid DNA Nanoparticles. Thesis. University of Technology, Tempere. Finlandia
- Jonassen, H., Kjøniksen, A. L., & Hiorth, M. (2012). Effects of ionic strength on the size and compactness of chitosan nanoparticles. *Colloid and Polymer Science* **290**(10): 919–929. <https://doi.org/10.1007/s00396-012-2604-3>
- Jyothi, N. V. N., Prasanna, P. M., Sakarkar, S. N., Prabha, K. S., Ramaiah, P. S., & Srawan, G. Y. (2010). Microencapsulation techniques, factors influencing

- encapsulation efficiency. *Journal of Microencapsulation*, 27(3), 187–197.
<https://doi.org/10.3109/02652040903131301>
- Jyothi, N. Venkata N., Muthu P., Suhas N.S., Surya P., P. Seetha R., and G.Y Srawan. 2010. Microencapsulation Techniques, Factors Influencing Encapsulation Efficiency. *Journal of microencapsulation*. 27(3): 187 – 197.
- Kataria, R., Mol, A., Schulten, E., Happel, A., dan Mussatto, S.I., 2017. Bench scale steam explosion pretreatment of acid impregnated elephant grass biomass and its impacts on biomass composition, structure and hydrolysis. *Ind. Crops Prod.* 106, 48–58.
- Khasanah, L.U., Anandhito, B.K., Rachmawaty, T., Utami, R., dan Manuhara, G.J., 2015. Pengaruh rasio bahan penyalut maltodekstrin, gum arab, dan susu skim terhadap karakteristik fisik dan kimia mikrokapsul oleoresin daun kayu. *Jurnal Teknologi Pertanian*. 6(3): 101-107
- Kong, M., Chen, X. G., Xing, K., and Park, H.J. 2010. Antimicrobial properties of Kitosan and mode of action: A state of the art review. *International Journal of Food Microbiology*, 144:51–63
- Kong, X., 2012. Simultaneous determination of degree of deacetylation, degree of substitution and distribution fraction of -COONa in carboxymethyl chitosan by potentiometric titration. *Carbohydrate Polymer*. 88: 336–341.
- Kouchak, M., Avadi, M., Abbaspour, M., Jahangiri, A., & Boldaji, S. K. (2012). Effect of different molecular weights of chitosan on preparation and characterization of insulin loaded nanoparticles by ion gelation method. *International Journal of Drug Development and Research*, 4(2): 272–277.
- Krisanti, E., Aryani, S. D., & Mulia, K. (2017). Effect of chitosan molecular weight and composition on mucoadhesive properties of mangostin-loaded chitosan-alginate microparticles. *AIP Conference Proceedings*, 1817. <https://doi.org/10.1063/1.4976766>
- Kurniasih, M., Kartini, I., & Aprilita, N.H. (2011). Sintesis dan karakterisasi crosslink kitosan dengan tripolifosfat pH 3. *Molekul*, 6(1), 19-24.
- Kyriakoudi, A., Chrysanthou, A., Mantzouridou, F., and Tsimidou, M. Z. 2012. Revisiting extraction of bioactive apocarotenoids from *Crocus sativus* L. dry stigmas (saffron). *Analytica Chimica Acta*, 755 :77–85.

- Kyriakoudi, A., Ordoudi, S. A., Roldán-Medina, M., & Tsimidou, M. Z. (2015). Saffron, A Functional Spice. *Austin Journal of Nutrition and Food Science*, **3**(3): 1059–1.
- Li, P., Wanga, Y., Peng, Z., Shea, F., dan Konga, L., 2007. Development of Chitosan Nanoparticles as Drug Delivery Systems for 5-Fluorouracil and Leucovorin Blends. *Carbohydr. Polym.*, **85**: 698–704.
- Li, P. H., & Chiang, B. H. (2012). Process optimization and stability of d-limonene-in-water nanoemulsions prepared by ultrasonic emulsification using response surface methodology. *Ultrasonics Sonochemistry*, **19**(1): 192–197. <https://doi.org/10.1016/j.ultsonch.2011.05.017>
- Lu, Q., Cai, Z., Lin, F., Tang, L., Wang, S., dan Huang, B., 2016. Extraction of cellulose nanocrystals with a high yield of 88% by simultaneous mechanochemical activation and phosphotungstic acid hydrolysis. *ACS Sustain. Chem. Eng.* **4**, 2165–2172.
- Luo, Y., & Wang, Q. (2014). Recent development of chitosan-based polyelectrolyte complexes with natural polysaccharides for drug delivery. *International Journal of Biological Macromolecules*, **64**, 353–367. <https://doi.org/10.1016/j.ijbiomac.2013.12.017>
- Maa, F., Bell, A.E., Davis, F.J and Chai, Y. 2015. Effects of High Hydrostatic Pressure and Chemical Reduction on the Emulsification Properties of Gum Arabic. *Food Chemistry* (173): 569-576.
- Mahdavee Khazaei, K., Jafari, S. M., Ghorbani, M., & Hemmati Kakhki, A. (2014). Application of maltodextrin and gum Arabic in microencapsulation of saffron petal's anthocyanins and evaluating their storage stability and color. *Carbohydrate Polymers*, **105**(1), 57–62. <https://doi.org/10.1016/j.carbpol.2014.01.042>
- Mardiyati, E., Sjaikhurrizal, E., and Ria, D. 2012. Sintesis Nanopartikel Kitosan-Tripolyphosphate dengan Metode Gelasi Ionik: Pengaruh Konsentrasi dan Rasio Volume terhadap Karakteristik Partikel. *Prosiding Pertemuan Ilmiah Ilmu Pengetahuan Dan Teknologi Bahan*. Bogor 12 Agustus 2012. Hal. 90-93.
- Melnyk JP, Wang S, Marcone MF. 2010. Chemical and biological properties of the world's most expensive spice: Saffron. *Food Research International* **43**(8):1981-1989.
- Montgomery, D.C. 1997. *Design and Analysis Experiment*, 2nd ed. John Wiley and Sons. New York.

- Moschakis, T., Murray, B. S., & Biliaderis, C. G. 2010. Modifications in stability and structure of whey protein-coated o/w emulsions by interacting chitosan and gum arabic mixed dispersions. *Food Hydrocolloids*, **24**(1): 8-17.
- Mourya, V.K. and Inamdar, N.N. 2008. Chitosan-modifications and applications: Opportunities galore. *Reactive and Functional Polymers*. **68**:1013–1051
- Myers, R. H. dan Montgomery, D. C. 2002. *Response Surface Methodology: Process and Product Optimization Using Designed Experiments* (2nd Edition), John Wiley & Sons, New York.
- Myers, Raymond H., Montgomery, C.D., Anderson-Cook, M., C. 2009. *Response Surface Methodology Process and Product Optimazation using Design Experiments*, Third edition. New York: John Wiley and Sons, Inc.
- Nagpal, K., Singh, S.K., dan Mishra, D.N. 2010. Chitosan nanoparticles: a promising system in novel drug delivery. *Chemical & Pharmaceutical Bulletin*, **58**: 1423–1430.
- Nie, S-P., Wang, C., Cui, S.W., Wang, Qi., Xie, M.-Y., and Philips, O.G. 2013. A Further Amendement to the Classical Core Structure of Gum Arabic (Acacia Senegal). *Food Hydrocolloids* (**31**): 42-48.
- Nosratabadi, H.G., A.Sarvklayy, L., Misaqi, A., Zadeh, S.A., Farah, N.S., Hashtjin, N.T., 2011. Study of antimicrobial activity of aqueous and alcoholic extracts of saffron petals on some food pathogenic bacteria. *J. Med. Plants* 2: 189–196
- Oliveira, G.F., Ferrari, P.C., Carvalho, L.Q., Evangelista, R.C., 2010. Chitosan–pectin multiparticulate systems associated with enteric polymers for colonic drug delivery. *Carbohydrate Polymer*. **82**: 1004–1009.
- Patil, J. S., Kamalapur, M. V., Marapur, S. C., and Kadam, D. V. 2010. Ionotropic gelation and polyelectrolyte complexation: The novel techniques to design 62 hydrogel particulate sustained, modulated drug delivery system: A review. *Digest Journal of Nanomaterials and Biostructures*, **5**(1): 241-248.
- Pillai, C.K.S., Paul, W., dan Sharma, C.P. 2009. Chitin and chitosan polymers: Chemistry, solubility and fiber formation. *Progress in Polymer Science*. **34**: 641–678.
- Pintado, C., Miguel, A.D., Acevedo, O., Nozal, L., Novella, J.L., Rotger, R., 2011. Bactericidal effect of saffron (*Crocus sativus* L.) on *Salmonella enterica* during storage. *Food Control* **22**: 638–642.

- Pongsumpun, P., Iwamoto, S., & Siripatrawan, U. (2020). Response surface methodology for optimization of cinnamon essential oil nanoemulsion with improved stability and antifungal activity. *Ultrasonics Sonochemistry*, 34: 604. <https://doi.org/10.1016/j.ultsonch.2019.05.021>
- Rajabi, H., Ghorbani, M., Jafari, S. M., Mahoonak, A. S., and Rajabzadeh, G. (2015). Retention of saffron bioactive components by spray drying encapsulation using maltodextrin, gum Arabic and gelatin as wall materials. *Food Hydrocolloids*, 51: 327–337.
- Rajabi, H., Jafari, S. M., Rajabzadeh, G., Sarfarazi, M., & Sedaghati, S. (2019). Chitosan-gum Arabic complex nanocarriers for encapsulation of saffron bioactive components. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 578(June), 123644. <https://doi.org/10.1016/j.colsurfa.2019.123644>
- Rawat, M., Singh, D., dan Saraf, S., 2006, Nanocarriers: Promising Vehicle for Bioactive Drugs. *Bio. Pharm. Bull.*, 29, 1790-1798.
- Renard, D., Lepvier, E., Garnier, C., Roblin, P., Nigen, M., and Sanchez, C. 2014. Structure of Glycoproteins from Acacia Gum: An Assembly of RingLike Glycoproteins Modules. *Carbohydrate Polymeres.*, 99: 736747
- Robert, P. dan Fredes, C. (2015). The Encapsulation of Anthocyanins from Berry- Type Fruits. *Trends in Foods. Molecules* 20:5875-5888
- Saloko, S., Purnama, D., Setiaji, B., and Pranoto, Y. 2014. Antioxidative and Antimicrobial Activities of Liquid Smoke Nanocapsules Using Kitosan and Maltodextrin and Its Application on Tuna Fish Preservation. *Food Bioscience*, 7: 71–79.
- Saravana, P. S., Shanmugapriya, K., Gereniu, C. R. N., Chae, S. J., Kang, H. W., Woo, H. C., & Chun, B. S. (2019). Ultrasound-mediated fucoxanthin rich oil nanoemulsions stabilized by κ -carrageenan: Process optimization, bio-accessibility and cytotoxicity. *Ultrasonics Sonochemistry*, 55(March), 105–116. <https://doi.org/10.1016/j.ultsonch.2019.03.014>
- Setyawan, E.I., Setyowati, E.P., Rohman, A., dan Nugroho, A.K., 2018. Central composite design for optimizing extraction of EGCG from green tea leaf (*Camellia sinensis* L.). *International Journal of Applied Pharmaceutics*, 211–216.
- Shahi, T., Assadpour, E., & Jafari, S. M. (2016). Main chemical compounds and pharmacological activities of stigmas and tepals of ‘red gold’; saffron. *Trends in*

Food Science and Technology, 58, 69–78.
<https://doi.org/10.1016/j.tifs.2016.10.010>

Shahid, M.Z., Saima, H., Yasmin, A., Nadeem, M.T., Imran, M., and Afzaal, M. 2018. Antioxidant capacity of cinnamon extract for palm oil stability, *Lipids Health Dis.* 17: 116.

Shao, Q., Huang, Y., Zhou, A., Guo, H., Zhanga, A., Wanga, Y., 2014. Application of response surface methodology to optimise supercritical carbon dioxide extraction of volatile compounds from *Crocus sativus*. *Journal of Science and Food Agriculture.* 94: 1430–1436.

Sharifan, A., Shafiee, M., and Tabatabaee, A. 2018. Evaluation of antimicrobial effect of *Cinnamomum verum* methanolic extract and essential oil: a study on bio-preservative in ketchup sauce, *J. Chem. Health Risks* 6 113–124, <https://doi.org/10.22034/jchr.2018.544136>.

Shiyan, S., Hertiani, T., Martien, R., dan Nugroho, A.K., 2018. Optimization of a novel kinetic-assisted infundation of white tea (*Camellia sinensis*) using central composite design. *International Journal of Applied Pharmaceutics*, 259–26

Solval, K. M., Espinoza Rodezno, L. A., Moncada, M., Bankston, J. D., & Sathivel, S. 2014. Evaluation of chitosan nanoparticles as a glazing material for cryogenically frozen shrimp. *LWT - Food Science and Technology*, 57(1): 172-180.

Sugiyanti, D., Darmadji, P., Santoso, U., Pranoto, Y., Anwar, C., and Anggrahini, Sri. 2018. Biological Activity of Native and Low Molecular Weight Kitosan obtained by Steam Explosion Process. *Pakistan Journal of Biological Sciences.* 21:441-447.

Sun, D., Kang, S., Liu, C., Lu, Q., Cui, L., and Hu, B. 2016. Effect of zeta potential and particle size on the stability of SiO₂ nanospheres as carrier for ultrasound imaging contrast agents. *Int. J. Electrochem. Sci.* 11: 8520-8529.

Tachaprutinun, A., Udomsup, T., Luadthong, C., & Wanichwecharungruang, S. (2009). Preventing The Thermal Degradation of Astaxanthin Through Nanoencapsulation. *International Journal of Pharmaceutics* 374(1–2):119–124.

Tiyaboonchai, W. 2003. Chitosan Nanoparticles: A Promising System for Drug Delivery. *Naresuan University Journal*, 11(3): 51-66.

Tsai, R. Y., Chen, P. W., Kuo, T. Y., Lin, C. M., Wang, D. M., Hsien, T. Y., and Hsieh, H. J. 2014. Chitosan/pectin/gum Arabic polyelectrolyte complex: Process-

- dependent appearance, microstructure analysis and its application. *Carbohydrate Polymers*, **101**(1): 752-759.
- Vivek, K., Subbarao, K.V., and Srivastava, B. 2016. Optimization of postharvest ultrasonic treatment of kiwifruit using RSM, *Ultrason. Sonochem.* **32**: 328–335.
- Wang, Huijuan. Liu, Meifeng., and Du, Song. (2009). Optimization of Medacassoside Liposomes Using Response Surface Methodology and Evaluation of Its Stability. *International Journal of Pharmaceutics* **473**:280-285.
- Wang, W., Mozuch, M.D., Sabo, R.C., Kersten, P., Zhu, J.Y., dan Jin, Y., 2015. Production of cellulose nanofibrils from bleached eucalyptus fibers by hyperthermostable endoglucanase treatment and subsequent microfluidization. *Cellulose* **22**, 351–361.
- Wang, X., & Uchiyam, S. (2013). *Polymers for Biosensors Construction. State of the Art in Biosensors - General Aspects.* InTech. DOI: 10.5772/54428.
- Wu, Q.X., Lin, D.Q., and Yao, S.J. 2014. Design of chitosan and its water-soluble derivatives-based drug carriers with polyelectrolyte complexes. *Marine Drugs* **12**: 6236–6253.
- Xia, Z., Wu, S., and Chen, J. 2013. Preparation of water- soluble chitosan by hydrolysis using hydrogen peroxide. *International Journal of Biology Macromolecul.* **59**: 242–245.
- Xie, H., Jia, Z., Huang, J., and Zhang, C., 2011. Preparation of low molecular weight chitosan by complex enzymes hydrolysis. *International Journal of Chemistry.* **3**: 47–53.
- Yang, X., Yuan, X., Cai, D., Wang, S., and Zong, L., 2009. Low molecular weight chitosan in DNA vaccine delivery via mucosa. *International Journal of Pharmaceutics*, **375**: 123–132.
- Zhao, D., Wang, J., Tan, L., Sun, C., and Dong, J. 2013. Synthesis of N-furoyl chitosan and chito-oligosaccharides and evaluation of their antioxidant activity in vitro. *International Journal of Biology Macromolecul.* **59**: 391–395.
- Zuidam, N.J. and Nedovic, V.A. 2010. *Encapsulation Technologies for Active Food Ingredients and Food Processing.* Springer. New York