



DAFTAR PUSTAKA

- Aboud, H.M., A.H. Al-Mosaye and R.M. Abed. 2014. Interaction of *Bacillus subtilis* and *Trichoderma harzianum* with Mycorrhiza on growth and yield of cucumber (*Cucumis sativus* L.). International Journal of Current Research 6:75-78.
- Adetya, V., S. Nurhatika dan A. Muhibuddin. 2018. Pengaruh pupuk mikoriza terhadap pertumbuhan cabai rawit (*Capsicum frutescens*) di tanah pasir. Jurnal Sains dan Seni ITS 7: 2337-3520
- Adiyoga, W., R.S. Basuki, Y. Hilman dan B.K. Udiarto. 1999. Studi lini dasar pengembangan teknologi pengendalian hama terpadu pada tanaman cabai di Jawa Barat. Jurnal Hortikultura 9: 67-83.
- Ahmad, N. And A. Bano. 2013. Impact of allelopathic potential of maize (*Zea Mays* L.) on physiology and growth of soybean [*Glycine Max* (L.) Merr.]. Pak. J. Bot. 4:1187-1192.
- Agus, C., O. Karyanto, S. Kita, K. Haibara, H. Toda, S. Hardiwinoto, H. Supriyo, M. Na'iem, W. Wardana, M.S. Sipayung, Khomsatun dan S. Wijoyo. 2004. Sustainable site productivity and nutrient management in a short rotation *Gmelina arborea* plantation in East Kalimantan, Indonesia. New Forest J. 28: 277-285.
- Ahmed, M., S. Ishtiaque, M.M.R. Sarker, A.S.M.M.R. Khan, A.K. Choudhury, M. K. Hasan, F. Hossain, S. K. Paul and M. U. Islam. 2016. Hybrid maize and chilli intercropping in the hilly areas of bandarban. Bangladesh Agron. J. 19: 45-48.
- Alabi. E.O., O.J. Ayodele and M. Aluko. 2014. Growth and yield responses of bell pepper (*Capsicum annuum*, Rodo'Variety) to in-row plant spacing. Journal of Agriculture and Biological Science. 9: 389-397.
- Alex, S. 2013. Usaha Tani Cabai: Kiat jitu bertanam cabai di segala musim. Pustaka Baru Press, Yogyakarta.
- Alexander, M. 1977. Introduction to soil mycrobiology. 2 nd Ed. John Wiley and Sons. New York. p. 467.
- Alfizar, Marlina dan N. Hasanah. 2011. Upaya pengendalian penyakit layu *Fusarium oxysporum* dengan pemanfaatan agen hayati cendawan fma dan *Trichoderma harzianum*. J. Floratek 6: 8-17.
- Anand, M. H., and G. Byju. 2008. Chlorophyll meter and leaf colour chart to estimate chlorophyll content, leaf colour and yield of cassava. Photosynthetica, 46:511-516.
- Andri, K.B., S. Swastika, D. Pratama dan T. Hidayat. 2017. Teknologi Budidata Cabai Merah. BPTP Riau, Kementan RI.
- Anitha, S. V.L. Geethakumari and G.R. Pillai. 2001. Effect of intercrops on nutrient uptake and productivity of chilli based cropping system. Journal of Tropical Agriculture 39:60-61.



- Ariyanti, N.A. 2013. Mekanisme infeksi virus kuning cabai (*Pepper Yellow Leaf Curl Virus*) dan pengaruhnya terhadap proses fisiologi tanaman cabai. Biologi, Sains, Lingkungan, dan Pembelajarannya dalam Upaya Peningkatan Daya Saing Bangsa 682-686.
- Arnon, D.I. 1949. Copper enzymes in isolated chloroplasts polyphenol oxidase in Beta vulgaris. Plant Physiol 24: 1 – 15.
- Arogundade, O., T. Ajose, I. Osiju, H.Onyeaneusi, J. Matthew and T.H. Aliyu. 2020. Management of Viruses and Viral Diseases of Pepper (*Capsicum spp.*) in Africa. IntechOpen 1-14.
- Arumingstyas, E.L., J. Kusnadi, D.R.T Sari dan N. Ratih. 2017. Genetic Variability of Indonesian Local Chili Pepper: The Facts. AIP Conference Proceedings 2017: 1-10.
- Asri, A.C. dan E. Zulaika. 2016. Sinergisme antar isolat Azotobacter yang dikonsorsiumkan. Jurnal Sains dan Seni ITS 5:2337-3520.
- Badda, N., K. Yadav, N. Kadian and A. Aggarwal. 2013. Impact of Arbuscular Mycorrhizal Fungi with *Trichoderma viride* and *Pseudomonas fluorescens* on Growth Enhancement of Genetically Modified Bt Cotton (*Bacillus thuringiensis*). Journal of Nature Fibers. 10: 309-325.
- Banik, S. and B.K. Dey. 1982. Available phosphate content of an alluvial soil as influenced by inoculation of some isolated phosphate-solubilizing microorganisms. Plant and Soil 69: 353-364.
- Banik, P. 1996. Evaluation of Wheat (*T. aestivum*) and Legume Intercropping Under 1:1 and 2:1 Row-Replacement Series System. J. Agron. Crop Sci. 176: 289-294.
- Banik, P., T. Sasmal, P.K. Ghosal and D.K. Bagchi. 2000. Evaluation of mustard (*Brassica campestris* Var. Toria) and legume intercropping under 1:1 and 2:1 row-replacement series systems. J. Agronomy & Crop Science 185:9-14.
- Bano, M. And V.M. Sivaramakrishnan. 1980. Preparation and properties of L-asparaginase from green chillies (*Capsicum annuum* L.,) Journal Biosci 2: 291-297.
- Barrs, H.D. and P.E. Weatherley. 1962. A Re-Examination of the Relative Turgidity Techniques for Estimating Water Deficits in Leaves. Australian Journal of Biological Sciences. 15: 413-428.
- Basyarudin. 1982. Penelaahan serapan dan pelepasan fosfat dalam hubungannya dengan kebutuhan tanaman jagung (*Zea mays* L.) pada tanah Ultisol dan Andisol. Tesis. Fakultas Pasca Sarjana, IPB, Bogor.
- Bates, L.S., R.P. Waldren and I.D. Teare. 1973. Rapid determination of free proline for water stress studies. Plant Soil 39: 205-207.



Batool, S. And M.A. Altaf. 2017. Plant growth promoting rhizobacteria (pgpr) reduces application rates of fertilizers in chili (*Capsicum frutescens* L.) cultivation. Journal of Horticulture 4:1-4.

Baylis, G.T.S. 1975. The magnoloid mycorrhiza and mycotrophy in root systems deived from it. p. 373-389. In: F.E.Sanders, B.Mosse, and P.B. Tinker (Eds.), *Endomycorrhizas*. Academic Press, London.

Bayogan, E.R. R. Salvilla, A.M.C. Majomot and J. Acosta. Shelf life of two sweet pepper (*Capsicum annuum*) cultivars stored at ambient and evaporative cooling conditions. South Western Journal of Horticulture, Biology and Environment 8:1-15.

Bechtai, N., A. El-Alaoiu, A. Raklami, L. Benidire, A. Tahiri and K. Oufdou. 2019. Impact of intercropping and co-inoculation with strains of plant growth-promoting rhizobacteria on phosphorus and nitrogen concentrations and yield of durum wheat (*Triticum durum*) and faba bean (*Vicia faba*). Crop & Pasture Science 70:649-658.

Beets, W.C. 1982. Multiple Cropping and Tropical Farming Systems. Westview Press, Inc. USA.

Berlian, I. B. Setiawan dan H. Hadi. 2013. Mekanisme antagonism *Trichoderma* spp. terhadap beberapa patogen tular tanah. Warta Perkaretan 32: 74-82.

Berova, M., G. Karanatsidis, K. Sapundzhieva, V. Bnikolova. 2010. Effect of organic fertilization on growth and yield of pepper plants (*Capsicum annuum* L.). Folia Horticulturae 22:3-7.

Bonini, P., Y. Rouphael, B. Miras-Moreno, B. Lee, M. Cardarelli, G. Erica, V. Cirino, L. Lucini and G. Colla. 2020. A microbial-Based biostimulant enhances sweet pepper perfomance by metabolic reprogramming of phytohormone profile and secondary metabolism. Frontiers in Plant Science. 11: 1-13.

Bouws, H. And M.R. Finckh. 2008. Effects of strip intercropping of potatoes with non-hosts on late blight severity and tuber yield in organic production. Plant Pathology 57: 916–927.

BPS Indonesia. 2018. Produktivitas Cabai Rawit di Indonesia, Jakarta.

BPS Indonesia. 2019. Inflasi Agustus 2019, Jakarta.

BPPP. 2019. Analisis Perkembangan Harga Bahan Pangan Pokok di Pasar Domestik dan Internasional Edisi Maret 2019. Pusat Pengkajian Perdagangan Dalam Negeri, Badan Pengkajian dan Pengembangan Perdagangan, Kementerian Perdagangan RI.

Campbell, N.A., J.B. Reece and L.G. Mitchell. 2003. Biologi. Alih Bahasa : L. Rahayu, E.I.M. Adil, N. Anita, Andri ,W.F. Wibowo, W. Manalu. Penerbit Erlangga, Jakarta.

Cappellari, L.R., M.V. Santoro, H. Reinoso, C. Travaglia, W. Giordano and E. Travaglia. 2015. Anatomical, morphological, and phytochemical effects of inoculation with



plant growth- promoting rhizobacteria on peppermint (*Mentha piperita*). *J Chem Ecol* 41:149–158.

Cebula, S., 1995. Optimization of plant and shoot spacing in glasshouse production of sweet pepper. *Acta Horticulturae* 412: 321-329.

Cenpukdee, U. and S. Fukai. 1992. Agronomic modification of competition between cassava and pigeon pea in intercropping. *Field Crop Res.* 30:131–146.

Ceunfin, S., D. Prajitno. & P. Suryanto. 2015. Tata Kelola Tumpangsari Jagung dan Kedelai di Bawah Tegakan Kayu Putih Terhadap Hasil Kedelai. Seminar Nasional Kebijakan dan Hasil Penelitian Pertanian IV dalam Rangka Dies Natalis ke-69 Fakultas Pertanian Universitas Gadjah Mada.

Ceunfin, S. D. Prajitno, P. Suryanto dan E.T.S. Putra. 2017. Penilaian Kompetisi dan Keuntungan Hasil Tumpangsari Jagung Kedelai di Bawah Tegakan Kayu Putih. *Jurnal Pertanian Konservasi Lahan Kering Savana Cendana* 2:1-3.

Chagnon, P.L., R.L. Bradley, H. Maherli and J.N. Klironomos. 2013. A traitbased framework to understand life history of mycorrhizal fungi. *Trends Plant Sci.* 18: 484–491.

Chamzurni, T., H. Oktarina dan K. Hanum. 2013. Keefektifan *Trichoderma harzianum* dan *Trichoderma virens* untuk mengendalikan rhizoctonia solani kühn pada bibit cabai (*Capsicum annum L.*). *Jurnal Agrista* 17: 12-17.

Chesaria N. Dan M. Syukur. 2018. Analisis keragaan cabai rawit merah (*Capsicum frutescens*) lokal asal Kediri dan Jember. *Bul. Agrohorti* 6: 388-396.

Clarah, S. R. Budihastuti dan S. Darmanti. 2017. Pengaruh pupuk nanosilika terhadap pertumbuhan, ukuran stomata dan kandungan klorofil cabai rawit (*Capsicum frutescens* Linn) varietas cakra hijau. *Jurnal Biologi* 6:26-33.

Comb, J.I., S.I. Long and J. Scurlock. 1985. Techniques in bioproductivity and photosynthesis. Pergamon press, oxford, New York, Toronto, Sydney, Frankfurt.

Da Matta, F. 2007. Ecophysiology of tropical tree crops: an introduction. *Brazilian Journal of plant Physiology* 19: 239-244.

Datta, M., R. Palit, C. Sengupta, M.K. Pandit and S. Banerjee. 2011. Plant growth promoting rhizobacteria enhance growth and yield of chilli (*Capsicum annuum* L.) under field conditions. *Australian Journal of Crop Science* 5: 531-536.

Dasgan, H. and K. Abak. 2003. Effects of plant density and number of shoots on yield and fruit characteristics of peppers grown in glasshouses. *Turk J Agric For* 27:29-35.

Degri, M.M. and J.Ayuba. 2016. Effect of pepper and cereals intercropping in the management of aphids (*Aphis gossypii* Glove) on pepper (*Capsicum annum* L.). *International Journal of Research in Agriculture and Forestry* 3: 23-27.



Dermawan, R., M. B.D.R. Farid, I. R. Saleh dan R. Syarifuddin. 2019. Respon tanaman cabai besar (*Capsicum annuum* L.) Terhadap pengayaan *Trichoderma* pada media tanam dan aplikasi pupuk boron. *J. Hort. Indonesia* 10: 1-9.

Direktorat Jenderal Pangan dan Hortikultura. 2019. Kebijakan dan Program Pembangunan Hortikultura 2020. Kementerian Pertanian, Jakarta.

Djaenuddin N. Dan A. Muis. 2015. Karakteristik bakteri antagonis *Bacillus subtilis* dan potensinya sebagai agens pengendali hayati penyakit tanaman. Prosiding Seminar Nasional Serealia. Balai Penelitian Tanaman Serealia. 489-494.

Djarwaningsih, T. 2005. Review: *Capsicum* spp. (Cabai): Asal, Persebaran dan Nilai Ekonomi. *Biodervitas* 6: 292-296.

Dwijoseputro, D. 1980. Pengantar fisiologi tumbuhan. PT Gramedia, Jakarta.

Endjang, S. dan M. Dianawati. 2015. Produksi panen berbagai varietas unggul baru cabai rawit (*Capsicum frutescens*) di lahan kering Kabupaten Garut, Jawa Barat. *Pros Sem Nas Masy Biodiv Indon* 1: 874-877.

Eriksson, K.E.L, R.A. Blanchette, and P. Ander. 1989. Microbial and enzymatic degradation of wood and wood components. Springer-Verlag Heildeberg. New York.

Erwin, D.C., and O.K. Ribeiro. 1996. *Phytophthora capsici*. In: Erwin D.C., Ribeiro O.K. (ed), *Phytophthora Diseases Worldwide*. APS Press, St. Paul, MN, USA: 262–268.

Evans, J. D. 1996. Straightforward Statistics for the Behavioral Sciences. Brooks/Cole Publishing Company, California.

Fajinmi, A.A. and C.A. Obebode. 2010. Evaluation of maize/pepper intercropping model in the management of pepper veinal mottle virus, genus Potyvirus, family Potyviridae on cultivated pepper (*Capsicum annuum* L.) in Nigeria. *Archives of Phytopathology and Plant Protection* 43: 1524-1533.

Fan, J., B. McConkey, H. Wang and H. Janzen. 2016. Root distribution by depth for temperate agricultural crops. *Field Crops Res.* 189:68–74.

Federer, W.T. 2012. Statistical design and analysis for intercropping experiments: Volume 1: Two Crops; Springer Science & Business Media: New York, NY, USA.

Franks, P.J. and G.D. Farquhar. 2007. The mechanical diversity of stomata and its significance in gas-exchange control. *Plant Physiology* 143:78-87.

Fuadi, I. dan R. Yusuf. 2005. Penerapan System Pengendalian Hama Terpadu Pada Tanaman Cabe. Sagu: 1-5.

Gardner, F.P., R.B. Pearce dan R.C. Mitchell. 1991. *Physiology of Crop Plants (Fisiologi tanaman)*, alih bahasa: H. Susilo dan Subiyanto, UI Press, Jakarta.



Gardner, F.P., R.B. Pearce dan R.C. Mitchell. 2008. Physiology of Crop Plants (Fisiologi tanaman, alih bahasa: H. Susilo dan Subiyanto, UI Press, Jakarta.

Gascho, G.J., R.K. Hubbard, T.B. Brenneman, A.W. Johnson, D.R. Summer and G.H. Harris. 2001. Effect of broiler litter in an irrigated, double-cropped, conservation-tilled rotation. Agron.J. 93:1315-1320.

Geetha, P., A.S. Tayade, R.A. Kumar and R. Kumar. 2019. Light interception in sugarcane based intercropping system. Journal of Agrometeorology 21:210-212.

Genfianti, D.W., N.N Arianti, M. Sutrawati, H.E. Saputra, F. Fahrurrozi and R. Herawati. 2019. Superiority test of mixed-cropping models for chili pepper hybrid varieties through participatory plant breeding. International Journal of Agricultural Technology 15:879-890.

Ghamari, H. and G. Ahmadvand. 2013. Growth analysis of dry bean (*Phaseolus vulgaris* L.) in different weed interference situations. Notulae Scientia Biologicae 5:394-399.

Gliessman, S.R. 1985. Multiple cropping systems: A basis for developing an alternative agriculture. Office of Technology Assessment (ed.). Innovative Technologies for Lesser Developed Countries. Government Printing Office, Washington. 69-86.

Gomez, K.A. dan A.A. Gomez. 1995. Statistical Procedures for Agricultural Research (Prosedur Statistika untuk Penelitian Pertanian, alih bahasa : Sjamsuddin, E. Dan J.S. Baharsyah) Edisi ke-2. UI Press, Jakarta.

Goenadi, D.H. dan R. Saraswati. 1993. Kemampuan melarutkan fosfat dari beberapa isolat fungi pelarut fosfat. Menara Perkebunan 61:61-66.

Goenadi, D.H., R. Saraswati, dan Y. Lestari. 1993. Kemampuan melarutkan fosfat dari beberapa isolat bakteri asal tanah dan pupuk kandang sapi. Menara Perkebunan 61: 44-49.

Gou, J. S. Suo, K. Shao, Q. Zhao, D. Yao, H. Li, J. Zhang and C. Rensing. 2020. Biofertilizers with beneficial rhizobacteria improved plant growth and yield in chili (*Capsicum annuum* L.). World Journal of Microbiology and Biotechnology 36:1-12.

Guendouz, A. N. Semcheddine, L. Moumeni and M. Hafsi. 2016. The effect of supplementary irrigation on leaf area, specific leaf weight, grain yield and water use efficiency in durum wheat (*Triticum durum* Desf.) cultivars. Journal of Crop Breeding and Genetics 2:82-89.

Hare, P.D., W.A. Cress and J.V. Staden. 1999. Proline synthesis and degradation: A model system for elucidating stress related signal transduction. J. EXP. Bot., 50: 413-34.

Hetherington, A. And F. Woodward. 2003. The role of stomata in sensing and driving environmental change. Nature, 424: 901.



Hu, J. M. Li, H. Liu, Q. Zhao and X. Lin. 2019. Intercropping with sweet corn (*Zea mays* L. var. rugosa Bonaf.) expands P acquisition channels of chili pepper (*Capsicum annuum* L.) via arbuscular mycorrhizal hyphal networks. Journal of Soils and Sediments 19:1632 – 1639.

Hugar, H.Y. and Y.B. Palled. 2008. Studies on maize-vegetable intercropping systems. Karnataka J. Agric. Sci. 21: 162-164.

Hussein, M.Y. and A.S. Noraini. 1987. Appropriate technology for chilli pest management under small farm conditions. UPM Research News. 1: 8-9.

Hussein, M. and N.A. Samad. 1993. Intercropping chili with maize or brinjal to suppress populations of *Aphis gossypii* glover and transmission of chili viruses. International Journal of Pest Management 39:216-222.

Ikpeme, C.E., P. Henry and O.A. Okiri. 2014. Comparative evaluation of the nutritional, phytochemical and microbiological quality of three pepper varieties. J Food Nutr Sci 2: 74-80.

Illmer, P. and F. Schinner. 1992. Solubilization of inorganic phosphate by microorganisms isolated from forest soils. Soil Biol. Biochem. 24: 389-395.

Ilmiah, H.H., E. Sulistyaningsih and T. Joko. 2021. Fruit morphology, antioxidant activity, total phenolic and flavonoid contents of *Salacca zalacca* (Gaertner) voss by applications of goat manures and *Bacillus velezensis* B-27. Caraka Tani Journal of Sustainable Agriculture 36: 1-13.

Innis, D.Q. 1997. Intercropping and the scientific basis of traditional agriculture. London: Intermediate Technology Publications Ltd.

Iriany, R.N., M. Yasin dan A. Takdir. 2016. Asal, Sejarah, Evolusi dan Taksonomi Tanaman Jagung. Balai Penelitian Tanaman Serealia, Maros. Balitsereal, Litbang Pertanian.

Islami, T. Dan H.U. Utomo. 1995. Hubungan Tanah, Air dan Tanaman. IKIP Press, Semarang 279 hlm.

Islam, A.H.Md.S., P. Schreinemachers and S. Kumar. 2020. Farmers' knowledge, perceptions and management of chili pepper anthracnose disease in Bangladesh. Crop Protection 133:1-7.

James, E. and F.L. Olivares. 1997. Infection and colonization of sugarcane and other graminaceous plants by endophytic diazotrophicus. Plant Science. 17:77-119.

Jatnika, W., A.L. Abadi dan L.Q. Aini. 2013. Pengaruh aplikasi *Bacillus* sp. dan *Pseudomonas* sp. Terhadap perkembangan penyakit bulai yang disebabkan oleh jamur patogen *Peronosclerospora maydis* pada tanaman jagung. Jurnal HPT 1: 19-29.

Jayapala, N., N.H. Mallikajunairah, H. Puttaswamy, H. Gavirangappa and N.S. Ramachandrappa. 2019. Rhizobacteria *Bacillus* spp. induce resistance against anthracnose disease in chili (*Capsicum annuum* L.) through activating host defense response. Egyptian Journal of Biological Pest Control 29-45.



Jiang, C., M. Liao, H. Wang, M. Zheng, J. Xu and J. Guo. 2018. *Bacillus velezensis*, a potential and efficient biocontrol agent in control of pepper gray mold caused by *Botrytis cinerea*. Biological Control 126: 147-157.

Jones.Jr., J. B. 1999. Tomato plant culture. CRS Press London, New York.

Jovicich, E., D.J. Cantliffe and G.J. Hochmuth. 1999. Plant density and shoot pruning on yield and quality of a summer greenhouse sweet pepper crop in Northcentral Florida. Horticultural Sciences Dept., University of Florida.

Juan-juan, Z., P. Qiang, L. Yin-li, W.Xing and H. Wang-lin. 2012. Leaf gas exchange, chlorophyll fluorescence, and fruit yield in hot pepper (*Capsicum annuum* L.) grown under different shade and soil moisture during the fruit growth stage. Journal of Integrative Agriculture 11: 927-937.

Jung, S.C., A. Martinez-Medina, J.A. Lopez-Raez and M.J. Pozo. 2012. Mycorrhiza-induced resistance and priming of plant defenses. J Chem Ecol 38: 651-664.

Kader, A.A. W.J. Lipton and L.L. Morris. 1973. Systems for scoring quality of harvested lettuce. Hortscience 8: 408-409.

Kader, A., and M. Cantwell. 2010. Produce quality rating scales and color charts. Postharvest horticultural Series Nº 23-cd. Second Edition. Davis, California, USA.

Kamel MBB and Hamouda MHB. 1993. Aphids from protected crops and their enemies in Tunisia. Tropicultura. 11:50–53.

Kamble, P.N. S.P. Giri, R.S. Mane and A. Tiwana. 2015. Estimation of chlorophyll content in young and adult leaves of some selected plants. Universal Journal of Environmental Research and Technology 5:306-310.

Karimi, H. 2005. Cultivation and breeding of forage crops, University of Tehran Press, Tehran, Iran.

Keating, B.A., and P.S. Carberry. 1993. Resource capture and use in intercropping solar radiation. Field Crops Research 34: 273–301.

Keefe, D.A.O. and M.C. Palada. In-row plant spacing affects growth and yield of four hot pepper cultivars. Caribbean Food Crops Society, Proceedings of the 38th Annual Meeting 2002. 162-168.

Klieber, A. 2000. Color at harvest and post harvest behavior influence paprika and chilli spice quality. Dept. of Horticulture Viticulture and Oenology The University of Adelaide 20:269-278.

Kloepper, J.W., A. Gutierrez-Estrada, J.A. McInroy. 2007. Photoperiod regulates elicitation of growth promotion but not induced resistance by plant growth promoting rhizobacteria. Can J Microbiol 53:159-167.

Konica Minolta. 2009. Chlorophyll Meter SPAD-502 Manual Book. Konica Minolta, Japan.



Kouassi, C.K., R. Koffi-nevry, L.Y. Guillaumel. 2012. Profiles of bioactive compounds of some pepper fruit (*Capsicum L.*) varieties grown in Côte d'Ivoire. Innovative Romanian Food Biotechnol 11: 23-31.

Kramer, P.J. and T.T. Kozlowski. 1960. Physiology of Trees. McGraw-Hill Book Co. Inc., New York.

Kumar, V., A.K.D. Anal and V. Nath. 2018. Growth response of litchi to arbuscular mycorrhizal co-inoculation with *Trichoderma viride*, *Azotobacter chroococcum* and *Bacillus megatarium*. Indian Phytopathology 71:65-74.

Kurniawati, S. N. Khumaida, S.W. Ardie, N.S. Hartati dan E. Sudarmonowati. 2014. Pola akumulasi prolin dan poliamin beberapa aksesi tanaman terung pada cekaman kekeringan. J. Agron Indonesia 42:136-141.

Kusnadi, J., D.W. Andayani, E. Zubaidah dan E.L. Arumingtyas. 2019. Ekstraksi senyawa bioaktif cabai rawit (*Capsicum frutescens L.*) Menggunakan metode ekstraksi gelombang ultrasonik. Jurnal Teknologi Pertanian 20: 79-84.

Laban, S., H. Oue and D.A. Rampisela. 2018. Evapotranspiration and water balance in a hot pepper (*Capsicum frutescens L.*) field during a dry season in the tropics. IOP Conf. Series: Earth and Environmental Science 157: 1-6.

Lakitan, B. 1996. Fisiologi pertumbuhan dan perkembangan tanaman. PT Raja Grafindo Persada, Jakarta.

Lamsal, K., S.W. Kim, Y.S. Kim and Y.S. Lee. 2012. Application of Rhizobacteria for Plant Growth Promotion Effect and Biocontrol of Anthracnose Caused by *Colletotrichum acutatum* on Pepper. Mycobiology 40:244-251.

Lavelle, P. and Spain, A. 2002. Soil ecology. Springer-Verlag, Berlin, Germany.

Leskovar, D.I., D.J. Cantliffe and P.J. Stoffella. 1989. Pepper (*Capsicum annuum L.*) root growth and its relation to shoot growth in response to nitrogen. Journal of Horticultural Science 64:711-716

Libria, W, Tohari, & E. Sulistyaningsih. 2004. Pengaruh intensitas cahaya dan kadar aminoasida terhadap iklim mikro dan pertumbuhan tanaman krisan dalam pot. Jurnal Ilmu pertanian, 11: 35-42.

Lindroth, A., F. Lagergren, M. Aurela, B. Bjarnadottir, T. Christensen, E. Dellwik, A. Grelle, A. Ibrom, T. Johansson, H. Lankreijer, S. Launiainen, T. Laurila, M. Mölder, E. Nikinmaa, K. Pilegaard, B. D. Sigurdsson and T. Vesala. 2008. Leaf area index is the principal scaling parameter for both gross photosynthesis and ecosystem respiration of Northern deciduous and coniferous forests. Tellus 60:129-142.

Lithourgidis, A.S., C.A. Dordas, C.A. Damalas, D.N. Vlachostergios. 2011. Annual intercrops: an alternative pathway for sustainable agriculture. Australian Journal of Crop Science 5: 396–410.



- López-Ráez, J.A., A. Verhage, I. Fernández, J.M. García, C. Azcón-Aguilar, V. Flors, M.J. Pozo. 2010. Hormonal and transcriptional profiles highlight common and differential host responses to arbuscular mycorrhizal fungi and the regulation of the oxylipin pathway. *J Exp Bot* 61: 2589–2601.
- Lorenzo, P. and N. Castilla. 1995. Bell pepper yield response to plant density and radiation in unheated plastic glasshouse. *Acta Hortic* 412: 330-334.
- Lugojan, C. and S. Ciulca. 2011. Evaluation of relative water content in winter wheat. *J. Hortic. Fores. Biotechnol.* 15: 173–177.
- Lukitawati, D.R. dan R.D.M. Simanungkalit, 1999. Peningkatan produksi bahan kering, serapan N dan P hijauan jagung dengan inokulan cendawan mikoriza arbuskular. *Sainteks* 6:99-106.
- Madusari, S., D.I. Yama, Jumardin, B. T. Liadi, R.A. Baedowi. 2018. Pengaruh inokulasi jamur mikoriza arbuskular terhadap pertumbuhan dan produksi tanaman cabai (*Capsicum annuum* L.). *Jurnal UMJ*: 1-8.
- Malusa, E., L.Sas-Paszt, W. Popinska and E. Zurawicz. 2006. The Effect of a Substrate Containing Arbuscular Mycorrhizal Fungi and Rhizosphere Microorganisms (*Trichoderma*, *Bacillus*, *Pseudomonas* and *Streptomyces*) and Foliar Fertilization on Growth Response and Rhizosphere pH of Three Strawberry Cultivars. *International Journal of Fruit Science* 6: 25-41.
- Major, D.G., G.B. Schaalje, G. Asrar, E.T. Kanemasu. 1986. Estimation of whole plant biomass and grain yield from spectral reflectance of cereals. *Canadian Journal of Remote Sensing* 12:47-54.
- Makbul, S.N., N. S. Guler, N. Durmus and S. Guven. 2011. Changes in anatomical and physiological parameters of soybean under drought stress *Turk J Bot.* 35:369-377.
- Maya, M.A. and Y. Matsubara. 2013. Tolerance to Fusarium wilt and anthracnose diseases and changes of antioxidative activity in mycorrhizal cyclamen. *Crop Protection* 47: 41-48.
- Mead, R. and J. Riley. 1981. A review of statistical ideas relevant to intercropping research. *J. R. Stat. Soc. Ser. A (Gen.)* 144, 462–509.
- Medina, A.M., J.A. Pascual, E. Lioret and A. Roldan. 2009. Interactions between *arbuscular mycorrhizal fungi* and *Trichoderma harzianum* and their effects on *Fusarium wilt* in melon plants grown in seedling nurseries. *Journal of the Science of Food and Agriculture* 89: 1843-1850.
- Meilin, A. 2014. Hama dan Penyakit pada Tanaman Cabai serta Pengendaliannya. *Balai Pengkajian Teknologi Pertanian (BPTP)*, Jambi.
- Mitiku, A., A.Chala and Y. Beyene. 2013. The effect of intercropping of pepper with maize and sweet potato on infection of pepper (*Capsicum annuum* L.) by potyviruse and yield of pepper in, southern ethiopia. *International Journal Of Technology Enhancements And Emerging Engineering Research* 1: 68-73.



Mitiku, A., A.Chala and Y. Beyene. 2014. Effect of intercropping on aphid vectors and yield of pepper (*Capsicum annum L.*) In southern part of ethiopia. International Journal Of Technology Enhancements And Emerging Engineering Research 2: 28-34.

Moekasan, T.K., L. Prabaningrum, W. Adiyoga, H. de Putter. 2015. Modul Pelatihan Budidaya Cabai Merah, Tomat dan Mentimun Berdasarkan Konsepsi Pengendalian Hama Terpadu. VegIMPACT 7: 19-20.

Musa, A.S., M. Wachjadi dan L. Soesanto. 2005. Potensi beberapa pestisida nabati dalam upaya penyehatan tanah tanaman cabai in planta. Universitas Soedirman. Purwokerto.

Neo, F.X. dan S. Ceunfin. 2018. Pengaruh Model Tumpangsari dan Pengaturan Jarak Tanam Kacang Nasi (*Vigna angularis L.*) Kultivar Lokal terhadap Pertumbuhan dan Hasil Tanaman Jagung (*Zea mays L.*). Jurnal Pertanian Konservasi Lahan Kering 3: 14-17.

Newton, A.C., G. Begg, J.S. Swanston. 2009. Deployment of diversity for enhanced crop function. Annals of Applied Biology 154: 309–322.

Newton, A.C., D.C. Guy. 2009. The effects of uneven, patchy cultivar mixtures on disease control and yield in winter barley. Field Crops Research 110: 225–228.

Nisnawati, A. S. Yusnaini dan A.S. Arif. 2008. Populasi agens hayati pelarut fosfat dan p-tersedia pada rizosfir beberapa umur dan jarak dari pusat perakaran jagung (*Zea mays L.*). Jurnal Tanah Trop 13: 123-130.

Nuraeni, Sugiyanto dan Zaenal. 2013. Usahatani konservatif di hulu DAS Jeneberang (studi kasus petani sayuran di hulu DAS Jeneberang Sulawesi Selatan). Jurnal Manusia dan Lingkungan 20: 173-183.

Nurmalasari, I.R. 2018. Kandungan asam amino prolin dua varietas padi hitam pada kondisi cekaman kekeringan. Gontor Agrotech Science Journal 4: 29-43.

Nunes, C.N. and J. Emond. 2007. Relationship between weight loss and visual quality of fruits and vegetables. Proc. Pla. State Hort. Soc. 120:235-245.

Nurzannah, S.E., Lisnawati dan D. Bakti. 2014. Potensi jamur endofit asal cabai sebagai agens hayati untuk mengendalikan layu fusarium (*Fusarium Oxysporum*) pada cabai dan interaksinya. Jurnal Online Agroekoteknologi 2: 1230-1238.

Olasantan, F.O., A.W. Salau and E.E. Onuh. 2007. Influence of cassava (*Manihot esculenta*) intercrop on growth and fruit yields of pepper (*Capsicum spp.*) in South-Western Nigeria. Expl. Agric. 43: 79-95.

Osipitan, A. A., J.N. Odedina, S.O. Adigbo, T.O. Fabunmi, and C.G. Afolabi. 2012. Assessment of insect pest infestation in a maize-cassava intercropping. Nigerian Journal of Plant Protection 26:190-202.

Ouyang, C., K. Wu, T. An, J.He, S.Zi, Y.Yang and B.Wu. 2017. Productivity, economic, and environmental benefits In intercropping of maize with chili and grass. Soil Tillage, Conservation & Management, Agronomy Journal 109: 2407-2414.



Palaniappan. 1985. Cropping system in the Tropic: Principles and Management. Wiley Eastern Limited and Tamil Nadu Agricultural University. Coimbataro.

Pandey, S.N. and B.X. Sinha. 1979. Plant Physiology. Vikas Publishing House FVT Ltd., New Delhi.

Pandey S.K. and H. Singh. 2011. Research Article: A Simple, Cost-Effective Method for Leaf Area Estimation. Journal of Botany 1-6.

Parra, E.H., J.C. Alejo, and J.A. R. Zapata. 2017. *Trichoderma* strains as growth promoters in *Capsicum annuum* and as biocontrol agents in *Meloidogyne incognita*. Journal of Agricultural Research 77: 318-324.

Paudel, M.N. 2016. Multiple cropping for raising productivity and farm income of small farmers. Journal of Nepal Agricultural Research Council 2: 37-45.

Pereira, P., F. Ibàñez, M. Rosenblueth, M. Etcheverry and E. Martínez-Romero. 2011. Analysis of the bacterial diversity associated with the roots of maize (*Zea mays* L.) through culture-dependent and culture-independent methods. ISRN Ecol. 10.

Pereira, J.A.P., I.J.C. Vieira, M.S.M. Freitas, C.L. Prins, M.A. Martins and R. Rodrigues. 2016. Effects of arbuscular mycorrhizal fungi on Capsicum spp. Journal of Agriculture Scienccce 154: 828-849.

Pessarakli, M. 1999. Handbook of Plant and Crop Stress. Second Edition, Revised and Expanded. Switzerland: Marcel Dekker Inc. Basel.

Piromyou, P., B. Buranabanyat, P. Tantasawat, P. Tittabutr, N. Boonkerd, N. Teaumroong. 2011. Effect of plant growth promoting rhizobacteria (PGPR) inoculation on microbial community structure in rhizosphere of forage corn cultivated in Thailand. European J Soil Biol 47: 44-54.

Portes, T. and H.C. de Melo. 2014. Light interception, leaf area and biomass production as a function of the density of maize plants analyzed using mathematical models. Acta Scientiarum. Agronomy 36:457-463.

Poupin, M.J., T. Timmermann, A. Vega, A. Zuniga, B. Gonzalez. 2013. Effects of the plant growth-promoting bacterium *burkholderia phytofirmans psjn* throughout the life cycle of *Arabidopsis thaliana*. Plos One 8: 1 – 15.

Prabaningrum, L. dan T.K. Moekasan. 2014. Penelolaan organisme pengganggu tumbuhan utama pada budidaya cabai merah di dataran tinggi. J. Hort 24:129-188.

Pradita, T.P., W.S.D. Yamika dan T. Sumarni. 2018. Pengaruh jarak tanam cabai rawit (*Capsicum frutescens* L.) dan populasi oyong (*Luffa acutangula*) dalam tumpangsari terhadap hasil tanaman cabai rawit. Jurnal Produksi Tanaman 6: 1-8.

Pratiwi, G.R. 2005. Tanggap pertumbuhan tanaman gandum terhadap naungan. Pusat Penelitian dan Pengembangan Tanaman Pangan 37-45.



Pratiwi, S.H. 2016. Pertumbuhan dan hasil padi (*Oryza sativa L.*) sawah pada berbagai metode tanam dengan pemberian pupuk organik. Gontor AGROTECH Science Journal 2: 1-19.

Pratiwi, S. Dan M.D. Maghfoer. 2019. Pertumbuhan dan hasil tanaman terung (*Solanum melongena L.*) akibat aplikasi pupuk kandang kambing dan inokulasi agens hayati rhizosfer. Jurnal Produksi Tanaman 7: 218-224.

Priest, F.G. 1993. Systematics and Ecology of *Bacillus*. *Bacillus subtilis* and other gram-positive bacteria. American Society of Microbiology, Washington D.C. (ed.).

Prihatiningsih, N., T. Arwiyanto, B. Hadisutrisno dan J. Widada. 2015. Mekanisme antibiosis *Bacillus subtilis* B315 untuk pengendalian penyakit layu bakteri kentang. J. HPT Tropika 15: 64-71.

Radford, P.J. 1967. Crop. Sci. 7:171-175.

Rahma, A.A., Suryanti, S. Somowiyarjo and T. Joko. 2020. Induced Disease Resistance and Promotion of Shallot Growth by *Bacillus velezensis* B-27. Pak. J. Biol. Sci. 23: 1113-1121.

Ram, S. and S. Singh. 2010. Effects of intercropping of spices, cereals and root crops on the incidence of *helicoverpa armigera* (hub) in tomato. Vegetable science 3792 :164-166.

Ramirez-Godoy, A. M.D.P. Vera-Hoyos, N.Jimenez-Beltran and H. Restrepo-Diaz. 2018. Application of foliar synthetic elicitors for the management of *Diaphorina citri* (Hemiptera: Liviidae) populations in tahiti lime (*Citrus latifolia* Tanaka). Hort Science 53:1012-1020.

Rizki, H.B., F. Puspita and Adiwirman. 2015. Uji beberapa Tricho-kompos terformulasi terhadap pertumbuhan dan produksi cabai merah. JOM Faperta 2: 1-14.

Rodrigues, K.F., and H.K. Tam. 2010. Molecular markers for *Capsicum frutescens* varieties cultivated in Borneo. JPI Breeding Crop Sci 2: 165-167.

Roberts, P.D., K.L. Pernezny and T.A. Kucharek. Anthracnose on pepper in Florida. IFAS Extension 1-2.

Rochayat, Y., and V.R. Munika. 2015. Respon kualitas dan ketahanan simpan cabai merah (*Capsicum annuum L.*) dengan penggunaan jenis bahan pengemas dan tingkat kematangan buah. Jurnal Kultivasi 14:65-71.

Rohmawati, F.A., R. Soelistyono dan Koesriharti. 2017. Pengaruh pemberian PGPR (*Plant Growth Promoting Rhizobacteria*) dan kompos kotoran kelinci terhadap hasil tanaman terung (*Solanum melongena L.*). Jurnal Produksi Tanaman 5: 1294 – 1300.

Rosliani, R., dan N. Sumarni. 2009. Pemanfaatan mikoriza dan aplikasi pupuk anorganik pada tumpangsari cabai dan kubis di dataran tinggi. J. Hort 19: 313-323.



Roy RN, Brawn H. 1983. Fertilizer use under multiple cropping system, an overview F.A.O. Fertilizer and Plant Nutrient Bull. 5:9–23.

Russo, V.M. and P.P. Veazie. 2010. Yield and nutrient content of bell pepper pods from plants developed from seedlings inoculated, or not, with microorganisms. HORT SCIENCE 45:352-358.

Ruswandi, D. J. Supriatna, N. Rostini dan E. Suryadi. 2016. Research Article: assessment of sweetcorn hybrids under sweetcorn/chilli pepper intercropping in West Java, Indonesia. Journal of agronomy 15:94-103.

Samaniego-Gamez, B.Y., R. Garruna, J.M. Tun-Suarez, J.Kantun-Can, A. Reyes-Ramirez and L. Cervantes-Diaz. 2016. *Bacillus* spp. inoculation improves photosystem II efficiency and enhances photosynthesis in pepper plants. Chilean Journal of Agricultural Research 76: 409-416.

Santos, R.M. P.A.E. Diaz, L..L.B. Lobo and E.C. Rigobelo. 2020. Use of plant growth-promoting rhizobacteria in maize and sugarcane: characteristics and applications. Frontiers in Sustainable Food Systems 4:1-15.

Saraswati, R., T. Prihatini, dan R.D. Hastuti. 2004. Teknologi pupuk agens hayati untuk meningkatkan efisiensi pemupukan dan keberlanjutan sistem produksi padi sawah 169-189.

Saraswati R. dan Sumarno. 2008. Pemanfaatan mikrobia penyubur tanah sebagai komponen teknologi pertanian. Jurnal Iptek Tanaman Pangan 3: 41-58.

Sari, N., dan R.S. Kasiamdari. 2021. Identifikasi dan Uji Patogenisitas *Colletotrichum* spp. dari Cabai Merah (*Capsicum annuum*): Kasus di Kricaan, Magelang, Jawa Tengah. Jurnal Ilmu Pertanian Indonesia 26:243-250.

Sarijah dan A.N. Setiawan. 2020. Upaya Meningkatkan Produktifitas Lahan dengan Tumpangsari Jagung Manis dan Kacangan. The 11th University Research Colloquium 2020, 361-370.

Schlüter, U., M. Muschak, D. Berger, T. Altmann. 2003. Photosynthetic performance of an *Arabidopsis* mutant with elevated stomatal density (sdd1-1) under different light regimes. J Exp Bot 54: 867–874.

Setiawan, E. 2009. Kearifan lokal pola tanam tumpangsari di Jawa Timur. Agrovivor 2: 79-89.

Setiawan, A. B., Purwanti, S. and Toekidjo. 2012. Pertumbuhan dan hasil benih lima varietas cabai merah (*Capsicum annuum* L.) di dataran menengah. Vegetalika, 1:1-11.

Setiawati. W., R. Murtiningsih dan A. Hasyim. 2011. Laboratory and field evaluation of essensial oil from cymbopogon nardus as oviposition deterrent and ovicidal activities against *Helicoverpa armigera* Hubner on chili pepper. Indonesian J. Agric. Sci. 12: 9-16.



- Shang, J. B. Liu and Z. Xu. 2020. Efficacy of *Trichoderma asperellum* TC01 against anthracnose and growth promotion of *Camellia sinensis* seedlings. Biological Control 143: 1-10.
- Sharma, A. K. Kumar, and P. Giridhar. 2008. Induction of in vitro flowering in *Capsicum frutescens* under the influence of silver nitrate and cobalt chloride and pollen transformation. J Biotechnol 11): 1-6.
- Shemer, A.P., B. Andisheh, Maria, N. Israelsson, B.E. Cawas, B.O.R. Bargmann, A.B. Stephan and J. Schroeder. 2015. Guard cell photosynthesis is critical for stomatal turgor production, yet does not directly mediate CO₂ - and ABA-induced stomatal closing. The PlantJournal, 83: 567–58.
- Shu, K., W. Zhou, F. Chen, X. Luo, and W. Yang. 2018. Abscisic acid and gibberellins antagonistically mediate plant development and abiotic stress responses. Front. Plant Sci. 9:1-8.
- Simanungkalit, R.D.M. 1997. Effectiveness of 10 species of arbuscular mycorrhizal (AM) fungi isolated from West Java and Lampung on maize and soybean, p. 267-274. In: U.A. Jenie (Ed.). Proc. Indonesian Biotechnology Conference, Vol. II . The Indonesian Biotechnology Consortium, IUC Biotechnology IPB, Bogor.
- Simanungkalit, R. D. M., 2001, Aplikasi Pupuk Hayati dan Pupuk Kimia: Suatu Pendekatan Terpadu, Buletin AgroBio 4: 56-61.
- Simanungkalit, R.D.M. 2007. Cendawan mikoriza arbuskuler. Dalam: Pupuk organik dan pupuk hayati. Balai Besar Litbang Sumber Daya Lahan Pertanian 159-190.
- Simpson, M. G., 2010, Plant Systematics, Elsevier, Burlington, USA. Inc. Publishers, Sunderland, Massachusetts, U. S. A.
- Sitompul, S. M., dan G. Bambang. 1995. Analisis Pertumbuhan Tanaman. Gadjah Mada University Press, Yogyakarta.
- Singh, P. and D.P. Sharma. 2019. Response of *Trichoderma viride* and plant growth promoting Rhizobacteria (PGPR) on growth and yield of chilli cv. Arka Lohit. Journal of Pharmacognosy and Phytochemistry 8:1495-1497.
- Smith, S.E., and Read, D.J. 2008. Mycorrhizal symbiosis. San Diego, CA, Academic Press, USA.
- Srichaikul, B. R. Bunsang, S. Samappito. 2011. Comparative study of chlorophyll content in leaves of Thai *Morus alba* Linn. Species. Plant Sciences Research 3:17-20.
- Steel, R.G., dan J.H. Torrie. 1960. Principles and Procedures of Statistics : a Biometrical Approach. McGraw-Hill Companies, New York.
- Steenis, Van C. G. G. J., G. D. Hoed, dan P. J. Eyma, 2006, Flora, PT. Pradnya Paramita, Jakarta.



- Suherman, C., M.A. Soleh, A. Nuraini dan N.F. Annisa. 2018. Pertumbuhan dan hasil tanaman cabai (*Capsicum Sp.*) yang diberi pupuk hayati pada pertanaman kelapa sawit (*Elaeis guineensis* Jacq.) TBM I. Jurnal Kultivasi 17: 648-655.
- Suwor, P., P. Thummabenjapone, J. Sanitchon, S. Kumar, S. Techawongstien. 2015. Phenotypic and genotypic responses of chili (*Capsicum annuum L.*) progressive lines with different resistant genes against anthracnose pathogen (*Colletotrichum* spp.). Eur. Plant Pathol. 143:725-736.
- Sujitno, E. dan M. Sianawati. 2015. Produksi panen berbagai varietas unggul baru cabai rawit (*Capsicum frutescens*) di lahan kering Kabupaten Garut, Jawa Barat. Pros Seminar Nasional Masyarakat Biodiversitas Indonesia 1: 874-877.
- Sulistyaningsih, E. B. Kurniasih dan E. Kurniasih. 2005. Pertumbuhan dan hasil caisin pada berbagai warna sungup plastik. Ilmu Pertanian 12:65-76.
- Sun, Y., Z.TianFu, W. YunYue, C. JianBin, H. XiaHong, L. ChengYun and Z.YouYong. 2006. Effect of intercropping on disease management and yield of chilli pepper and maize. Acta Horticulturae Sinica 33: 995-1000.
- Sun, T., Z. Xu, C.T. Wu, M. Janes, W. Prinyawiwatkul, and H.K. No. 2007. Antioxidant activities of different colored sweet bell peppers (*Capsicum annuum L.*). Journal of Food Science 72: 98-102.
- Syafruddin, S. 2017. Growth and yield of chili pepper (*Capsicum annuum L.*) on the growing media of entisol aceh using various endomycorrhizae. Int. J. Agric. Res., 12: 36-40.
- Syahri dan R.U. Somantri. 2015. Penanganan segar untuk mempertahankan mutu dan menekan susut bobot cabai selama penyimpanan. Balai Pengkajian Teknologi Pertanian (BPTP) Sumatera Selatan 1326-1333.
- Szabados, L. and A. Savoure. 2010. Proline: A multifunctional amino acid. Trends Plant Sci. 15:89–97.
- Taiwan Agricultural Research Institute (T.A.R.I). 1983. Annual Report for 1982. Winfeng, Taiwan (ROC): Taiwan Agriculture Research Institute.
- Taufik, M., S.H. Hidayat. G. Suatika, S.M. Sumaraw dan S. Sujiprihati. 2005. Kajian plant growth promoting rhizobacteria sebagai agens proteksi cucumber mosaic virus dan chilli veinal mottle virus pada cabai. Hayati 12:139-144.
- Timmusk, S. I.A.A. El-Daim, L.Copolovici, T. Tanilas, A. Kannaste, L. Behers, E. Nevo, G. Seisenbaeva, E. Stenstrom, and U. Niinemets. Drought-tolerance of wheat improved by rhizosphere bacteria from harsh environments: enhanced biomass production and reduced emissions of stress volatiles. PLOS One 9:1-13.
- Uddling, J. J.G. Alfredsson and K. Piikki. 2007. Evaluating the relationship between leaf chlorophyll concentration and SPAD-502 chlorophyll meter readings. Photosynth Res 91:37-46.



- Umah, F.K. 2012. Pengaruh pemberian pupuk hayati (biofertilizer) dan media tanam yang berbeda pada pertumbuhan dan produktivitas tanaman cabai rawit (*Capsicum frutescens* L.) di polybag. Universitas Airlangga. Skripsi.
- Undang, M. Syukur dan Sobir. 2015. Identifikasi Spesies Cabai Rawit (*Capsicum* spp.) Berdasarkan Daya Silang dan Karakter Morfologi. *J. Agron Indonesia* 43: 118-125.
- Valentine, K., N. Herlina dan N. Aini. 2017. Pengaruh pemberian mikoriza dan *Trichoderma* sp. Terhadap pertumbuhan dan hasil produksi benih melon hibrida (*Cucumis melo* L.). *Jurnal Produksi Tanaman* 5:1085-1092.
- Vardharajula, S., A.Z. Ali, M. Grover, G. Reddy and V.Bandi. 2011. Drought-tolerant plant growth promoting *Bacillus* spp.: effect on growth, osmolytes, and antioxidant status of maize under drought stress. *Journal of Plant Interaction* 6:1-14.
- Vázquez, M.M, S. César, R. Azcón, and J. M. Barea. 2000. Interactions between arbuscular mycorrhizal fungi and other microbial inoculants (*Azospirillum*, *Pseudomonas*, *Trichoderma*) and their effect on the microbial population and enzyme activities in the rhizosphere of maize plants. *Appl. Soil Ecol.* 15: 261-272.
- Verheij, E. W. M., and F. L. J. Verwer. 1971. Light interception and yield of peppers grown under glass in relation to plant spacing. *Acta Horticulturae* 32: 149-158.
- Villalobos, F.J., L. Mateos, F. Orgaz and E. Fereres. 2002. Fitotecnia: Bases y tecnologías de la producción agrícola. Mundi-Prensa; editor. 496 p.
- Wahla, I.H., R. Ahmad, Ehsanullah, A. Ahmad and A. Jabbar. 2009. Competitive Functions of Components Crops in Some Barley Based Intercropping Systems. *International Journal of Agriculture & Biology*. 11:69-72.
- Warsawa 2009. Introduksi Teknologi Tumpangsari Jagung dan Kacang Tanah. Tabloid Sinar Tani.
- Widodo, A. A.P. Sujalu dan H. Syahfari. 2016. Pengaruh jarak tanam dan pupuk npk phonska terhadap pertumbuhan dan produksi tanaman jagung manis (*Zea mayz saccharata* Sturt) varietas sweet boy. *Jurnal AGRIFOR* 15: 171-178.
- Wills R. B. McGlasson, D. Graham, and D.C. Joyce. 2007. Postharvest - An introduction to the physiology and handling of fruit, vegetables and ornamentals. University of New South Wales Press, New South Wales.
- Yadaf, M. M. K. Dubey and R.S. Upadhyay. 2021. systemic resistance in chilli pepper against anthracnose (Caused by *Colletotrichum truncatum*) induced by *Trichoderma harzianum*, *Trichoderma asperellum* and *Paenibacillus dendritiformis*. *Journal of Fungi* 7: 1-27.
- Yang M., Zhang Y., Qi L., Mei X., Liao J., Ding X., Deng W., Fan L., He, X., J.M. Vivanco, Li C., Zhu Y., and Zhu. 2014. Plant-plant-microbe mechanisms involved in soil-borne disease suppression on a maize and pepper intercropping system. *Journal of PLOS ONE* 9: 1-22.



Yan, A.K. and V.T.T. Anh. 2018. Effect of *Trichoderma* sp. on Anthracnose Disease of Stored Chilli. *Borneo Journal of Resource Science and Technology* 8: 90-102.

Yanuarti, A.R. dan M.D. Afsari. 2016. Profil Komoditas Barang Kebutuhan Pokok dan Barang Penting Komoditas Cabai, Jakarta.

Yanti, Y. F.F. Astuti, T. Habazar, C.R. Nasution. 2017. Screening of rhizobacteria from rhizosphere of healthy chili to control bacterial wilt disease and to promote growth and yield of chili. *BIODIVERSITAS* 18:1-9.

Yilmaz. F, M. Atak and M. Erayman, 2008, Identification of Advantages of Maize-Legume Intercropping over Solitary Cropping through Competition Indices in the East Mediterranean Region Turk J Agric For 32: 111-119.

Yoshida, T. 1978. Microbial metabolism in rice soils. p. 445-463. In: Soil and Rice. IRRI. Los Banos, Philippines.

Zdor, R.E. and S.G. Puepke. 1990. Competition for nodulation of soybean 123 in soil maintaining indigenous rhizobia. *Soil Biol. and Biochem* 22:607-613.

Zainudin, A.L. Abadi dan L.Q. Aini. 2014. Pengaruh pemberian Plant Growth Promoting Rhizobacteria (*Bacillus subtilis* dan *Pseudomonas fluorescens*) TERHADAP penyakit bulai pada tanaman jagung (*Zea mays* L.). *Jurnal HPT* 2:11-18.

Zhang, E., and G. Huang. 2003. Temporal and spatial distribution characteristics of the crop root in intercropping system. *Chin. J. Appl. Ecol.* 14:1301–1304.

Zhang, L., W.V. Werf, L. Bastiaans, S. Zhang, B. Li, J.H.J. Spiertz. 2008. Light interception and utilization in relay intercrops of wheat and cotton. *Field Crops Research* 107:29-42.