



DAFTAR PUSTAKA

- Abellas-Sequeiros, R. A., Raposeiras-Roubin, S., Abu-Assi, E., Gonzales-Salvado, V., Iglesias-Alvares, D., Redondo-Dieguez, A., Gonzales-Ferreiro, R., Ocaranza-Sanchez, R., Pena-Gil, A., Garcia-Acuna, J. M., Gonzales-Juanatey, J. R., 2015. Mehran contrast nephropathy risk score: Is it still useful after later?. *Journal of Cardiology*; 67: 262-267
- Al Tu'ma, F., J., Dheyauldeen, M., H., Almukhtar, M., A., et al. 2017. The Role of Serum Cystatin C in the Early Detection of Contrast-Induced Nephropathy after Coronary Intervention. *Journal of Kidney*; 3: 4: 5 pages.
- Andreucci, M., Faga, T., Pisani, A., et al. 2014. The choice of iodinated radiographic of contrast media to prevent contrast-induced nephropathy. *Advances in nephrology*; 11 pages.
- Andreucci, M., Solomon, R., Tasanarong, A., 2014. Side effects of radiographic contrast media: pathogenesis, risk factors, and prevention. *BioMed Research International*. Vol. 2014. Article ID 741018. 20 pages.
- Briguori, C., Visconti, G., Rivera, N. V., Focaccio, A., Golia, B., Giannone, R., Castaldo, D., De Micco, F., Ricciardelli, B., Colombo, A., 2010. Cystatin C and contrast-induced acute kidney injury. *Circulation*; 121: 2117-2122
- Bruce, R., J., Djamali, A., Shinki, K., et al. 2009. Background fluctuation of kidney function versus contrast-induced nephrotoxicity. *American Journal of Roentgenology*; 192: 711–718.
- Caiazza, L., Russo, M., Sabbatini, D., R., 2014. Hemodynamic and tubular changes induced by contrast media. *BioMed Research International*. Vol. 2014. Article ID 578974. 7 pages.
- Cavanaugh, C., Perazella, M., A. 2019. Urine Sediment Examination in the Diagnosis and Management of Kidney Disease: Core Curriculum 2019. *American Journal of Kidney Diseases*. 73(2): 258-272.
- Coca, S., G., Yusuf, B., Shlipak, M., G., et al. 2009. Long-term risk of mortality and other adverse outcomes after acute kidney injury: a systematic review and meta-analysis. *American Journal of Kidney Disease*; 53: 961–973



- Dharnidharka, V., R., Kwon, C., Stevens, G., 2002. Serum cystatin C is superior to serum creatinine as a marker of kidney function: a meta-analysis. *American Journal of Kidney Diseases*. Vol. 40; 2: 221–226.
- Freeman, R.,V., O'Donnell, M., Share, D., et al. 2002. Nephropathy requiring dialysis after percutaneous coronary intervention and the critical role of an adjusted contrast dose. *American Journal of Cardiology*; 90: 1068–1073.
- Fu, N., Li, X., Yang, S., Chen, Y., Li, Q., Jin, D., Cong, H., 2013. Risk Score for the Prediction of Contrast-Induced Nephropathy in Elderly Patients Undergoing Percutaneous Coronary Intervention. *Angiology* 64(3): 188-194.
- Goldstein, S.,L. 2019. Damage Biomarker. Dalam: Ronco, C., Bellomo, R., Kellum, J.,A., Ricci, Z.: Critical Care Nephrology. 3rd Edition. Elsevier: Philadelphia.
- Grubb, A. 1992. Diagnostic value of analysis of cystatin C and protein HC in biological fluids. *Clinical nephrology*; 38: S20-S27.
- Harjai, K.,J., Raizada, A., Shenoy, C., et al. 2008. A comparison of contemporary definitions of contrast nephropathy in patients undergoing percutaneous coronary intervention and a proposal for a novel nephropathy grading system. *American Journal of Cardiology*;101:812–19.
- Hatano, M. 1991. Clinical study of tubular creatinine secretion in renal dysfunction. *Nippon Jinzo Gakkai Shi*; 33: 1097-1104.
- He, H., Chen, X., Chen ,Y., Niu, T., Liao, Y., 2019. Prevalence and Predictors of Contrast-Induced Nephropathy (CIN) in Patients with ST-Segment Elevation Myocardial Infarction (STEMI) Undergoing Percutaneous Coronary Intervention (PCI): A Meta-Analysis. *Journal of Interventional Cardiology*. vol. 2019, Article ID 2750173, 9 pages
- Heinrich, M., C., Häberle, L., Müller, V. et al., 2009. Nephrotoxicity of iso-osmolar iodixanol compared with nonionic low-osmolar contrast media: meta-analysis of randomized controlled trials. *Radiology* 250:68–86
- Hoste, E.,A., Clermont, G., Kersten. A., et al. 2006. RIFLE criteria for acute kidney injury are associated with hospital mortality in critically ill patients: a cohort analysis. *Critical Care*; 10: R73.
- Ibanez, B., James, S., Agewall, Antunes, M. J., Chiara Bucciarelli-Ducci, He'ctor Bueno, A. L. P. C., Filippo Crea, John A. Goudevenos, S. H., Gerhard Hindricks Adnan Kastrati M. J. L., Eva Prescott M. R., Marco Valgimigli Christoph Varenhorst P. V., P. W., Chiara Bucciarelli-Ducci , He'ctor Bueno A. L., Pascal Vranckx, P. W. y 2017. 2017 ESC Guidelines for the



- management of acute myocardial infarction in patients presenting with ST - segment elevation : The Task Force for the management of acute myocardial infarction. *European Heart Journal*, 309: 1–66.
- Ivanes, F., Isorni, M., A., Halimi, J., M., *et al.*, 2014. Predictive factors of contrast-induced nephropathy in patients undergoing primary coronary angioplasty. *Archives of Cardiovascular Disease*; 107: 424-432.
- James, M.T., Samuel, S., M., Manning, M.,A., *et al.*, 2013. Contrast-induced acute kidney injury and risk of adverse clinical outcomes after coronary angiography: a systematic review and meta-analysis. *Circ Cardiovasc Interv*;6:37–43.
- Kane, G.,C., Doyle, B., J., Lerman, A., Barsness, G.,W., Best, P.,J., Rihal, C.,S., 2008. Ultra-low contrast volumes reduce rates of contrast-induced nephropathy in patients with chronic kidney disease undergoing coronary angiography. *J Am Coll Cardiol*;51:89–90
- Khera, R., Secemsky, E. A., Wang, Y., Desai, N. R., Krumholz, H. M., Maddox, T. M., Shunk, K. A., Virani, S.S., Bhatt, D. L., Curtis, J. C., Yeh, R. W., 2020. Revascularization Practices and Outcomes in Patients With Multivessel Coronary Artery Disease Who Presented With Acute Myocardial Infarction and Cardiogenic Shock in the US, 2009-2018. *JAMA Intern Med*. 2020;180(10):1317-1327
- Kato, K., Sato, N., Yamamoto, T., Iwasaki, Y., Tanaka, K., Mizuno, K., 2008. Valuable Markers for Contrast-Induced Nephropathy in Patients Undergoing Cardiac Catheterization. *Circ J*; 72: 1499 – 1505.
- Laskey, W.,K., Jenkins, C., Selzer, F., *et al*. 2007. Volume-to-creatinine clearance ratio: a pharmacokinetically based risk factor for prediction of early creatinine increase after percutaneous coronary intervention. *J Am Coll Cardiol*;50:584–90
- Laskey, W., Aspelin, P., Davidson, C., *et al*. 2009. Nephrotoxicity of iodixanol versus iopamidol in patients with chronic kidney disease and diabetes mellitus undergoing coronary angiographic procedures. *Am Heart J* 158:822–828
- Lameire, N., Adam, A., Becker, C.,R., *et al*. 2006. Baseline renal function screening. *American Journal of Cardiology*; 98: 21K–26K.
- Liu, Z.Z., Viegas, V.,U., Perlewitz, A., *et al*. 2012. Iodinated contrast media differentially affect afferent and efferent arteriolar tone and reactivity in mice: a possible explanation for reduced glomerular filtration rate. *Radiology*;



265(3):762-771.

- Maioli, M., Toso, A., Gallopin, M., *et al.* 2011. Preprocedural score for risk of contrast-induced nephropathy in elective coronary angiography and intervention. *J Cardiovasc Med (Hagerstown)*;11:444–9.
- Maioli, M., Toso, A., Leoncini, M., *et al.* 2012. Persistent renal damage after contrast-induced acute kidney injury: Incidence, evolution, risk factors, and prognosis. *Circulation*; 125:3099–107.
- Marenzi, G., Lauri, G., Assanelli, E., *et al.* 2004. Contrast-induced nephropathy in patients undergoing primary angioplasty for acute myocardial infarction. *Journal of The American College of Cardiology*; 44: 1780-1785
- McCullough, P.,A., Wolyn, R., Rocher, L.,L., *et al.*, 1997. Acute renal failure after coronary intervention: incidence, risk factors, and relationship to mortality. *Am J Med*;103:368–75.
- McCullough, P.,A. 2019. Contrast-induced Acute Kidney Injury. Dalam: Ronco, C., Bellomo, R., Kellum, J.,A., Ricci, Z.: Critical Care Nephrology. 3rd Edition. Elsevier: Philadelphia.
- McCullough, P.,A., 2008. Radiocontrast-induced acute kidney injury. *Nephron Physiol*; 109: 61–72.
- McCullough, P.,A., Bouchard, J., Waikar, S.,S., *et al.* 2013. Implementation of novel biomarkers in the diagnosis, prognosis, and management of acute kidney injury: executive summary from the tenth consensus conference of the acute dialysis quality initiative (ADQI). *Contribution to Nephrology*; 182: 5–12.
- Mehrani, R., Nikolsky, E., 2006. Contrast-induced nephropathy: definition, epidemiology, and patients at risk. *Kidney International Supplement* ;100: S11—5.
- Malhotra, R., Bouchard, J., Mehta, R.,L., 2019. Community- and Hospital-Acquired Acute Kidney Injury. Dalam: Ronco, C., Bellomo, R., Kellum, J.,A., Ricci, Z.: Critical Care Nephrology. 3rd Edition. Elsevier: Philadelphia.
- Marenzi, G., Assanelli, E., Campodonico, J., Lauri, G., Marana, I., De Metrio, M., Moltrasio, M., Grazi, M., Rubino, M., Veglia, F., Fabbiocchi, F., Bartorelli, A. L., 2009. Contrast volume during primary percutaneous coronary intervention and subsequent contrast-induced nephropathy and mortality. *Annals of Internal Medicine* 2009; 150:170-177.



National Kidney Foundation - Kidney Disease Improving Global Outcome. 2012.
KDIGO Clinical Practice Guideline for Acute Kidney Injury. *Kidney International Supplements* 2, 69–88.

Owen, R., J., Hiremath, S., Myers, A., Fraser-Hill, M., Barrett, B., 2011. Consensus Guidelines for The Prevention of Contrast Induced Nephropathy. *Canadian Association of Radiologists*

Rear, R., Bell, R. M., Hausenloy, D.J., 2016. Contrast-induced nephropathy following angiography and cardiac interventions. *Heart* 0:1-11.

Ribichini, F., Gambaro, G., Graziani, M. S., Pighi, M., Pesarini, G., Pasoli, P., Azselmi, M., Ferrero, V., Yabarek, T., Sorio, A., Rizotti, P., Lupo, A., Vassanelli, C., 2012. Comparison of serum creatinine and cystatin C for early diagnosis of contrast-induced nephropathy after coronary angiography and intervention. *Clinical chemistry* 58:2; 458-464.

Rihal, C., S., Textor, S., C., Grill, D., E., et al., 2002. Incidence and prognostic importance of acute renal failure after percutaneous coronary intervention. *Circulation*; 105: 2259—64.

Herget-Rosenthal, S., Marggraf, G., Husing, J., et al., 2004. Early detection of acute renal failure by serum cystatin C. *Kidney International*; 66: 1115-1122

Rudnick, M., R., Davidson, C., Laskey, W., et al. 2008. Nephrotoxicity of iodixanol versus ioversol in patients with chronic kidney disease: the Visipaque Angiography/Interventions with Laboratory Outcomes in Renal Insufficiency (VALOR) Trial. *Am Heart J* 156:776–782

Sadeghi, H., M., Stone, G., W., Grines, C., L., et al. 2003. Impact of renal insufficiency in patients undergoing primary angioplasty for acute myocardial infarction. *Circulation*; 108: 2769—75.

Seeliger, E., Sendeski, M., Rihal, C. S., Persson, P. B., 2012. Contrast-induced acute kidney injury: mechanism, risk factor, and prevention. *European Heart Journal*; 33: 2007-2015

Sherwood, L. 2001. *Human physiology: from cells to systems 4th ed.* Pacific Grove, CA: Brooks/Cole.



- Shukla, A. N., Juneja, M., Patel, H., Shah, K. H., Konat, A., Thakkar, B. M., Madan, T., Prajapati, J., 2017. Diagnostic accuracy of serum cystatin C for early recognition of contrast induced nephropathy in western Indians undergoing cardiac catheterization. *Indian Heart Journal*; 69: 311-315
- Solomon, R., J., Natarajan, M., K., Doucet, S., et al. 2007. Cardiac Angiography in Renally Impaired Patients (CARE) study: a randomized double-blind trial of contrast-induced nephropathy in patients with chronic kidney disease. *Circulation*; 115: 3189–3196.
- Stacul, F., van der Molen, A., J., Reimer, P., et al., 2011. Contrast Media Safety Committee of European Society of Urogenital R. Contrast induced nephropathy: updated ESUR contrast media safety committee guidelines. *Eur Radiol*; 21:2527–41.
- Sterling, K.A., Tehrani, T., Rudnick, M., R., 2008. Clinical significance and preventive strategies for contrast-induced nephropathy. *Curr Opin Nephrol Hypertens*. 17:616-623.
- Stevens, L., A., Coresh, J., Greene, T., et al. 2006. Assessing kidney function—measured and estimated glomerular filtration rate. *New England Journal of Medicine*; 354: 2473–2483.
- Taher, H., S., Hassan, A., Dimitry, S., R., 2015. Predicting contrast induced nephropathy post coronary intervention: A prospective cohort study. *The Egyptian Heart Journal*. 67: 337-343.
- Tenstad, O., Roald, A.B., Grubb, A., Aukland, K., 1996. Renal handling of radiolabeled human cystatin C in the rat. *Scand J Clin Lab Invest*, 56: 409-414.
- Thomson, V., S., Narayanan, K., Singh, C., 2009. Contrast induced nephropathy in urology. *Indian Journal of Urology*. 25(4):437-445.
- Ucche, M. 2019. Kejadian nefropati akibat kontras pada pasien sindrom koroner akut yang menjalani intervensi koroner perkutan primer dibandingkan dengan pasien angina pektoris stabil yang menjalani intervensi koroner perkutan elektif. Universitas Gadjah Mada, Yogyakarta.
- Vuurmans, T., Byrne, J., Fretz, E., et a. l. 2010. Chronic kidney injury in patients after cardiac catheterisation or percutaneous coronary intervention: a comparison of radial and femoral approaches (from the British Columbia Cardiac and Renal Registries). *Heart*; 96: 1538–1542.



Yang, Z., Y., Joyce, E., Murugan, R., Kellum, J., A., 2019. The Role of Biomarkers in the Diagnosis and Management of Acute Kidney Injury. Dalam: Ronco, C., Bellomo, R., Kellum, J.,A., Ricci, Z.: Critical Care Nephrology. 3rd Edition. Elsevier: Philadelphia.

Yustikasari, I., Aprami, T. M., Tedjokusumo, P., Purnomowati, A., Agustian, D. 2015. Correlation Between Traditional Cardiovascular Risk Factors and Complexity of Coronary Artery Lesion Determined by SYNTAX Score in patient with ST-Elevation Myocardial Infarction. *Journal of the American College of Cardiology*; 65(17):S65.

Zang, W., Zhang, T., Ding, D., Sun, S., Wang, X., Chu S., Shen, L., He, B., 2017. Use of Both Cystatin C and Creatinine as Diagnostic Criteria for Contrast-Induced Acute Kidney Injury and Its Clinical Implications. *Journal of American Heart Association*; 6:e004747