

DAFTAR PUSTAKA

- Akesowan, A. (2002). Viscosity and gel formation of konjac flour from *Amorphophallus oncophyllus*. *AU Journal of Technology*, 5(3), 139–146
- Anderson, G. H. (2002). *Measuring Satiety and Satiation Study Designs and Outcomes*. University of Toront
- Anonim. (2018). SNI 3552:2018 Jelly Hidrokoloid. Badan Standardisasi Nasional.Jakarta
- Asp, N. G. (2001). Enzymatic gravimetric methods. Dalam Spiller, G.A. (editor). *Handbook of dietary fiber in human nutrition* 3rd ed. CRC Press, California
- Atasoy, S., Johar, H., Fang, X.Y., Kruse, J., Ladwig, K.H. (2018). Cumulative effect of depressed mood and obesity on type II diabetes incidence: findings from the MONICA/KORA cohort study. *Journal of Psychosomatic Research*, 115, 66-70
- Au-Yeung, F., Jovanovski, E., Jenkins, A. L., Zurbau, A., Ho, H. V. T., & Vuksan, V. (2017). *The effects of gelled konjac glucomannan fibre on appetite and energy intake in healthy individuals: a randomised cross-over trial*. *British Journal of Nutrition*, 119(01), 109–116.
- BahramParvar, Maryam & Razavi, Seyed M. A. (2012). Rheological interactions of selected hydrocolloid–sugar–milk–emulsifier systems. *International Journal of Food Science and Technology*.
- Bawane. (2012). An Overview on Stevia: A Natural Calorie Free Sweetener. *International Journal of Advantages in Pharmacy, Biology and Chemistry*. IJAPBC-vol. 1 (3): 2277-4688
- Blakemore W.R dan Harpell A.R. (2007). Konjac Glucomannan in Imeson, A. (ed). *Food stabilisers, thickeners, and gelling agents*. Blackwell Publishing, UK
- Blundell, J. E. (1999). ‘The control of appetite: Basic Concept and Practical Implications’, *Congress report Schweiz Med Wochenschr*, 129(March 1999), pp. 182–188.
- Blundell, J. E. *et al.* (2001) ‘Control of food intake in the obese’, *Obesity research*, 9(November 2001), pp. 263–270.
- Blundell, J. E. and Halford, J. C. G. (1994). ‘Regulation of nutrient supply: the brain and appetite control’, *Proceedings of the Nutrition Society*, 53(2), pp. 407–418. doi: 10.1079/pns19940046.
- Burton-Freeman, B. (2000) ‘Dietary Fiber and Energy Regulation’, *The Journal of nutrition*, 130(2S Suppl), p. 267S. doi: 10.1093/jn/130.2.267S.



UNIVERSITAS
GADJAH MADA

EFEK KONSUMSI JELLY YANG MENGANDUNG GLUKOMANAN PORANG (*Amorphophallus oncophyllus*) TERHADAP RASA KENYANG DAN KADAR GLUKOSA DARAH SEWAKTU PADA ORANG DEWASA KELEBIHAN BERAT BADAN

AYU NINDHITASANI B.A, Prof. Dr. Ir. Eni Harmayani, M.Sc ;Dr. Lily Arsanti Lestari, STP, MP

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Crittenden, R.G & M.J.Playne. (1996). Production, Properties and Applications of Food-grade Oligosaccharides Trends in Food Science and Technology 7, 353-361.

Chao, WANG ., Mei, XU., Wen-ping, LV., Pei, QIU., Yuan-yuan, GONG and Dong-sheng, LI. (2012). Study on Rheological Behavior of Konjac Glucomannan. Physics Procedia 33: 25 – 30

Chearskul, S., Kriengsinyos, W., Kooptiwut, S., Sangurai, S., Onreabroi, S., Churintaraphan, M., Semprasert, N., Nitiyanant, W. (2009). Immediate and long-term effects of glucomannan on total ghrelin and leptin in Type 2 Diabetes Mellitus. *Diabetes Research and Clinical Practice*, 83:40-42

Chua, M., Chan, K., Hocking, T.J., Williams, P.A., Perry, C.J., Baldwin, T.C. (2012). Methodologies for the extraction and analysis of konjac glucomannan from corms of *Amorphophallus konjac* K. Koch. *Carbohydrate Polymers*. 87: 2202-2210

Dai, S., Corke, H., Shah, N. P. (2016). Utilization of konjac glucomannan as a fat replacer in low fat and skimmed yogurt. *Journal of Dairy Science*. 99(9): 7063-7074

Dai, S., Jiang, F., Corke, H., Shah, N. P. (2018). Physicochemical and textural properties of mozzarella cheese made with konjac glucomannan as a fat replacer. *Food Research International* 107: 691-699

Ensminger AH. (1994). Foods & Nutrition Encyclopedia. 2nd Edition. Boca raton: CRC Press. Hal:349-350.

Fang, Weixuan.,Wu, Pengwu . (2004). Variations of Konjac glucomannan (KGM) from *Amorphophallus konjac* and its refined powder in China. *Food Hydrocolloids*. 18: 167–170

Freeman, B. Burton. (2000). Dietary fiber and energy regulation, *J. Nutr.* 130 (2S Suppl) (272S-5S).

Glicksman, M. (1983). *Food Hydrocolloid*. Vol II.CRS Press Inc. Boca Ratton Florida.

Goff, H.D., Repin, N., Fabek, H., Khoury, D.E., Gidley, M.J. (2018). Dietary fibre for glycaemia control: towards a mechanistic understanding. *Bioactive Carbohydrates and Dietary Fibre*, 14: 39-53

Gulrez, S.K.H., Al-Assaf, S., Phillips, G.O. (2011). Hydrogels: methods of preparation, characterisation and applications. In Carpi (ed)., *Progress in molecular and environmental bioengineering*

Gupta, P. (2010). Callusing in *Stevia rebaudiana* (Natural Sweetener) for Steviol Glycoside Production. *International Journal of Agricultural and Biological Sciences*. 1:1

Guyton, A. C. and Hall, J. e. (2006). ‘Secretory Functions of the Alimentary Tract’, in *Textbook of Medical Physiology*. Philadelphia, pp. 86–89. doi: 10.1185/03007995.2011.568059.



UNIVERSITAS
GADJAH MADA

EFEK KONSUMSI JELLY YANG MENGANDUNG GLUKOMANAN PORANG (*Amorphophallus oncophyllus*) TERHADAP RASA KENYANG DAN KADAR GLUKOSA DARAH SEWAKTU PADA ORANG DEWASA KELEBIHAN BERAT BADAN

AYU NINDHITASANI B.A, Prof. Dr. Ir. Eni Harmayani, M.Sc ;Dr. Lily Arsanti Lestari, STP, MP

Handayani, T.D. (2015). Glukomanan Porang (*Amorphophallus oncophyllus*): Karakteristik, potensi prebiotik, dan aplikasinya pada pembuatan jelly. Thesis ITP UGM, Yogyakarta

- Harmayani, Eni., Aprilia, Veriani., Marsono, Y. (2014). Characterization of glucomannan from *Amorphophallus oncophyllus* and its prebiotic activity in vivo. *Carbohydrate Polymers* 112: 475–479
- Hoad, C., Rayment, P., Cox, E., Wright, P., Butler, M., Spiller, R., et al. (2009). Investigation of alginate beads for gastro-intestinal functionality, Part 2. *In vivo* characterisation. *Food Hydrocolloids*, 23, 833–839.
- Hu, Yan., Tian, Jing., Zou, Jian., Yuan, Xiaoqing., Li, Jing , Liang, Hongshan., Zhan, Fuchao., Li, Bin. (2019). Partial removal of acetyl groups in konjac glucomannan significantly improved the rheological properties and texture of konjac glucomannan and κ -carrageenan blends. *International Journal of Biological Macromolecules* 123: 1165–117.
- Inamake. (2010). Isolation and Analytical Characterization of Stevioside from Leaves of *Stevia rebaudiana* Bert; (Asteraceae). Research Article. Tambe R et al. *IJRAP* 1 (2): 572-582
- Kacinik, V. *et al.* (2011) ‘Effect of PGX , a novel functional fibre supplement , on subjective ratings of appetite in overweight and obese women consuming a 3-day structured , low-calorie diet’, *Nutrition and Diabetes*. Nature Publishing Group, 1(12), pp. e22-9. doi: 10.1038/nutd.2011.18.
- Kahn, S.E., Hull, R.L., Utzschneider, K.M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*, 444(7121): 840-846
- Kaya, A.O.W., Suryani, A., Santoso, J., Rusli, M.S. (2015). The effect of gelling agent concentration on the characteristic of gel produced from the mixture of semirefined carrageenan and glukomannan. *International Journal of Sciences: Basic and Applied Research (IJSBAR)*, 20(1):313-324
- Kementerian Kesehatan RI. (2018). *Hasil Utama Riskedas 2018*. Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia, Jakarta
- Kovacs, E.M., & Mela, D.J. (2006). Metabolically active functional food ingredients for weight control. *Obesity Reviews*, 7(1): 29-78
- Kumar, Lokesh., Brennan, Margaret., Zheng, Haotian., Brennan, Charles. (2018). The effects of dairy ingredients on the pasting, textural, rheological, freeze-thaw properties and swelling behaviour of oat starch. *Food Chemistry* 245: 518–524
- Laksmiawati, D.R., Marwati, U., Sumiyati, Y., Pratami, D.K., dan Sari, I.P. (2021). The Effect of *Amorphophallus Muelleri* Blume and *Moringa Oleifera* L Leaves On Body Weight, Feed Intake, and Hepatic Histopathology in Mice. *International Journal of Applied Pharmaceutics*. 13(2). 82-87. <https://doi.org/10.22159/ijap.2021.v13s2.16>



UNIVERSITAS
GADJAH MADA

EFEK KONSUMSI JELLY YANG MENGANDUNG GLUKOMANAN PORANG (*Amorphophallus oncophyllus*) TERHADAP RASA KENYANG DAN KADAR GLUKOSA DARAH SEWAKTU PADA ORANG DEWASA KELEBIHAN BERAT BADAN

AYU NINDHITASANI B.A, Prof. Dr. Ir. Eni Harmayani, M.Sc ;Dr. Lily Arsanti Lestari, STP, MP

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Maljaars, J., Peters, H. P. F. and Masclee, A. M. (2007) 'Review article: The gastrointestinal tract: Neuroendocrine regulation of satiety and food intake', *Alimentary Pharmacology and Therapeutics*, 26(SUPPL. 2), pp. 241–250. doi: 10.1111/j.1365-2036.2007.03550.x.
- McIntosh, M. & Miller, C. (2001). A diet containing food rich in soluble and insoluble fiber improves glycemic control and reduces hyperlipidemia among patients with type 2 Diabetes Mellitus. *Nutrition Reviews*, 59: 52-55
- McRae, Marc P. (2018). Dietary Fiber Intake and Type 2 Diabetes Mellitus: An Umbrella Review of Meta-analyses. *Journal of Chiropractic Medicine*. 17 (1)
- Ministry of Agriculture of the People's Republic of China, (2002). Professional standard of the People' Republic of China for konjac flour NY/T 494-2002. Ministry of Agriculture of the People's Republic of China, Beijing
- Monsivais, P. *et al.* (2011) 'Soluble fiber dextrin enhances the satiating power of beverages', *Appetite*. Elsevier Ltd, 56(1), pp. 9–14. doi: 10.1016/j.appet.2010.10.010.
- Necas, J. & Bartosikova, L. (2013). Carrageenan: a review. *Veterinari Medicina*, 58 (4): 187–205
- Nikmah, U.A. dan Dany, F. (2017). Kadar Leptin sebagai Petanda Diabetes pada Individu dengan Diabetes dan Toleransi Glukosa Terganggu. Pusat Penelitian dan Pengembangan Biomedis dan Teknologi Dasar Kesehatan. *Buletin Penelitian Kesehatan*. 45(3): 145-152
- Nisa, C. dan Madjid, I.J. (2016). Potensi Glukomanan pada Tepung Porang Sebagai Agen Anti-Obesitas pada Tikus dengan Induksi Diet Tinggi Lemak. *Jurnal Gizi Klinik Indonesia*. 13 (1):1-6.
- Parry, J. (2010). Konjac Glucomannan in Imeson, A. (ed). Food stabilisers, thickeners, and gelling agents. Blackwell Publishing, UK
- Respondek, F., Hilpiper, C, Chauveau, P, Cazaubiel, M, Gendre, D, Maudet, C and Wagner, A. (2014). Digestive tolerance and postprandial glycaemic and insulinaemic responses after consumption of dairy desserts containing maltitol and fructo-oligosaccharides in adults. *European Journal of Clinical Nutrition*. 68: 575–580
- Retnaningtyas, Y. (2012). Determination of inulin from multivitamin syrup product by high performance liquid chromatography with RI detector. *Indo. J. Chem*. 12(2): 201-205
- Schroeder, Natalia., Marquart, Len F., Gallaher, Daniel D. (2013). The Role of Viscosity and Fermentability of Dietary Fiber on Satiety and Adiposity-Related Hormones in Rats. *Journal Nutrients*. 5: 2093-2113
- Soetiarto, Farida., Roselinda, Suhardi. (2010). Hubungan Diabetes Mellitus dengan Obesitas berdasarkan Indeks Massa tubuh dan Lingkar Pinggang data Riskesdas 2007. Pusat penelitian dan Pengembangan Biomedis dan Farmasi. 38. 1 : 36 – 42



UNIVERSITAS
GADJAH MADA

EFEK KONSUMSI JELLY YANG MENGANDUNG GLUKOMANAN PORANG (*Amorphophallus oncophyllus*) TERHADAP RASA KENYANG DAN KADAR GLUKOSA DARAH SEWAKTU PADA ORANG DEWASA KELEBIHAN BERAT BADAN

AYU NINDHITASANI B.A, Prof. Dr. Ir. Eni Harmayani, M.Sc ;Dr. Lily Arsanti Lestari, STP, MP

- Solah, Vicky A. Brand-Miller, Jennie C. Atkinson, Fiona S., Gahler, Roland J. Kacinik, Veronica., Lyon, Michael R., Wood, Simon. (2014). Dose–response effect of a novel functional fibre, PolyGlycopleX®, PGX®, on satiety. *Appetite*. 77C :72–76
- Takigami, S. (2009). Konjac mannan in Phillips, G.O & Williams, P.A (ed.) Handbook of hydrocolloids. Woodhead, Cambridge
- Thomas, W.R. (1997). Carrageenan in Imeson, A. (ed). Thickening and gelling agents for Food. Springer, US
- Tokunaga, T., Oku, T., Hosoya, N. (1986). Influence of chronic intake of new sweetener fructooligosaccharide (Neosugar) on growth and gastrointestinal function of the rat. *Journal of Nutrition Science and Vitaminology (Tokyo)*, 32(1): 111-121
- Vuksan, V., Sievenpiper, J.L., Swilley, J.A., Spadafora, P., Jenkins, D.J.A., Vidgen, E., Brighenti, F., Josse, R.G., Leiter, L.A., Xu, Z., Novokmet, R. (2000). Beneficial effects of viscous dietary fiber from konjac-mannan in subjects with the insulin resistance syndrome. *Diabetes Care* 23:9-14
- Wanders, A. J. *et al.* (2011) ‘Effects of dietary fibre on subjective appetite, energy intake and body weight: a systematic review of randomized controlled trials.’, *Obesity reviews : an official journal of the International Association for the Study of Obesity*. England, 12(9), pp. 724–739. doi: 10.1111/j.1467-789X.2011.00895.x.
- Weickert, M. O. *et al.* (2005) ‘Impact of cereal fibre on glucose-regulating factors’, *Diabetologia*, 48(11), pp. 2343–2353. doi: 10.1007/s00125-005-1941-x.
- WHO. (2000a). The Asia-Pacific perspective: Redefining obesity and its treatment. WHO Western Pacific Region
- WHO. (2000b). Obesity: Preventing and managing the global epidemic. WHO Technical Report Series, Geneva
- Williams, P.A. & Phillips, G.O. (2000). Introduction to food hydrocolloids. In: Handbook of Hydrocolloids (edited by G.O. Phillips & P.A. Williams). Pp. 1, 15. Cambridge, England: Woodhead Publishing Limited.
- Whistler, R.L. & BeMiller, J.N. (1997). Carbohydrate chemistry for food scientists. Eagan Press, Minnesota
- Widowati, S. A. (2017) *Pengaruh Pemberian Diet Tinggi Karbohidrat Terhadap Kadar Glukosa Darah dan Satiety*.
- Winarno, F.G. (1992). Kimia pangan dan gizi. Gramedia Pustaka Utama, Jakarta
- Wu, Y., Cui, W., Eskin, N.A.M. & Goff, H.D. (2009). Rheological investigation of synergistic interactions between galactomannans and non-pectic polysaccharide fraction from water soluble yellow mustard mucilage. *Carbohydrate Polymers*, 78, 112–116.



UNIVERSITAS
GADJAH MADA

EFEK KONSUMSI JELLY YANG MENGANDUNG GLUKOMANAN PORANG (*Amorphophallus oncophyllus*) TERHADAP RASA KENYANG DAN KADAR GLUKOSA DARAH SEWAKTU PADA ORANG DEWASA KELEBIHAN BERAT BADAN

AYU NINDHITASANI B.A., Prof. Dr. Ir. Eni Harmayani, M.Sc ;Dr. Lily Arsanti Lestari, STP, MP

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Xu, H. *et al.* (2018). Association of Obesity With Mortality Over 24 Years of Weight History Findings From the Framingham Heart Study. *Journal of American Medical Association*, 1(7): 1–13

Yanes, M., Duran, L. & Costell, E. (2002). Effect of hydrocolloid type and concentration on flow behavior and sensory properties of milk beverages model systems. *Food Hydrocolloids*. 16: 605–611.

Yanuriati, Anny., Marseno, Djagal Wiseso., Rochmadi, Harmayani, Eni. (2017) . Characteristics of glucomannan isolated from fresh tuber of Porang (*Amorphophallus muelleri* Blume). *Carbohydrate Polymers*. 156 : 56–63

Yun, Jong Won. (1996). *Fructooligosaccharides-Occurrence, preparations, and application*. Elsevier Science Inc.

Zheng, Jiong., Wu, Jiahao., Dai, Yaoyi., Kan, Jianquan., Zhang, Fusheng. (2017). Influence of bamboo shoot dietary fiber on the rheological and textural properties of milk pudding. *LWT - Food Science and Technology* 84: 364-369